

THE LOEB CLASSICAL LIBRARY

FOUNDED BY JAMES LOEB, LL.D

EDITED BY

† T E PAGE, C H , LITT.D

E. CAPPS, PH.D , LL.D

W. H D ROUSE, LITT.D.

ARISTOTLE

PARTS OF ANIMALS

MOVEMENT OF ANIMALS

PROGRESSION OF ANIMALS

ARISTOTLE

PARTS OF ANIMALS

WITH AN ENGLISH TRANSLATION BY

A. L. PECK, M.A., Ph.D.

FELLOW OF CHRIST'S COLLEGE, CAMBRIDGE
AND UNIVERSITY LECTURER IN CLASSICS

AND A FOREWORD BY


F. H. A. MARSHALL, C.B.E., Sc.D., F.R.S.

MOVEMENT OF ANIMALS PROGRESSION OF ANIMALS

WITH AN ENGLISH TRANSLATION BY

E. S. FORSTER, M.A.

PROFESSOR OF GREEK IN THE UNIVERSITY OF SHEFFIELD



LONDON

WILLIAM HEINEMANN LTD

CAMBRIDGE, MASSACHUSETTS

HARVARD UNIVERSITY PRESS

MCMXXXVII

Printed in Great Britain

CONTENTS

	PAGE
PARTS OF ANIMALS	
FOREWORD	3
INTRODUCTION	8
TEXT AND TRANSLATION	52
MOVEMENT OF ANIMALS	
PROGRESSION OF ANIMALS	
INTRODUCTION	436
TEXT AND TRANSLATION	440
INDEX TO PARTS OF ANIMALS	543
INDEX TO MOVEMENT AND PROGRESSION OF ANIMALS	552

PARTS OF ANIMALS

TO
A. E. and L. A.

FOREWORD

ARISTOTLE refers to the *De partibus animalium* as an inquiry into the causes that in each case have determined the composition of animals. He does not, however, employ the category of causation in the manner normally adopted by men of science, since in this book causes are always considered in relation to ends or purposes, and design is regarded as having had a far larger share in the origin and development of living structures than that allotted to necessity.

In the *Historia animalium* the parts themselves are described, for although this work is to some extent physiological, its main object was to deal with the anatomy of the organism. The *De partibus animalium*, on the other hand, is almost exclusively physiological and teleological, and treats of the functions of the parts. But Aristotle's position was that of a teleologist only in a limited degree, for he appears to have taken that view of life which Bergson calls the doctrine of internal finality (that is to say, that each individual, or at any rate each species, is made for itself, that all its parts conspire for the greatest good of the whole, and are intelligently organized in view of that end but without regard for other organisms or kinds of organisms). Since every organ or part of the body was held to have its peculiar function, the existence of vestigial or rudimentary organs was

FOREWORD

unrecognized. This was the doctrine of internal finality which was generally accepted until Darwin elaborated his theory of Natural Selection. The wider doctrine of external finality, according to which living beings are ordered in regard to one another, never gained acceptance among scientific philosophers, and the only indication that Aristotle ever adopted it is furnished by a passage in which he suggests that the mouth in Selachians is placed on the under surface so as to allow their prey to escape while the fish are turning on their backs before taking their food ; but even this he qualified by the suggestion that the arrangement served a useful end for the fishes in question by preventing them from indulging in the harmful habit of gluttony.

The *De partibus animalium* opens with an introduction devoted to general considerations. This is followed by a discussion of the three degrees of composition, the first degree being composition of physical substances, the second degree, of homogeneous parts or tissues, and the third, of heterogeneous parts or organs. The tissues referred to are blood, fat, marrow, brain, flesh, and bone. After describing these, the organs are dealt with, and a consideration of their respective functions, first in sanguineous animals (*i.e.* in Vertebrates), and secondly in bloodless animals (*i.e.* Invertebrates), occupies the remainder of the book. The account given of the physiology of the blood is especially interesting, and it is noteworthy that Aristotle understood something of the nature of the process of absorption whereby the food becomes converted into nutriment which is carried by the blood to all parts of the body. He supposed, however, that the matter derived from the

FOREWORD

gut passed first to the heart in the form of vapour or serum, and that it was there converted into true blood by a process of concoction. Aristotle knew nothing of the real nature of respiration, and he regarded the lungs as serving to temper the bodily heat by means of the inspired air. He was also entirely ignorant of the fact that the blood passes back to the heart and lungs after supplying the tissues and organs with nourishment. On the other hand, he fully appreciated the existence of excretory organs, the function of which was to remove from the body such substances as could not be utilized. In this category are included fluids such as bile, urine, and sweat. In the section on the gall-bladder, as in so many other passages in his works on natural history, it is truly remarkable how correct Aristotle is in his statements. He points out that the gall-bladder is not found either in the horse and ass or in the deer and roe, but is generally present in the sheep and goat. In the light of the knowledge that he possessed, therefore, Aristotle could scarcely have adopted a theory about this organ which has found expression in certain modern writings. According to this theory the gall-bladder is present in the sheep and ox because, these being ruminating animals, bile is only required at certain particular times when food passes into the intestine, whereas in the horse, which does not chew the cud, but yet is constantly eating, food is continually passing into the intestine and consequently a perpetual flow of bile is desirable. Since the gall-bladder is present in the non-ruminating pig but absent in the ruminating deer and roe, it is obvious that this theory cannot be consistently applied.

FOREWORD

It is interesting to speculate about the school of research workers who must have contributed in providing material for this and the other works on natural science ascribed to Aristotle—who they were, the circumstances under which they lived, and what manner of facilities were available for their investigations—for it would seem certain that no man single-handed could possibly have acquired such a vast body of knowledge, hardly any of which could have been derived from earlier observers. Yet the work in its completed whole seems to show the mark of one master hand, and its uniform character and the clear line of teleological reasoning that runs through it have been well brought out in Dr Peck's translation. But putting aside its philosophical implications, the book consists of an attempt at a scientific record of all the apparently known facts relating to animal function. These are considered comparatively and as far as possible are brought into relation with one another. And thus, as the earliest text-book on animal physiology in the world's history, this treatise will ever make its appeal, not only to the classical philosopher, but to all who are interested in the origin and growth of biological science

F. H. A. M.

INTRODUCTION

INTRODUCTION

Title THE traditional title of this treatise is not a very informative one. The subject of the work is, however, stated quite clearly by Aristotle at the beginning of the second Book in these words : " I have already described with considerable detail in my *Researches upon Animals* what and how many are the parts of which animals are composed. We must now leave on one side what was said there, as our present task is to consider what are the causes through which each animal is as I there described it " (646 a 7 foll.). The title ought therefore to be "*Of the Causes of the Parts of Animals*," and this is the title actually applied to it by Aristotle himself (at *De gen. an.* 782 a 21).^a Even so, the word " parts " is misleading : it includes not only what we call parts, such as limbs and organs, but also constituents such as blood and marrow.^b Perhaps, therefore, no harm is done by leaving the accepted (and convenient) Latin title untranslated

Zoological works The *De partibus*, as well as the other treatises contained in this volume, forms a portion of Aristotle's zoological works. The foundation of these is the *Historia animalium*, or *Researches about Animals*, in nine books (the tenth is generally held to be

^a For the meaning of Cause see note below, p. 24.

^b See note on " part " below, p. 28.

PARTS OF ANIMALS

spurious), in which observations are recorded, and consequent upon this are the treatises in which Aristotle puts forward theories founded upon these observations.

An animal is, according to Aristotle, a "concrete entity" made up of "matter" and "form." Hence, in the *De partibus* Aristotle treats of the causes on account of which the bodies—the "matter"—of animals are shaped and constructed as they are, in general; in the *De incessu* he deals specially with the parts that subserve locomotion. In the *De anima* he proceeds to consider Soul—the "form" of an animal. In the remaining treatises, of which *De motu*, included in this volume, is one, he deals with what he calls the functions "common to body and Soul," among which he includes sensation, memory, appetite, pleasure, pain, waking, sleeping, respiration, and so forth (see *De sensu* 436 a). The complete scheme is set out below :

I. Record of observations.

Historia animalium. 10 (9) books.

II. Theory based upon observations.

(a)	$\left\{ \begin{array}{l} \textit{De partibus} \\ \textit{animalium} \\ \textit{De incessu} \\ \textit{animalium} \end{array} \right.$	$\left\{ \begin{array}{l} 4 \text{ books} \\ 1 \text{ book} \end{array} \right.$	treating of the way in which the "matter" of animals is ar- ranged to subserve their various pur- poses.
(b)	<i>De anima</i>	3 books	treating of the "form" of animals — the Soul.

(c)	$\left\{ \begin{array}{ll} \textit{Parva naturalia} & \text{—} \\ \textit{De motu ani-} & \\ \textit{malium} & 1 \text{ book} \\ \textit{De generatione} & \\ \textit{animalium} & 5 \text{ books} \end{array} \right\}$		treating of the func- tions "common to body and Soul," and in particular of some special de- partments of ani- mal behaviour.

The section (b) is necessary to the completeness of the scheme, but as it has given rise to a whole department of study, it is usually treated apart from the rest. Thus the main bulk of the zoological and biological works may be taken to consist of the three great treatises, *Historia animalium*, *De partibus animalium*, and *De generatione animalium*. It was these which, through translations made from the Arabic, were restored to the West by those who revived scientific studies at the beginning of the thirteenth century.

Com- It is generally held that the composition of the position zoological works is to be placed in the second period of Aristotle's residence at Athens, when he was organizing systematic observation and specialized research, which produced, among other results, the great collection of 158 constitutions of states (of which the *Constitution of Athens*, recovered at the end of the nineteenth century, is one), as well as the *Historia animalium*.^a The *Historia* has not been subjected to such minute criticism as, for instance, the *Metaphysics* and *Politics*, but, according to Jaeger, it shows clear traces of different authors, and he suggests that the work of observation was distributed among several persons from the outset. It is probable that some collection of material was made

^a See Ross, *Aristotle*, and Jaeger, *Aristotle*.

PARTS OF ANIMALS

by Aristotle himself^a between his two periods of residence at Athens. Whatever the truth about these details may be, the real importance of the zoological works is that they represent the first attempt in Europe to observe and describe in a scientific way the individual living object.

Throughout the *De partibus* Aristotle endeavours to provide a Final Cause^b to explain the facts which he records—some purpose which they are supposed to answer; and Causes of this sort are by far the most common in his treatise. His outlook is therefore justly described as “teleological”; but it is important not to read too much into this description. Aristotle is never tired of telling us that Nature makes nothing and does nothing “without a purpose”; but if we ask what that purpose is we may find that the answer is not quite what we had expected. Plato’s notion of the “form” tended to divert his attention from individuals through a hierarchy of successive “forms”; but for Aristotle “form” is not independent of matter: form must be embodied in some matter, that is, in individuals. Thus we find all through that Aristotle cannot long keep his eyes from the individual wherein the form is actually embodied, because it, after all, is the End, the crowning achievement of the efforts of the four Causes. This outlook controls the arrangement of Aristotle’s treatise. Since all processes of production are determined by the nature of the product which is to result from them, it is the fully developed product which we must first make it our business to observe,

^a See D’Arcy Thompson, pref. note to his translation of *Hist. an.*, p. vii.

^b The four Causes are dealt with in a separate note, p. 24.

ARISTOTLE

and when we have discovered what are its actual characteristics we may then go on to work out its Causes and to examine the processes by which it was produced.

Synopsis
and
Summary I give a brief synopsis and a contents-summary of the *De partibus* :

BRIEF SYNOPSIS OF *DE PARTIBUS*

Introduction : Methods.

Composition of Substances : Three modes :

- (1) The primary substances.
- (2) The "uniform" parts.
- (3) The "non-uniform" parts.

Consideration of (1) Hot, cold, solid, fluid.

- (2) Uniform parts : (a) fluid, (b) solid.
- (3) Non-uniform parts, as follows :—

External parts of animals.

Internal parts of blooded animals.

Internal parts of bloodless animals.

External parts of bloodless animals.

External parts of blooded animals (resumed).

(a) Vivipara. (b) Ovipara.

SUMMARY

Book I.

639 a 15 ch. 1 *Introduction. On the Method of Natural Science.*

Two questions propounded :

- (1) Are we to begin with the ultimate species and describe its characteristics, or with those that are common to many species ?

PARTS OF ANIMALS

639 b 8

(2) (Put in three ways) :

- (a) Are we to take first the phenomena, and then proceed to their Causes?
- (b) Which is the primary Cause, the Final or the Efficient (Motive)?
(Answered immediately : The Final ; with a reference also to the influence of Necessity.)
- (c) Are we to discuss first the processes by which the animal is formed, or the characteristics of it in its completed state?

Answer to question (2)

We must begin with the phenomena, then go on to the Causes, and the formative processes—or, in other words, the Final Cause concerns us first and foremost. This differs from the practice of the early philosophers, who concerned themselves with the Material Cause, though sometimes also with the Efficient (Motive) Cause. We must begin at the End, not at the beginning.

640 b 17

Thus we must consider not merely the *primary* substances, but the “*uniform*” *parts*, which are made out of them, and also the “*non-uniform*” *parts*. In doing this, we shall be paying attention to the Formal Cause, which is more important than the Material Cause : the animal as a finished whole is more significant than the substances out of which it was made.

640 b 30

But mere form or shape is not enough : “*shaped matter*” is not an animal. “*Form*” in its full and true sense involves “*Soul*” : “*Soul*” somehow is the animal’s Efficient and Final Cause. Actually, it is not Soul in its entirety, but

ARISTOTLE

- some "portion" of Soul which fulfils this office.
- 641 b 10 Thus the universe and the living objects in it are the products of something analogous to human art: they are controlled by a *Final Cause*.
- 642 a 1 But *Necessity* also has its place in the universe—
 not (1) "absolute" necessity
 nor (2) "coercive" necessity
 but (3) "conditional" necessity.
 These two Causes, the *Final Cause* and *Necessity*, set the stage for our piece.
-
- 642 b 5 ch. 2 Criticisms of dichotomy as a method of classification of animals.
- 644 a 11 ch. 4 The correct method of classification is by groups, such as Birds and Fishes.
-
- 644 a 23 *Answer* to question (1).
 We must deal with *groups*, not *species* (e.g. Bird, not Crane), and where a species does not belong to a larger group, we must deal with *species*, not *individuals* (e.g. Man, not Socrates).
-
- 644 b 21 ch. 5 An Exhortation to the study of animals.
-
- 645 b 1 Final summary of the Method, combining answers to both the original questions :
 (1) First we discuss the attributes common to a group ;
 (2) Then we give the explanation of them.
-

BOOK II.

- 646 a 8 ch. 1 Purpose and outline of the Treatise : Our subject is the CAUSES of the parts of animals.

PARTS OF ANIMALS

- 646 a 13 *Three modes of composition* .
 (1) Out of the "elements" or *dynamais*
 (hot, cold, fluid, solid).
 (2) The uniform parts (bone, flesh, etc.).
 (3) The non-uniform parts (face, hand,
 etc.)
 The relation of them to each other, and
 the way in which the Causes control this
 relation.
- 647 a 3 Parts may be divided into :
 (a) Instrumental parts (non-uniform).
 (b) Media of sensation (uniform).
- 647 a 25 The faculty of sensation has its seat in the
 heart, which is thus uniform ; but it is
 also non-uniform, as it has to do with
 motion.
- 647 b 10 ch. 2 The uniform parts, generally. Variations
 occur in each of them, as is illustrated by
 the example of Blood.
- 648 a 20 Resumption of the *Three modes of com-*
position :
- 649 b 9 (1) *The primary substances* : meaning of
 "hot," "cold," "solid," "fluid," with
 special reference to Blood. This merges
 into a discussion of
 (2) *The Uniform parts*.
 Blood. Fibres. Intelligence and sensi-
 tivity, and "temperament" generally.
 Serum.
- 651 a 20 ch. 5 Lard and Suet (forms of Blood).
 651 b 20 ch. 6 Marrow (a form of Blood).
 652 a 24 ch. 7 The Brain.
 653 b 19 ch. 8 Flesh—the "part" *par excellence*—
 and its counterpart.
 Bones, and their counterparts, and
 parts similar to Bone.
- ch 10 (3) *The Non-uniform parts* of animals.
 (This occupies the rest of the work)

ARISTOTLE

655 b 28	General statement of the three organs indispensable to animals.
656 a 14	Head : Brain. Sense-organs.
657 a 12 ch. 11	Ears.
657 a 25 ch. 13	Eyes, etc. (ch. 14 : Eyelashes and digression on Hair).
658 b 27 ch. 16	Nostrils (esp. the Elephant's).
659 b 20	Lips.
660 a 14 ch. 17	Tongue.
Book III.	
661 a 34 ch. 1	Teeth.
661 b 27	(Note on "the more and less.")
662 a 16	Mouth.
662 a 34	Beak.
662 b 23 ch 2	Horns.
664 a 13 ch 3	Neck : Oesophagus
664 a 36	Larynx and windpipe.
664 b 20	Epiglottis.

665 a 27 ch. 4	Viscera (Internal Parts of Blooded Animals) :
665 b 5	Heart.
667 b 15 ch. 5	Blood-vessels (Great Blood-vessel and Aorta, and generally).
668 b 33 ch. 6	Lung.
669 b 13 ch 7	(Why viscera are double, and other remarks.) Liver and Spleen.
670 b 32 ch. 8	Bladder.
671 a 26 ch 9	Kidneys.
672 b 8 ch. 10	Diaphragm.
673 b 4 ch. 11	Membranes.
673 b 12 ch. 12	Variations in the Viscera (Liver and Spleen).
674 a 9 ch. 14	Stomach and Intestines.
675 b 29	Jejunum.
676 a 7 ch 15	Rennet.

Book IV.

676 a 23 ch. 1	General. Internal parts of Ovipara.
----------------	-------------------------------------

PARTS OF ANIMALS

676 b 16 ch. 2	Gall-bladder and Bile.
677 b 15 ch. 3	Omentum.
677 b 37 ch. 4	Mesentery.
<hr/>	
678 a 27 ch. 5	Internal Parts of Bloodless Animals (Insects, Testacea, Crustacea, Cephalopods). With special reference to the Sepia's "ink," and the Sea-urchin's "ova"
681 a 10	Creatures intermediate between animals and plants.
682 a 30	External Parts of Bloodless Animals:
682 a 35 ch. 6	Of Insects.
683 b 4 ch. 7	Of Testacea.
683 b 25 ch. 8	Of Crustacea.
684 b 7 ch. 9	Of Cephalopods.
<hr/>	
685 b 30 ch. 10	External Parts of Blooded Animals:
	(a) Vivipara, (b) Ovipara.
	(a) Vivipara:
686 a 6	Head and Neck.
686 a 24	Hands and Feet and relative proportion of limbs. Beginning from Man, whose position is upright, there is a gradation of declivity in the animals, continuing to the plants, which are upside-down.
687 a 2	Nature's habit in assignment of organs. The structure of the human hand, etc.
688 a 12	Breast.
689 a 4	Excretory organs.
689 b 2	Rear parts.
690 a 5	Hoofs, hucklebones, etc.
690 b 12	(b) Ovipara:
690 b 18	(i) Serpents and Quadrupeds.
692 b 4	(ii) Birds.
695 b 2	(iii) Fishes.

ARISTOTLE

697 a 15

(c) Intermediate Creatures :

Cetacea.

Seals and Bats.

Ostrich.

697 b 27

Conclusion.

Method of
classi-
fication

A glance at the summary will show clearly the order of subjects which Aristotle lays down in the first book to be followed in a treatise such as the one in which he is engaged.

First, (A) to describe the parts of animals as they are observed to be ; and

then, (B) to give an account of their causes, and their formative processes.^a

Under (A) the order of preference is to be : first, the parts (1) common to all animals ; (2) where necessary, those common to a group of animals only ; and lastly, (3) in exceptional instances, those peculiar to a single species.

Also, it will be seen how Aristotle works out this scheme in the three books which follow. Before considering that, however, we should notice that Aristotle has a great deal to say about the correct classification of animals—or rather, against the incorrect classification of them. Chiefly, he inveighs against the method of dichotomy ; and his chief objection to it is a simple and effective one—that it does not work. It forces us to assign to each species one distinguishing mark, and one only (642 b 21—643 a 24). And it cuts off kindred species from each other on the strength of some quite subordinate

^a *De partibus* is concerned chiefly with the causes and less with the processes.

PARTS OF ANIMALS

characteristic (642 b 10 foll.). The right method, says Aristotle, is to follow popular usage and divide the animals up into well-defined groups such as Birds and Fishes.^a And this leads him to distinguish two stages of difference :

- (a) Cases in which the parts differ " by excess or defect "—as in different species of the same genus or group.
- (b) Cases in which the resemblance is merely one of analogy—as in different genera.

Examples of (a) : differences of colour and shape ;
many or few ; large or small ;
smooth or rough ; *e.g.* soft and
firm flesh, long and short bill,
many or few feathers.

(b) bone and fish-spine ; nail and
hoof ; hand and claw ; scale and
feather.

(References for the above, *De part. an.* 644 a 11–b 15 ;
Hist. an. 486 a 15–b 21).

The doctrine of differences of " excess and defect," "The more and less"
or, as Aristotle also calls them, of " the more and less," may usefully be compared with that which underlies the modern theory of Transformations, and the comparison of related forms. Indeed, Professor D'Arcy Thompson asserts that " it is precisely . . . this Aristotelian ' excess and defect ' in the case of form which our co-ordinate method is especially adapted to analyse, and to reveal and demonstrate as the main cause of what (again in the Aristotelian sense) we term ' specific ' differences " (*Growth and*

^a And of course, into Blooded and Bloodless, though there are, as Aristotle points out, no popular names for these groups.

Form, p. 726). The co-ordinates to which he refers are those of the Cartesian method, on which is based the theory of Transformations. By means of them it is possible to exhibit, say, the cannon-bones of the ox, the sheep, and the giraffe as strictly proportionate and successive deformations of one and the same form. These deformations can be either simple elongations, as in the instance just cited, or they may occur according to an oblique or a radial system of co-ordinates, etc.^a In this way, differences of "excess and defect" are reduced to the terminology of mathematics; and it is especially interesting to notice this, as the phrase "excess and defect" itself had, in the Greek of Aristotle's time, a mathematical connexion. With it may be compared the well-known Platonic phrase, "the great and small." But this is not the place to enlarge upon such topics.^b

Classifica-
tion of
parts

To return to Aristotle's classification. We find that he implements his preliminary outline in the following way :

- I. First, he treats of the parts which are found in many different groups of animals, and also those which are to be considered counterparts of each other in different groups. This corresponds to A (1) above.
- II. As he proceeds with this, he comes to the Viscera, which occur only in blooded animals. This provides a convenient point for embarking upon his second main division—corresponding

^a For details of these see D'Arcy Thompson, *op. cit.* ch. xvii.

^b The reader is referred to A. E. Taylor, "Forms and Numbers," in *Mind*, xxxv. 419 foll. ; xxxvi. 12 foll. ; D'Arcy Thompson, "Excess and Defect," in *Mind*, xxxviii. 43 foll.

PARTS OF ANIMALS

to A (2) above—the parts common to a group of animals, and we have first :

The Internal Parts of Blooded Animals.

III. This is followed by—

The Internal Parts of Bloodless Animals. Then,

IV. *The External Parts of Bloodless Animals.* Then,

V. *The External Parts of Blooded Animals,*
which includes—

(a) Vivipara.

(b) Ovipara.

(i) Serpents and Quadrupeds.

(ii) Birds.

(iii) Fishes.

(c) Intermediate Creatures.

References to exceptional instances, as to Man, corresponding to the division A (3) above, are of course to be found throughout the work.

Aristotle thus works out the main lines of his classification. And in each instance, where possible, he endeavours to assign the Cause, to name the purpose, which is responsible for the parts as he describes them. This corresponds to (B) above.

And here Aristotle is forced to admit an apparent ^{Necessity} addition to his scheme of Causes. The purpose, the good End, the final Cause, cannot always get a free hand. There is another Cause, Necessity. Aristotle takes great care to explain what is the nature of this Necessity (642 a 2 foll.). It is what he calls Necessity "*ex hypothesi*," or "conditional" Necessity, the sort of Necessity which is implied by any final Cause being what it is. If a piece of wood is to be split by an axe, the axe must *ex hypothesi* be hard and sharp, and that necessitates the use of bronze or

ARISTOTLE

iron in the making of it. The same sort of Necessity applies in the works of Nature, for the living body itself is an instrument. It is thus the final Cause which necessitates the various stages of the process of formation and the use of such and such material.

Another kind of Necessity, however, makes its appearance in Natural objects, and that is "simple" Necessity. The mere presence of certain things in a living organism entails *of necessity* the presence of others (see 645 b 32, 677 a 17, b 22). Some results follow inevitably from the very nature of the material used. This "simple" Necessity can therefore be regarded as a reassertion of themselves by the motive and material Causes^a as against the final Cause. Sometimes, however, even in circumstances where "simple" Necessity operates, Nature is able to use the resulting products to subserve a final Cause (668 b 22, 32, 677 a 15; see also the note on Residues, p. 32).

Scheme of
animals

The following table will show at a glance the scheme of Animals as treated of by Aristotle in the *De partibus* :

A. BLOODED ANIMALS	B BLOODLESS ANIMALS
Man	Insects
Viviparous quadrupeds	Testacea
Oviparous quadrupeds and footless animals (reptiles and amphibians)	Crustacea
Birds	Cephalopods
Fishes	

^a See *De gen. an.* 778 b 1.

PARTS OF ANIMALS

<i>Intermediate between the above classes</i>	<i>Intermediate</i>
between land and water animals	between animals and plants
Cetacea	Ascidians
Seals	Sponges
between quadrupeds and birds	Holothuria
Bats	Acalephae
Ostrich	

Note on the Four Classes of Bloodless Animals.—These, in order of increasing softness, as noted above, are the following (I give the Greek term, its literal translation, and the term which I have used to translate it in this volume) :

τὰ ἔντομα	insected animals	Insects
τὰ ὀστρακόδερμα	shell-skinned animals	Testacea
τὰ μαλακόστρακα	soft-shelled animals	Crustacea
τὰ μαλάκια	softies	Cephalopods

In using "Testacea" to translate τὰ ὀστρακόδερμα ("the animals with earthenware skins"), I use it in the old-fashioned sense, so as to include a number of shelled invertebrates, comprising Gasteropods, Lamellibranchs, and some Echinoderms. It does not refer to the Testacea of modern zoologists, by whom the term is applied to the Foraminifera which are shelled Protozoa. The word "Ostracoderms" (a transliteration of Aristotle's word) is now given by zoologists to a group of primitive fossil fishes.

ARISTOTLE

TERMINOLOGY

Technical
terms

The following notes on some of the more difficult and important of the technical terms used by Aristotle in the *De partibus* will, I hope, help to explain my translation and also to give some indication of the background of Aristotle's thought to any reader who may have occasion to refer to these pages.

Αἰτία, "cause."

I retain the traditional translation "cause," although perhaps in some contexts "reason" may be a closer rendering, but a variation in the English term might well produce more confusion than clarity. To know, says Aristotle, is to know by means of Causes (see *Anal. post.* 94 a 20). A thing is explained when you know its Causes. And a Cause is that which is responsible, in any of four senses, for a thing's existence. The four Causes, of which two are mentioned very near the beginning of the first book (639 b 11), are :

- (1) The Final Cause, the End or Object towards which a formative process advances, and *for the sake of which* it advances—the *logos*, the rational purpose.
- (2) The Motive (or Efficient) Cause, which is responsible for having set the process in motion ; it is that *by which* the thing is made.
- (3) The Formal Cause, or Form, which is responsible for the *character* of the course which the process follows (this also is described as the *logos*, expressing *what* the thing is).
- (4) The Material Cause, or Matter, *out of which* the thing is made.

PARTS OF ANIMALS

It will be seen that the first three Causes tend naturally to coalesce under the aegis of the Formal Cause, in opposition to the fourth, the Material Cause, a contrast which is clearly put by Adam of St. Victor in one of his hymns :

*effectiva vel formalis
causa Deus, et finalis,
sed numquam materia.*

Hence, of course, comes the regular contrast of "form" and "matter," in which, oddly enough, in modern usage the two terms have almost exchanged meanings. "Mere form," "empty form," in contrast with "the real matter," are phrases which indicate a point of view very different from that of Aristotle. An equally drastic reversal of meaning has overtaken the term "substance," as controversies on "transubstantiation," and the existence of the word "unsubstantial" prove. "Cause" has certainly been more fortunate ; but its meaning has been narrowed down, so that "cause" now usually suggests the "efficient" cause only. At the same time, we allow ourselves a wider variety of "efficient" causes than Aristotle, and are more ready to admit actions and events or even series of actions and events. We have, in fact, applied Aristotle's precise terminology to the wider uses of everyday non-technical purposes. For Aristotle, the doctrine of the Four Causes provides an exhaustive and precise classification of the things which can be responsible for another thing's existence, and by the naming of them the thing can be completely accounted for.

As an illustration the following will serve. Suppose the object to be explained is an oak. The

ARISTOTLE

chronological order of the Causes is different from their logical one.

- (i.) The Motive Cause: the parent oak which produced the acorn.
- (ii.) The Material Cause: the acorn and its nourishment
- (iii.) The Formal Cause. The acorn as it grew into a tree followed a process of development which had the definite character proper to oaks.
- (iv.) The Final Cause: the end towards which the process advanced, the perfected oak-tree.

Λόγος.

There are several places in the *De partibus* where, rather than represent λόγος by an inadequate or misleading word, I have transliterated it by *logos*. This serves the very useful purpose of reminding the reader that here is a term of very varied meanings, a term which brings into mind a number of correlated conceptions, of which one or another may be uppermost in a particular case. It is an assistance if we bear in mind that underlying the verb λέγειν, as it is most frequently used, is the conception of rational utterance or expression, and the same is to be found with λόγος, the noun derived from the same root. Λόγος can signify, simply, *something spoken or uttered*; or, with more prominence given to the rationality of the utterance, it can signify *a rational explanation, expressive of a thing's nature, of the plan of it*; and from this come the further meanings of *principle*, or *law*, and also of *definition*, or *formula*, as expressing

PARTS OF ANIMALS

the structure or character of the object defined. (Note here the application of the term *logos* to the Final and Formal Causes, recorded in the foregoing note.) Another common meaning is seen especially in the use of the dative λόγῳ (*cf.* the verb λογίζομαι and its noun)—*by reasoning, in thought*, as opposed to fact or action. (See 640 a 32, Art is the λόγος τοῦ ἔργου ὃ ἀνεν τῆς ὕλης; at 646 b 2 we read of the λόγος of a process of formation such as building, and the λόγος of the house which is built; at 678 a 35 of the λόγος which defines the essence of something, and at 695 b 19 of “the λόγος of the essence.” At 639 b 15 the “Cause for the sake of which”—the Final Cause—is described as being a λόγος.)

Γένεσις, “formation,” or “process of formation.”

Γίγνεσθαι, “to be formed,” “to go through a process of formation.”

These are the translations which I normally use, as more appropriate in a biological treatise than “coming into being,” and the like.

The process of formation is of course closely connected in Aristotle’s thought with the doctrine of the Four Causes.

Γένεσις is a process which, at any rate in biology, results in the production of an actual object, a living creature.

Γένεσις is also contrasted with οὐσία and φύσις^a: the order of things, we are told, in the process of formation is the reverse of the order in reality. For example, the bricks and mortar exist for the sake of the house

^a Care should be taken not to regard φύσις as meaning ‘the process of φύεσθαι.’

ARISTOTLE

which is to be built out of them, but they and not it come first in the order of time and fact. Aristotle sums this up by saying that what comes last in the process comes first in "nature" (646 a 25).

Μόριον, "part."

The term which occurs in the title of the treatise and is traditionally rendered "part" includes more than is normally included in the English "part of the body." For instance, this would not normally be applied to blood, but the term *μόριον* is applied by Aristotle to all the constituent substances of the body as well as to the limbs and organs. For him, blood is one of the *ζώων μόρια* (648 a 2; see also 664 a 9, 690 a 8). A striking instance of the use of *μόριον* in this sense is the phrase *τὰ ὁμοιομερῆ μόρια*, which are the subject of the next following note.

Τὰ ὁμοιομερῆ μόρια, "the uniform parts."

Τὰ ἀνομοιομερῆ μόρια, "the non-uniform parts."

Aristotle's application of the term *μόριον* to both these classes emphasizes the inclusiveness of its meaning. As examples of the "uniform" parts he mentions (647 b 10) blood, serum, lard, suet, marrow, semen, bile, milk, flesh—these are soft and fluid^a ones; also bone, fish-spine, sinew, blood-vessel—these are hard and solid ones. Of "non-uniform" parts he gives as examples (640 b 20) face, hand, foot.

The relation of the "uniform" parts to the "non-uniform" he describes as follows (647 b 22 foll.):

^a For the meaning of "fluid" and "solid" see below, p. 32.

PARTS OF ANIMALS

- (a) some of the uniform are the material out of which the non-uniform are made (*i.e.* each instrumental part is made out of bones, sinews, flesh, etc.);
- (b) some act as the nutriment of (a);
- (c) some are the residue of (b)—faeces, urine.

It is not possible to equate the two classes with the later division into tissues and organs, since blood, for instance, though "uniform," is not a tissue; the term "organs," however, corresponds closely with Aristotle's own description—τὰ ὀργανικὰ μέρη (647 b 23), "instrumental parts."

The practical difference between the two classes is that each of the uniform parts has its own definite character as a *substance* (in the modern sense), while each of the non-uniform parts has its own definite character as a *conformation* or organ. The heart is the only part which belongs to both classes (647 a 25 foll.)· it consists of one uniform part only, namely, flesh; but it also has essentially a definite configuration, and thus it is a non-uniform part.

Three stages or "degrees of composition," so far as biology is concerned, are enumerated by Aristotle (at 646 a 13 foll.). What Aristotle seems to mean, though he has not expressed himself quite clearly, is that there are three stages *involved in* the composition of compound bodies, namely,

- (1) the δυνάμεις (see following note);
- (2) the uniform parts;
- (3) the non-uniform parts;

and finally, of course, out of the non-uniform parts

- (4) the animal itself is composed.

ARISTOTLE

We have thus :

- (1) the simplest sorts of matter ;
- (2) the simplest organic substances compounded out of the foregoing (having no definite size, shape, or structure) ;
- (3) the instrumental parts of the body constructed out of the foregoing (having definite size, shape, and structure) ; and
- (4) the organism as a whole, assembled out of the foregoing.

Note.—For a description of the way in which the term τὰ ὁμοιομερῆ has caused confusion in the accounts of Anaxagoras's theories see *Class. Qu.*, 1931, xxv. 34 following.

Δύναμις.

This is one of the most difficult terms to render in English

The specialized meaning of δυνάμει, "potentially," as opposed to ἐνεργεία, "actually," is so well known that there is no need to enlarge upon it here. Nor need I discuss the mathematical meaning of δύναμις. Other meanings need some comment.

(1) Δύναμις was the old technical term for what were later to be called στοιχεῖα (elements). It appears in the writings of the Hippocratic corpus and in Plato's *Timaeus*. The best example of its use in *De partibus* is at the beginning of Book II. (646 a 15). The list of δυνάμεις included the substances known as τὸ ὑγρόν, τὸ ξηρόν, τὸ θερμόν, τὸ ψυχρόν, τὸ πικρόν, τὸ γλυκύ, τὸ δριμύ, etc., etc. Only the first four of these were regarded by Aristotle as

30

PARTS OF ANIMALS

the material of compound bodies : all the " other differences," he says, are consequent upon these.

The original meaning underlying this usage of the term seems to have been " strong substance of a particular character." This would be very appropriate to τὸ δριμύ, τὸ πικρόν, etc. (see Περὶ ἀρχαίης ἰητρικῆς). There is no notion here of the substance *having* power in the sense of power to affect an external body in a particular way. (This meaning developed later.) If any effect did result, it would be described simply as the presence of the strong substance, and the remedy for it was to " concoct " the strong substance or otherwise to bring it into a harmless condition by " blending " it with other substances.

(2) As each of the substances known as δυνάμεις has its own peculiar character, sharply marked off from the others, the meaning of " peculiar and distinctive character " was naturally associated with the term. This seems to be its meaning in 655 b 12 : ἐξ ἀνάγκης δὲ ταῦτα πάντα γεώδη καὶ στερεὰν ἔχει τὴν φύσιν· ὅπλον γὰρ αὕτη δύναμις. Indeed, in this meaning, δύναμις seems to be a slightly more emphatic version of φύσις, with which it is often used in conjunction (in Hippocrates, for instance), or in a parallel way as in the passage just cited. Compare also 651 b 21, where the marrow is asserted to be αἵματός τις φύσις, not, as some suppose, τῆς γονῆς σπερματικῆς δύναμις. Other instances of this use of δύναμις will be found in *De partibus*.

(3) From this usage it is not far to the idiomatic, pleonastic usage, *e g.* :

678 a 13 ἡ τῶν ἐντέρων δύναμις almost = τὰ ἔντερα.

682 b 15 ἡ τῶν πτερῶν δύναμις.

ARISTOTLE

657 a 4 ἡ τῶν μυκτήρων δύναμις διφνής.

This is paralleled by a similar usage of φύσις :

663 a 34 ἡ τῶν κεράτων φύσις

676 b 11 ἡ τῶν ἐντέρων φύσις.

(Other references for δύναμις . 640 a 24, 646 a 14, b 17, 650 a 5, 651 b 21, 652 b 8, 12, 653 a 2, 655 b 12, 658 b 34.)

Τὸ ὑγρὸν καὶ τὸ ξηρόν, " fluid substance and solid substance," " the fluid and the solid."

These are two of the δυνάμεις.

Following Ogle, I use these renderings as being more in conformity with the definitions given by Aristotle than " the moist and the dry," which have often been used. Actually neither pair of English words quite expresses the Greek. Aristotle's definition of them (at *De gen. et corr.* 329 b 30) is this :

" ὑγρὸν is that which is not limited by any limit of its own but can be readily limited, ξηρόν is that which is readily limited by a limit of its own but can with difficulty be limited"—i.e. of course by a limit imposed from without.

He discusses the various senses in which these terms are used at 649 b 9 following.

Περίττωμα, " residue."

This term I have translated throughout " residue,"

PARTS OF ANIMALS

as being more literal and at the same time less misleading than " excrement." " Surplus " would have been even better if the word had been a little more manageable.

" Residue " is so called because it is that which is left over when the living organism, by acting upon the nutriment which it has taken, has provided itself with a sufficient supply for its upkeep. Some of the surplus will be useless material contained in the food from the outset, or else has been produced during the process of reducing the food into a condition suitable for its purposes in the body. The useless residues are the excrements. In order to appreciate the status of the useful residues the outlines of the processes through which the food passes must be kept clearly in mind. Briefly, then, the food is masticated in the mouth, then passed on to the stomach and the intestines, where it is concocted ^a by means of heat—in other words, it is turned into blood, which is the " ultimate nourishment " ; and this, when distributed into the blood-vessels, supplies the body with nutrition. Generally, however, more blood is produced than is necessary for the actual upkeep of the body, and this surplus undergoes a further stage of concoction, and is used by Nature in various ways. Marrow is a residue ; so are semen, catamenia, milk. Sometimes, when nutrition is specially abundant, the surplus blood is concocted into fat (lard and suet). And some of the blood, reaching the extremities of the vessels in which it travels, makes its way out in the form of nails, claws, or hair. The Aristotelian doctrine of residues came down to Shakespeare, as is shown by the passage

^a See the note next following.

ARISTOTLE

in *Hamlet* (III. iv.) where the Queen says to Hamlet :

Your bedded haire, like life in excrements,
Start up, and stand an end.

This theory, as applied to hair, is expounded by Aristotle at 658 b 14 following, and modern biochemists have reason for believing that some pigmentation in animals, such as the black melanin of mammalian hair, or the yellow xanthopterine of the butterfly's wing, is physiologically a form of excretion.

“ *Concoct*,” “ *concoction*.”

These terms, which have already appeared in these notes, are used to translate πέσσειν, πέψις. The Greek words are the same as those employed to denote the process of ripening or maturing of fruit, corn, and the like by means of heat—also that of baking and cooking

Terms sometimes associated with these are μεταβολή and μεταβάλλειν. For example, at 650 a 5 we read that πέψις and μεταβολή take place διὰ τῆς τοῦ θερμοῦ δυνάμεως ; and at 651 b 26, as the creatures grow and get “matured,” the parts μεταβάλλει their colour, and so do the viscera.

Ψυχή, “Soul.”

The English word “Soul,” as will be seen, over-emphasizes, when compared with ψυχή, certain aspects of the Greek term, but it is by far the most convenient rendering, and I have used it in preference to “life” or “vital principle.”

It will be useful to have an outline of Aristotle's general doctrine about Soul.

The different “parts” or “faculties” of Soul can

PARTS OF ANIMALS

be arranged in a series in a definite order, so that the possession of any one of them implies the possession of all those which precede it in the list :

- | | |
|---------------------|-------------------|
| (1) nutritive Soul | in all plants |
| (2) sentient Soul | in all animals |
| (3) appetitive Soul | } in some animals |
| (4) locomotive Soul | |
| (5) rational Soul | in man only |

At 641 a 23 Aristotle speaks of "parts" of the Soul, and though he often uses this phrase, the description he prefers is "faculties". In the passage which follows (641 a 33 foll.) all except appetitive Soul are mentioned. Sentient Soul is mentioned again at 650 b 24, 667 b 23, 672 b 16.

Aristotle raises the question whether it is the business of Natural science to deal with Soul in its entirety, and concludes that it is not necessary, since man is the only animal in which rational Soul is found. Thus it is only some part or parts of Soul, and not Soul in its entirety, which constitute animal nature.

In the passage 641 a 14 following, Aristotle takes for granted his doctrine about Soul, which is as follows (*De anima*, Book II.). Animate bodies, bodies "with Soul in them" (*ἐμψύχα*), are "concrete substances" made up of matter and form. In this partnership, of course, the body is the matter and the Soul is the form. Thus Soul may be described as the "form" or "realization" (*ἐντελέχεια*, "actuality") of the animal (*cf. De part., loc. cit.*).

This statement, however, is elsewhere made more precise. It is possible to distinguish *two* "realizations" of an animal ; for an animal "has Soul in it"

ARISTOTLE

even when it is asleep, but its full activity is not evident until it is awake and about its business. We must call Soul, then, the "first realization" of the animal, its waking life its "second realization." This distinction does not concern us in the *De partibus*. But an expansion of the definition is not irrelevant. Aristotle states that the Soul is the first realization of a body furnished with organs. The priority of Soul over body is emphasized in the passage just referred to (640 b 23—641 a 32), and in another interesting passage (687 a 8 foll.) Aristotle maintains that man has hands because he is the most intelligent animal, and not, as some have said, the most intelligent animal because he has hands.

With this is connected the question whether the Soul is independent of the body; though it is not raised in *De partibus*. As we have seen already, a ζῷον is a single concrete entity made up of Soul and body, i.e. a certain form implanted in certain matter. The matter can exist, for it did exist, apart from the form; and as the form that is implanted in all the individuals of a species is one and the same form, clearly it can exist apart from any one individual's matter—though of course its existence is not independent of all the individuals' matter. Furthermore, the form—the Soul—requires matter of a particular kind: not any sort of matter will do. From these considerations two conclusions seem to follow: (1) that transmigration is impossible: a human Soul cannot function in a hyena's body, any more than the carpenter's art can be executed by means of musical instruments; (2) the Soul cannot function without a body at all; cannot, we may say, exist (414 a 19).

PARTS OF ANIMALS

So far, so good. But Aristotle is not satisfied. He feels the Soul is more than that. He finds a loophole. There may be some "part" of Soul (the rational part) which is not the "realization" of any body. The Soul, besides being the form, the formal Cause, of the body, is also its final Cause, and not only that, but the motive Cause too of all the changes originated in the body (*De anima* 415 b 7-28), for, as we saw (p. 25), the three non-material Causes tend to coalesce into one. This independent "part" of Soul "comes into the body from without" (see *De gen. an.* 736 b 25 foll.) and continues to exist after the death of the body (see *De anima* 413 a 6, b 24 foll., 430 a 22, etc.). All this, however, raises problems not touched upon in *De partibus*; indeed Aristotle himself offers no solution of them.

Ψυχή, κρᾶσις, ἀπόκρισις.

I have indicated above, in the note on *δύναμις*, some of the older (Hippocratic) medical terminology of which traces are to be found in the *De partibus*. There is no room for an adequate discussion of such terms and theories, and the following bare references must suffice.

In the Hippocratic treatise *Περὶ διαίτης* the theory is put forward that the human organism, body and Soul alike, is composed of fire and water (which really consist of "the hot," "the solid," "the cold," and "the fluid")—the function of fire being to cause motion, of water to provide nourishment. In ch. 35 we have a list of the different varieties of Blend (*κρῆσις*, *σύγκρησις*) of fire and water which may be

ARISTOTLE

found in the Soul in different individuals, and upon the Blend its health and sensitivity ^a depend.

With these statements may be compared the following passages in *De partibus* :

652 b 8 Some, says Aristotle, maintain that the Soul *is* fire ; but it is better to say that it is carried in some such material. " The hot " is indeed the most serviceable material for the functions which the Soul has to perform, and these include nourishing and causing motion.

647 b 30 foll. Here is a reference to the different varieties of blood, and Aristotle tells us which sort of blood is αἰσθητικώτερον and which animals are on that account φρονιμώτερα (cf. 650 b 24 and 686 b 28). The phrase αἵματος κράσις is actually used at 686 a 9. (Cf. also 650 b 29, the κράσις in the heart ; 652 b 35, the parts in the head are colder than the σύμμετρος κράσις ; 669 a 11, the κράσις of the body ; 673 b 26, its εὐκρασία.)

The term σύντηξις, which occurs frequently in the Περὶ διαίτης, is found only once in the *De partibus* at 677 a 14—bile is said to be a residue or σύντηξις. Properly speaking, σύντηξις is the term applicable to the " colliquescence " or decay of the parts of the body themselves. (Cf. σύντηγμα at *Degen. an.* 724 b 26 foll ; also σύντηξις, 456 b 34 ; cf. also Platt's note at the end of his translation of *De gen. an.*, on 724 b 27.) The effect of the colliquescence is to produce an

^a The adjective used is φρόνιμος

PARTS OF ANIMALS

unhealthy ἀπόκρισις (abscession)—a very common term in Περὶ διαίτης (see chh. 58 foll. throughout). It occurs twice in *De partibus*. In both places it is used of a περίττωμα. At 690 a 9 the surplus earthy matter ἀπόκρισιν λαμβάνει, and forms a continuous nail or hoof. At 681 b 35 Aristotle speaks of the place where the σπερματική or the περιττωματική ἀπόκρισις is effected; and here ἀπόκρισις seems to mean simply “act of excretion.” The meaning of the term seems both here and in Hippocrates to be specially associated with περιττώματα, either useful ones, or useless and even harmful ones. A great deal of Περὶ διαίτης is taken up with suggestions for getting rid of harmful ἀποκρίσεις.

The meaning of ἀπόκρισις is therefore wider than “excretion” or “secretion,” as used in their present usual sense, though these are included among its meanings.

Τὸ μᾶλλον καὶ ἥττον, “the more and less,” see above, p 19.

TRANSLATIONS OF ARISTOTLE'S ZOOLOGY

The history of the translation of Aristotle's works begins with the Nestorian Christians of Asia Minor, who were familiar with the Greek language as their service-books were written in it, and before the coming of the Arabs they had translated some of the works of Aristotle and Galen into Syriac. Before

Translations of
Aristotle
zoologica
works

ARISTOTLE

435, Ibas, who in that year was made Bishop of Edessa, had translated into Syriac the commentaries of Theodore on the works of Aristotle. Jacob, one of Ibas's successors at Edessa (*d.* 708), translated the *Categories* into Syriac, but a much earlier version had been made by Sergios of Resh 'Ainâ (*d.* 536), who had studied Greek at Alexandria. In 765 the Nestorian physician Georgios was summoned to Bagdad by the Caliph, and translated numerous Greek words into Arabic for him. By the beginning of the ninth century, translation was in full swing at Bagdad, under the Caliphate of al-Mamun (813-833), son of Harun-al-Rashid. The first leader of this school of translators was the physician Ibn al-Batriq, who translated the *Historia animalium*, the *De partibus animalium*, and the *De generatione animalium* into Arabic.

But it was through southern Italy, Sicily and Spain that the transmission of Aristotle's works from the Arabic into Latin was effected. Messina had been recovered from the Saracens by 1060, and the whole of Sicily was freed by 1091. Under the Norman kings, Greeks, Saracens and Latins lived together in one community, and the court was the meeting-ground for eminent persons of all nations and languages. The reconquest of Spain had begun in the eighth century, so that here also an opportunity offered for making the works of Greek science available in Latin. Archbishop Raymond of Toledo (1126-1151) and Bishop Michael of Tarazona (1119-1151) were the patrons of the translators, who made Toledo the centre of their activity. One of these was Michael Scot.

There is in existence an Arabic translation of

PARTS OF ANIMALS

the zoological works, of which there is a ms. in the British Museum.^a It is probable that this is the translation made by Ibn al-Batriq, and that this Arabic version is the original from which Michael Scot made his Latin translation at Toledo.^b Michael was, among his other accomplishments, astrologer to Frederick II, King of Sicily, at his court at Palermo, and before 1217 he had reached Toledo and was at work there on his translations from the Arabic. His *De animalibus* (a translation of the zoological works in nineteen books) is one of his earliest works, and two mss. of it^c contain a note which gives a later limit of 1220 for the work. Other evidence^d establishes that it was certainly finished before 1217, and it may even be placed in the first decade of the century. It is probable that Michael had as collaborator one Andrew, canon of Palencia, formerly a Jew. One of the earliest to make use of Michael's translations was Robert Grosseteste,^e Bishop of Lincoln (d. 1253), one of the leading Aristotelian scholars of the time, who quotes from Michael's version of

^a B.M.Add. 7511 (13th-14th century). This is the ms. referred to by Steinschneider, *Die arabischen Übersetzungen* p. 64, as B.M. 437. I have seen this ms.

^b Judging from the passages which Dr. R. Levy kindly read for me in the Arabic ms., the Latin version is a close translation from it. Also, the contents-preface which is found prefixed to Michael Scot's translation corresponds exactly with the preface which precedes the Arabic version in this ms (see the B M catalogue, *Catalogus codicum manuscriptorum orientalium*, p. 215).

^c One of them is ms Caius 109, in the library of Gonville and Caius College, Cambridge. It is of the thirteenth century.

^d See S. D. Wingate, *The Medieval Latin Versions*, p. 75.

^e Born at Stradbroke, Suffolk. A Franciscan.

ARISTOTLE

De generatione.^a The *De animalibus* also formed the basis of a commentary in twenty-six books by Albertus Magnus.^b This was probably written soon after the middle of the thirteenth century. Except for the portions which appear in Albertus's commentary, and the earlier part of the first chapter,^c Michael's version has never been printed *in extenso*. Michael died in or before 1235, and is reputed to have been buried, as he was born, in the lowlands of Scotland.

About the same time, at the request of a pupil of Albertus, St. Thomas Aquinas (1227-1274), who required more accurate versions for his commentaries on the works of Aristotle, new translations, direct from the Greek, were being undertaken by William of Moerbeke.^d William was born about 1215. He became a Dominican, was confessor to Popes Clement IV. and Gregory X., and was Archbishop of Corinth. He acted as Greek secretary at the Council of Lyons in 1274. He died in 1286. The earliest dated translation made by him is one of the *De partibus animalium*. The date 1260 occurs in a ms. of it at Florence (Fæsulani 168), which also contains *Hist. an.*, *De progressu an.*, and *De gen. an.* This translation was made at Thebes.

Among later Latin translators of the zoological

^a According to Roger Bacon, Michael appeared at Oxford in 1230, bringing with him the works of Aristotle in natural history and mathematics.

^b *Ed. princeps*, Rome, 1478; latest ed., H. Stadler, 1916-1921.

^c 639 a 1-640 a 20, printed by G. Furlani in *Rivista degli Studi Orientali*, ix. (1922), pp. 246-249.

^d A small town south of Ghent on the borders of Flanders and Brabant.

PARTS OF ANIMALS

works the names of two Greeks must be mentioned. George of Trebizond (Trapezuntius), who was born in Crete in 1395, visited Italy between 1430 and 1438, and was secretary to the humanist Pope Nicholas V., an ardent Aristotelian. George's work, however, was hurried and not over-exact, and he, together with his predecessors, was superseded by his contemporary Theodore of Gaza, who was born in Thessalonica about 1400, and was professor of Greek at Ferrara in 1447. In 1450 Theodore was invited by the Pope to go to Rome to make Latin versions of Aristotle and other Greek authors. His translation of the zoological works,^a dedicated to the Pope, Sixtus IV., soon became the standard version, and it is printed in the Berlin edition of Aristotle.

Translations of the *De gen.* were made by Augustinus Niphus, of the University of Padua (1473-1546), and of the *De gen.* and *De incessu* by Peter Alcyonius (Venice, 1487-1527). The *De gen.* was also translated by Andronicus Callixtus of Byzantium (*d.* 1478). With the later Latin versions we need not here concern ourselves, but something must be said of the scientific workers who were inspired by Aristotle, and of the translations into modern languages.

The Renaissance biologists show unmistakably the difference in quality which there is between Aristotle's physics and his biology. Hieronimo Fabrizio of Acquapendente (1537-1619) knew and admired Aristotle's work on embryology, and what is more, himself carried out further important observations on the same subject. His brilliant successor, William Harvey (1578-1657), was a student of Aristotle, and

Aristotle's
successors

^a In eighteen books, excluding the spurious tenth book of the *Historia animalium*.

ARISTOTLE

much of his inspiration came from that source. William Harvey was the first to make any substantial advance in embryology since Aristotle himself. But this is more appropriate to the *De generatione* than to the *De partibus*. In other departments of study, however, during the seventeenth century, the authority of Aristotle and the scholastic doctrine with which he was identified were being combated in the name of freedom, and thus it came about that the zoological works also, which had been brought to light by the dark ages, were allowed to pass back into oblivion by the age of enlightenment. They were not rediscovered until the end of the eighteenth century by Cuvier (1769–1832) and Saint-Hilaire (1805–1895) in the nineteenth.

MODERN EDITIONS AND TRANSLATIONS

- 1 The Berlin edition of Aristotle, by Immanuel Bekker. Vol. 1. contains *De partibus animalium*. Berlin, 1831.
- 1A. Oxford edition. Immanuel Bekker. Oxford, 1837.

Separate editions of De partibus, and translations

2. Thomas Taylor. English tr. London, 1810.
3. A. von Frantzius. Text and German tr. Leipzig, 1853.
4. Anton Karsch. German tr. Stuttgart, 1855 (second ed., Berlin, 1911).
5. Bernhardt Langkavel. Text and app. crit. Leipzig (Teubner), 1868.
6. William Ogle. English tr. London, 1882.

PARTS OF ANIMALS

7. J. Barthélemy-Saint-Hilaire. French tr. Paris, 1885.
8. William Ogle. English tr. (rev. of No. 6). Oxford, 1911.

Langkavel reproduces almost verbatim the Berlin text, together with Bekker's *apparatus*, to which a great deal of other matter has been added, including some of Bekker's ms. notes in his copy of Erasmus's edition, and some corrected reports of the readings of the ms. E, which Langkavel himself inspected. Also, there are some emendations proposed by Bonitz. Unfortunately the practical value of Langkavel's *apparatus* is very much diminished by the inconvenient and excessively compressed manner in which it is presented.

Any English translator must stand very much indebted to the work of William Ogle, whose translation, originally published in 1882, was revised by its author and republished in the Oxford series of translations of Aristotle in 1911. It is not possible to overrate the care and exactness with which this piece of work was executed. I should like here to acknowledge my own indebtedness to it, and I have had its accuracy as a model before me. With regard to style, it will be seen that I have aimed at producing something rather different from Ogle's version.

THE TEXT

The manuscript authorities cited by Bekker for The mss the *De partibus animalium* will be found on p. 50.

The dates of the mss. as given by different scholars vary in several instances, sometimes by as much as

ARISTOTLE

200 or 300 years. For details I refer the reader to the various catalogues, and also to L. Dittmeyer's edition of *Hist. an.* (Leipzig, 1907) and W. W. Jaeger's edition of *De an. motu*, etc. (Leipzig, 1913).

storation
the text

I have perforce relied for the readings of the Greek mss upon the *apparatus* of Bekker and Langkavel. I have, however, inspected Z at several places, and in two of these (663 b 17 and 685 a 2) I found that the reading had been defectively reported. A more reliable collation of the chief mss. of *De partibus* is clearly needed. From a different source I have attempted to restore intelligibility to several corrupt passages with the aid of the Arabic version and the Latin version of Michael Scot, which represent an earlier stage of the Aristotelian text than our Greek mss. Among the passages dealt with in this way are the passage at 654 b 14 following, which has been dislocated by glosses and phrases imported from elsewhere, and the remarkable passage about the structure of the Cephalopods at 684 b 22 following, where considerable havoc has been done to the text by references to a diagram which was appended at some period between the date of the ms. from which the Arabic version was made and that of the archetype of all our present Greek mss. I have been able to restore this passage, though not always the actual Greek words, by reference to the Arabic version and Michael Scot's Latin translation made from it. Dr. Reuben Levy has most kindly read this passage for me in the 13th-14th century Arabic ms. in the British Museum, Add. 7511.

For these two passages, and for a good many other suspected places, I have consulted all the known mss. of Michael's Scot's version which are to be found in

PARTS OF ANIMALS

this country. They are (excluding mss. which contain merely abridgements or extracts):

Cambridge, Gonville and Caius College 109

„ University Library II. 3. 16

„ Dd. 4. 30

Oxford, Merton College 278

„ Balliol College 252

London, British Museum Royal 12. C. XV

„ „ „ Harl. 4970 ^a

All these are of the thirteenth or fourteenth century.

I have inspected at test places the following three mss. of William of Moerbeke's version:

Oxford, Merton College 270

„ „ „ 271

„ Balliol College 250

William's translation was made from a ms. or mss. which had already been infected by the corruptions found in the Greek mss. which exist to-day.

I should like here to express my thanks to the Librarians who so kindly made arrangements for me to inspect the mss. under their care.

Where I have accepted the reading of the Berlin edition, I have not given any record of the ms. variants. These are to be found in the *apparatus criticus* of that edition and of Langkavel's edition. Scope of apparatus criticus.

I have endeavoured, except in the passage 691 b 28 to 695 a 22 in the fourth Book, to record all places where I have departed from the text of the Berlin edition, and I have given the source of the reading which I have adopted. Where Bekker

^a So far as I know, this ms. has not been mentioned in any of the published lists of mss. of Michael Scot's *De animalibus*.

ARISTOTLE

himself introduced a reading different from that of the mss., this is attributed to him by name.

I have not recorded all of the many passages in which I have corrected the punctuation. The text has been reparagraphed throughout.

REFERENCE

The following list includes authorities for statements made in the Introduction, and books which the student of the Aristotelian zoological works and their history will find useful :

C. H. Haskins, *Studies in the History of Medieval Science*, ed. 2, Cambridge, Mass., 1927.

W. Jaeger, *Aristotle* (English tr. by R. Robinson), Oxford, 1934.

L. Leclerc, *Histoire de la médecine arabe*, Paris, 1876.

T. E. Lones, *Aristotle's Researches in Natural Science*, London, 1912.

W. D. Ross, *Aristotle*, London, 1930.

J. E. Sandys, *A History of Classical Scholarship*, Cambridge, 1908-1921.

C. Singer, *Studies in the History and Method of Science*, Oxford, 1921.

C. Singer, *Greek Biology and Greek Medicine*, Oxford, 1922.

M. Steinschneider, *Die arabischen Übersetzungen aus dem Griechischen* (Beiheft XII. zum Centralblatt für Bibliothekswesen), Leipzig, 1893.

M. Steinschneider, *Die europäischen Übersetzungen aus dem Arabischen*, in *Sitzungsberichte d. kais. Akad. der Wiss.* cxlix, Vienna, 1905.

D'Arcy W. Thompson, *Growth and Form*, Cambridge, 1917.

PARTS OF ANIMALS

- D'Arcy W. Thompson, Essay on " Natural Science " in *The Legacy of Greece*, Oxford, 1924.
S. D. Wingate, *The Medieval Latin Versions of the Aristotelian Scientific Corpus*, London, 1931.
F. Wustenfeld, *Die Übersetzungen arabischer Werke in das Lateinische*, in *Abhandlungen der k. Gesell. d. Wiss. zu Göttingen*, xxii., 1877.

ACKNOWLEDGEMENTS

It is a great pleasure to acknowledge here the help which I have received from many friends at Cambridge, not only by way of reading typescript and proof and by discussion, but also by the interest which they have shown in the work and by their continuous encouragement. The following have read the translation either in whole or in part : Prof. F. M. Cornford, Professor of Ancient Philosophy ; Dr F. H. A. Marshall, Reader in Agricultural Physiology (who has also kindly written the Foreword to this volume), and Dr. Joseph Needham, Reader in Biochemistry. I am under a particular obligation to my colleague Mr. H. Rackham, who has read the whole translation both in typescript and in proof. I am indebted to Dr. Sydney Smith and a number of other friends for their kindness in discussing various points and for reading certain passages. Dr. Reuben Levy, Lecturer in Persian, has kindly read for me some passages in the Arabic translation of the zoological works. To all of these gentlemen, without whose aid the work could not have been carried through, I record my sincerest thanks.

A. L. P

SIGLA

E	Parisinus regius 1853	10th cent.
Y	Vaticanus graecus 261	12th
Z	Oxoniensis Coll. Corp. Chr.	
	W.A. 2. 7.	12th (fin.)
U	Vaticanus 260	12th
P	Vaticanus graecus 1339	{ 12th (Jaeger) 14-15th (Ditt- meyer)
S	Laurentianus Mediceus 81. 1	12-13th
Q	Marcianus 200	{ 12th (Jaeger) 15th (Dittmeyer)
b	Parisinus 1859	14th
m	Parisinus 1921	14th
Σ	Michael Scot's Latin version, early thirteenth century. For mss. see p. 47.	
vulg	The usual reading, as in the Berlin edition.	
Bekker in not.	Bekker's ms. notes in his copy, as reported by Langkavel.	
Ogle	Emendations proposed by William Ogle in footnotes to his translation.	
Platt	Emendations proposed by Arthur Platt, either (a) in "Notes on Aristotle," in <i>Journal of Philology</i> , 1913, xxxii. 292 following, or (b) recorded by Ogle in footnotes to his translation.	
Cornford } Rackham }	{ Suggestions in private communications to me from Professor Cornford and Mr. Rackham.	
Peck	Emendations proposed by myself.	

“From quotations which I had seen, I had a high notion of Aristotle’s merits, but I had not the most remote notion what a wonderful man he was. Linnaeus and Cuvier have been my two gods, though in very different ways, but they were mere schoolboys to old Aristotle.”—Charles Darwin to William Ogle, on the publication of his translation of *The Parts of Animals*, 1882.

“The maister Cooke was called *Concoction*.”—Spenser, *Faerie Queen*.

ΑΡΙΣΤΟΤΕΛΟΥΣ

ΠΕΡΙ ΖΩΙΩΝ ΜΟΡΙΩΝ

Α

639 a Περὶ πᾶσαν θεωρίαν τε καὶ μέθοδον, ὁμοίως
ταπεινοτέραν τε καὶ τιμιωτέραν, δύο φαίνονται
τρόποι τῆς ἕξεως εἶναι, ὧν τὴν μὲν ἐπιστήμην
τοῦ πράγματος καλῶς ἔχει προσαγορεύειν, τὴν δ'
5 οἷον παιδείαν τινά. πεπαιδευμένου γάρ ἐστι κατὰ
τρόπον τὸ δύνασθαι κρῖναι εὐστόχως τί καλῶς ἢ μὴ
καλῶς ἀποδίδωσιν ὁ λέγων. τοιοῦτον γὰρ δὴ τινα
καὶ τὸν ὅλως πεπαιδευμένον οἴομεθ' εἶναι, καὶ τὸ
πεπαιδεῦσθαι τὸ δύνασθαι ποιεῖν τὸ εἰρημένον.
πλήν τοῦτον μὲν περὶ πάντων ὥς εἰπεῖν κριτικόν
10 τινα νομίζομεν εἶναι ἓνα τὸν ἀριθμὸν ὄντα, τὸν δὲ
περί τινος φύσεως ἀφωρισμένης· εἴη γὰρ ἂν τις
ἕτερος τὸν αὐτὸν τρόπον τῷ εἰρημένῳ διακείμενος
περὶ μόριον. ὥστε δῆλον ὅτι καὶ τῆς περὶ φύσιν
ἱστορίας δεῖ τινὰς ὑπάρχειν ὅρους τοιούτους πρὸς
οὓς ἀναφέρων ἀποδέξεται τὸν τρόπον τῶν δεικνυ-

ARISTOTLE
PARTS OF ANIMALS
BOOK I

THERE are, as it seems, two ways in which a person may be competent in respect of any study or investigation, whether it be a noble one or a humble : he may have either what can rightly be called a scientific knowledge of the subject ; or he may have what is roughly described as an educated person's competence, and therefore be able to judge correctly which parts of an exposition are satisfactory and which are not. That, in fact, is the sort of person we take the "man of general education" to be ; his "education" consists in the ability to do this. In this case, however, we expect to find in the one individual the ability to judge of almost all subjects, whereas in the other case the ability is confined to some special science ; for of course it is possible to possess this ability for a limited field only. Hence it is clear that in the investigation of Nature, or Natural science, as in every other, there must first of all be certain fixed principles by which the acceptability of the method of exposition may be tested, apart from whether the statements made

639 a

15 μένων, χωρὶς τοῦ πῶς ἔχει τὰληθές, εἴτε οὕτως
 εἴτε ἄλλως. λέγω δ' οἷον πότερον δεῖ λαμβάνοντας
 μίαν ἐκάστην οὐσίαν περὶ ταύτης διορίζειν καθ'
 αὐτήν, οἷον περὶ ἀνθρώπου φύσεως ἢ λέοντος ἢ
 βοῦς ἢ καὶ τινος ἄλλου καθ' ἕκαστον προχειρίζο-
 μένους, ἢ τὰ κοινῇ συμβεβηκότα πᾶσι κατὰ τι
 κοινὸν ὑποθεμένους. πολλὰ γὰρ ὑπάρχει ταῦτα
 20 πολλοῖς γένεσιν ἑτέροις οὖσιν ἀλλήλων, οἷον ὕπνος,
 ἀναπνοή, αὔξησις, φθίσις, θάνατος, καὶ πρὸς τού-
 τοις ὅσα τοιαῦτα τῶν λειπομένων παθῶν τε καὶ
 διαθέσεων· ἄδηλον γὰρ καὶ ἀδιόριστόν ἐστι λέγειν
 νῦν περὶ πάντων.¹ φανερόν δ' ὅτι καὶ κατὰ μέρος
 μὲν λέγοντες περὶ πολλῶν ἐροῦμεν πολλάκις ταῦτα·
 25 καὶ γὰρ ἵπποις καὶ κυσὶ καὶ ἀνθρώποις ὑπάρχει
 τῶν εἰρημένων ἕκαστον, ὥστε ἐὰν καθ' ἕκαστον τὰ
 συμβεβηκότα² λέγῃ τις, πολλάκις ἀναγκασθήσεται
 περὶ τῶν αὐτῶν λέγειν, ὅσα ταῦτα μὲν ὑπάρχει τοῖς
 εἶδει διαφέρουσι τῶν ζώων, αὐτὰ δὲ μηδεμίαν ἔχει
 30 διαφοράν. ἕτερα δ' ἴσως ἐστὶν οἷς συμβαίνει τὴν
 639 b μὲν κατηγορίαν ἔχειν τὴν αὐτὴν διαφέρειν δὲ τῇ
 κατ' εἶδος διαφορᾷ, οἷον ἡ τῶν ζώων πορεία· οὐ
 γὰρ φαίνεται μία τῷ εἶδει· διαφέρει γὰρ πτησις καὶ
 νεῦσις καὶ βάδισις καὶ ἔρψις.

Διὸ δεῖ μὴ διαλεληθέναι πῶς ἐπισκεπτέον, λέγω
 5 δὲ πότερον κοινῇ κατὰ γένος πρῶτον, εἴθ' ὕστερον

¹ πάντων Peck : τούτων vulg.

² τὰ συμβεβηκότα Ogle : τῶν συμβεβηκότων vulg.

PARTS OF ANIMALS, I. 1.

represent the truth or do not. In our present study, for instance, we may begin by taking each species severally (such as Man, or Lion, or Ox, or whatever it may be), say what we have to say about it, and have done with it; or else we may lay down at the outset the attributes that are common to all of them because of some common character which they possess. There are, of course, many attributes which are identical though they occur in many groups which differ among themselves, *e.g.* sleep, respiration, growth, decay, death, together with those other remaining affections and conditions which are of a similar kind—for it is a vague and uncertain business to discuss them all now. Still, thus much is plain, that even if our discussion is limited to a part of the subject, we shall be giving the same descriptions many times over for many different animals, since every one of the attributes I mentioned occurs in horses and dogs and human beings alike. Thus, if our description proceeds by taking the attributes for every instance, we shall be obliged to describe the same ones many times over, namely, those which although they occur in different species of animals are themselves identical and present no difference whatever. Furthermore, we may very well find that there are some attributes, which, though they are specifically different, come under the same general head;—for example, the locomotion of animals: of which there are plainly more species than one—*e.g.* flight, swimming, walking, creeping.

Therefore we must make up our minds about the method of our investigation and decide whether we will consider first what the whole group has

639 b

περὶ τῶν ἰδίων θεωρητέον, ἢ καθ' ἕκαστον εὐθύς.
 νῦν γὰρ οὐ διώρισται περὶ αὐτοῦ, οὐδέ γε τὸ νῦν
 ῥηθησόμενον, οἷον πότερον καθάπερ οἱ μαθηματικοὶ
 τὰ περὶ τὴν ἀστρολογίαν δεικνύουσιν, οὕτω δεῖ καὶ
 τὸν φυσικὸν τὰ φαινόμενα πρῶτον τὰ περὶ τὰ ζῶα
 10 θεωρήσαντα καὶ τὰ μέρη τὰ περὶ ἕκαστον, ἔπειθ'
 οὕτω λέγειν τὸ διὰ τί καὶ τὰς αἰτίας, ἢ ἄλλως πως.
 πρὸς δὲ τούτοις, ἐπεὶ πλείους ὀρῶμεν αἰτίας περὶ
 τὴν γένεσιν τὴν φυσικὴν, οἷον τὴν θ' οὐ ἔνεκα καὶ
 τὴν ὅθεν ἢ ἀρχὴ τῆς κινήσεως, διοριστέον καὶ
 περὶ τούτων, ποία πρώτη καὶ δευτέρα πέφυκεν.
 15 φαίνεται δὲ πρώτη ἣν λέγομεν ἔνεκά τινος· λόγος
 γὰρ οὗτος, ἀρχὴ δ' ὁ λόγος ὁμοίως ἔν τε τοῖς
 κατὰ τέχνην καὶ ἐν τοῖς φύσει συνεστηκόσιν. ἢ
 γὰρ τῇ διανοίᾳ ἢ τῇ αἰσθήσει ὀρισάμενος ὁ μὲν
 ἰατρὸς τὴν ὑγίειαν ὁ δ' οἰκοδόμος τὴν οἰκίαν,
 ἀποδιδόασιν τοὺς λόγους καὶ τὰς αἰτίας οὐ ποιοῦσιν
 ἑκάστου, καὶ διότι ποιητέον οὕτως. μᾶλλον δ'
 20 ἐστὶ τὸ οὐ ἔνεκα καὶ τὸ καλὸν ἐν τοῖς τῆς φύσεως
 ἔργοις ἢ ἐν τοῖς τῆς τέχνης. τὸ δ' ἐξ ἀνάγκης
 οὐ πᾶσιν ὑπάρχει τοῖς κατὰ φύσιν ὁμοίως, εἰς

^a This point is resumed and decided below, 644 a 23 ff,
 645 b 2 ff.

^b "Causes." See Introduction, pp. 24 ff.

^c "Formation." See Introduction, pp. 27 f.

^d *i.e.* the "final" cause.

^e *i.e.* the "motive" or "efficient" cause.

^f *Logos*. See Introduction, pp. 26 f.

PARTS OF ANIMALS, I. I.

common, and afterwards the individual peculiarities ; or begin straightway with the particular instances.^a Hitherto this has not been definitely settled. And there is a further point which has not yet been decided. should the student of Nature follow the same sort of procedure as the mathematician follows in his astronomical expositions—that is to say, should he consider first of all the phenomena which occur in animals, and the parts of each of them, and having done that go on to state the reasons and the causes ; or should he follow some other procedure ? Furthermore, we see that there are more causes^b than one concerned in the formation^c of natural things : there is the Cause *for the sake of which* the thing is formed,^d and the Cause to which *the beginning of the motion* is due.^e Therefore another point for us to decide is which of these two Causes stands first and which comes second. Clearly the first is that which we call the “ Final ” Cause—that for the sake of which the thing is formed—since that is the *logos*^f of the thing—its rational ground, and the *logos* is always the beginning for products of Nature as well as for those of Art. The physician or the builder sets before himself something quite definite—the one, health, apprehensible by the mind, the other, a house, apprehensible by the senses ; and once he has got this, each of them can tell you the causes and the rational grounds for everything he does, and why it must be done as he does it. Notwithstanding, the Final Cause, or the Good, is more fully present in the works of Nature than in the works of Art. And moreover the influence of Necessity is not present in all the works of Nature to an equal extent. Almost all

639 b

ὁ πειρῶνται πάντες σχεδὸν τοὺς λόγους ἀνάγειν,
οὐ διελόμενοι ποσαχῶς λέγεται τὸ ἀναγκαῖον.
ὑπάρχει δὲ τὸ μὲν ἀπλῶς τοῖς αἰδίοις, τὸ δ' ἐξ
25 ὑποθέσεως καὶ τοῖς ἐν γενέσει πᾶσιν ὥσπερ ἐν
τοῖς τεχναστοῖς, οἶον οἰκία καὶ τῶν ἄλλων ὁτῶν
τῶν τοιούτων. ἀνάγκη δὲ τοιάνδε τὴν ὕλην ὑπ-
άρξαι εἰ ἔσται οἰκία ἢ ἄλλο τι τέλος· καὶ γενέσθαι
τε καὶ κινηθῆναι δεῖ τόδε πρῶτον, εἶτα τόδε, καὶ
τοῦτον δὴ τὸν τρόπον ἐφεξῆς μέχρι τοῦ τέλους καὶ
30 οὗ ἕνεκα γίνεται ἕκαστον καὶ ἔστιν. ὡσαύτως δὲ
640 a καὶ ἐν τοῖς φύσει γινομένοις. ἀλλ' ὁ τρόπος τῆς
ἀποδείξεως καὶ τῆς ἀνάγκης ἕτερος ἐπὶ τε τῆς
φυσικῆς καὶ τῶν θεωρητικῶν ἐπιστημῶν. (εἴρηται
δ' ἐν ἑτέροις περὶ τούτων.) ἡ γὰρ ἀρχὴ τοῖς μὲν τὸ
ὄν, τοῖς δὲ τὸ ἐσόμενον· ἐπεὶ γὰρ τοιόνδ' ἐστὶν ἡ
5 ὑγίεια ἢ ὁ ἄνθρωπος, ἀνάγκη τόδ' εἶναι ἢ γενέσθαι,
ἀλλ' οὐκ ἐπεὶ τόδ' ἐστὶν ἢ γέγονεν, ἐκείνο ἐξ

^a "Absolute," i.e. simple or unconditional necessity, belongs to the "eternal things," such as the heavenly bodies or the eternal truths of mathematics. For further details see *De gen. et corr.* 337 b 14 ff.

^b At *Met.* 1025 b ff. Aristotle makes a threefold classification of the sciences into (a) theoretical (contemplative), (b) practical, (c) productive. The result of (a) is knowledge only, of (b) knowledge and action, of (c) knowledge, action, and some article or product. The three "theoretical" sciences are theology (i.e. metaphysics), mathematics, and physics (natural science). In the present passage, however, Aristotle contrasts natural science with the "theoretical" sciences. This is because he is considering Nature as a craftsman whose craft or science belongs to the third class—the "productive" sciences. Our study of Nature's science

PARTS OF ANIMALS, I. 1.

philosophers endeavour to carry back their explanations to Necessity; but they omit to distinguish the various meanings of Necessity. There is "absolute" Necessity,^a which belongs to the eternal things; and there is "conditional" Necessity, which has to do with everything that is formed by the processes of Nature, as well as with the products of Art, such as houses and so forth. If a house, or any other End, is to be realized, it is necessary that such and such material shall be available; one thing must first be formed, and set in motion, and then another thing; and so on continually in the same manner up to the End, which is the Final Cause, for the sake of which every one of those things is formed and for which it exists. The things which are formed in Nature are in like case. Howbeit, the method of reasoning in Natural science and also the mode of Necessity itself is not the same as in the Theoretical sciences. (I have spoken of this matter in another treatise.^b) They differ in the following way.^c In the Theoretical sciences, we begin with what already *is*; but in Natural science with what *is going to be*: thus, we say, *Because* that which is going to be—health, perhaps, or man—has a certain character, *therefore* of necessity some particular thing, *P*, must be, or must be formed; not, *Because P* is now, or has been formed, *therefore* the other thing (health, or man) is now, or is going to may be a "theoretical" science, but Nature's science itself is "productive."

^c The reasoning process in a "theoretical" science, *e.g.* mathematics, begins, say, with A, and then deduces from it the consequences B, C, D. In a "productive" science, *e.g.* building, it begins with the house which is to be built, D, and works backwards through the preliminary stages which must be realized in order to produce the house, C, B, A. Cf. below, 640 a 16 ff.

640 a

ἀνάγκης ἐστὶν ἢ ἔσται. οὐδ' ἔστιν εἰς αἰδίον συναρτῆσαι τῆς τοιαύτης ἀποδείξεως τὴν ἀνάγκην, ὥστ' εἰπεῖν, ἐπεὶ τόδ' ἐστίν, ὅτι τόδ' ἐστίν. διώρισται δὲ καὶ περὶ τούτων ἐν ἑτέροις, καὶ ποίοις ὑπάρχει καὶ ποῖα ἀντιστρέφει καὶ διὰ τίν' αἰτίαν.

- 10 Δεῖ δὲ μὴ λεληθέναι καὶ πότερον προσήκει λέγειν, ὥσπερ οἱ πρότερον ἐποιοῦντο τὴν θεωρίαν, πῶς ἕκαστον γίνεσθαι πέφυκε μᾶλλον ἢ πῶς ἔστιν. οὐ γάρ τι μικρὸν διαφέρει τοῦτο ἐκείνου. ἔοικε δ' ἐντεῦθεν ἀρκτέον εἶναι (καθάπερ καὶ πρότερον εἵπομεν, ὅτι πρῶτον τὰ φαινόμενα ληπτέον περὶ
15 ἕκαστον γένος, εἴθ' οὕτω τὰς αἰτίας τούτων λεκτέον) καὶ περὶ γενέσεως· μᾶλλον γὰρ τάδε συμβαίνει καὶ περὶ τὴν οἰκοδόμησιν ἐπεὶ τοιόνδ' ἐστὶ τὸ εἶδος τῆς οἰκίας, ἢ τοιόνδ' ἐστὶν ἡ οἰκία ὅτι γίνεται οὕτως. ἢ γὰρ γένεσις ἔνεκα τῆς οὐσίας ἐστίν, ἀλλ' οὐχ ἡ οὐσία ἔνεκα τῆς γενέσεως. διόπερ
20 Ἐμπεδοκλῆς οὐκ ὀρθῶς εἶρηκε λέγων ὑπάρχειν πολλὰ τοῖς ζώοις διὰ τὸ συμβῆναι οὕτως ἐν τῇ γενέσει, οἷον καὶ τὴν ράχιν τοιαύτην ἔχειν ὅτι στραφέντος καταχθῆναι συνέβη, ἀγνοῶν πρῶτον μὲν ὅτι δεῖ τὸ σπέρμα τὸ συνιστάν¹ ὑπάρχειν τοιαύτην

¹ συνιστάν Platt: συστάν vulg.

^a Though of course this Necessity has its place in natural science (see below, 642 a 31 ff.). It is, however, not the only sort of Necessity in Natural science, and not the paramount one.

^b See *De gen. et corr.* 337 b 25 ff. An example of a non-convertible proposition is: Foundations are necessary for a house to be built. You cannot say, "If foundations are laid a house must of necessity be built," because it is not "absolutely" and always necessary that a house should be built.

PARTS OF ANIMALS, I. 1.

be in the future.^a Actually, even in a process of reasoning of the latter kind, it is impossible to trace back the links of Necessity *ad infinitum*, so as to say, *Because A is, therefore Z is*. I have, however, discussed these matters in another work,^b and I there stated where either kind of Necessity applies, which propositions involving Necessity are convertible, and the reasons why.

We must also decide whether we are to discuss the processes by which each animal comes to be formed—which is what the earlier philosophers studied—or rather the animal as it actually is. Obviously there is a considerable difference between the two methods. I said earlier that we ought first to take the phenomena that are observed in each group, and then go on to state their causes. This applies just as much to the subject of the process of formation: here too we ought surely to begin with things as they are actually observed to be when completed. Even in building the fact is that the particular stages of the process come about because the Form of the house is such and such, rather than that the house is such and such because the process of its formation follows a particular course: the process is for the sake of the actual thing, the thing is not for the sake of the process. So Empedocles was wrong when he said that many of the characteristics which animals have are due to some accident in the process of their formation, as when he accounts for the vertebrae of the backbone by saying^c “the fetus gets twisted and so the backbone is broken into pieces”: he was unaware (a) that the seed which forms the animal must to

^c Emped. frag. 97 (Diels, *Fragmente*⁵, 31 B 97).

640 a

ἔχον δύναμιν, εἰθ' ὅτι τὸ ποιήσαν πρότερον ὑπῆρχεν
 25 οὐ μόνον τῷ λόγῳ ἀλλὰ καὶ τῷ χρόνῳ· γεννᾷ γὰρ ὁ
 ἄνθρωπος ἄνθρωπον, ὥστε διὰ τὸ ἐκείνον τοιούδ'
 εἶναι ἢ γένεσις τοιάδε συμβαίνει τῷδί. ὁμοίως
 δὲ καὶ ἐπὶ τῶν αὐτομάτως δοκούντων γίνεσθαι
 καθάπερ καὶ ἐπὶ τῶν τεχναστῶν· ἔνια γὰρ καὶ ἀπὸ
 ταυτομάτου γίνεται ταῦτὰ τοῖς ἀπὸ τέχνης, οἷον
 30 ὑγίεια. τῶν μὲν οὖν προϋπάρχει τὸ ποιητικὸν
 ὅμοιον, οἷον ἀνδριανοποιητική· οὐ γὰρ γίνεται
 αὐτόματον. ἢ δὲ τέχνη λόγος τοῦ ἔργου ὁ ἄνευ τῆς
 ὕλης ἐστίν. καὶ τοῖς ἀπὸ τύχης ὁμοίως· ὥς γὰρ ἢ
 τέχνη ἔχει, οὕτω γίνεται. διὸ μάλιστα μὲν λεκτέον
 ὥς ἐπειδὴ τοῦτ' ἦν τὸ ἀνθρώπῳ εἶναι, διὰ τοῦτο
 35 ταῦτ' ἔχει· οὐ γὰρ ἐνδέχεται εἶναι ἄνευ τῶν μορίων
 τούτων. εἰ δὲ μή, ὅ τι ἐγγύτατα τούτου, καὶ ἢ ὅτι
 640 b ὅλως¹ ἀδύνατον ἄλλως, ἢ καλῶς γε οὕτως. ταῦτα
 δ' ἔπεται. ἐπεὶ δ' ἔστι τοιοῦτον, τὴν γένεσιν ὥδὲ
 καὶ τοιαύτην συμβαίνειν ἀναγκαῖον· διὸ γίνεται
 πρῶτον τῶν μορίων τόδε, εἶτα τόδε. καὶ τοῦτον
 δὴ τὸν τρόπον ὁμοίως ἐπὶ πάντων τῶν φύσει συν-
 ισταμένων.

5 Οἱ μὲν οὖν ἀρχαῖοι καὶ πρῶτοι φιλοσοφήσαντες

¹ ὅτι ὅλως Z: ὅλως ὅτι ceteri.

^a i.e. the same character as the animal which it is to produce. For *dynamis* see Introduction, pp. 30 ff.

^b i.e. the "efficient" cause.

^c As against the "efficient" cause in instances of spon-

PARTS OF ANIMALS, I. 1.

begin with have the appropriate specific character^a; and (b) that the parent^b was there before the offspring: it was chronologically earlier as well as logically earlier: in other words, men are begotten by men, and therefore the process of the child's formation is what it is because its parent was a man. The same may also be said of the products of the Arts, and even of the sometimes identical results which are apparently produced quite spontaneously, *e.g.* health. But normally, as in the statuaries art for example, there is no spontaneous production, and there must be to begin with an efficient cause which is similar in character^c to the future product. This cause is the Art itself, which is just the *logos* (or essential plan), not yet embodied in matter, of the product.^d (The products of chance are comparable too: they are formed by the same processes as the products of Art.) So the best way of putting the matter would be to say (*e.g.*) that *because* the *logos* of man is what it is, *therefore* a man has such and such parts, since there cannot be a man without them. If we may not say this, then the nearest to it must do, *viz.* that there cannot be a man at all otherwise than with them, or, that it is well that a man should have them. And upon this these considerations follow: *Because* man is such and such, *therefore* the process of his formation must be such and such and must take place in such a manner; first this part is formed, then that. And similarly with all the things that are constructed by Nature.

Now those who were the first to study Nature in

taneous production, where the cause is dissimilar in character to its product.

^a Cf. *De gen. an.* 734 b 36 ff.

640 b

- περὶ φύσεως περὶ τῆς ὑλικῆς ἀρχῆς καὶ τῆς τοιαύτης αἰτίας ἐσκόπουν, τίς καὶ ποία τις, καὶ πῶς ἐκ ταύτης γίνεται τὸ ὅλον, καὶ τίνος κινουντος, οἷον νείκους ἢ φιλίας ἢ νοῦ ἢ τοῦ αὐτομάτου, τῆς δ' ὑποκειμένης ὕλης τοιάνδε τινὰ φύσιν ἐχούσης ἐξ
- 10 ἀνάγκης, οἷον τοῦ μὲν πυρὸς θερμὴν, τῆς δὲ γῆς ψυχράν, καὶ τοῦ μὲν κούφην, τῆς δὲ βαρεῖαν. οὕτως γὰρ καὶ τὸν κόσμον γεννῶσιν. ὁμοίως δὲ καὶ περὶ τὴν τῶν ζώων καὶ τῶν φυτῶν γένεσιν λέγουσιν, οἷον¹ ἐν τῷ σώματι ῥέοντος μὲν τοῦ ὕδατος κοιλίαν γενέσθαι καὶ πᾶσαν ὑποδοχὴν τῆς τε τροφῆς καὶ τοῦ
- 15 περιττώματος, τοῦ δὲ πνεύματος διαπορευθέντος τοὺς μυκτῆρας ἀναρραγῆναι. ὁ δ' ἀὴρ καὶ τὸ ὕδωρ ὕλη τῶν σωμάτων ἐστίν· ἐκ τῶν τοιούτων γὰρ σωμάτων συνιστᾶσι τὴν φύσιν πάντες. εἰ δ' ἔστιν ὁ ἄνθρωπος καὶ τὰ ζῶα φύσει καὶ τὰ μόρια αὐτῶν, λεκτέον ἂν περὶ σαρκὸς εἶη καὶ ὁστοῦ καὶ αἵματος
- 20 καὶ τῶν ὁμοιομερῶν ἀπάντων, ὁμοίως δὲ καὶ τῶν ἀνομοιομερῶν, οἷον προσώπου, χειρός, ποδός, ἢ τε τοιοῦτον ἕκαστόν ἐστιν αὐτῶν καὶ κατὰ ποίαν δύναμιν. οὐ γὰρ ἱκανὸν τὸ ἐκ τίνων ἐστίν, οἷον πυρὸς ἢ γῆς, ὥσπερ καὶ εἰ περὶ κλίνης ἐλέγομεν ἢ τίνος ἄλλου τῶν τοιούτων, ἐπειρώμεθα μᾶλλον ἂν
- 25 διορίζειν τὸ εἶδος αὐτῆς ἢ τὴν ὕλην, οἷον τὸν χαλκὸν

¹ ὅτι post οἷον vulg.: del Ogle.

^a As Empedocles and Anaxagoras, whose attempts to discover the "material" and the "efficient" causes are mentioned a few lines below. See also *Met.* 983 b 6 ff.

^b "Material" cause: see Introduction, pp. 24 ff.

^c "Residue": lit. "surplus"; see Introduction, pp. 32 ff.

^d Cf. Hippocrates, *Περὶ διαίτης*, i. 9.

^e "Parts": see Introduction, pp. 28 ff.

PARTS OF ANIMALS, I. I.

the early days ^a spent their time in trying to discover what the material principle or the material Cause ^b was, and what it was like; they tried to find out how the Universe is formed out of it; what set the process going (Strife, it might be, or Friendship, Mind, or Spontaneity); assuming throughout that the underlying material had, by necessity, some definite nature: *e.g.* that the nature of Fire was hot, and light; of Earth, cold, and heavy. At any rate, that is how they actually explain the formation of the world-order. In a like manner they describe the formation of animals and plants, saying (*e.g.*) that the stomach and every kind of receptacle for food and for residue ^c is formed by the water flowing in the body, and the nostril openings are forcibly made by the passage of the breath.^d Air and water, of course, according to them, are the material of which the body is made: they all say that Nature is composed of substances of this sort. Yet if man and the animals and their parts ^e are products of Nature, then account must be taken of flesh, bone, blood, in fact of all the "uniform parts,"^f and indeed of the "non-uniform parts" too, viz. face, hand, foot; and it must be explained how it comes to pass that each of these is characterized as it is, and by what force this is effected. It is not enough to state simply the substances out of which they are made, as "Out of fire," or "Out of earth." If we were describing a bed or any other like article, we should endeavour to describe the form of it rather than the matter (bronze, or wood)—or, at

^f "Uniform" and "non-uniform" see Introduction, pp. 28 ff. The distinction between "uniform" and "non-uniform" parts is, historically, the predecessor of the distinction between "tissues" and "organs."

640 b

ἢ τὸ ξύλον, εἰ δὲ μή, τήν γε τοῦ συνόλου· κλίνη γὰρ τόδε ἐν τῷδε ἢ τόδε τοιόνδε, ὥστε καὶ περὶ τοῦ σχήματος εἶη λεκτέον, καὶ ποῖον τὴν ἰδέαν· ἡ γὰρ κατὰ τὴν μορφήν φύσις κυριωτέρα τῆς ὑλικῆς φύσεως.

30 Εἰ μὲν οὖν τῷ σχήματι καὶ τῷ χρώματι ἕκαστόν ἐστι τῶν τε ζώων καὶ τῶν μορίων, ὀρθῶς ἂν Δημόκριτος λέγοι· φαίνεται γὰρ οὕτως ὑπολαβεῖν. φησὶ γοῦν παντὶ δῆλον εἶναι οἷόν τι τὴν μορφήν ἐστιν ὁ ἄνθρωπος, ὡς ὄντος αὐτοῦ τῷ τε σχήματι καὶ τῷ χρώματι γνωρίμουν. καίτοι καὶ ὁ τεθνεὺς

35 ἔχει τὴν αὐτὴν τοῦ σχήματος μορφήν, ἀλλ' ὅμως οὐκ ἔστιν ἄνθρωπος. ἔτι δ' ἀδύνατον εἶναι χεῖρα ὁπωσοῦν διακειμένην, οἷον χαλκὴν ἢ ξυλίνην, πλὴν

641 a ὁμωνύμως, ὥσπερ τὸν γεγραμμένον ἱατρόν. οὐ γὰρ δυνήσεται ποιεῖν τὸ ἑαυτῆς ἔργον, ὥσπερ οὐδ' αὐλοὶ λίθινοι τὸ ἑαυτῶν ἔργον, οὐδ' ὁ γεγραμμένος ἱατρός. ὁμοίως δὲ τούτοις οὐδὲ τῶν τοῦ τεθνηκότος μο-
5 ρίων οὐδὲν ἔτι τῶν τοιούτων ἐστί, λέγω δ' οἷον ὀφθαλμός, χεῖρ. λίαν οὖν ἀπλῶς εἴρηται, καὶ τὸν αὐτὸν τρόπον ὥσπερ ἂν εἰ τέκτων λέγοι περὶ χειρὸς ξυλίνης. οὕτως γὰρ καὶ οἱ φυσιολόγοι τὰς γενέσεις καὶ τὰς αἰτίας τοῦ σχήματος λέγουσιν. ὑπὸ τίνων γὰρ ἐδημιουργήθησαν δυνάμειον; ἀλλ' ἴσως ὁ μὲν
10 τέκτων ἐρεῖ πέλεκυν ἢ τρύπανον, ὁ δ' ἀέρα καὶ γῆν,

^a See Diels, *Fragmente* ⁵, 68 B 165.

^b i.e. the early writers on "Nature."

PARTS OF ANIMALS, I. 1.

any rate, the matter, if described, would be described as belonging to the concrete whole. For example, "a bed" is a certain form in certain matter, or, alternatively, certain matter that has a certain form; so we should have to include its shape and the manner of its form in our description of it. And in fact the "formal" nature is of more fundamental importance than the "material" nature

If, then, each animal and each of its parts is what it is in virtue of its shape and its colour, what Democritus says will be correct, since that was apparently his view, if one understands him aright when he says that it is evident to everyone what "man" is like as touching his shape, for it is by his shape and his colour that a man may be told.^a Now a corpse has the same shape and fashion as a living body; and yet it is not a man. Again, a hand constituted in any and every manner, *e.g.*, a bronze or wooden one, is not a hand except in name; and the same applies to a physician depicted on canvas, or a flute carved in stone. None of these can perform the functions appropriate to the things that bear those names. Likewise, the eye or the hand (or any other part) of a corpse is not really an eye or a hand. Democritus's statement, therefore, needs to be qualified, or a carpenter might as well claim that a hand made of wood really was a hand. The physiologists,^b however, when they describe the formation and the causes of the shape of animal bodies, talk in this selfsame vein. Suppose we ask the carver "By what agency was this hand fashioned?" Perhaps his answer will be "By my axe" or "By my auger," just as if we ask the physiologist "By what agency was this body fashioned?" he will say "By air" or

641 a

πλὴν βέλτιον ὁ τέκτων· οὐ γὰρ ἱκανὸν ἔσται αὐτῷ
τὸ τοσοῦτον εἰπεῖν, ὅτι ἐμπεσόντος τοῦ ὀργάνου
τὸ μὲν κοῖλον ἐγένετο τὸ δὲ ἐπίπεδον, ἀλλὰ διότι
τὴν πληγὴν ἐποιήσατο τοιαύτην, καὶ τίνος ἔνεκα,
ἔρει τὴν αἰτίαν, ὅπως τοιόνδε ἢ τοιόνδε ποτὲ τὴν
μορφὴν γένηται.

- 15 Δῆλον τοίνυν ὅτι οὐκ ὀρθῶς λέγουσι, καὶ ὅτι
λεκτέον ὡς τοιοῦτον τὸ ζῶον, καὶ περὶ ἐκείνου καὶ
τί καὶ ποῖόν τι καὶ τῶν μορίων ἐκάστου,¹ ὥσπερ
καὶ περὶ τοῦ εἶδους τῆς κλίνης.

- Εἰ δὴ τοῦτό ἐστι ψυχὴ ἢ ψυχῆς μέρος ἢ μὴ ἄνευ
ψυχῆς (ἀπελθούσης γοῦν οὐκέτι ζῶόν ἐστιν, οὐδὲ
20 τῶν μορίων οὐδὲν τὸ αὐτὸ λείπεται, πλὴν τῷ
σχήματι μόνον, καθάπερ τὰ μυθευόμενα λιθοῦσθαι),
εἰ δὴ ταῦτα οὕτως, τοῦ φυσικοῦ περὶ ψυχῆς ἂν εἴη
λέγειν καὶ εἰδέναι, καὶ εἰ μὴ πάσης, κατ' αὐτὸ
τοῦτο καθ' ὃ τοιοῦτο τὸ ζῶον, καὶ τί ἐστιν ἡ ψυχὴ,
ἢ αὐτὸ τοῦτο τὸ μόνιον, καὶ περὶ τῶν συμβεβη-
25 κόντων κατὰ τὴν τοιαύτην αὐτῆς οὐσίαν, ἄλλως τε
καὶ τῆς φύσεως διχῶς λεγομένης καὶ οὔσης, τῆς
μὲν ὡς ὕλης, τῆς δ' ὡς οὐσίας· καὶ ἔστιν αὕτη καὶ
ὡς ἡ κινούσα καὶ ὡς τὸ τέλος· τοιοῦτον δὲ τοῦ ζώου

¹ ἐκάστου Peck: ἑκαστον vulg.

^a Or, "reason"; see Introduction, p. 24.

^b See above, 640 b 26.

^c "Soul": see Introduction, pp. 34 ff.

^d Or "motive."

PARTS OF ANIMALS, I. I.

“ By earth.” But of the two the craftsman will give a better answer, because he will not feel it is sufficient to say merely that a cavity was created here, or a level surface there, by a blow from his tool. He will state the cause^a on account of which, and the purpose for the sake of which, he made the strokes he did ; and that will be, in order that the wood might finally be formed into this or that shape.

It must now be evident that the statements of the physiologists are unsatisfactory. We have to state how the animal is characterized, *i.e.*, what is the essence and character of the animal itself, as well as describing each of its parts ; just as with the bed we have to state its Form.^b

Now it may be that the Form of any living creature is Soul,^c or some part of Soul, or something that involves Soul. At any rate, when its Soul is gone, it is no longer a living creature, and none of its parts remains the same, except only in shape, just like the animals in the story that were turned into stone. If, then, this is really so, it is the business of the student of Natural science to inform himself concerning Soul, and to treat of it in his exposition ; not, perhaps, in its entirety, but of that special part of it which causes the living creature to be such as it is. He must say what Soul, or that special part of Soul, is ; and when he has said what its essence is, he must treat of the attributes which are attached to an essence of that character. This is especially necessary, because the term “ nature ” is used—rightly—in two senses : (*a*) meaning “ matter,” and (*b*) meaning “ essence ” (the latter including both the “ Efficient ”^d Cause and the “ End ”). It is, of course, in this latter sense that the entire Soul or

641 a ἥτοι πᾶσα ἡ ψυχὴ ἢ μέρος τι αὐτῆς. ὥστε καὶ οὕτως ἂν λεκτέον εἴη τῷ περὶ φύσεως θεωρητικῷ
 30 περὶ ψυχῆς μᾶλλον ἢ περὶ τῆς ὕλης, ὅσω μᾶλλον ἢ ὕλῃ δι' ἐκείνην φύσις ἐστὶν ἢ ἀνάπαλιν· καὶ γὰρ κλίνη καὶ τρίπους τὸ ξύλον ἐστίν, ὅτι δυνάμει ταῦτά ἐστιν.

Ἀπορήσειε δ' ἂν τις εἰς τὸ νῦν λεχθὲν ἐπιβλέψας, πότερον περὶ πάσης ψυχῆς τῆς φυσικῆς ἐστὶ τὸ
 35 εἰπεῖν ἢ περὶ τινος.¹ εἰ γὰρ περὶ πάσης, οὐδεμία λείπεται παρὰ τὴν φυσικὴν ἐπιστήμην φιλοσοφία.

641 b ὁ γὰρ νοῦς τῶν νοητῶν, ὥστε περὶ πάντων ἡ φυσικὴ γνῶσις ἂν εἴη· τῆς γὰρ αὐτῆς περὶ νοῦ καὶ τοῦ νοητοῦ θεωρῆσαι, εἴπερ πρὸς ἄλληλα, καὶ ἡ αὐτὴ θεωρία τῶν πρὸς ἄλληλα πάντων, καθάπερ καὶ περὶ αἰσθήσεως καὶ τῶν αἰσθητῶν. ἢ οὐκ ἔστι
 5 πᾶσα ἡ ψυχὴ κινήσεως ἀρχή, οὐδὲ τὰ μόρια ἅπαντα, ἀλλ' αὐξήσεως μὲν ὅπερ καὶ ἐν τοῖς φυτοῖς, ἀλ-
 λουιώσεως δὲ τὸ αἰσθητικόν, φορᾶς δ' ἕτερόν τι καὶ οὐ τὸ νοητικόν ὑπάρχει γὰρ ἡ φορὰ καὶ ἐν ἑτέροις τῶν ζώων, διάνοια δ' οὐδενί. δῆλον οὖν ὡς οὐ

¹ τινος <μορίου> Rackham.

^a i.e. qualitative change, which is the "motion" proper to this part of the Soul.

PARTS OF ANIMALS, I. I.

some part of it is the "nature" of a living creature. Hence on this score especially it should be the duty of the student of Natural science to deal with Soul in preference to matter, inasmuch as it is the Soul that enables the matter to "be the nature" of an animal (that is, *potentially*, in the same way as a piece of wood "is" a bed or a stool) rather than the matter which enables the Soul to do so.

In view of what we have just said, one may well ask whether it is the business of Natural science to treat of Soul in its entirety or of some part of it only; since if it must treat of Soul in its entirety (*i e.* including intellect) there will be no room left for any other study beside Natural science—it will include even the objects that the intellect apprehends. For consider: wherever there is a pair of interrelated things, such as sensation and the objects of sensation, it is the business of one science, and one only, to study them both. Now intellect and the objects of the intellect are such a pair; hence, the same science will study both of them, which means that there will be nothing whatever left outside the purview of Natural science. All the same, it may be that it is neither Soul in its entirety that is the source of motion, nor yet all its parts taken together; it may be that one part of Soul, (*a*), like that which plants have, is the source of growth; another part, (*b*), the "sensory" part, is the source of change^a; and yet another part, (*c*), the source of locomotion. That even this last cannot be the intellectual part is proved, because animals other than man have the power of locomotion, although none of them has intellect. I take it, then, as evident

ARISTOTLE

641 b

περὶ πάσης ψυχῆς λεκτέον· οὐδὲ γὰρ πᾶσα ψυχὴ
10 φύσις, ἀλλὰ τι μόριον αὐτῆς ἔν ἣ καὶ πλείω.

Ἔτι δὲ τῶν ἐξ ἀφαιρέσεως οὐδενὸς οἶόν τ' εἶναι
τὴν φυσικὴν θεωρητικὴν, ἐπειδὴ ἡ φύσις ἔνεκά του
ποιεῖ πάντα· φαίνεται γάρ, ὥσπερ ἐν τοῖς τεχνα-
στοῖς ἐστὶν ἡ τέχνη, οὕτως ἐν αὐτοῖς τοῖς πράγ-
μασιν ἄλλη τις ἀρχὴ καὶ αἰτία τοιαύτη, ἣν ἔχομεν
15 καθάπερ τὸ θερμὸν καὶ τὸ ψυχρὸν ἐκ τοῦ παντός.
διὸ μᾶλλον εἰκὸς τὸν οὐρανὸν γεγενῆσθαι ὑπὸ
τοιαύτης αἰτίας, εἰ γέγονε, καὶ εἶναι διὰ τοιαύτην
αἰτίαν μᾶλλον ἢ τὰ ζῶα τὰ θνητά· τὸ γοῦν τεταγ-
μένον καὶ τὸ ὠρισμένον πολὺ μᾶλλον φαίνεται ἐν
20 τοῖς οὐρανίοις ἢ περὶ ἡμᾶς, τὸ δ' ἄλλοτ' ἄλλως καὶ
ὥς ἔτυχε περὶ τὰ θνητὰ μᾶλλον. οἱ δὲ τῶν μὲν
ζώων ἕκαστον φύσει φασὶν εἶναι καὶ γενέσθαι, τὸν
δ' οὐρανὸν ἀπὸ τύχης καὶ τοῦ αὐτομάτου τοιοῦτον
συστῆναι, ἐν ᾧ ἀπὸ τύχης καὶ ἀταξίας οὐδ' ὅτιοῦν
φαίνεται. πανταχοῦ δὲ λέγομεν τόδε τοῦδ' ἔνεκα,
25 ὅπου ἂν φαίνεται τέλος τι πρὸς ὃ ἡ κίνησις περαίνει
μηδενὸς ἐμποδίζοντος. ὥστε εἶναι φανερόν ὅτι ἔστι
τι τοιοῦτον, ὃ δὴ καὶ καλοῦμεν φύσιν· οὐ γὰρ δὴ
ὅ τι ἔτυχεν ἐξ ἐκάστου γίνεται σπέρματος, ἀλλὰ
τόδε ἐκ τοῦδε, οὐδὲ σπέρμα τὸ τυχὸν ἐκ τοῦ τυ-

^a Cf. Samuel Butler, *Life and Habit*, p. 134, "A hen is only an egg's way of making another egg."

PARTS OF ANIMALS, I. 1.

that we need not concern ourselves with Soul in its entirety ; because it is not Soul in its entirety that is an animal's " nature," but some part or parts of it.

Further, no abstraction can be studied by Natural science, because whatever Nature makes she makes to serve some purpose ; and it is evident that, even as there is art in the objects produced by art, so in things themselves there is some principle or cause of a like sort, which came to us from the universe around us, just as our material constituents (the hot, the cold, etc) did. Wherefore there is better reason for holding that the Heaven was brought into being by some such cause—if we may assume that it came into being at all—and that through that cause it continues to be, than for holding the same about the mortal things it contains—the animals ; at any rate, there is much clearer evidence of definite ordering in the heavenly bodies than there is in us ; for what is mortal bears the marks of change and chance. Nevertheless, there are those who affirm that, while every living creature has been brought into being by Nature and remains in being thereby, the heaven in all its glory was constructed by mere chance and came to be spontaneously, although there is no evidence of chance or disorder in it. And whenever there is evidently an End towards which a motion goes forward unless something stands in its way, then we always assert that the motion has the End for its purpose. From this it is evident that something of the kind really exists—that, in fact, which we call " Nature," because in fact we do not find any chance creature being formed from a particular seed, but *A* comes from *a*, and *B* from *b* ; nor does any chance seed come from any chance individual.^a Therefore

641 b

χόντος σώματος. ἀρχὴ ἄρα καὶ ποιητικὸν τοῦ ἐξ
 30 αὐτοῦ τὸ <ἐξ οὗ τὸ>¹ σπέρμα. φύσει γὰρ ταῦτα·
 φύεται γοῦν ἐκ τούτου. ἀλλὰ μὴν ἔτι τούτου
 πρότερον τὸ οὗ τὸ σπέρμα· γενέσεις μὲν γὰρ τὸ
 σπέρμα, οὐσία δὲ τὸ τέλος. ἀμφοῖν δ' ἔτι πρό-
 τερον, ἀφ' οὗ ἐστὶ τὸ σπέρμα. ἔστι γὰρ τὸ
 σπέρμα διχῶς, ἐξ οὗ τε καὶ οὗ· καὶ γὰρ ἀφ' οὗ
 35 ἀπῆλθε, τούτου σπέρμα, οἷον ἵππου, καὶ τούτου
 δ' ἔσται ἐξ αὐτοῦ, οἷον ὀρέως, τρόπον δ' οὐ τὸν
 αὐτόν, ἀλλ' ἑκατέρου τὸν εἰρημένον. ἔτι δὲ δυνάμει
 642 a τὸ σπέρμα· δύναμις δ' ὡς ἔχει πρὸς ἐντελέχειαν
 ἴσμεν.

Εἰσὶν ἄρα δύο αἰτίαι αὗται, τό θ' οὗ ἕνεκα καὶ
 τὸ ἐξ ἀνάγκης· πολλὰ γὰρ γίνεται, ὅτι ἀνάγκη.
 ἴσως δ' ἂν τις ἀπορήσειε ποῖαν λέγουσιν ἀνάγκην
 5 οἱ λέγοντες ἐξ ἀνάγκης· τῶν μὲν γὰρ δύο τρόπων
 οὐδέτερον οἷόν θ' ὑπάρχειν τῶν διωρισμένων ἐν τοῖς
 κατὰ φιλοσοφίαν. ἔστι δ' ἔν γε τοῖς ἔχουσι γενέσειν
 ἢ τρίτῃ· λέγομεν γὰρ τὴν τροφήν ἀναγκαῖόν τι κατ'
 οὐδέτερον τούτων τῶν τρόπων, ἀλλ' ὅτι οὐχ οἷόν τ'
 ἄνευ ταύτης εἶναι. τοῦτο δ' ἐστὶν ὥσπερ ἐξ ὑπο-
 10 θέσεως· ὥσπερ γὰρ ἐπεὶ δεῖ σχίζειν τῷ πελέκει,
 ἀνάγκη σκληρὸν εἶναι, εἰ δὲ σκληρόν, χαλκοῦν ἢ

¹ <ἐξ οὗ τὸ> supplevi, Σ secutus.

^a There is a reference here, which is not apparent in the English version, to the etymological connexion between φύσις (nature) and φύεσθαι (to grow). Cf. *Met.* 1014 b 16 ff.

^b Viz. actuality is prior to potentiality.

^c These treatises are referred to again in the *Politics* (1282 b 19) and in the *Eudemian Ethics* (1217 b 23). The two modes of necessity seem to be (1) "absolute" necessity (mentioned here), and (2) "coercive" necessity (see *Met.*

PARTS OF ANIMALS, I. 1.

the individual from which the seed comes is the source and the efficient agent of that which comes out of the seed. The reason is, that these things are so arranged by Nature; at any rate, the offspring *grows*^a out of the seed. Nevertheless, logically prior to the seed stands that of which it is the seed, because the End is an actual thing, and the seed is but a formative process. But further, prior to both of them stands the creature out of which the seed comes. (Note that a seed is the seed "of" something in two senses—two quite distinct senses: it is the seed "of" that out of which it came—*e.g.* a horse—as well as "of" that which will arise out of itself—*e.g.* a mule). Again, the seed is something *by potentiality*, and we know what is the relation of potentiality to actuality.^b

We have, then, these two causes before us, to wit, the "Final" cause, and also Necessity, for many things come into being owing to Necessity. Perhaps one might ask which "Necessity" is meant when it is specified as a cause, since here it can be neither of the two modes which are defined in the treatises written in the philosophical manner.^c There is, however, a third mode of Necessity: it is seen in the things that pass through a process of formation; as when we say that nourishment is necessary, we mean "necessary" in neither of the former two modes, but we mean that without nourishment no animal can be. This is, practically, "conditional" Necessity. Take an illustration. A hatchet, in order to split wood, must, of necessity, be hard; if so, then it must, of necessity, be made of

1015 a 20 ff.). The third he has referred to already at 639 b 25, viz. "conditional" necessity.

642 a

σιδηροῦν, οὕτω καὶ ἐπεὶ τὸ σῶμα ὄργανον (ἐνεκά
 τινος γὰρ ἕκαστον τῶν μορίων, ὁμοίως δὲ καὶ τὸ
 ὅλον), ἀνάγκη ἄρα τοιονδί εἶναι καὶ ἐκ τοιωνδί, εἰ
 ἐκείνο ἔσται.

“Οτι μὲν οὖν δύο τρόποι τῆς αἰτίας, καὶ δεῖ
 15 λέγοντας τυγχάνειν μάλιστα μὲν ἀμφοῖν, εἰ δὲ μή,
 πειρᾶσθαι γε ποιεῖν τοῦτο, δῆλον,¹ καὶ ὅτι πάντες οἱ
 τοῦτο μὴ λέγοντες οὐδὲν ὡς εἰπεῖν περὶ φύσεως
 λέγουσιν· ἀρχὴ γὰρ ἡ φύσις μᾶλλον τῆς ὕλης.
 (ἐνιαχοῦ δέ που αὐτῇ καὶ Ἐμπεδοκλῆς περιπίπτει,
 ἀγόμενος ὑπ’ αὐτῆς τῆς ἀληθείας, καὶ τὴν οὐσίαν καὶ
 20 τὴν φύσιν ἀναγκάζεται φάναι τὸν λόγον εἶναι, οἷον
 ὁστοῦν ἀποδιδούς τί ἐστίν· οὔτε γὰρ ἔν τι τῶν
 στοιχείων λέγει αὐτὸ οὔτε δύο ἢ τρία οὔτε πάντα,
 ἀλλὰ λόγον τῆς μίξεως αὐτῶν. δῆλον τοίνυν ὅτι
 καὶ ἡ σὰρξ τὸν αὐτὸν τρόπον ἐστί, καὶ τῶν ἄλλων
 τῶν τοιούτων μορίων ἕκαστον. αἴτιον δὲ τοῦ μὴ
 25 ἔλθεῖν τοὺς προγενεστέρους ἐπὶ τὸν τρόπον τοῦτον,
 ὅτι τὸ τί ἦν εἶναι καὶ τὸ ὀρίσασθαι τὴν οὐσίαν οὐκ
 ἦν, ἀλλ’ ἤψατο μὲν Δημόκριτος πρῶτος, ὡς οὐκ
 ἀναγκαῖον δὲ τῇ φυσικῇ θεωρίᾳ, ἀλλ’ ἐκφερόμενος
 ὑπ’ αὐτοῦ τοῦ πράγματος· ἐπὶ Σωκράτους δὲ τοῦτο
 μὲν ηὐξήθη, τὸ δὲ ζητεῖν τὰ περὶ φύσεως ἔληξε,

¹ sic Ogle: εἰ δὲ μή, δῆλόν γε πειρᾶσθαι ποιεῖν vulg.

^a See Diels, *Fragmente*⁵, 31 A 78.

^b “Element”: this term is normally used to denote the four substances, earth, water, air, fire.

^c This is probably a reference to Democritus’s opposition to the theories of Protagoras, who held that “what appears

PARTS OF ANIMALS, I. 1.

bronze or of iron. Now the body, like the hatchet, is an instrument ; as well the whole body as each of its parts has a purpose, for the sake of which it is ; the body must therefore, of necessity, be such and such, and made of such and such materials, if that purpose is to be realized.

It is, therefore, evident that of Causation there are two modes ; and that in our treatise both of them must be described, or at least an attempt must be made to describe them ; and that those who fail herein tell us practically nothing of any value about " Nature," for a thing's " nature " is much more a first principle (or " Cause ") than it is matter. (Indeed, in some places even Empedocles, being led and guided by Truth herself, stumbles upon this, and is forced to assert that it is the *logos* which is a thing's essence or nature.^a For instance, when he is explaining what Bone is, he says not that it is any one of the Elements,^b or any two, or three, or even all of them, but that it is " the *logos* of the mixture " of the Elements. And it is clear that he would explain in the same way what Flesh and each of such parts is. Now the reason why earlier thinkers did not arrive at this method of procedure was that in their time there was no notion of " essence " and no way of defining " being." The first to touch upon it was Democritus ; and he did so, not because he thought it necessary for the study of Nature, but because he was carried away by the subject in hand and could not avoid it.^c In Socrates' time an advance was made so far as the method was concerned ; but at that time philosophers gave up the study of Nature *to be* to you, *is* for you." Protagoras had emphasized the validity of sense-data ; Democritus denied it.

ARISTOTLE

642 a

30 πρὸς δὲ τὴν χρήσιμον ἀρετὴν καὶ τὴν πολιτικὴν ἀπέκλιναν οἱ φιλοσοφούντες.)

Δεικτέον δ' οὕτως, οἷον ὅτι ἔστι μὲν ἡ ἀναπνοὴ τουδὶ χάριν, τοῦτο δὲ γίνεται διὰ τὰδε ἐξ ἀνάγκης. ἡ δ' ἀνάγκη ὅτε μὲν σημαίνει ὅτι εἰ ἐκείνο ἔσται τὸ οὐ ἔνεκα, ταῦτα ἀνάγκη ἐστὶν <οὕτως>¹ ἔχειν,

35 ὅτε δ' ὅτι ἔστιν οὕτως ἔχοντα καὶ πεφυκότα· τὸ θερμὸν γὰρ ἀναγκαῖον ἐξιέναι καὶ πάλιν εἰσιέναι ἀντικροῦν, τὸν δ' αἶρα εἰσρεῖν· τοῦτο δ' ἥδη

642 b ἀναγκαῖόν ἐστιν, τοῦ ἐντὸς δὲ θερμοῦ ἀντικόπτοντος ἐν τῇ ψύξει τοῦ θύραθεν ἀέρος ἡ εἴσοδος² καὶ ἡ ἔξοδος. ὁ μὲν οὖν τρόπος οὗτος ὁ τῆς μεθόδου, καὶ περὶ ὧν δεῖ λαβεῖν τὰς αἰτίας, ταῦτα καὶ τοιαῦτά ἐστιν.

5 II. Λαμβάνουσι δ' ἔνιοι τὸ καθ' ἕκαστον, διαιρούμενοι τὸ γένος εἰς δύο διαφοράς· τοῦτο δ' ἐστὶ τῇ μὲν οὐ ράδιον, τῇ δὲ ἀδύνατον. ἐνίων γὰρ ἔσται

¹ οὕτως suppl. vi.

² ἡ εἴσοδος om. pr. E.

^a "Goodness," or "virtue," is one of the chief topics discussed by Socrates in the Platonic dialogues. Cf. Aristotle, *Met.* 987 b 1, "Socrates busied himself about moral matters, but did not concern himself at all with Nature as a whole."

^b I have not attempted, except by one insertion, to straighten out the text of this confused account, which looks like a displaced note intended for the paragraph above (ending "realized," p. 77). If it is to remain in the text, it would follow at that place (after 642 a 13) least awkwardly. For a more lucid account of the process of Respiration see *De resp.* 480 a 16-b 5.

^c This is usually held to include Plato, on the ground that

PARTS OF ANIMALS, I. I.-II.

and turned to the practical subject of "goodness,"^a and to political science)

^b Here is an example of the method of exposition. We point out that although Respiration takes place for such and such a *purpose*, any one stage of the process follows upon the others *by necessity*. Necessity means sometimes (a) that if this or that is to be the final Cause and purpose, then such and such things must be so ; but sometimes it means (b) that things are as they are owing to their very nature, as the following shows. It is necessary that the hot substance should go out and come in again as it offers resistance, and that the air should flow in—that is obviously necessary. And the hot substance within, as the cooling is produced, offers resistance, and this brings about the entrance of the air from without and also its exit. This example shows how the method works and also illustrates the sort of things whose causes we have to discover.

II Now some writers^c endeavour to arrive at the ultimate and particular species by the process of dividing the group^d under two lines of differentiation. This is a method which is in some respects difficult and in other respects impossible. For example :

the method of dichotomy is used in the *Sophist* and *Politicus*. But the method can hardly be said to be seriously applied to the classification of animals in the *Politicus*, and in the *Sophist* it is introduced partly in a humorous way, partly to lead up to the explanation of τὸ μὴ εἶναι (not-being). Either Aristotle has mistaken the purpose of the method (as he has at *An. Pr.* 46 a 31 ff.) or (much more probably) he is referring to some other writer's detailed application of it.

^d The Greek has "genus." The process is a continuous one. each stage of the division gives two new classes which are treated as "genera" for the next stage of the division, and so on.

642 b

διαφορὰ μία μόνη, τὰ δ' ἄλλα περίεργα, οἷον ὑπό-
 πουν, δίπουν, σχιζόπουν¹. αὕτη γὰρ μόνη κυρία.
 10 εἰ δὲ μή, ταῦτόν πολλάκις ἀναγκαῖον λέγειν. ἔτι
 δὲ προσήκει μὴ διασπᾶν ἕκαστον γένος, οἷον τοὺς
 ὄρνιθας τοὺς μὲν ἐν τῇδε τοὺς δ' ἐν ἄλλῃ διαιρέσει,
 καθάπερ ἔχουσιν αἱ γεγραμμέναι διαιρέσεις· ἐκεῖ
 γὰρ τοὺς μὲν μετὰ τῶν ἐνύδρων συμβαίνει δι-
 ηρηῆσθαι, τοὺς δ' ἐν ἄλλῳ γένει. (ταύτῃ μὲν οὖν τῇ
 15 ὁμοιότητι ὄρνις ὄνομα κεῖται, ἑτέρα δ' ἰχθύς· ἄλλαι
 δ' εἰσὶν ἀνώνυμοι, οἷον τὸ ἔναιμον καὶ τὸ ἄναιμον·
 ἐφ' ἐκατέρῳ γὰρ τούτων οὐ κεῖται ἐν ὄνομα.) εἴπερ
 οὖν μηδὲν τῶν ὁμογενῶν διασπαστέον, ἡ εἰς δύο
 διαίρεσις μάταιος ἂν εἴη· οὕτω γὰρ διαιροῦντας
 ἀναγκαῖον χωρίζειν καὶ διασπᾶν· τῶν πολυπόδων
 γάρ ἐστι τὰ μὲν ἐν τοῖς πεζοῖς τὰ δ' ἐν τοῖς
 20 ἐνύδροις.

III. Ἐτι στερήσει μὲν ἀναγκαῖον διαιρεῖν καὶ
 διαιροῦσιν οἱ διχοτομοῦντες. οὐκ ἔστι δὲ διαφορὰ

¹ ἄπουν post σχιζόπουν vulg., del. Ogle; fortasse ἄπτερον
 legendum (cf. *An Post.* 92 a 1, *Met.* 1037 b 34).


^a This is a line of division intended to lead finally to Man (see below, 644 a 5 and *Met.* 1038 a 32). There is no point, says Aristotle, in tracing out all the remaining possible (though not *actual*) lines of differentiation, because some of them will not lead to any actual species: there is, e.g., no class of two-footed creatures which has uncloven feet. See diagram on opposite page. Aristotle's great advance was that of *natural* classification in biology.

PARTS OF ANIMALS, I. II.—III.

(a) There are some groups which will be found to have only one line of differentiation, and all the rest will be superfluous. An instance of this is : Footed, two-footed, cloven-footed. This line of differentiation is the only one which really counts^a And unless you confine yourself to mentioning this one, you will be forced into a great deal of repetition.

(b) Again, it is a mistake to break up a group, as for instance the group Birds, by putting some birds in one division and some in another, as has been done in the divisions made by certain writers : in these some birds are put in with the water-creatures, and others in another class. (These two groups, each possessing its own set of characteristics, happen to have regular names—Birds, Fishes—but there are other groups which have not, *e.g.* the “blooded” and “bloodless” groups : there is no one regular name for either of these) If, then, it is a mistake to break up any group of kindred creatures, the method of division into two will be pointless, because it compels us to separate them and break them up—*e.g.* to put some creatures of the group “many-footed” in with the “land-creatures,” and some with the “water-creatures.”

III. (c) Again, this method of twofold division makes it necessary to introduce privative terms, and those who adopt it actually do this. But a privation, as



ARISTOTLE

642 b

στερήσεως ἢ στέρησις· ἀδύνατον γὰρ εἶδη εἶναι τοῦ
 μὴ ὄντος, οἷον τῆς ἀποδίας ἢ τοῦ ἀπτέρου ὥσπερ
 πτερώσεως καὶ ποδῶν· δεῖ δὲ τῆς καθόλου δια-
 25 φορᾶς εἶδη εἶναι· εἰ γὰρ μὴ ἔσται, διὰ τί ἂν εἴη
 τῶν καθόλου καὶ οὐ τῶν καθ' ἕκαστον; τῶν δὲ
 διαφορῶν αἱ μὲν καθόλου εἰσὶ καὶ ἔχουσιν εἶδη,
 οἷον πτερότης· τὸ μὲν γὰρ ἄσχιστον τὸ δ' ἐσχι-
 σμένον ἐστὶ πτερόν καὶ ποδότης ὡσαύτως ἢ μὲν
 πολυσχιδής, ἢ δὲ δισχιδής, οἷον τὰ δίχαλα, ἢ δ'
 30 ἀσχιδής καὶ ἀδιαίρετος, οἷον τὰ μώνυχα. χαλεπὸν
 μὲν οὖν διαλαβεῖν καὶ εἰς τοιαύτας διαφορὰς ὦν
 ἔστιν εἶδη, ὥσθ' ὅτιοῦν ζῶον ἐν ταύταις ὑπάρχειν
 καὶ μὴ ἐν πλείοσι ταυτόν (οἷον πτερωτὸν καὶ
 ἄπτερον· ἔστι γὰρ ἄμφω ταυτόν, οἷον μύρμηξ καὶ
 35 λαμπυρίς καὶ ἑτέρα τινα), πάντων δὲ χαλεπώτατον
 ἢ ἀδύνατον εἰς τὰς ἀντικειμένας.¹ ἀναγκαῖον γὰρ
 τῶν καθ' ἕκαστον ὑπάρχειν τινὲ τῶν διαφορῶν
 643 a ἐκάστην, ὥστε καὶ τὴν ἀντικειμένην. εἰ δὲ μὴ
 ἐνδέχεται τοῖς εἶδει διαφέρουσιν ὑπάρχειν εἰδός τι
 τῆς οὐσίας ἄτομον καὶ ἓν, ἀλλ' αἰεὶ διαφορὰν ἔξει
²(οἷον ὄρνις ἀνθρώπου—ἢ διποδία γὰρ ἄλλη καὶ
 διάφορος· καὶ εἰ ἔναιμα, τὸ αἷμα διάφορον, ἢ οὐδὲν
 5 τῆς οὐσίας τὸ αἷμα θετέον)—εἰ δ' οὕτως ἐστίν, ἢ

¹ τὰς ἀντικειμένας Peck· τὰ ἀντικείμενα Titze: τὰ ἀναιμα
 vulg.: τὰ ἐναντία Ogle.

² ll. 3-6 interpunctionem correxi.

^a I have not attempted to keep a consistent translation for
 πτερόν, as Aristotle applies this term to "feathers" and to
 "wings" (of insects).

PARTS OF ANIMALS, I. III.

privation, can admit no differentiation; there cannot be species of what is not there at all, *e.g.* of "footless" or "featherless,"^a as there can be of "footed" and "feathered"; and a generic *differentia* must contain species, else it is specific not generic. However, some of the *differentiae* are truly generic and contain species, for instance "feathered" (some feathers are barbed, some unbarbed); and likewise "footed" (some feet are "many-cloven," some "twy-cloven," as in the animals with bifid hoofs, and some "uncloven" or "undivided," as in the animals with solid hoofs). Now it is difficult enough to arrange the various animals under such lines of differentiation as these, which after all do contain species, in such a way that every animal is included in them, but not the same animal in more than one of them (*e.g.* when an animal is both winged and wingless, as ants, glow-worms, and some other creatures are); but it is excessively difficult and in fact impossible to arrange them under the opposite lines of differentiation. Every *differentia* must, of course, belong to some species; and this statement will apply to the negative *differentiae* as well as to the positive. Now it is impossible for any essential characteristic to belong to animals that are specifically different and at the same time to be itself one and indivisible^b: it will always admit of differentiation. (For example, Man and Bird are both two-footed, but this essential characteristic is not the same in both: it is differentiated.^c And if they are both "blooded," the blood must be different, or else it cannot be reckoned as part of their essence.) If that is so, then, the one

^b As the privative characteristic would have to be.

^c See below, 693 b 2 ff.

μία διαφορὰ δυσὶν ὑπάρξει.¹ εἰ δὲ τοῦτο, δῆλον ὅτι ἀδύνατον στέρησιν εἶναι διαφοράν.

Ἔσονται δ' αἱ διαφοραὶ ἴσαι τοῖς ἀτόμοις ζώοις, εἴπερ ἄτομά τε ταῦτα καὶ αἱ διαφοραὶ ἄτομοι, κοινή δὲ μὴ ἔστιν. (εἰ δ' ἐνδέχεται ὑπάρχειν² καὶ 10 κοινήν, ἄτομον δέ, δῆλον ὅτι κατὰ γε τὴν κοινήν ἐν τῷ αὐτῷ ἔστιν ἕτερα ὄντα τῷ εἶδει ζῶα. ὥστ' ἀναγκαῖον, εἰ ἴδιοι αἱ διαφοραὶ εἰς ἃς ἅπαντα ἐμπίπτει τὰ ἄτομα, μηδεμίαν αὐτῶν εἶναι κοινήν· εἰ δὲ μὴ, ἕτερα ὄντα εἰς τὴν αὐτὴν βαδιέται.) δεῖ δ' οὔτε τὸ αὐτὸ καὶ ἄτομον εἰς ἑτέραν καὶ ἑτέραν 15 ἵεναι διαφοράν τῶν διηρημένων, οὔτ' εἰς τὴν αὐτὴν ἕτερα, καὶ ἅπαντα εἰς ταύτας. φανερόν τοίνυν ὅτι οὐκ ἔστι λαβεῖν τὰ ἄτομα εἶδη ὥς διαιροῦνται οἱ εἰς δύο διαιροῦντες τὰ ζῶα ἢ καὶ ἄλλο ὅτιοῦν γένος. καὶ γὰρ κατ' ἐκείνους ἀναγκαῖον ἴσας τὰς ἐσχάτας εἶναι διαφορὰς τοῖς ζώοις πᾶσι τοῖς ἀτόμοις τῷ 20 εἶδει. ὄντος γὰρ τοῦδέ τινος γένους, οὐ διαφοραὶ πρῶται τὰ <λευκὰ καὶ τὰ μὴ>³ λευκά, τούτων δ' ἑκατέρου ἄλλαι, καὶ οὕτως εἰς τὸ πρόσω ἕως τῶν ἀτόμων, αἱ τελευταῖαι τέτταρες ἔσονται ἢ ἄλλο τι

¹ ll. 3-6 interpunctionem correxi.

² μὴ ὑπάρχειν vulg. : corr. Titze.

³ supplevit Cornford.

^a Because it cannot fulfil the condition of admitting differentiation. At whatever stage of the division it comes (unless at the very end), the privative term will cover at least two species, and therefore at the next stage the dichotomists will have to divide it—illegitimately, as Aristotle maintains.

PARTS OF ANIMALS, I. III.

differentia will belong to two species. And if so, it is clear that a privative cannot be a valid line of differentiation.^a

(d) Now assuming that each species is indivisible : if each *differentia* also is indivisible, and not common to more species than one, then the number of *differentiae* will be equal to the number of species. (Supposing it were possible to have a common *differentia* which was indivisible : clearly, in that case, animals which differed in species would be in the same division in virtue of that common *differentia*. Therefore, if the *differentiae* under which the indivisible and ultimate species fall are to be proper and private to each one, it is necessary that no *differentia* be common ; otherwise, species which are actually different will come under one and the selfsame *differentia*.) And we may not place one and the same indivisible species under two or three of the lines of differentiation given by the divisions ; nor may we include different species under one and the same line of differentiation. Yet each species must be placed under the lines of differentiation available. It is evident from this that it is impossible to arrive at the indivisible species either of animals or of any other group by the method of twofold division as these people practise it, for as we saw just now, according to them, the number of ultimate *differentiae* and the number of indivisible species of animals would have to be equal. Suppose we have some particular group of creatures whose prime *differentiae* are "pale" and "not pale" ; by that method these two will each give two other *differentiae*, and so forth, until in the end the indivisible *differentiae* are reached : these last ones will be either four in

ARISTOTLE

643 a

πλήθος τῶν ἀφ' ἑνὸς διπλασιαζομένων· τοσαῦτα δὲ καὶ τὰ εἶδη.

(Ἔστι δ' ἡ διαφορὰ ἐν τῇ ὕλῃ τὸ εἶδος.¹ οὔτε γὰρ ἄνευ ὕλης οὐδὲν ζῶον μόριον, οὔτε μόνῃ ἡ ὕλη· οὐ γὰρ πάντως ἔχον σῶμα ἔσται ζῶον, οὐδὲ τῶν μορίων οὐδέν, ὥσπερ πολλάκις εἴρηται.)

Ἔτι διαιρεῖν χρή τοῖς ἐν τῇ οὐσίᾳ καὶ μὴ τοῖς συμβεβηκόσι καθ' αὐτό, οἷον εἴ τις τὰ σχήματα διαιροίη, ὅτι τὰ μὲν δυσὶν ὀρθαῖς ἴσας ἔχει τὰς γωνίας, τὰ δὲ πλείοσιν· συμβεβηκὸς γάρ τι τῷ τριγώνῳ τὸ δυσὶν ὀρθαῖς ἴσας ἔχειν τὰς γωνίας.

Ἔτι τοῖς ἀντικειμένοις διαιροῦσιν,² [διάφορα γὰρ ἀλλήλοις ἀντικείμενα]³ οἷον λευκότης καὶ μελανία καὶ εὐθύτης καὶ καμπυλότης, [ἐὰν οὖν θάτερα διάφορα ᾖ, τῷ ἀντικειμένῳ διαιρετέον, καὶ μὴ τὸ μὲν νεύσει τὸ δὲ χρώματι,⁴ πρὸς δὲ τούτοις, τά γ' ἔμφυχα τοῖς κοινοῖς ἔργοις τοῦ σώματος καὶ τῆς ψυχῆς, οἷον καὶ ἐν ταῖς ῥηθείσαις νῦν πορευτικὰ καὶ πτηνὰ ἔστι δέ⁴ τινα γένη οἷς ἄμφω ὑπάρχει καὶ ἔστι πτηνὰ καὶ ἄπτερα, καθάπερ τὸ τῶν μυρμηκῶν

¹ sic Y: τὸ εἶδος ἐν τῇ ὕλῃ vulg.

² διαιροῦσιν Peck· διαιρεῖν vulg.

³ seclusi.

⁴ δέ Peck· γάρ vulg.

^a His point is that it is nonsensical to suppose that there must always be an even number of indivisible species in any genus.

^b As at 641 a 18 ff.

^c Or "essential ones" (technical term).

^d See *Met.* 1025 a 30.

^e The text of the following paragraph seems to be much confused. In translating the passage I have omitted two phrases, bracketed in the Greek text, which seem to be inter-

PARTS OF ANIMALS, I. III.

number, or some higher value of 2^n ; and there will be an identical number of species.^a

(The species is the *differentia* in the Matter. There is no animal part which exists without matter; nor on the other hand is there any which is matter only, for body in any and every condition cannot make an animal or any part of an animal, as I have often pointed out.^b)

(e) Again, the division ought to be made according to points that belong to the Essence of a thing and not according to any of its attributes, even if they are inseparable ones.^c For instance, in making divisions of geometrical figures, it would be wrong to divide them into those whose angles are together equal to two right angles and those whose angles are together greater than two right angles; because it is only an attribute of the triangle that its angles are together equal to two right angles.^d

^e(f) Again, they divide by "opposites," e.g. pale and dark, straight and curved, and besides this, they divide living creatures, at any rate, by the functions which are common functions of body and soul,^f e.g., in the divisions mentioned above, we actually find "walking creatures" and "flying creatures." But there are some groups, such as that of the Ants, which have both attributes—they are both "winged" and

polations aimed at bringing it into line with *Met.* 1058 a 9 ff. They are to the effect that "opposites" are "different"; but even in the *Metaphysics* passage Aristotle points out that not every pair of "opposites" constitutes a "difference."

^f These are enumerated in *De sensu*, 436 a 7 ff., and Aristotle seems here to be thinking of them as grouped together under the several faculties—nutritive, appetitive, sensory, locomotive, and thought (see *De an.* 414 a 28 ff.). His point is that the correct way to divide and classify animals is rather by bodily characteristics, which is what he himself does.

643 b

- γένος· καὶ τὸ¹ ἀγρίῳ καὶ [τῷ]² ἡμέρῳ διαιρεῖσθαι
 ὡσαύτως [γὰρ]³ ἂν δόξειε ταῦτὰ εἶδη διαιρεῖν·
 5 πάντα γάρ, ὥς εἰπεῖν, ὅσα ἡμερα καὶ ἄγρια τυγ-
 χάνει ὄντα, οἷον ἄνθρωποι, ἵπποι, βόες, κύνες ἐν τῇ
 Ἰνδικῇ, ὕες, αἶγες, πρόβατα· ὧν ἕκαστον, εἰ μὲν
 ὁμώνυμον, οὐ διήρηται χωρίς, εἰ δὲ ταῦτα ἐν εἶδει,
 οὐχ οἷόν τ' εἶναι διαφορὰν τὸ ἄγριον καὶ τὸ ἡμερον.
 "Ὅλως δ' ὁποιοῦν διαφορᾶ⁴ μιᾷ διαιροῦντι τοῦτο
 10 συμβαίνειν ἀναγκαῖον. ἀλλὰ δεῖ πειρᾶσθαι λαμ-
 βάνειν κατὰ γένη τὰ ζῶα, ὥς ὑφήγηνθ' οἱ πολλοὶ
 διορίσαντες ὄρνιθος γένος καὶ ἰχθύος. τούτων δ'
 ἕκαστον πολλαῖς ὥριται διαφοραῖς, οὐ κατὰ τὴν
 διχοτομίαν. οὕτω μὲν γὰρ ἦτοι τὸ παράπαν οὐκ
 ἔστι λαβεῖν (τὸ αὐτὸ γὰρ εἰς πλείους ἐμπίπτει
 15 διαιρέσεις καὶ τὰ ἐναντία εἰς τὴν αὐτήν), ἢ μία
 μόνον διαφορὰ ἔσται, καὶ αὕτη ἦτοι ἀπλῇ ἢ ἐκ
 συμπλοκῆς τὸ τελευταῖον ἔσται εἶδος. ἐὰν δὲ μὴ
 διαφορᾶς λαμβάνῃ τις διαφοράν,⁵ ἀναγκαῖον, ὥσπερ
 συνδέσμῳ τὸν λόγον ἓνα ποιοῦντας, οὕτω καὶ τὴν
 διαίρεσιν συνεχῇ ποιεῖν. λέγω δ' οἷον συμβαίνει
 20 τοῖς διαιρουμένοις τὸ μὲν ἄπτερον τὸ δὲ πτερωτόν,
 πτερωτοῦ δὲ τὸ μὲν ἡμερον τὸ δ' ἄγριον, ἢ τὸ μὲν

¹ τὸ Peck: τῷ vulg.² τῷ seclusi: habet vulg.: om. EY.³ seclusi.⁴ ὁποιοῦν διαφορὰν alii: ὁποιοῦν Y: διαφορὰ vel διαφορᾶ
 ESY.⁵ διαφορᾶ λ. ES: διαφορὰν λ. τῆς διαφορᾶς P: διαφορᾶς λ.
 διαφορὰν Y; τις Peck: τὴν vulg.^a Cf. Plato, *Politicus*, 264 a 1.^b On this see Platt, *C.Q.*, 1909, iii. 241.^c For διαφορὰ in the sense of "bifurcation" cf. *Met.*
 1048 b 4, where he speaks of the two "parts" of a διαφορὰ.^d i.e. with the preceding terms. See below, 644 a 5.

PARTS OF ANIMALS, I. III.

“wingless.” And division by “wld” and “tame”^a would appear similarly to divide up species that are the same, since practically all the tame animals are also found as wild ones : *e.g.* Man, the horse, the ox, the dog (in India^b), swine, the goat, the sheep; and if, in each of these groups, the wild and the tame bear the same name, as they do, there is no division between them, while if each group is specifically a unit, then it follows that “wild” and “tame” cannot make a valid differentiation.^c

And generally, the same thing inevitably happens whatever one single line of differentiation is taken for the division. The proper course is to endeavour to take the animals according to their groups, following the lead of the bulk of mankind, who have marked off the group of Birds and the group of Fishes. The marking off of each of these groups has been arrived at by *several* lines of differentiation, and not by means of dichotomy. By dichotomy either these groups cannot be arrived at at all (because the same group falls under several divisions and contrary groups under the same division) or else we shall get one *differentia* only, and this either singly or in combination^d will constitute the ultimate species.^e But if they do not take the *differentia* of the *differentia*, they are forced to follow the example of those people who try to give unity to their prose by a free use of conjunctions : there is as little continuity about their division. Here is an example to show what happens. When they make the division into “wingless” and “winged,” and then divide “winged” into “tame” and “wld” or into

^e And this will never *completely* represent any actual group or species. See below, 644 a 6 ff.

643_b

λευκὸν τὸ δὲ μέλαν οὐ γὰρ διαφορὰ τοῦ πτερωτοῦ
τὸ ἡμερον οὐδὲ τὸ λευκόν, ἀλλ' ἐτέρας ἀρχὴ δια-
φορᾶς· ἐκεῖ δὲ κατὰ συμβεβηκός. διὸ πολλαῖς τὸ
ἐν εὐθέως διαιρειέον, ὥσπερ λέγομεν. καὶ γὰρ
25 οὕτως μὲν αἱ στερήσεις ποιήσουσι διαφοράν, ἐν δὲ
τῇ διχοτομίᾳ οὐ ποιήσουσιν.

Ὅτι δ' οὐκ ἐνδέχεται τῶν καθ' ἕκαστον εἰδῶν
λαμβάνειν οὐδὲν διαιροῦσι δίχα τὸ γένος, ὥσπερ
τινὲς ὠήθησαν, καὶ ἐκ τῶνδε φανερόν.

Ἀδύνατον γὰρ μίαν ὑπάρχειν διαφοράν τῶν
30 καθ' ἕκαστον διαιρετῶν, εἴαν θ' ἀπλᾶ λαμβάνῃ τις¹
εἴαν τε συμπεπλεγμένα· [λέγω δὲ ἀπλᾶ μὲν, εἴαν μὴ
ἔχῃ διαφοράν, οἷον τὴν σχιζοποδίαν, συμπεπλεγ-
μένα δέ, εἴαν ἔχῃ, οἷον τὸ πολυσχιδὲς πρὸς τὸ²
σχιζόπουν·]³ τοῦτο γὰρ ἡ συνέχεια βούλεται τῶν
ἀπὸ τοῦ γένους κατὰ τὴν διαίρεσιν διαφορῶν ὥς ἐν
35 τι τὸ πᾶν ὄν, ἀλλὰ παρὰ τὴν λέξιν συμβαίνει δοκεῖν
τὴν τελευταίαν μόνην εἶναι διαφοράν [οἷον τὸ πολυ-

644_a σχιδὲς ἢ τὸ δίπουν, τὸ δ' ὑπόπουν καὶ πολύπουν
περίεργα].⁴ ὅτι δ' ἀδύνατον πλείους εἶναι τοιαύτας,
δηλόν· αἰ γὰρ βαδίζων ἐπὶ τὴν ἐσχάτην διαφοράν
ἀφικνεῖται [ἀλλ' οὐκ ἐπὶ τὴν τελευταίαν καὶ τὸ
εἶδος].⁵ αὕτη δ' ἐστὶν ἢ τὸ σχιζόπουν μόνον, ἢ
5 πᾶσα ἢ σύμπλεξις, εἴαν διαιρῇται ἄνθρωπος,⁶ οἷον
εἴ τις συνθείῃ ὑπόπουν, δίπουν, σχιζόπουν. εἰ δ'
ἦν ὁ ἄνθρωπος σχιζόπουν μόνον, οὕτως ἐγίγνετ' ἂν
αὕτη <ἡ>⁷ μία διαφορά. νῦν δ' ἐπειδὴ οὐκ ἔστιν,

¹ τις Y: om. vulg.² πρὸς τῷ Platt.³ seclusi. codices varia, ut videtur; sic Bekker.⁴ οἷον . . . περίεργα seclusi.⁵ ἀλλ' . . . εἶδος seclusi.⁶ ἄνθρωπον vulg.⁷ <ἡ> Ogle.

PARTS OF ANIMALS, I. III.

“ pale ” and “ dark,” neither “ tame ” nor “ pale ” is a differentiation of “ winged,” but the beginning of another line of differentiation, and can come in here only *by accident*. Therefore, as I say, they ought to divide up the one original group forthwith by *several* lines of differentiation^a; and then the privative terms will give valid lines of differentiation, which they will never do in the system of dichotomy.

Here are further considerations to show that it is impossible to come at any of the particular species by the method of dividing the group into two, as some people have imagined.

Obviously it is impossible that there is just one line of differentiation covering all the particular species, no matter whether you take the terms singly or in combinations^b—for this precisely is implied by the continuity of the series of *differentiae* throughout the division from the original group onwards: it is that the whole is a unity; but, in consequence of the form of the expression, the last term alone is looked upon as constituting the *differentia*. And it is evident that there cannot be more than one such *differentia*; for the division proceeds steadily until it reaches the ultimate *differentia*, and—supposing the division is aiming at “ Man ”—this is either “ cloven-footed ” alone, or else the whole combination, *e.g.* if one combined “ footed,” “ two-footed,” “ cloven-footed.”^c If Man were merely a cloven-footed animal, then this would be the one *differentia*, arrived at by the right method. But as he is not merely

^a As opposed to two only; *e.g.* Birds, Fishes, Insects, etc., not, Fliers and non-Fliers.

^b *i.e.* the last term of each series, or all the terms together, as he goes on to say.

^c This definition appears also in *Met.* 1037-8.

644 a

ἀνάγκη πολλὰς εἶναι μὴ ὑπὸ μίαν διαίρεσιν. ἀλλὰ μὴν πλείους γε τοῦ αὐτοῦ οὐκ ἔστιν ὑπὸ μίαν
 10 διχοτομίαν εἶναι, ἀλλὰ μίαν κατὰ μίαν τελευτᾶν.
 ὥστε ἀδύνατον ὅτιοῦν λαβεῖν τῶν καθ' ἕκαστον
 ζώων δίχα διαιρουμένους.

IV. Ἀπορήσειε δ' ἂν τις διὰ τί οὐκ ἄνωθεν ἐνὶ
 ὀνόματι ἐμπεριλαβόντες ἅμα ἐν γένος ἅμφω προσ-
 ηγόρευσαν οἱ ἄνθρωποι, ὃ περιέχει τὰ τε ἔνυδρα
 15 καὶ τὰ πτηνὰ τῶν ζώων· ἔστι γὰρ ἕνια πάθη
 κοινὰ καὶ τούτοις [καὶ τοῖς ἄλλοις ζώοις ἅπασιν].¹
 ἀλλ' ὅμως ὀρθῶς διώρισται τοῦτον τὸν τρόπον.
 ὅσα μὲν γὰρ διαφέρει τῶν γενῶν καθ' ὑπεροχὴν καὶ
 τῷ μᾶλλον καὶ ἥττον,² ταῦτα ὑπέζευκται ἐνὶ γένει,
 ὅσα δ' ἔχει τὸ ἀνάλογον, χωρὶς· λέγω δ' οἷον ὄρνις
 20 ὄρνιθος διαφέρει τῷ μᾶλλον ἢ καθ' ὑπεροχὴν (τὸ
 μὲν γὰρ μακρόπτερον τὸ δὲ βραχύπτερον), ἰχθύες
 δ' ὄρνιθος τῷ ἀνάλογον (ὃ γὰρ ἐκείνῳ πτερόν, θα-
 τέρῳ λεπίς). τοῦτο δὲ ποιεῖν ἐπὶ πᾶσιν οὐ ῥάδιον·
 τὰ γὰρ πολλὰ ζῶα ἀνάλογον ταὐτὸ πέπονθεν.

Ἐπεὶ δ' οὐσίαι μὲν εἰσι τὰ ἔσχατα εἶδη, κατὰ
 25 δὲ ταῦτα τὰ³ τὸ εἶδος ἀδιάφορα (οἷον Σωκράτης,
 Κορίσκος), ἀναγκαῖον ἢ τὰ καθόλου ὑπάρχοντα

¹ seclusi Ogle docente.

² sic Rackham· τὸ μᾶλλον καὶ τὸ (τὸ om. Y) ἥττον vulg.

³ κατὰ δὲ ταῦτα τὰ Peck: ταῦτα δὲ κατὰ vulg.

^a This paragraph has been corrupted by confusing interpolations, which I have bracketed in the Greek text and omitted in the translation. With this passage cf. *Met.* 1037 b 27—1038 a 30.

^b On this point see D'Aicy W. Thompson, *Growth and Form*, esp. ch. 17, and the same author's paper *Excess and Defect; or The Little More and the Little Less*, in *Mind*, xxxviii. (N.S.) 149, pp. 43-55. See also *infra*, 661 b 28 ff., 692 b 3 ff.; and Introduction, p. 19.

PARTS OF ANIMALS, I. III.-IV.

that, it is necessary that there should be many *differentiae*, not under one line of division. And yet there cannot be more than one *differentia* for the same thing under one line of dichotomy : one line must end in one *differentia*. So it is impossible for those who follow the method of twofold division to arrive at any of the particular animals.^a

IV. Some may find it puzzling that general usage has not combined the water-animals and the feathered animals into one higher group, and adopted one name to cover both, seeing that these two groups specially have several things in common. The answer is that in spite of this the present grouping is the right one ; because while groups that differ only "by excess" (that is, "by the more and less"^b) are placed together in one group, those which differ so much that their characteristics can merely be called analogous are placed in separate groups. As an illustration : (*a*) one bird differs from another bird "by the more," or "by excess" : one bird's feathers are long, another's are short ; whereas (*b*) the difference between a Bird and a Fish is greater, and their correspondence is only by analogy . a fish has no feathers at all, but scales, which correspond to them . It is not easy to do this in all cases, for the corresponding analogous parts of most groups of animals are identical.

Now since the ultimate species are "real things,"^c Meth while within them are individuals which do not differ in species (as *e.g.* Socrates and Coriscus),^d we shall have to choose (as I have pointed out)^e between

^c Lit. "substances."

^d *i.e.* within the species "man."

^e Above, at 639 a, b, etc.

644 a

πρότερον εἰπεῖν ἢ πολλάκις ταὐτὸν λέγειν, καθάπερ
εἴρηται. (τὰ δὲ καθόλου κοινά· τὰ γὰρ πλείοσιν
ὑπάρχοντα καθόλου λέγομεν.) ἀπορίαν δ' ἔχει περὶ
πότερα δεῖ πραγματεύεσθαι. ἦ μὲν γὰρ οὐσία τὸ
30 τῷ εἶδει ἄτομον, κράτιστον, εἴ τις δύναιτο, περὶ τῶν
καθ' ἕκαστον καὶ ἀτόμων τῷ εἶδει θεωρεῖν χωρίς,
ὥσπερ περὶ ἀνθρώπου, οὕτω καὶ¹ περὶ ὄρνιθος, (καὶ
μὴ περὶ ὄτουοῦν ὄρνιθος) (ἔχει γὰρ εἶδη τὸ γένος
τοῦτο), ἀλλὰ περὶ τῶν ἀτόμων·² οἶον ἢ στρουθὸς ἢ
γέρανος ἢ τι τοιοῦτον. ἦ δὲ συμβήσεται λέγειν

35 πολλάκις περὶ τοῦ αὐτοῦ πάθους διὰ τὸ κοινῇ
πλείοσιν ὑπάρχειν, ταύτῃ δ' ἐστὶν ὑπάτοπον καὶ

644 b

μακρὸν τὸ περὶ ἐκάστου λέγειν χωρίς. ἴσως μὲν
οὖν ὀρθῶς ἔχει τὰ μὲν κατὰ γένη κοινῇ λέγειν,
ὅσα λέγεται καλῶς ὠρισμένων τῶν ἀνθρώπων, καὶ
ἔχει τε μίαν φύσιν κοινὴν καὶ εἶδη ἐν αὐτοῖς³ μὴ
5 πολὺ διεστώτα, ὄρνις καὶ ἰχθύς, καὶ εἴ τι ἄλλο
ἐστὶν ἀνώνυμον μὲν, τῷ γένει δ' ὁμοῖα⁴ περιέχει
τὰ ἐν αὐτῷ⁵ εἶδη· ὅσα δὲ μὴ τοιαῦτα, καθ'
ἕκαστον, οἶον περὶ ἀνθρώπου καὶ εἴ τι τοιοῦτον
ἕτερόν ἐστιν.

Σχεδὸν δὲ τοῖς σχήμασι τῶν μορίων καὶ τοῦ
σώματος ὅλου, ἐὰν ὁμοιότητα ἔχωσιν, ὠρισται τὰ
γένη, οἶον τὸ τῶν ὀρνίθων γένος πρὸς αὐτό⁶ πέ-

¹ καὶ] μὴ Bonitz.

² hunc locum correxi, Σ secutus; ἔχει γὰρ εἶδη τὸ γένος
τοῦτο ἀλλὰ περὶ ὄτουοῦν ὄρνιθος τῶν ἀτόμων, οἶον κτλ. vulg.

³ αὐτοῖς vulg.: correxi.

⁵ αὐτῷ vulg.: correxi.

⁶ αὐτό Platt: αὐτό Y: αὐτὰ vulg.

PARTS OF ANIMALS, I. iv.

describing first of all the general attributes of many species, and repeating the same thing many times over. (By "general" attributes I intend the "common" ones. That which belongs to many we call "general.") One may well hesitate whether of the two courses to follow. For, in so far as it is the specifically indivisible which is the "real thing," it would be best, if one could do it, to study separately the particular and specifically indivisible sorts, in the same way as one studies "Man," to do this with "Bird" too, that is, to study not just "Bird" in the mass, but—since "Bird" is a group which contains species—the indivisible species of it, *e.g.* Ostrich, Crane, and so on. Yet, on the other hand, this course is somewhat unreasonable and long-winded, because it makes us describe the same attributes time and again, as they happen to be common attributes of many species. So perhaps after all the right procedure is this: (*a*) So far as concerns the attributes of those groups which have been correctly marked off by popular usage—groups which possess one common nature apiece and contain in themselves species not far removed from one another, I mean Birds and Fishes and any other such group which though it may lack a popular name yet contains species generically alike—to describe the common attributes of each group all together; and (*b*) with regard to those animals which are not covered by this, to describe the attributes of each of these by itself—*e.g.* those of Man, and of any other such species there may be.

Now it is practically by resemblance of the shapes of their parts, or of their whole body, that the groups are marked off from each other: as *e.g.* the groups

644 b

10 πονθε καὶ τὸ τῶν ἰχθύων καὶ τὰ μαλάκιά τε καὶ
τὰ ὄστρεια. τὰ γὰρ μόρια διαφέρουσι τούτων οὐ
τῇ ἀνάλογον ὁμοιότητι, οἷον ἐν ἀνθρώπῳ καὶ ἰχθύι
πέπονθεν ὅσπουν πρὸς ἄκανθαν, ἀλλὰ μᾶλλον τοῖς
σωματικοῖς πάθεσιν, οἷον μεγέθει μικρότητι, μαλα-
15 κότητι σκληρότητι, λειότητι τραχύτητι καὶ τοῖς
τοιούτοις, ὅλως δὲ τῷ μᾶλλον καὶ ἥττον.

Πῶς μὲν οὖν ἀποδέχεσθαι δεῖ τὴν περὶ φύσεως
μέθοδον, καὶ τίνα τρόπον γίνοιτ' ἂν ἡ θεωρία περὶ
αὐτῶν ὁδῶ καὶ ῥᾶστα, ἔτι δὲ περὶ διαιρέσεως, τίνα
τρόπον ἐνδέχεται μετιοῦσι λαμβάνειν χρησίμως, καὶ
20 διότι τὸ διχοτομεῖν τῇ μὲν ἀδύνατον τῇ δὲ κενόν,
εἴρηται. διωρισμένων δὲ τούτων περὶ τῶν ἐφεξῆς
λέγωμεν, ἀρχὴν τήνδε ποιησάμενοι.

V. Τῶν οὐσιῶν ὅσαι φύσει συνεστᾶσι, τὰς μὲν
<λέγομεν>¹ ἀγενήτους καὶ ἀφθάρτους εἶναι τὸν
ἅπαντα αἰῶνα, τὰς δὲ μετέχειν γενέσεως καὶ
25 φθορᾶς. συμβέβηκε δὲ περὶ μὲν ἐκείνας τιμίας
οὐσας καὶ θείας ἐλάττους ἡμῖν ὑπάρχειν θεωρίας
(καὶ γὰρ ἐξ ὧν ἂν τις σκέψαιτο περὶ αὐτῶν, καὶ
περὶ ὧν εἰδέναι ποθοῦμεν, παντελῶς ἐστὶν ὀλίγα τὰ
φανερὰ κατὰ τὴν αἴσθησιν), περὶ δὲ τῶν φθαρτῶν
φυτῶν τε καὶ ζώων εὐποροῦμεν μᾶλλον πρὸς τὴν
30 γνῶσιν διὰ τὸ σύντροφον· πολλὰ γὰρ περὶ ἕκαστον
γένος λάβοι τις ἂν τῶν ὑπαρχόντων βουλόμενος
διαπονεῖν ἱκανῶς. ἔχει δ' ἐκάτερα χάριν. τῶν μὲν
γὰρ εἰ καὶ κατὰ μικρὸν ἐφαπτόμεθα, ὅμως διὰ τὴν

¹ <λέγομεν> Peck.

^a Lit., "softies." The group includes, roughly, the cephalopod mollusca.

^b Lit., "oysters" (bivalves).

PARTS OF ANIMALS, I IV.-v.

Birds, Fishes, Cephalopods,^a Testacea.^b Within each of these groups, the parts do not differ so far that they correspond only by analogy (as a man's bone and a fish's spine) ; that is, they differ not structurally, but only in respect of bodily qualities, *e.g.* by being larger or smaller, softer or harder, smoother or rougher, and so forth, or, to put it generally, they differ "by the more and less."

We have now shown :

- (1) how to test a method of Natural science ;
- (2) what is the most systematic and easiest way of studying Natural science ;
- (3) what is the most useful mode of Division for our present purpose ;
- (4) why dichotomy is either (*a*) impossible or (*b*) futile.

Now that we have made this beginning, and clearly distinguished these points, we may proceed.

V. Of the works of Nature there are, we hold, two kinds : those which are brought into being and perish, and those which are free from these processes throughout all ages. The latter are of the highest worth and are divine, but our opportunities for the study of them are somewhat scanty, since there is but little evidence available to our senses to enable us to consider them and all the things that we long to know about. We have better means of information, however, concerning the things that perish, that is to say, plants and animals, because we live among them ; and any one who will but take enough trouble can learn much concerning every one of their kinds. Yet each of the two groups has its attractiveness. For although our grasp of the eternal things is but slight, nevertheless the joy which it brings is, by

A protreptic
to the study
of animals

644 b

τιμιότητα τοῦ γνωρίζειν ἥδιον ἢ τὰ παρ' ἡμῖν
 ἅπαντα, ὥσπερ καὶ τῶν ἐρωμένων τὸ τυχόν καὶ
 35 μικρὸν μόνιον κατιδεῖν ἥδιόν ἐστιν ἢ πολλὰ ἕτερα
 645 a καὶ μεγάλα δι' ἀκριβείας ἰδεῖν· τὰ δὲ διὰ τὸ μᾶλλον
 καὶ πλείω γνωρίζειν αὐτῶν λαμβάνει τὴν τῆς ἐπι-
 στήμης ὑπεροχήν, ἔτι δὲ διὰ τὸ πλησιαίτερα ἡμῶν
 εἶναι καὶ τῆς φύσεως οἰκειότερα ἀντικαταλλάτ-
 τεταί τι πρὸς τὴν περὶ τὰ θεῖα φιλοσοφίαν. ἐπεὶ
 5 δὲ περὶ ἐκείνων διήλθομεν λέγοντες τὸ φαινόμενον
 ἡμῖν, λοιπὸν περὶ τῆς ζωικῆς φύσεως εἰπεῖν, μηδὲν
 παραλιπόντας εἰς δύναμιν μήτε ἀτιμότερον μήτε
 τιμιώτερον. καὶ γὰρ ἐν τοῖς μὴ κεχαρισμένοις
 αὐτῶν πρὸς τὴν αἴσθησιν κατὰ τὴν θεωρίαν ὅμως¹
 ἡ δημιουργήσασα φύσις ἀμηχάνους ἡδονὰς παρέχει
 10 τοῖς δυναμένοις τὰς αἰτίας γνωρίζειν καὶ φύσει
 φιλοσόφοις. καὶ γὰρ ἂν εἴη παράλογον καὶ ἄτοπον,
 εἰ τὰς μὲν εἰκόνας αὐτῶν θεωροῦντες χαίρομεν ὅτι
 τὴν δημιουργήσασαν τέχνην συνθεωροῦμεν, οἷον τὴν
 γραφικὴν ἢ τὴν πλαστικὴν, αὐτῶν δὲ τῶν φύσει
 συνεστώτων μὴ μᾶλλον ἀγαπῶμεν τὴν θεωρίαν,
 15 δυνάμενοί γε τὰς αἰτίας καθορᾶν. διὸ δεῖ μὴ
 δυσχεραίνειν παιδικῶς τὴν περὶ τῶν ἀτιμοτέρων
 ζώων ἐπίσκεψιν· ἐν πᾶσι γὰρ τοῖς φυσικοῖς ἔνεστί

¹ ὅμως Bekker: ὁμοίως codd.

^a This passage, 645 a 6-15, is quoted by R. Boyle (*Of the Usefulness of Naturall Philosophy*, 1663) both in Gaza's Latin version and in an English translation, and he introduces it thus: "And, methinks, *Aristotle* discourses very Philosophically in that place, where passing from the consideration of the sublimist productions of Nature, to justifie his diligence in recording the more homely Circumstances of the History of Animals, he thus discourses." He also quotes

PARTS OF ANIMALS, I. v.

reason of their excellence and worth, greater than that of knowing all things that are here below ; just as the joy of a fleeting and partial glimpse of those whom we love is greater than that of an accurate view of other things, no matter how numerous or how great they are But inasmuch as it is possible for us to obtain more and better information about things here on the earth, our knowledge of them has the advantage over the other ; and moreover, because they are nearer to us and more akin to our Nature, they are able to make up some of their leeway as against the philosophy which contemplates the things that are divine. Of " things divine " we have already treated and have set down our views concerning them ; so it now remains to speak of animals and their Nature. ^a So far as in us lies, we will not leave out any one of them, be it never so mean ; for though there are animals which have no attractiveness for the senses, yet for the eye of science, for the student who is naturally of a philosophic spirit and can discern the causes of things, Nature which fashioned them provides joys which cannot be measured If we study mere likenesses of these things and take pleasure in so doing, because then we are contemplating the painter's or the carver's Art which fashioned them, and yet fail to delight much more in studying the works of Nature themselves, though we have the ability to discern the actual causes—that would be a strange absurdity indeed. Wherefore we must not betake ourselves to the consideration of the meaner animals with a bad grace, as though we were children ; since in all natural things there is somewhat of the mar-

the following passage, a 15-23, describing it as " that Judicious reasoning of *Aristotle*."

645 a

τι θαυμαστόν· καὶ καθάπερ Ἡράκλειτος λέγεται
 20 πρὸς τοὺς ξένους εἰπεῖν τοὺς βουλομένους ἐντυχεῖν
 αὐτῷ, οἳ ἐπειδὴ προσιόντες εἶδον αὐτὸν θερόμενον
 πρὸς τῷ ἵπνῳ ἔστησαν (ἐκέλευε γὰρ αὐτοὺς εἰσιέναι
 θαρροῦντας· εἶναι γὰρ καὶ ἐνταῦθα θεούς), οὕτω καὶ
 πρὸς τὴν ζήτησιν περὶ ἐκάστου τῶν ζώων προσιέναι
 δεῖ μὴ δυσωπούμενον, ὥς ἐν ἅπασιν ὄντος τινὸς
 φυσικοῦ καὶ καλοῦ.

Τὸ γὰρ μὴ τυχόντως ἀλλ' ἐνεκά τινος ἐν τοῖς τῆς
 25 φύσεως ἔργοις ἐστὶ καὶ μάλιστα· οὗ δ' ἐνεκα
 συνέστηκεν ἢ γέγονε τέλους, τὴν τοῦ καλοῦ χώραν
 εἴληφεν. εἰ δέ τις τὴν περὶ τῶν ἄλλων ζώων
 θεωρίαν ἄτιμον εἶναι νενόμικε, τὸν αὐτὸν τρόπον
 οἷεσθαι χρὴ καὶ περὶ αὐτοῦ· οὐκ ἔστι γὰρ ἄνευ
 πολλῆς δυσχερείας ἰδεῖν ἐξ ὧν συνέστηκε τὸ τῶν
 30 ἀνθρώπων γένος, οἷον αἷμα, σάρκες, ὅσῃ, φλέβες
 καὶ τὰ τοιαῦτα μόρια. ὁμοίως τε δεῖ νομίζειν τὸν
 περὶ οὐτινοσοῦν τῶν μορίων ἢ τῶν σκευῶν δια-
 λεγόμενον μὴ περὶ τῆς ὕλης ποιεῖσθαι τὴν μνήμην,
 μηδὲ ταύτης χάριν, ἀλλὰ τῆς ὅλης μορφῆς, οἷον καὶ
 περὶ οἰκίας, ἀλλὰ μὴ πλίνθων καὶ πηλοῦ καὶ ξύλων·
 35 καὶ τὸν περὶ φύσεως περὶ τῆς συνθέσεως καὶ τῆς
 ὅλης οὐσίας, ἀλλὰ μὴ περὶ τούτων ἅ μὴ συμβαίνει
 χωριζόμενά ποτε τῆς οὐσίας αὐτῶν.

^a Or, with reference to another use of *οὐσία*, "which gives them their being." Independent approaches to the position that components are non-significant in isolation had been made, e.g. by Anaxagoras, as a physical philosopher (see my article in *C.Q.* xxv. 27 ff., 112 ff.), who held that "the things (*i.e.* the constituent elements) in this world are not separate one from another" (frag. 8, Diels, *Fragmente*⁵,

PARTS OF ANIMALS, I. v.

vellous. There is a story which tells how some visitors once wished to meet Heracleitus, and when they came to call and saw him in the kitchen, warming himself at the stove, they hesitated ; but Heracleitus said, " Come in ; don't be afraid ; there are gods even here." In like manner, we ought not to hesitate nor to be abashed, but boldly to enter upon our researches concerning animals of every sort and kind, knowing that in not one of them is Nature or Beauty lacking

I add " Beauty," because in the works of Nature purpose and not accident is predominant ; and the purpose or end for the sake of which those works have been constructed or formed has its place among what is beautiful. If, however, there is anyone who holds that the study of the animals is an unworthy pursuit, he ought to go further and hold the same opinion about the study of himself, for it is not possible without considerable disgust to look upon the blood, flesh, bones, blood-vessels, and suchlike parts of which the human body is constructed. In the same way, when the discussion turns upon any one of the parts or structures, we must not suppose that the lecturer is speaking of the material of them in itself and for its own sake ; he is speaking of the whole conformation. Just as in discussing a house, it is the whole figure and form of the house which concerns us, not merely the bricks and mortar and timber ; so in Natural science, it is the composite thing, the thing as a whole, which primarily concerns us, not the materials of it, which are not found apart from the thing itself whose materials they are.^a

59 B 8) ; also from the logical point of view, as seen in Plato, *Theaetetus*, 201 E ff.

- 645 b Ἀναγκαῖον δὲ πρῶτον τὰ συμβεβηκότα διελεῖν
περὶ ἕκαστον γένος, ὅσα καθ' αὐτὰ πᾶσιν ὑπάρχει
τοῖς ζώοις, μετὰ δὲ ταῦτα τὰς αἰτίας αὐτῶν πειρᾶ-
σθαι διελεῖν. εἴρηται μὲν οὖν καὶ πρότερον ὅτι
5 πολλὰ κοινὰ πολλοῖς ὑπάρχει τῶν ζώων, τὰ μὲν
ἀπλῶς (οἷον πόδες, πτερὰ, λεπίδες, καὶ πάθη δὴ
τὸν αὐτὸν τρόπον τούτοις), τὰ δ' ἀνάλογον (λέγω δ'
ἀνάλογον, ὅτι τοῖς μὲν ὑπάρχει πλεῦμων, τοῖς δὲ
πλεῦμων μὲν οὐ, ὃ δὲ τοῖς ἔχουσι πλεῦμονα, ἐκεί-
νοις ἕτερον ἀντὶ τούτου· καὶ τοῖς μὲν αἷμα, τοῖς δὲ
10 τὸ ἀνάλογον τὴν αὐτὴν ἔχον δύναμιν ἥνπερ τοῖς
ἐναίμοις τὸ αἷμα)· τὸ δὲ λέγειν χωρὶς περὶ ἐκάστων
τῶν καθ' ἕκαστα, καὶ ἔμπροσθεν εἶπομεν ὅτι
πολλάκις συμβήσεται ταῦτα λέγειν, ἐπειδὴν λέ-
γωμεν περὶ πάντων τῶν ὑπαρχόντων· ὑπάρχει δὲ
πολλοῖς ταῦτά. ταῦτα μὲν οὖν ταύτῃ διωρίσθω.
- 15 Ἐπεὶ δὲ τὸ μὲν ὄργανον πᾶν ἔνεκά του, τῶν δὲ
τοῦ σώματος μορίων ἕκαστον ἔνεκά του, τὸ δ' οὐ
ἔνεκα πρᾶξις τις, φανερόν ὅτι καὶ τὸ σύνολον σῶμα
συνέστηκε πρᾶξέως τινος ἔνεκα πολυμεροῦς.¹ οὐ
γὰρ ἢ πρίσις τοῦ πρίονος χάριν γέγονεν, ἀλλ' ὃ
πρίων τῆς πρίσεως· χρήσις γάρ τις ἢ πρίσις ἐστίν.
ὥστε καὶ τὸ σῶμά πως τῆς ψυχῆς ἔνεκεν, καὶ τὰ
20 μόρια τῶν ἔργων πρὸς ᾧ πέφυκεν ἕκαστον.

Λεκτέον ἄρα πρῶτον τὰς πράξεις τὰς τε κοινὰς²

¹ πολυμεροῦς P: πλήρους vulg.: fortasse πολυμόρφου, cf. 646 b 15.

² πάντων post κοινὰς vulg.; deleui.

^a Almost always used in the singular by Aristotle.

^b By "blood" Aristotle means red blood only. "Blooded" and "bloodless" animals do not quite coincide with vertebrates and invertebrates; for there are some invertebrates which have red blood, e.g. molluscs (*Planorbis*), insect

PARTS OF ANIMALS, I. v.

First of all, our business must be to describe the attributes found in each group; I mean those "essential" attributes which belong to all the animals, and after that to endeavour to describe the causes of them. It will be remembered that I have said already that there are many attributes which are common to many animals, either identically the same (*e.g.* organs like feet, feathers, and scales, and affections similarly), or else common by analogy only (*i.e.* some animals have a lung,^a others have no lung but something else to correspond instead of it; again, some animals have blood, while others have something analogous,^b which in them has the same value as blood in the former) And I have pointed out above that to treat separately of individual peculiarities would mean continual repetition of the same things, if we are going to deal with all their attributes, as the same attributes are common to many animals. Such, then, are my views on this matter.

Final
summary
of the
Method.

Now, as each of the parts of the body, like every other instrument, is for the sake of some purpose, *viz.* some action, it is evident that the body as a whole must exist for the sake of some complex action. Just as the saw is there for the sake of sawing and not sawing for the sake of the saw, because sawing is the using of the instrument, so in some way the body exists for the sake of the soul, and the parts of the body for the sake of those functions to which they are naturally adapted.

So first of all we must describe the actions (*a*) larvae (*Chironomus*), worms (*Arenicola*) In other vertebrates the blood may be blue (Crustacea) or green (Sabellid worms), or there may be no respiratory pigment at all (most insects).

645 b

καὶ τὰς κατὰ γένος καὶ τὰς κατ' εἶδος. λέγω δὲ κοινὰς μὲν αἰ πᾶσιν ὑπάρχουσιν τοῖς ζώοις, κατὰ γένος δὲ ὅσων παρ' ἄλληλα τὰς διαφορὰς ὁρῶμεν
 25 καθ' ὑπεροχὴν οὐσας, οἷον ὄρνιθα λέγω κατὰ γένος, ἄνθρωπον δὲ κατ' εἶδος, καὶ πᾶν ὃ κατὰ τὸν καθόλου λόγον μηδεμίαν ἔχει διαφοράν. τὰ μὲν γὰρ ἔχουσι τὸ κοινὸν κατ' ἀναλογίαν, τὰ δὲ κατὰ γένος, τὰ δὲ κατ' εἶδος.

Ὅσαι μὲν οὖν πράξεις ἄλλων ἔνεκα, δῆλον ὅτι καὶ ὧν αἱ πράξεις τὸν αὐτὸν τρόπον διεστᾶσιν
 30 ὥνπερ αἱ πράξεις. ὁμοίως δὲ καὶ εἴ τινες πρότεροι καὶ τέλος ἐτέρων πράξεων τυγχάνουσιν οὐσαι, τὸν αὐτὸν ἔξει τρόπον καὶ τῶν μορίων ἕκαστον ὧν αἱ πράξεις αἱ τοιαῦται· καὶ τρίτον, ἃ τινῶν¹ ὄντων ἀναγκαῖον ὑπάρχειν. (λέγω δὲ πάθη καὶ πράξεις γένεσιν, αὐξήσιν, ὀχείαν, ἐγρήγορσιν, ὕπνον, πο-
 35 ρείαν, καὶ ὅπόσ' ἄλλα τοιαῦτα τοῖς ζώοις ὑπάρχει· μόρια δὲ λέγω ῥίνα, ὀφθαλμὸν καὶ τὸ σύνολον
 646 a πρόσωπον, ὧν ἕκαστον καλεῖται μέλος. ὁμοίως δὲ καὶ περὶ τῶν ἄλλων.)

Καὶ περὶ μὲν τοῦ τρόπου τῆς μεθόδου τοσαῦθ' ἡμῖν εἰρήσθω· τὰς δ' αἰτίας πειραθῶμεν εἰπεῖν περὶ τε τῶν κοινῶν καὶ τῶν ἰδίων, ἀρξάμενοι, καθάπερ διωρίσαμεν, πρῶτον ἀπὸ τῶν πρώτων.

¹ ἃ τινῶν Peck, cf. 677 a 18: ὧν vulg.: ἃ τούτων Ogle.

^a See above, note on 644 a 17.

^b Examples will occur during the course of the treatise.

PARTS OF ANIMALS, I. v.

which are common, and those which belong (*b*) to a group, or (*c*) to a species. By "common" I mean those that are present in all animals; by "those which belong to a group" I mean those of animals whose differences we see to be differences "of excess"^a in relation to one another: an example of this is the group Birds. Man is an example of a species; so is every class which admits no differentiation of its general definition. These three sorts of common attributes are, respectively, (1) analogous, (2) generic, (3) specific.

Now it is evident that when one action is for the sake of another action, then the instruments which perform the two actions differ exactly as the two actions differ and if one action is "prior" to another and is the "end" of that other action, then the part of the body to which it belongs will be "prior" to the part to which the other action belongs. There is also a third possibility, viz that the action and its organ are there simply because the presence of others *necessarily* involves them^b (By affections and actions I mean Generation, Growth, Copulation, Waking, Sleep, Locomotion, and the other similar ones that are found in animals. Examples of parts are . Nose, Eye, Face; each of these is named a "limb" or "member." And the same holds for the rest too.)

Let this suffice concerning the method of our inquiry, and let us now endeavour to describe the causes of all these things, particular as well as common; and, according to the principles laid down, we will begin with the first ones first.

B

646 a

Ἐκ τίνων μὲν οὖν μορίων καὶ πόσων συν-
 ἔστηκεν ἕκαστον τῶν ζώων, ἐν ταῖς ἱστορίαις ταῖς
 10 περὶ αὐτῶν δεδήλωται σαφέστερον· δι' ἃς δ' αἰτίας
 ἕκαστον τοῦτον ἔχει τὸν τρόπον, ἐπισκεπτέον νῦν,
 χωρίσαντας καθ' αὐτὰ τῶν ἐν ταῖς ἱστορίαις εἰρη-
 μένων.

Τριῶν δ' οὐσῶν τῶν συνθέσεων πρώτην μὲν ἄν-
 τις θεῖη τὴν ἐκ τῶν καλουμένων ὑπὸ τινων στοι-
 χείων, οἶον γῆς, ἀέρος, ὕδατος, πυρός. ἔτι δὲ
 15 βέλτιον ἴσως ἐκ τῶν δυνάμεων λέγειν, καὶ τούτων
 οὐκ ἐξ ἀπασῶν, ἀλλ' ὥσπερ ἐν ἐτέροις εἴρηται καὶ
 πρότερον· ὑγρὸν γὰρ καὶ ξηρὸν καὶ θερμὸν καὶ
 ψυχρὸν ὕλη τῶν συνθέτων σωμάτων ἐστίν, αἱ δ'
 ἄλλαι διαφοραὶ ταύταις ἀκολουθοῦσιν, οἶον βάρος
 καὶ κουφότης καὶ πυκνότης καὶ μανότης καὶ τρα-
 20 χύτης καὶ λειότης καὶ τᾶλλα τὰ τοιαῦτα πάθη τῶν
 σωμάτων. δευτέρα δὲ σύστασις ἐκ τῶν πρώτων ἢ
 τῶν ὁμοιομερῶν φύσις ἐν τοῖς ζώοις ἐστίν, οἶον
 ὀστοῦ καὶ σαρκὸς καὶ τῶν ἄλλων τῶν τοιούτων.

^a For the threefold series cf. *De gen. an.* 714 a 9 ff. This first "composition" seems to be intended to cover *non-organic* compounds.

^b "Dynamis" here is clearly the pre-Aristotelian technical term. See Introduction, p. 30. ^c See *De gen. et corr.* chh. 2, 8.

^d In some contexts, "fluid" and "solid" seem more

BOOK II

I HAVE already described with considerable detail in my *Researches upon Animals* what and how many are the parts of which the various animals are composed. We must now leave on one side what was said there, as our present task is to consider what are the *causes* through which each animal is as I there described it.

Purpose and
outline of
the treatise

Three sorts of composition can be distinguished. (1) First of all^a we may put composition out of the Elements (as some call them), viz. Earth, Air, Water, Fire; or perhaps it is better to say *dynamers*^b instead of Elements—some of the *dynamers*, that is, not all, as I have stated previously elsewhere.^c It is just these four, the fluid substance, the solid,^d the hot, and the cold, which are the matter of composite bodies; and the other differences and qualities—such as heaviness lightness, firmness looseness, roughness smoothness, etc.—which composite bodies present are subsequent upon these. (2) The second sort of composition is the composition of the “uniform”^e substances found in animals (such as bone, flesh, etc.). These also are composed out of the primary appropriate: in others, “moist” and “dry” (the traditional renderings). Aristotle defines them at *De gen. and corr.* 329 b 30. See also below, 649 b 9. I have normally translated them “fluid” and “solid” throughout.

^e “Uniform,” “non-uniform”; see Introduction, p. 28.

646 a

τρίτη δὲ καὶ τελευταία κατ' ἀριθμὸν ἢ τῶν ἀν-
ομοιομερῶν, οἷον προσώπου καὶ χειρὸς καὶ τῶν
τοιούτων μορίων.

- 25 Ἐπεὶ δ' ἐναντίως ἐπὶ τῆς γενέσεως ἔχει καὶ τῆς
οὐσίας—τὰ γὰρ ὕστερα τῇ γενέσει πρότερα τὴν
φύσιν ἐστί, καὶ πρῶτον τὸ τῇ γενέσει τελευταῖον
(οὐ γὰρ οἰκία πλίνθων ἔνεκέν ἐστι καὶ λίθων, ἀλλὰ
ταῦτα τῆς οἰκίας· ὁμοίως δὲ τοῦτ' ἔχει καὶ περὶ τὴν
ἄλλην ὕλην· οὐ μόνον δὲ φανερόν ὅτι τοῦτον ἔχει τὸν
30 τρόπον ἐκ τῆς ἐπαγωγῆς, ἀλλὰ καὶ κατὰ τὸν λόγον·
πᾶν γὰρ τὸ γινόμενον ἐκ τινος καὶ εἰς τι ποιεῖται
τὴν γένεσιν, καὶ ἀπ' ἀρχῆς ἐπ' ἀρχήν, ἀπὸ τῆς
πρώτης κινούσης καὶ ἐχούσης ἤδη τινὰ φύσιν ἐπὶ
τινα μορφήν ἢ τοιοῦτον ἄλλο τέλος· ἄνθρωπος γὰρ
ἄνθρωπον καὶ φυτὸν γεννᾷ φυτὸν ἐκ τῆς περὶ
35 ἑκάστον ὑποκειμένης ὕλης)—τῷ μὲν οὖν χρόνῳ

- 646 b προτέραν τὴν ὕλην ἀναγκαῖον εἶναι καὶ τὴν γένεσιν,
τῷ λόγῳ δὲ τὴν οὐσίαν καὶ τὴν ἐκάστου μορφήν.
δηλὸν δ' ἂν λέγῃ τις τὸν λόγον τῆς γενέσεως· ὁ μὲν
γὰρ τῆς οἰκοδομήσεως λόγος ἔχει τὸν τῆς οἰκίας,
ὁ δὲ τῆς οἰκίας οὐκ ἔχει τὸν τῆς οἰκοδομήσεως.
5 ὁμοίως δὲ τοῦτο συμβέβηκε καὶ ἐπὶ τῶν ἄλλων.
ὥστε τὴν μὲν τῶν στοιχείων ὕλην ἀναγκαῖον εἶναι
τῶν ὁμοιομερῶν ἔνεκεν· ὕστερα γὰρ ἐκείνων ταῦτα

^a Or, "efficient."

^b Or, "in thought," "in conception."

^c Almost represented here by "definition."

PARTS OF ANIMALS, II. 1.

substances. (3) The third and last is the composition of the "non-uniform" parts of the body, such as face, hand, and the like.

Now the order of things in the process of formation is the reverse of their real and essential order; I mean that the later a thing comes in the formative process the earlier it comes in the order of Nature, and that which comes at the end of the process is at the beginning in the order of Nature. Just so bricks and stone come chronologically *before* the house, although the house is the purpose which they subserve, and not *vice versa*. And the same applies to materials of every kind. Thus the truth of my statement can be shown by induction; but it can also be demonstrated logically, as follows. Everything which is in process of formation is in passage from one thing towards another thing, *i e.* from one Cause towards another Cause; in other words, it proceeds from a primary motive^a Cause which to begin with possesses a definite nature, towards a Form or another such End. For example, a man begets a man and a plant begets a plant. These new individuals are made out of the substrate matter appropriate in each case. Thus, matter and the process of formation must come first in time, but logically^b the real essence and the Form of the thing comes first. This is clear if we state the *logos*^c of such a process. For example, the *logos* of the process of building includes the *logos* of a house, but that of a house does not include that of the process of building. And this holds good in all such cases. Hence we see that the matter, *viz* the Elements, must exist for the sake of the uniform substances, because these come later in the process of formation than

τῇ γενέσει, τούτων δὲ τὰ ἀνομοιομερῆ. ταῦτα γὰρ ἤδη τὸ τέλος ἔχει καὶ τὸ πέρασ, ἐπὶ τοῦ τρίτου λαβόντα τὴν σύστασιν ἀριθμοῦ, καθάπερ ἐπὶ πολλῶν

10 συμβαίνει τελειοῦσθαι τὰς γενέσεις.

Ἐξ ἀμφοτέρων μὲν οὖν τὰ ζῶα συνέστηκε τῶν μορίων τούτων, ἀλλὰ τὰ ὁμοιομερῆ τῶν ἀνομοιομερῶν ἔνεκέν ἐστιν· ἐκείνων γὰρ ἔργα καὶ πράξεις εἰσίν, οἷον ὀφθαλμοῦ καὶ μυκτῆρος καὶ τοῦ προσώπου παντὸς καὶ δακτύλου καὶ χειρὸς καὶ παντὸς
15 τοῦ βραχίονος. πολυμόρφων δὲ τῶν πράξεων καὶ τῶν κινήσεων ὑπαρχουσῶν τοῖς ζώοις ὅλοις τε καὶ τοῖς μορίοις τοῖς τοιούτοις, ἀναγκαῖον ἐξ ὧν σύγκεινται τὰς δυνάμεις ἀνομοίας ἔχειν· πρὸς μὲν γάρ τινα μαλακότης χρήσιμος πρὸς δὲ τινα σκληρότης, καὶ τὰ μὲν τάσιν ἔχειν δεῖ τὰ δὲ κάμψιν.

20 Τὰ μὲν οὖν ὁμοιομερῆ κατὰ μέρος διείληφε τὰς δυνάμεις τὰς τοιαύτας (τὸ μὲν γὰρ αὐτῶν ἐστὶ μαλακὸν τὸ δὲ σκληρόν, καὶ τὸ μὲν ὑγρὸν τὸ δὲ ξηρόν, καὶ γλίσχρον τὸ δὲ κραῦρον), τὰ δ' ἀνομοιομερῆ κατὰ πολλὰς καὶ συγκεκλιμένας ἀλλήλαις· ἑτέρα γὰρ πρὸς τὸ πιέσαι τῇ χειρὶ χρήσιμος δύναμις
25 καὶ πρὸς τὸ λαβεῖν. διόπερ ἐξ ὁσῶν καὶ νεύρων καὶ σαρκὸς καὶ τῶν ἄλλων τῶν τοιούτων συνεστήκασιν τὰ ὀργανικὰ τῶν μορίων, ἀλλ' οὐκ ἐκείνα ἐκ τούτων.

Ὡς μὲν οὖν ἔνεκά τινος διὰ ταύτην τὴν αἰτίαν ἔχει περὶ τούτων τὸν εἰρημένον τρόπον, ἐπεὶ δὲ ζητεῖται καὶ πῶς ἀναγκαῖον ἔχειν οὕτω, φανερόν ὅτι
30 προσηρῆχεν οὕτω πρὸς ἄλληλα ἔχοντα ἐξ ἀνάγκης·

PARTS OF ANIMALS, II. 1.

the Elements ; just so the non-uniform parts come later than the uniform. The non-uniform parts, indeed, whose manner of composition is that of the third sort, have reached the goal and End of the whole process ; and we often find that processes of formation reach their completion at this point.

Now animals are composed out of both of these two sorts of parts, uniform and non-uniform ; and the former are for the sake of the latter, as it is to the latter that actions and operations belong (*e g* eye, nose, the face as a whole, finger, hand, the arm as a whole). And inasmuch as the actions and movements both of an animal as a whole and of its parts are manifold, the substances out of which these are composed must be of divers *dynamis*. Softness is useful for one part, hardness for another ; some parts must be able to stretch, some to bend.

In the uniform parts, then, such *dynamis* are found apportioned out separately : one of the parts, for instance, will be soft, another hard, while one is fluid, another solid ; one viscous, another brittle. In the non-uniform parts, on the other hand, these *dynamis* are found in combination, not singly. For example, the hand needs one *dynamis* for the action of compressing and another for that of grasping. Hence it is that the instrumental parts of the body are composed of bones, sinews, flesh, and the rest of them, and not the other way round.

The Cause which I have just stated as controlling the relation between them is, of course, a Final Cause ; but when we go on to inquire in what sense it is *necessary* that they should be related as they are, it becomes clear that they must of necessity have been thus related to each other from the beginning.

646 b

τὰ μὲν γὰρ ἀνομοιομερῇ ἐκ τῶν ὁμοιομερῶν ἐν-
δέχεται συνεστάναι, καὶ ἐκ πλειόνων καὶ ἐνός, οἷον
ἕνια τῶν σπλάγχχνων· πολύμορφα γὰρ τοῖς σχή-
μασιν, ἐξ ὁμοιομεροῦς ὄντα σώματος ὡς εἰπεῖν
ἀπλῶς. τὰ δ' ὁμοιομερῇ ἐκ τούτων ἀδύνατον· τὸ

85 γὰρ ὁμοιομερές πόλλ' ἂν εἴη ἀνομοιομερῇ.

647 a Διὰ μὲν οὖν ταύτας τὰς αἰτίας τὰ μὲν ἀπλᾶ καὶ
ὁμοιομερῇ, τὰ δὲ σύνθετα καὶ ἀνομοιομερῇ τῶν
μορίων ἐν τοῖς ζώοις ἐστίν.

Ἦντων δὲ τῶν μὲν ὀργανικῶν μερῶν τῶν δ'
αἰσθητηρίων ἐν τοῖς ζώοις, τῶν μὲν ὀργανικῶν
5 ἕκαστον ἀνομοιομερές ἐστίν, ὥσπερ εἶπον πρότερον,
ἢ δ' αἰσθησις ἐγγίνεται πᾶσιν ἐν τοῖς ὁμοιομερέσιν
διὰ τὸ τῶν αἰσθήσεων ὅποιαν οὖν ἐνός τινος εἶναι
γένους, καὶ τὸ αἰσθητήριον ἐκάστου δεκτικὸν εἶναι
τῶν αἰσθητῶν. πᾶσχει δὲ τὸ δυνάμει ὃν ὑπὸ τοῦ
ἐνεργείᾳ ὄντος, ὥστ' ἔστι τὸ αὐτὸ τῷ γένει, καὶ
10 <εἰ>¹ ἐκεῖνο ἔν, καὶ τοῦτο ἔν, καὶ διὰ τοῦτο χεῖρα
μὲν ἢ πρόσωπον ἢ τῶν τοιούτων τι μορίων οὐδεὶς
ἐγχειρεῖ λέγειν τῶν φυσιολόγων τὸ μὲν εἶναι γῆν,
τὸ δ' ὕδωρ, τὸ δὲ πῦρ· τῶν δ' αἰσθητηρίων ἕκαστον

¹ <εἰ> Ogle.

^a The translation "sense-organ" must not be taken to imply that the part through which the sense functions is an
112

PARTS OF ANIMALS, II. 1.

It is possible for the non-uniform parts to be constructed out of the uniform substances, either out of many of them, or out of one only. (Examples of the latter are furnished by certain of the viscera, which although they assume many shapes and forms, yet for all practical purposes may be said to consist of one only of the uniform substances) But it is impossible for the uniform substances to be constructed out of the non-uniform parts: for then we should have an uniform substance consisting of several non-uniform parts, which is absurd.

These, then, are the Causes owing to which some of the parts of animals are simple and uniform; while others are composite and non-uniform.

Now the parts can also be divided up into (*a*) instrumental parts and (*b*) media of sensation. And we may say that each of the instrumental parts of the body, as I have stated earlier, is always non-uniform, while sensation in all cases takes place in parts that are uniform. The reasons why this is so are the following: The function of each of the senses is concerned with a single kind of sensible objects; and the sense-organ^a in each case must be such as can apprehend those objects. Now when one thing affects another, the thing which is affected must be *potentially* what the other is *actually*; so both are the same in kind, and therefore if the affecting thing is single, the affected one is single too. Hence we find that while with regard to the parts of the body such as hand, or face, none of the physiologists attempts to say that one of them is earth, and another water, and another fire; yet they do conjoin

^a "organ" in the stricter meaning of the word. "Organs" are normally "non-uniform," sense-organs are "uniform."

647 a

πρὸς ἕκαστον ἐπιζευγνύουσι τῶν στοιχείων, τὸ μὲν αέρα φάσκοντες εἶναι, τὸ δὲ πῦρ.

Οὗσης δὲ τῆς αἰσθήσεως ἐν τοῖς ἀπλοῖς μέρεσιν
 15 εὐλόγως μάλιστα συμβαίνει τὴν ἀφήν ἐν ὁμοιομερεῖ
 μὲν ἥκιστα δ' ἀπλῶ τῶν αἰσθητηρίων ἐγγίνεσθαι·
 μάλιστα γὰρ αὕτη δοκεῖ πλειόνων εἶναι γενῶν, καὶ
 πολλὰς ἔχειν ἐναντιώσεις τὸ ὑπὸ ταύτην αἰσθητόν,
 θερμὸν ψυχρόν, ξηρὸν ὑγρὸν καὶ εἴ τι ἄλλο τοιοῦτον·
 20 καὶ τὸ τούτων αἰσθητήριον, ἡ σὰρξ καὶ τὸ ταύτη
 ἀνάλογον, σωματωδέστατόν ἐστι τῶν αἰσθητηρίων.
 ἐπεὶ δ' ἀδύνατον εἶναι ζῶον ἄνευ αἰσθήσεως, καὶ
 διὰ τοῦτο ἂν εἴη ἀναγκαῖον ἔχειν τοῖς ζώοις ἔνια
 μόρια ὁμοιομερῆ· ἡ μὲν γὰρ αἴσθησις ἐν τούτοις,
 αἱ δὲ πράξεις διὰ τῶν ἀνομοιομερῶν ὑπάρχουσιν
 αὐτοῖς.

25 Τῆς δ' αἰσθητικῆς δυνάμεως καὶ τῆς κινούσης
 τὸ ζῶον καὶ τῆς θρεπτικῆς ἐν ταύτῳ μορίῳ τοῦ
 σώματος οὗσης, καθάπερ ἐν ἐτέροις εἴρηται πρό-
 τερον, ἀναγκαῖον τὸ ἔχον πρῶτον μόριον τὰς
 τοιαύτας ἀρχάς, ἥ μὲν ἐστὶ δεκτικὸν πάντων τῶν
 αἰσθητῶν, τῶν ἀπλῶν εἶναι μορίων, ἥ δὲ κινητικὸν
 30 καὶ πρακτικόν, τῶν ἀνομοιομερῶν. διόπερ ἐν μὲν
 τοῖς ἀναίμοις ζώοις τὸ ἀνάλογον, ἐν δὲ τοῖς ἐναίμοις
 ἡ καρδία τοιοῦτόν ἐστιν· διαιρεῖται μὲν γὰρ εἰς
 ὁμοιομερῆ καθάπερ τῶν ἄλλων σπλάγχχνων ἕκαστον,
 διὰ δὲ τὴν τοῦ σχήματος μορφήν ἀνομοιομερές
 ἐστίν. ταύτη δ' ἠκολούθηκε καὶ τῶν ἄλλων τῶν

^a See *De somno*, 455 b 34 ff.

PARTS OF ANIMALS, II. 1.

each of the *sense-organs* with one of the elementary substances, and they assert that this sense-organ is air, this one fire.

Sensation thus takes place in the simple parts of the body. The organ in which touch takes place is, however, as we should expect, the least simple of all the sense-organs, though of course like the others it is uniform. This is evidently because the sense of touch deals with more kinds of sense-objects than one : and these objects may have several sorts of oppositions in them, *e g.* hot and cold, solid and fluid, and the like. So the sense-organ which deals with these—viz. the flesh, or its counterpart—is the most corporeal of all the sense-organs. Another reason we might adduce why animals must of necessity possess some uniform parts at any rate, is that there cannot be such a thing as an animal with no power of sensation, and the seat of sensation is the uniform parts. (The non-uniform parts supply the means for the various activities, not for sensation)

Further, since the faculties of sensation and of motion and of nutrition are situated in one and the same part of the body, as I stated in an earlier work,^a that part, which is the primary seat of these principles, must of necessity be included not only among the simple parts but also among the non-uniform parts—the former in virtue of receiving all that is perceived through the senses, the latter because it has to do with motion and action. In blooded animals this part is the heart, in bloodless animals the counterpart of the heart, for the heart, like every one of the other viscera, can be divided up into uniform pieces ; but on the other hand it is non-uniform owing to its shape and formation. Every one of the other so-

647 a

³⁵ καλουμένων σπλάγχνων ἕκαστον· ἐκ τῆς αὐτῆς

647 b

γὰρ ὕλης συνεστᾶσιν· αἱματικὴ γὰρ ἡ φύσις πάντων αὐτῶν διὰ τὸ τὴν θέσιν ἔχειν ἐπὶ πόροις φλεβικοῖς καὶ διαλήψεσιν. καθάπερ οὖν ρέοντος ὕδατος ἱλὺς, τᾶλλα σπλάγχνα τῆς διὰ τῶν φλεβῶν ρύσεως τοῦ αἵματος οἷον προχεύματά ἐστιν· ἡ δὲ καρδία, διὰ ⁵ τὸ τῶν φλεβῶν ἀρχὴ εἶναι καὶ ἔχειν ἐν αὐτῇ τὴν δύναμιν τὴν δημιουργοῦσαν τὸ αἷμα πρώτην, εὐλογον ἐξ οἷας ἄρχεται¹ τροφῆς ἐκ τοιαύτης συν-εστάναι καὶ αὐτήν.

Διότι μὲν οὖν αἱματικὰ τὴν μορφήν τὰ σπλάγχνα ἐστὶν εἴρηται, καὶ διότι τῇ μὲν ὁμοιομερῇ τῇ δ' ἀνομοιομερῇ.

10 II. Τῶν δ' ὁμοιομερῶν μορίων ἐν τοῖς ζώοις ἐστὶ τὰ μὲν μαλακὰ καὶ ὑγρά, τὰ δὲ σκληρὰ καὶ στερεά, ὑγρά μὲν ἢ ὅλως ἢ ἕως ἂν ᾗ ἐν τῇ φύσει, οἷον αἷμα, ἰχώρ, πιμελή, στέαρ, μυελός, γονή, χολή, γάλα ἐν τοῖς ἔχουσι, σάρξ, καὶ τὰ τούτοις ἀνάλογον·

15 οὐ γὰρ ἅπαντα τὰ ζῶα τούτων τῶν μορίων τέτευχεν, ἀλλ' ἔνια τῶν ἀνάλογον τούτων τιςίν. τὰ δὲ ξηρὰ καὶ στερεὰ τῶν ὁμοιομερῶν ἐστίν, οἷον ὀστούν, ἄκανθα, νεῦρον, φλέψ. καὶ γὰρ τῶν ὁμοιομερῶν ἡ διαίρεσις ἔχει διαφοράν· ἔστι γὰρ ὡς ἐνίων τὸ μέρος ὁμώνυμον τῷ ὅλῳ, οἷον φλεβὸς φλέψ, ἔστι ²⁰ δ' ὡς οὐχ ὁμώνυμον, ἀλλὰ προσώπου πρόσωπον οὐδαμῶς.

¹ οἷας corr. in loco plurium litterarum Y: οἷας (cum rasura) Z. ἄρχεται (vel ἀρχὴ ἐστι) Peck, cf. 666 a 7, b 1, etc · δέχεται vulg.

PARTS OF ANIMALS, II. I.-II.

called viscera follows suit. They are all composed of the same material, as they all have a sanguineous character, and this is because they are situated upon the channels of the blood-vessels and on the points of ramification. All these viscera (excluding the heart) may be compared to the mud which a running stream deposits; they are as it were deposits left by the current of blood in the blood-vessels. As for the heart itself, being the starting-point of the blood-vessels, it contains the substance (*dynamis*) by which the blood is first fashioned; and it is only to be expected that it will itself be composed out of that form of nutriment which it originates.

We have now stated why the viscera are sanguineous in formation, and why in one aspect they are uniform and in another non-uniform.

II Of the uniform parts in animals, some are soft and fluid, some hard and firm. Some are permanently fluid, some are fluid only so long as they are in the living organism—*e.g.* blood, serum, lard, suet, marrow, semen, bile, milk (in the lactiferous species), flesh. (As these parts are of course not to be found in all animals, add to this list their counterparts.) Other of the uniform parts are solid and firm: examples are bone, fish-spine, sinew, blood-vessel. This division of the uniform parts admits a further distinction: There are some of them of which a portion has, in one sense, the same name as the whole (*e.g.* a portion of a blood-vessel has the name blood-vessel), and in another sense has not the same name. (In no sense is this the case with a non-uniform part; for instance, a portion of a face cannot be called face at all)

The uniform parts

647 b

Πρῶτον μὲν οὖν καὶ τοῖς ὑγροῖς μορίοις καὶ τοῖς ξηροῖς πολλοὶ τρόποι τῆς αἰτίας εἰσὶν. τὰ μὲν γὰρ ὡς ὕλη τῶν μερῶν τῶν ἀνομοιομερῶν ἐστίν (ἐκ τούτων γὰρ συνέστηκεν ἕκαστον τῶν ὀργανικῶν μερῶν, ἐξ ὁσῶν καὶ νεύρων καὶ σαρκῶν καὶ ἄλλων
 25 τοιούτων συμβαλλομένων τὰ μὲν εἰς τὴν οὐσίαν τὰ δ' εἰς τὴν ἐργασίαν), τὰ δὲ τροφὴ τούτοις τῶν ὑγρῶν ἐστί (πάντα γὰρ ἐξ ὑγροῦ λαμβάνει τὴν αὐξησιν), τὰ δὲ περιττώματα συμβέβηκεν εἶναι τούτων, οἷον τὴν τε τῆς ξηρᾶς τροφῆς ὑπόστασιν καὶ τὴν τῆς ὑγρᾶς τοῖς ἔχουσι κύστιν.

Αὐτῶν δὲ τούτων αἱ διαφοραὶ πρὸς ἄλληλα τοῦ
 30 βελτίονος ἕνεκέν εἰσιν, οἷον τῶν τε ἄλλων καὶ αἵματος πρὸς αἷμα· τὸ μὲν γὰρ λεπτότερον τὸ δὲ παχύτερον καὶ τὸ μὲν καθαρώτερον ἐστὶ τὸ δὲ θολερώτερον, ἔτι δὲ τὸ μὲν ψυχρότερον τὸ δὲ θερμότερον, ἔν τε τοῖς μορίοις τοῦ ἐνὸς ζώου (τὸ γὰρ
 35 ἐν τοῖς ἄνω μέρεσι πρὸς τὰ κάτω μόρια διαφέρει ταύταις ταῖς διαφοραῖς) καὶ ἑτέρῳ πρὸς ἕτερον.
 648 a καὶ ὅλως τὰ μὲν ἔναιμα τῶν ζώων ἐστί, τὰ δ' ἀντὶ τοῦ αἵματος ἔχει ἕτερόν τι μόριον τοιοῦτον.

Ἔστι δ' ἰσχύος μὲν ποιητικώτερον τὸ παχύτερον αἷμα καὶ θερμότερον, αἰσθητικώτερον δὲ καὶ νοερώτερον τὸ λεπτότερον καὶ ψυχρότερον. τὴν αὐτὴν δ'
 5 ἔχει διαφορὰν καὶ τὸ ἀνάλογον ὑπάρχον¹ πρὸς τὸ

¹ τὸ . . ὑπάρχον P: τῶν . . ὑπαρχόντων vulg.

^a Or, "reason."

^b See Introduction, pp 32 ff.

^c See Introduction, pp. 28 ff.

^d With this passage compare Hippocrates, *Περὶ διαίτης*, 1. 35. See also below, 650 b 24 ff., and Introduction, pp 37-39

PARTS OF ANIMALS, II. II.

Now first of all there are many sorts of Cause^a to which the existence of these uniform parts, both the fluid and the solid ones, is to be ascribed. Some of them act as the material for the non-uniform parts (*e.g.* each of the instrumental parts is composed of these uniform parts—bones, sinews, fleshes, and the like, which contribute either to its essence, or else towards the discharge of its proper function). Another group of the uniform parts—fluid ones—act as nutriment for the ones just mentioned, since everything that grows gets the material for its growth from what is fluid; and yet a third group are residues^b produced from the second group: examples, the excrement deposited from the solid nutriment and (in those animals which have a bladder) from the fluid nutriment.

Further, variations are found among different specimens of these uniform parts, and this is to subserve a good purpose. Blood is an excellent illustration. Blood can be thin or thick, clear or muddy, cold or warm; and it can be different in different parts of the same animal. instances are known of animals in which the blood in the upper parts differs from that in the lower parts in respect of the characteristics just enumerated. And of course the blood of one animal differs from that of another. And there is the general division between the animals that have blood and those which instead of it have a part^c which is similar to it though not actually blood.

The thicker and warmer the blood is, the more it makes for strength; if it tends to be thin and cold, it is conducive to sensation and intelligence.^d The same difference holds good with the counterpart of

648 a

αἷμα· διὸ καὶ μέλιτται καὶ ἄλλα τοιαῦτα ζῶα φρονιμώτερα τὴν φύσιν ἐστὶν ἐναίμων πολλῶν, καὶ τῶν ἐναίμων τὰ ψυχρὸν ἔχοντα καὶ λεπτὸν αἷμα φρονιμώτερα τῶν ἐναντίων ἐστίν. ἄριστα δὲ τὰ θερμὸν
 10 ἔχοντα καὶ λεπτὸν καὶ καθαρὸν· ἅμα γὰρ πρὸς τ' ἀνδρείαν τὰ τοιαῦτα καὶ πρὸς φρόνησιν ἔχει καλῶς. διὸ καὶ τὰ ἄνω μόρια πρὸς τὰ κάτω ταύτην ἔχει τὴν διαφοράν, καὶ πρὸς τὸ θῆλυ αὐτὸ τὸ ἄρρεν, καὶ τὰ δεξιὰ πρὸς τὰ ἀριστερὰ τοῦ σώματος.

Ὅμοιως δὲ καὶ περὶ τῶν ἄλλων καὶ τῶν τοιούτων
 15 μορίων καὶ τῶν ἀνομοιομερῶν ὑποληπτέον ἔχειν τὴν διαφοράν, τὰ μὲν πρὸς τὰ ἔργα καὶ τὴν οὐσίαν ἐκάστω τῶν ζώων, τὰ δὲ πρὸς τὸ βέλτιον ἢ χειρόν, οἷον ἐχόντων ὀφθαλμοὺς ἀμφοτέρων τὰ μὲν ἐστὶ σκληρόφθαλμα τὰ δ' ὑγρόφθαλμα, καὶ τὰ μὲν οὐκ ἔχει βλέφαρα τὰ δ' ἔχει, πρὸς τὸ τὴν ὄψιν ἀκριβεστέραν εἶναι.

20 Ὅτι δ' ἀναγκαῖον ἔχειν ἢ αἷμα ἢ τὸ τούτῳ τὴν αὐτὴν ἔχον φύσιν, καὶ τίς ἐστὶν ἡ τοῦ αἵματος φύσις, πρῶτον διελομένοις περὶ θερμοῦ καὶ ψυχροῦ, οὕτω καὶ περὶ τούτου θεωρητέον τὰς αἰτίας. πολλῶν γὰρ ἡ φύσις ἀνάγεται πρὸς ταύτας τὰς ἀρχάς, καὶ
 25 πολλοὶ διαμφισβητοῦσι ποῖα θερμὰ καὶ ποῖα ψυχρὰ τῶν ζώων ἢ τῶν μορίων. ἔνιοι γὰρ τὰ ἔνυδρα τῶν πεζῶν θερμότερά φασιν εἶναι, λέγοντες ὡς ἐπανισοῦ τὴν ψυχρότητα τοῦ τόπου ἢ τῆς φύσεως αὐτῶν

^a This sentiment, which at first sight appears to go against the Aristotelian teleology, is supported by actual instances, e.g. the horns of the backward-grazing oxen (659 a 19) and of the deer (663 a 11) and the talons of certain birds (694 a 20).

PARTS OF ANIMALS, II. II.

blood in other creatures : and thus we can explain why bees and other similar creatures are of a more intelligent nature than many animals that have blood in them ; and among the latter class, why some (viz. those whose blood is cold and thin) are more intelligent than others. Best of all are those animals whose blood is hot and also thin and clear ; they stand well both for courage and for intelligence. Consequently, too, the upper parts of the body have this pre-eminence over the lower parts ; the male over the female ; and the right side of the body over the left.

What applies to the blood applies as well to the other uniform parts and also to the non-uniform parts ; similar variations occur. And it must be supposed that these variations have some reference either to the activities of the creatures and to their essential nature, or else bring them some advantage or disadvantage.^a For example, the eyes of some creatures are hard in substance, of others, fluid ; some have eyelids, others have not. In both cases the difference is for the sake of greater accuracy of vision.

Before we can go on to consider the reasons why all animals must of necessity have blood in them or something which possesses the same nature, and also what the nature of blood itself is, we must first come to some decision about hot and cold. The nature of many things is to be referred back to these two principles, and there is much dispute about which animals and which parts of animals are hot and which are cold. Some assert that water-animals are hotter than land-animals, and they allege that the creatures' natural heat makes up for the coldness of their habitat.

648 a

θερμότης, καὶ τὰ ἄναιμα τῶν ἐναίμων καὶ τὰ θήλεα
 τῶν ἀρρένων, οἷον Παρμενίδης τὰς γυναῖκας τῶν
 30 ἀνδρῶν θερμοτέρας εἶναί φησι καὶ ἕτεροί τινες ὥς
 διὰ τὴν θερμότητα καὶ πολυαιμούσαις γινομένων
 τῶν γυναικείων, Ἐμπεδοκλῆς δὲ τοῦναντίον· ἔτι δ'
 αἷμα καὶ χολὴν οἱ μὲν θερμὸν ὅποτερονοῦν εἶναί
 φασιν αὐτῶν, οἱ δὲ ψυχρόν. εἰ δ' ἔχει τοσαύτην
 τὸ θερμὸν καὶ τὸ ψυχρὸν ἀμφισβήτησιν, τί χρή
 35 περὶ τῶν ἄλλων ὑπολαβεῖν; ταῦτα γὰρ ἡμῖν ἐν-
 αργέστατα τῶν περὶ τὴν αἴσθησιν.

Ἔοικε δὲ διὰ τὸ πολλαχῶς λέγεσθαι τὸ θερμό-
 648 b τερον ταῦτα συμβαίνειν· ἕκαστος γὰρ δοκεῖ τι
 λέγειν τὰναντία λέγων. διὸ δεῖ μὴ λανθάνειν πῶς
 δεῖ τῶν φύσει συνεστώτων τὰ μὲν θερμὰ λέγειν τὰ
 δὲ ψυχρὰ καὶ τὰ μὲν ξηρὰ τὰ δ' ὑγρά, ἐπεὶ ὅτι γ'
 αἷτια ταῦτα σχεδὸν καὶ θανάτου καὶ ζωῆς ἔοικεν
 5 εἶναι φανερόν, ἔτι δ' ὕπνου καὶ ἐγρηγόρσεως καὶ
 ἀκμῆς καὶ γήρως καὶ νόσου καὶ ὑγείας, ἀλλ' οὐ
 τραχύτητες καὶ λειότητες οὐδὲ βαρύτητες καὶ κου-
 φότητες οὐδ' ἄλλο τῶν τοιούτων οὐδὲν ὥς εἰπεῖν.
 καὶ τοῦτ' εὐλόγως συμβέβηκεν· καθάπερ γὰρ ἐν
 ἑτέροις εἴρηται πρότερον, ἀρχαὶ τῶν φυσικῶν
 10 στοιχείων αὐταὶ εἰσι, θερμὸν καὶ ψυχρὸν καὶ
 ξηρὸν καὶ ὑγρόν.

Πότερον οὖν ἀπλῶς λέγεται τὸ θερμὸν ἢ πλεο-
 ναχῶς; δεῖ δὴ λαβεῖν τί ἔργον τοῦ θερμοτέρου, ἢ

^a See above, 646 a 15, and note.

PARTS OF ANIMALS, II. II.

Further, it is asserted that bloodless animals are hotter than those that have blood ; and that females are hotter than males. Parmenides and others, for instance, assert that women are hotter than men on the ground of the menstrual flow, which they say is due to their heat and the abundance of their blood Empedocles, however, maintains the opposite opinion. Again, some say that blood is hot and bile cold, others that bile is hot and blood cold. And if there is so much dispute about the hot and the cold, which after all are the most distinct of the things which affect our senses, what line are we to take about the rest of them ?

Now it looks as if the difficulty is due to the term "hotter" being used in more senses than one, as there seems to be something in what each of these writers says, though their statements are contradictory. Hence we must permit no ambiguity in our application of the descriptions "hot" and "cold," "solid" and "fluid" to the compound substances that are found in nature. It is surely sufficiently established that these four principles (and not to any appreciable extent roughness, smoothness, heaviness, lightness, or any such things) are practically the causes controlling life and death, not to mention sleep and waking, prime and age, disease and health. And this, after all, is but reasonable, because (as I have said previously in another work) these four—hot, cold, solid, fluid—are the principles of the physical Elements ^a

The primary substances
(a) "hot" and "cold"

Let us consider, then, whether the term "hot" has one sense or several. To decide this point, we must find out what is the particular effect which a body has in virtue of being hotter than another, or, if there are several such effects, how many there are.

πόσα, εἰ πλείω. ἓνα μὲν δὴ τρόπον λέγεται μᾶλλον
 θερμὸν ὑφ' οὗ μᾶλλον θερμαίνεται τὸ ἀπτόμενον,
 15 ἄλλως δὲ τὸ μᾶλλον αἰσθησιν ἐμποιοῦν ἐν τῷ
 θιγγάνειν, καὶ τοῦτ', ἐὰν μετὰ λύπης. ἔστι δ' ὅτε
 δοκεῖ τοῦτ' εἶναι ψεῦδος· ἐνίοτε γὰρ ἢ ἕξις αἰτία
 τοῦ ἀλγεῖν αἰσθανομένοις ἔτι τὸ τηκτικώτερον τοῦ
 τηκτοῦ καὶ τοῦ καυστοῦ καυστικώτερον. ἔτι ἐὰν
 ἢ τὸ μὲν πλεόν τὸ δ' ἔλαττον τὸ αὐτό, τὸ πλεόν τοῦ
 20 ἐλάττονος θερμότερον. πρὸς δὲ τούτοις δυοῖν τὸ
 μὴ ταχέως ψυχόμενον ἀλλὰ βραδέως θερμότερον,
 καὶ τὸ θᾶπτον θερμαινόμενον τοῦ θερμαινομένου
 βραδέως θερμότερον εἶναι τὴν φύσιν φαμέν, ὥς τὸ
 μὲν ἐναντίον ὅτι πόρρω, τὸ δ' ὅμοιον ὅτι ἐγγύς.
 λέγεται μὲν οὖν εἰ μὴ πλεοναχῶς, ἀλλὰ τοσανταχῶς
 25 ἕτερον ἐτέρου θερμότερον· τούτους δὲ τοὺς τρόπους
 ἀδύνατον ὑπάρχειν τῷ αὐτῷ πάντας· θερμαίνει μὲν
 γὰρ μᾶλλον τὸ ζέον ὕδωρ τῆς φλογός, καίει δὲ καὶ
 τήκει τὸ καυστὸν καὶ τηκτὸν ἢ φλόξ, τὸ δ' ὕδωρ
 οὐδέν. ἔτι θερμότερον μὲν τὸ ζέον ὕδωρ ἢ πῦρ
 ὀλίγον, ψύχεται δὲ καὶ θᾶπτον καὶ μᾶλλον τὸ θερμὸν
 30 ὕδωρ μικροῦ πυρός· οὐ γὰρ γίνεται ψυχρὸν πῦρ,
 ὕδωρ δὲ γίνεται πᾶν. ἔτι θερμότερον μὲν κατὰ τὴν
 ἀφήν τὸ ζέον ὕδωρ, ψύχεται δὲ θᾶπτον καὶ πῆγνυται
 τοῦ ἐλαίου. ἔτι τὸ αἷμα κατὰ μὲν τὴν ἀφήν θερμό-
 35 τερον ὕδατος καὶ ἐλαίου, πῆγνυται δὲ θᾶπτον. ἔτι
 λίθοι καὶ σίδηρος καὶ τὰ τοιαῦτα θερμαίνεται μὲν
 βραδύτερον ὕδατος, καίει δὲ θερμανθέντα μᾶλλον.
 πρὸς δὲ τούτοις τῶν λεγομένων θερμῶν τὰ μὲν

^a Alluding, perhaps, to the expansion due to heat.

PARTS OF ANIMALS, II. II.

A is said to be "hotter" than *B* (1) if that which comes into contact with it is heated more by it than by *B*. (2) If it produces a more violent sensation when touched, and especially if the sensation is accompanied by pain. (The latter is not always a true indication, since sometimes the pain is due to the condition of the percipient.) (3) If it is a better melting or burning agent. (4) If it is of the same composition as *B*, but greater in bulk,^a it is said to be "hotter" than *B*, and in addition (5) if it cools more slowly than *B*, or warms up more quickly in both these cases we call the thing "hotter" in its nature—as we call one thing "contrary" to another when it is far removed from it, and "like" it when it is near it. But although the senses in which one thing is said to be "hotter" than another are as many as this, even if they are not quite numerous, yet no one thing can be "hotter" in all of these ways at once. For instance, boiling water can impart heat more effectively than flame; but flame is able to cause burning and melting, whereas water is not. Again, boiling water is hotter than a small fire, but the hot water will cool off more quickly and more thoroughly than the small fire. Indeed, fire does not become cold, but all water does. Again, boiling water is hotter to the touch than oil, yet it cools and solidifies more quickly. And again, blood is warmer to the touch than either water or oil, yet it congeals more quickly. Again, stone and iron and such substances get hot more slowly than water, but once they are hot they burn other things more than water can. In addition to all this there is another distinction to be made among the things that are called "hot": in some of them the

649 a ἄλλοτρίαν ἔχει τὴν θερμότητα τὰ δ' οἰκείαν, δια-
φέρει δὲ τὸ θερμὸν εἶναι οὕτως ἢ ἐκείνως πλείστον,
ἐγγὺς γὰρ τοῦ κατὰ συμβεβηκὸς εἶναι θερμὸν ἀλλὰ
μὴ καθ' αὐτὸ θάτερον αὐτῶν· ὥσπερ ἂν εἴ τις λέγοι,
5 εἰ συμβεβηκὸς εἴη τῷ πυρέττοντι εἶναι μουσικῶ,
τὸν μουσικὸν εἶναι θερμότερον ἢ τὸν μεθ' ὑγείας
θερμὸν. ἐπεὶ δ' ἐστὶ τὸ μὲν καθ' αὐτὸ θερμὸν τὸ
δὲ κατὰ συμβεβηκός, ψύχεται μὲν βραδύτερον τὸ
καθ' αὐτό, θερμαίνει δὲ μᾶλλον πολλάκις τὴν αἵ-
σθησιν τὸ κατὰ συμβεβηκός· καὶ πάλιν καίει μὲν
10 μᾶλλον τὸ καθ' αὐτὸ θερμὸν, οἶον ἢ φλόξ τοῦ
ὑδατος τοῦ ζέοντος, θερμαίνει δὲ κατὰ τὴν ἀφήν τὸ
ζέον μᾶλλον, τὸ κατὰ συμβεβηκὸς θερμὸν. ὥστε
φανερὸν ὅτι τὸ κρῖναι δυοῖν πότερον θερμότερον οὐχ
ἀπλοῦν· ὡδὲ μὲν γὰρ τόδε ἔσται θερμότερον, ὡδὲ δὲ
15 θάτερον. ἔνια δὲ τῶν τοιούτων οὐδ' ἔστιν ἀπλῶς
εἰπεῖν ὅτι θερμὸν ἢ μὴ θερμὸν· ὁ μὲν γάρ ποτε
τυγχάνει ὃν τὸ ὑποκείμενον οὐ θερμὸν, συνδναζό-
μενον δὲ θερμὸν, οἶον εἴ τις θεῖτο ὄνομα ὕδατι ἢ
σιδήρῳ θερμῷ· τοῦτον γὰρ τὸν τρόπον τὸ αἶμα
θερμὸν ἐστίν. καὶ ποιεῖ δὲ φανερὸν ἐν τοῖς τοιού-
20 τοις ὅτι τὸ ψυχρὸν φύσις τις ἀλλ' οὐ στέρησις ἐστίν,
ἐν ὅσοις τὸ ὑποκείμενον κατὰ πάθος θερμὸν ἐστίν.
τάχα δὲ καὶ ἡ τοῦ πυρὸς φύσις, εἰ ἔτυχε, τοιαύτη
τις ἐστίν· ἴσως γὰρ τὸ ὑποκείμενόν ἐστιν ἢ καπνὸς
ἢ ἄνθραξ, ὧν τὸ μὲν αἰεὶ θερμὸν (ἀναθυμιάσις γὰρ ὁ
καπνός), ὁ δ' ἄνθραξ ἀποσβεσθεὶς ψυχρός. ἔλαιον
δὲ καὶ πεύκη γένοιντ' ἂν ψυχρά. ἔχει δὲ θερμότητα

^a That is, "blood" is really "hot *x*," and the "*x*" is no more hot of its own nature than the "water" in "hot water." See below, 649 b 21 ff.

^b Perhaps a reference to the resin which is in firwood or is obtained from it.

PARTS OF ANIMALS, II. II.

heat is their own ; in others it has been derived from without. And there is a very great difference between these two ways of being hot, because one of them comes near to being hot "by accident" and not hot "of itself"; as is obvious, supposing anyone were to assert, if a fever-patient were "by accident" a man of culture, that the man of culture is hotter than a man whose heat is due to his perfect health. Thus some things are hot "of themselves" and some hot "by accident," and the former cool more slowly, while the latter are in many cases hotter in their effect upon the senses. Again, the former have a greater power of burning : *e.g.* a flame burns you more than boiling water, yet the boiling water, which is hot only "by accident," causes a stronger sensation of heat if you touch it. From this it is plain that it is no simple matter to decide which of two things is the hotter. The first will be hotter in one way, and the second in another. In some cases of this sort it is actually impossible to say simply that a thing is hot or is not hot. I mean cases in which the substratum is hot through being coupled with heat, but not hot of its own nature : that, for instance, is the way in which blood is hot—it is on a par with "hot water" or "hot iron," only there is no special term for these as there is for blood.^a These cases, in which the substratum is hot merely through some external influence, make it clear that cold is not just a privation but a real thing in itself. Perhaps even fire may be an instance of this kind. It may be that its substratum is smoke or charcoal : and, though smoke is always hot because it is an evaporation, charcoal when it goes out is cold. In the same way oil and firwood^b become cold. Further, practically all

649 a

25 καὶ τὰ πυρωθέντα πάντα σχεδόν, οἶον κονία καὶ τέφρα, καὶ τὰ ὑποστήματα τῶν ζώων, καὶ τῶν περιπτωμάτων ἢ χολή, τῷ ἐμπεπυρεῦσθαι καὶ ἐγκαταλελείφθαι τι ἐν αὐτοῖς θερμόν. ἄλλον δὲ τρόπον θερμὰ¹ πεύκη καὶ τὰ πίονα, τῷ ταχὺ μεταβάλλειν εἰς ἐνέργειαν πυρός.

30 Δοκεῖ δὲ τὸ θερμόν καὶ πηγνύναι καὶ τήκειν. ὅσα μὲν οὖν ὕδατος μόνον, ταῦτα πήγνυνσι τὸ ψυχρόν, ὅσα δὲ γῆς, τὸ πῦρ καὶ τῶν θερμῶν πήγνυνται ὑπὸ ψυχροῦ ταχὺ μὲν ὅσα γῆς μᾶλλον καὶ ἀλύτως, λυτῶς δ' ὅσα ὕδατος. ἀλλὰ περὶ μὲν τούτων ἐν ἑτέροις διώρισται σαφέστερον, ποῖα τὰ πηκτά, καὶ πήγνυνται διὰ τίνος αἰτίας.

35 Τὸ δὲ τί θερμόν καὶ ποῖον θερμότερον ἐπειδὴ
649 b λέγεται πλεοναχῶς, οὐ τὸν αὐτὸν τρόπον ὑπάρξει
πᾶσιν, ἀλλὰ προσδιοριστέον ὅτι καθ' αὐτὸ μὲν τόδε, κατὰ συμβεβηκὸς δὲ πολλάκις θάτερον,² ἔτι δὲ
δυνάμει μὲν τοδί, τοδί δὲ κατ' ἐνέργειαν, καὶ τόνδε
μὲν τὸν τρόπον τοδί, τῷ μᾶλλον τὴν ἀφήν θερ-
5 μαίνειν, τοδί δὲ τῷ φλόγα ποιεῖν καὶ πυροῦν.
λεγομένου δὲ τοῦ θερμοῦ πολλαχῶς, ἀκολουθήσει
δῆλον ὅτι καὶ τὸ ψυχρὸν κατὰ τὸν αὐτὸν λόγον.

Καὶ περὶ μὲν θερμοῦ καὶ ψυχροῦ καὶ τῆς ὑπεροχῆς αὐτῶν διωρίσθω τὸν τρόπον τοῦτον.

III. Ἐχόμενον δὲ καὶ περὶ ξηροῦ καὶ ὑγροῦ διελ-
10 θεῖν ἀκολουθῶς τοῖς εἰρημένοις. λέγεται δὲ ταῦτα

¹ θερμὰ Peck : θερμόν vulg.

² πολλάκις θάτερον] num τᾶλλο θερμότερον?

^a See *Meteor.* 382 b 31 ff., 388 b 10 ff.

^b Probably the text should be altered to read : " *B* hotter by accident."

^c See note on 646 a 16.

PARTS OF ANIMALS, II. II.-III.

things that have passed through a process of combustion have heat in them, such as cinder, ash, the excrement of animals, and bile (an instance of a residue). These have passed through fire and some heat is left behind in them. Firwood and other fatty substances are hot in another way. they can quickly change into the actuality of fire

We must recognize that "the hot" can cause both congealing and melting. Things that consist of water only are solidified by the cold, those that consist of earth, by fire. Again, hot things are solidified by cold: those that consist chiefly of earth solidify quickly, and the product cannot be dissolved again; those that consist chiefly of water can be dissolved after solidification. I have dealt more particularly with these matters in another work,^a where I have stated what things can be solidified, and the causes that are responsible for it.

So, in view of the fact that there are numerous senses in which a thing is said to be "hot" or "hotter," the same meaning will not apply to all instances, but we must specify further, and say that *A* is hotter "of itself," *B* perhaps "by accident"^b; and again that *C* is hotter potentially, *D* actually; and we must also say in what way the thing's heat manifests itself. *e.g.* *E* causes a greater sensation of heat when touched; *F* causes flame and sets things on fire. And of course, if "the hot" is used in all these senses, there will be an equal variety of senses attaching to "the cold."

This will suffice for our examination of the terms "hot" and "cold," "hotter" and "colder."

III. It follows on naturally after this to discuss (b) "solid" and "fluid."^c "the solid" and "the fluid" on similar lines.

649 b

πλεοναχῶς, οἷον τὰ μὲν δυνάμει τὰ δ' ἐνεργείᾳ.
 κρύσταλλος γὰρ καὶ πᾶν τὸ πεπηγὸς ὑγρὸν λέγεται
 ξηρά¹ μὲν ἐνεργείᾳ καὶ κατὰ συμβεβηκός, ὄντα
 δυνάμει καὶ καθ' αὐτὰ ὑγρά, γῇ δὲ καὶ τέφρα καὶ
 15 τὰ τοιαῦτα μιχθέντα ὑγρῷ ἐνεργείᾳ μὲν ὑγρά καὶ
 κατὰ συμβεβηκός, καθ' αὐτὰ δὲ καὶ δυνάμει ξηρά·
 διακριθέντα δὲ ταῦτα τὰ μὲν ὕδατος ἀναπληστικά
 καὶ ἐνεργείᾳ καὶ δυνάμει ὑγρά, τὰ δὲ γῆς ἅπαντα
 ξηρά, καὶ τὸ κυρίως καὶ ἀπλῶς ξηρὸν τοῦτον
 μάλιστα λέγεται τὸν τρόπον. ὁμοίως δὲ καὶ θάτερα
 20 τὰ ὑγρά κατὰ τὸν αὐτὸν λόγον ἔχει τὸ κυρίως καὶ
 ἀπλῶς, καὶ ἐπὶ θερμῶν καὶ ψυχρῶν. τούτων δὲ
 διωρισμένων φανερόν ὅτι τὸ αἷμα ὡδὶ μὲν ἐστὶ
 θερμόν, οἷον τί² ἦν αὐτῷ τὸ αἵματι εἶναι (καθάπερ
 γὰρ³ εἰ ὀνόματί τινι⁴ σημαίνομεν τὸ ζέον ὕδωρ,
 οὕτω λέγεται). τὸ δ' ὑποκείμενον καὶ ὃ ποτε ὄν
 25 αἱμά ἐστιν, οὐ θερμόν· καὶ καθ' αὐτὸ ἐστὶ μὲν ὡς
 θερμόν ἐστιν, ἔστι δ' ὡς οὐ· ἐν μὲν γὰρ τῷ
 λόγῳ ὑπάρξει αὐτοῦ ἢ θερμότης, ὥσπερ ἐν τῷ
 τοῦ λευκοῦ ἀνθρώπου τὸ λευκόν ἢ δὲ κατὰ πάθος,
 τὸ αἷμα οὐ καθ' αὐτὸ θερμόν⁵

Ὅμοιως δὲ καὶ περὶ ξηροῦ καὶ ὑγροῦ. διὸ καὶ

¹ ξηρά Peck : ξηρὸν vulg.

² οἷόν τι Bekker.

³ γὰρ Z : om. vulg.

⁴ ὀνόματί τινι PSU : ὀνόματί τι EY : ὀνόματι vulg.

⁵ ll 22-29 interpunctionem correxī.

^a i.e. they assume the shape of the receptacle into which they are put.

PARTS OF ANIMALS, II. III.

These terms are used in several senses. *E.g.* "solid" and "fluid" may mean either potentially solid and fluid or actually solid and fluid. Ice and other congealed fluids are said to be solid actually and by accident, though in themselves and potentially they are fluid. On the other hand, earth and ash and the like, when they have been mixed with a fluid, are fluid actually and by accident, but potentially and in themselves they are solid. When these mixtures have been resolved again into their components, we have on the one hand the watery constituents, which are anaplectic,^a and fluid actually as well as potentially, and on the other hand the earthy components which are all solid: and these are the cases where the term "solid" is applicable most properly and absolutely. In the same way, only those things which are actually as well as potentially fluid, or hot, or cold, are such in the proper and absolute sense of the terms. Bearing this distinction in mind, we see it is plain that, considered in one way, blood is hot, because "to be blood" (the essential definition of blood) involves it (just as would be the case with "boiling water," if we had a special name to denote that); but in another way, *i.e.* in respect of its permanent substratum, blood is not hot. This means that in one respect blood is essentially hot, and in another respect is not. Heat will be included in the *logos* of blood, just as fairness is included in the *logos* of a fair man, and in this way blood is essentially hot; but considering that it is hot owing to external influence, blood is not essentially hot.

A similar argument would hold with regard to the solid and the fluid. And that is why some of these

649 b

ἐν τῇ φύσει τῶν τοιούτων τὰ μὲν θερμὰ καὶ ὑγρά,
 30 χωριζόμενα δὲ πηγνυται καὶ ψυχρὰ φαίνεται, οἷον
 τὸ αἷμα, τὰ δὲ θερμὰ καὶ πάχος ἔχοντα καθάπερ ἡ
 χολή, χωριζόμενα δ' ἐκ τῆς φύσεως τῶν ἐχόντων
 τοῦναντίον πάσχει· ψύχεται γὰρ καὶ ὑγραίνεται· τὸ
 μὲν γὰρ αἷμα ξηραίνεται μᾶλλον, ὑγραίνεται δ' ἡ
 ξανθὴ χολή. τὸ δὲ μᾶλλον καὶ ἥττον μετέχειν τῶν
 35 ἀντικειμένων ὡς ὑπάρχον¹ δεῖ τιθέναι τούτοις.

650 a

Πῶς μὲν οὖν θερμὸν καὶ πῶς ὑγρόν, καὶ πῶς
 τῶν ἐναντίων ἡ φύσις τοῦ αἵματος κεκοινώνηκεν,
 εἴρηται σχεδόν.

Ἐπεὶ δ' ἀνάγκη πᾶν τὸ αὐξανόμενον λαμβάνειν
 τροφήν, ἡ δὲ τροφή πᾶσιν ἐξ ὑγροῦ καὶ ξηροῦ, καὶ
 5 τούτων ἡ πέψις γίνεται καὶ ἡ μεταβολή διὰ τῆς τοῦ
 θερμοῦ δυνάμεως, καὶ τὰ ζῶα πάντα καὶ τὰ φυτά,
 κἂν εἰ μὴ δι' ἄλλην αἰτίαν, ἀλλὰ διὰ ταύτην ἀναγ-
 καῖον ἔχειν ἀρχὴν θερμοῦ φυσικὴν. [καὶ ταύτην
 ὥσπερ] αἱ <δ>² ἐργασίαι τῆς τροφῆς πλειόνων εἰσὶ
 μορίων ἢ μὲν γὰρ πρώτη φανερά τοῖς ζώοις
 10 λειτουργία διὰ τοῦ στόματος οὔσα καὶ τῶν ἐν
 τούτῳ μορίων, ὅσων ἡ τροφή δεῖται διαιρέσεως.
 ἀλλ' αὕτη μὲν οὐδεμιᾶς αἰτία πέψεως, ἀλλ' εὐ-
 पेψίας μᾶλλον· ἡ γὰρ εἰς μικρὰ διαίρεσις τῆς
 τροφῆς ῥάῳ ποιεῖ τῷ θερμῷ τὴν ἐργασίαν· ἡ δὲ τῆς
 ἄνω καὶ τῆς κάτω κοιλίας ἥδη μετὰ θερμότητος

¹ ὑπάρχον Peck : ὑπάρχοντα vulg.

² καὶ ταύτην ὥσπερ locus corruptus, fort. leg. καὶ αὕτη μὲν
 ἐνός, αἱ <δ>.

^a See above, note on 644 a 17.

^b See Introduction, p. 34.

^c Lit. "the *dynamis* of the hot substance," perhaps here
 something more than a mere periphrasis for "the hot sub-

PARTS OF ANIMALS, II. III.

substances while in the living organism are hot and fluid, but when separated from it congeal and are observed to be cold, as blood does; others, like yellow bile, are hot and of a thick consistency while in the organism, but when separated from it undergo a change in the opposite direction and become cool and fluid. Blood becomes more solid, yellow bile becomes fluid. And we must assume that "more and less"^a participation of the opposite constituents is a property of these substances.

We have now pretty well explained in what way blood is hot, in what way it is fluid, and in what way it naturally contains portions of the opposite constituents.

Everything that grows must of necessity take food. This food is always supplied by fluid and solid matter, and the concoction^b and transformation of these is effected by the agency of heat.^c Hence, apart from other reasons, this would be a sufficient one for holding that of necessity all animals and plants must have in them a natural source of heat. There are several parts which exert action upon the food. In the case of those animals whose food needs to be broken up, the first duty clearly belongs to the mouth and the parts in the mouth. But this operation does nothing whatever towards causing concoction: it merely enables the concoction to turn out successfully; because when the food has been broken up into small pieces the action of the heat upon it is rendered easier. The natural heat comes into play in the upper and lower abdominal cavities,

stance," as emphasizing its proper and specific natural character, which makes it a particularly good agent for effecting concoction. See Introduction, pp. 30-32.

650 a

15 φυσικῆς ποιεῖται τὴν πέψιν. ὥσπερ δὲ καὶ τὸ
 στόμα τῆς ἀκατεργάστου τροφῆς πόρος ἐστί, καὶ
 τὸ συνεχές αὐτῷ μόριον ὃ καλοῦσιν οἰσοφάγον,
 ὅσα τῶν ζώων ἔχει τοῦτο τὸ μόριον, ἕως εἰς
 τὴν κοιλίαν, οὕτω καὶ ἄλλους δεῖ πόρους¹ εἶναι, δι'
 ὧν ἅπαν λήψεται τὸ σῶμα τὴν τροφήν, ὥσπερ
 20 ἐκ φάτνης, ἐκ τῆς κοιλίας καὶ τῆς τῶν ἐντέρων
 φύσεως. τὰ μὲν γὰρ φυτὰ λαμβάνει τὴν τροφήν
 κατειργασμένην ἐκ τῆς γῆς ταῖς ῥίζαις (διὸ καὶ
 περίττωμα οὐ γίνεται τοῖς φυτοῖς· τῇ γὰρ γῇ καὶ
 τῇ ἐν αὐτῇ θερμότητι χρῆται ὥσπερ κοιλία), τὰ δὲ
 ζῶα πάντα μὲν σχεδόν, τὰ δὲ πορευτικὰ φανερώς,
 25 οἶον γῆν ἐν αὐτοῖς ἔχει τὸ τῆς κοιλίας κύτος, ἐξ
 ἧς, ὥσπερ ἐκεῖνα ταῖς ῥίζαις, ταῦτα δεῖ τινὶ τὴν
 τροφήν λαμβάνειν, ἕως τὸ τῆς ἐχομένης πέψεως
 λάβῃ τέλος. ἡ μὲν γὰρ τοῦ στόματος ἐργασία παρα-
 δίδωσι τῇ κοιλίᾳ, παρὰ δὲ ταύτης ἕτερον ἀναγκαῖον
 λαμβάνειν, ὅπερ συμβέβηκεν· αἱ γὰρ φλέβες κατα-
 30 τείνονται διὰ τοῦ μεσεντερίου παράπαν, κάτωθεν
 ἀρξάμεναι μέχρι τῆς κοιλίας. δεῖ δὲ ταῦτα θεωρεῖν
 ἐκ τε τῶν ἀνατομῶν καὶ τῆς φυσικῆς ἱστορίας.

Ἐπεὶ δὲ πάσης τροφῆς ἐστί τι δεκτικὸν καὶ τῶν
 γινομένων περιττωμάτων, αἱ δὲ φλέβες οἶον ἀγγεῖον
 αἵματός εἰσι, φανερόν ὅτι τὸ αἷμα ἡ τελευταία
 35 τροφή τοῖς ζώοις τοῖς ἐναίμοις ἐστί, τοῖς δ' ἀναίμοις

¹ ἄλλους δεῖ πόρους Peck : ἄλλας ἀρχὰς δεῖ πλείους vulg.

^a Cf. Shakespeare, *Coriolanus* I. I. 133-152.

^b The membrane to which the intestines are attached.

^c *Dissections* (or *Anatomy*) is a treatise which has not survived.

PARTS OF ANIMALS, II III.

which effect the concoction of the food by its aid. And, just as the mouth (and in some animals the so-called oesophagus too which is continuous with it) is the passage for the as yet untreated food, and conveys it to the stomach ; so there must be other passages through which as from a manger the body as a whole may receive its food from the stomach and from the system of the intestines.^a Plants get their food from the earth by their roots ; and since it is already treated and prepared no residue is produced by plants—they use the earth and the heat in it instead of a stomach, whereas practically all animals, and unmistakably those that move about from place to place, have a stomach, or bag,—as it were an earth inside them—and in order to get the food out of this, so that finally after the successive stages of concoction it may reach its completion, they must have some instrument corresponding to the roots of a plant. The mouth, then, having done its duty by the food, passes it on to the stomach, and there must of necessity be another part to receive it in its turn from the stomach. This duty is undertaken by the blood-vessels, which begin at the bottom of the mesentery,^b and extend throughout the length of it right up to the stomach. These matters should be studied in the *Dissections*^c and my treatise on *Natural History*^d

We see then that there is a receptacle for the food at each of its stages, and also for the residues that are produced ; and as the blood-vessels are a sort of container for the blood, it is plain that the blood (or its counterpart) is the final form of that food in living

^a The *Natural History*, otherwise *History of Animals* or *Researches upon Animals*. See 495 b 19 ff, 514 b 10 ff.

ARISTOTLE

650 a

τὸ ἀνάλογον. καὶ διὰ τοῦτο μὴ λαμβάνουσί τε

650 b

τροφὴν ὑπολείπει τοῦτο καὶ λαμβάνουσιν αὐξάνεται,

καὶ χρηστῆς μὲν οὔσης ὑγιεινόν, φαύλης δὲ φαῦλον.

ὅτι μὲν οὖν τὸ αἷμα τροφῆς ἔνεκεν ὑπάρχει τοῖς

ἐναίμοις, φανερόν ἐκ τούτων καὶ τῶν τοιούτων. καὶ

γὰρ διὰ τοῦτο θιγγανόμενον αἰσθησιν οὐ ποιεῖ

5 (ὥσπερ οὐδ' ἄλλο τῶν περιττωμάτων οὐδέν, οὐδ' ἡ

τροφὴ) καθάπερ σάρξ.¹ αὕτη γὰρ θιγγανομένη ποιεῖ

αἰσθησιν. οὐ γὰρ συνεχές ἐστὶ τὸ αἷμα ταύτῃ οὐδὲ

συμπεφυκός, ἀλλ' οἷον ἐν ἀγγείῳ τυγχάνει κείμενον

ἐν τε τῇ καρδίᾳ καὶ ταῖς φλεβίς. ὃν δὲ τρόπον

λαμβάνει ἐξ αὐτοῦ τὰ μόρια τὴν αὕξῃσιν, ἔτι δὲ

10 περὶ τροφῆς ὅλως, ἐν τοῖς περὶ γενέσεως καὶ ἐν

ἐτέροις οἰκειότερόν ἐστι διελθεῖν. νῦν δ' ἐπὶ

τοσοῦτον εἰρήσθω (τοσοῦτον γὰρ χρήσιμον), ὅτι τὸ

αἷμα τροφῆς ἔνεκα καὶ τροφῆς τῶν μορίων ἐστίν.

IV. Τὰς δὲ καλουμένας ἴνας τὸ μὲν ἔχει αἷμα

15 τὸ δ' οὐκ ἔχει, οἷον τὸ τῶν ἐλάφων καὶ προκῶν.

διόπερ οὐ πηγνυται τὸ τοιοῦτον αἷμα· τοῦ γὰρ

αἵματος τὸ μὲν ὕδατῶδες μᾶλλον² ἐστὶ, διὸ καὶ οὐ

πήγνυται, τὸ δὲ γεῶδες πηγνυται συνεξατμίζοντος

τοῦ ὑγροῦ· αἱ δ' ἴνες γῆς εἰσιν.

Συμβαίνει δ' ἐνιά γε καὶ γλαφυρωτέραν ἔχειν

20 τὴν διάνοιαν τῶν τοιούτων, οὐ διὰ τὴν ψυχρότητα

τοῦ αἵματος, ἀλλὰ διὰ τὴν λεπτότητα μᾶλλον καὶ

¹ ll. 4 f., interpunctionem correxit Cornford.

² μᾶλλον Z: μᾶλλον ψυχρόν vulg.

^a In the Second Book. Also in *De gen. et corr.*

^b With the sentiments of the following passage and its terminology ("more intelligent," "soul," "blend," etc.) compare the very interesting passage in Hippocrates, *Περὶ διαίτης*, I, 35.

PARTS OF ANIMALS, II. III.-IV.

creatures. This explains why the blood diminishes in quantity when no food is taken and increases when it is ; and why, when the food is good, the blood is healthy, when bad, poor. These and similar considerations make it clear that the purpose of the blood in living creatures is to provide them with nourishment ; and also why it is that when the blood is touched it yields no sensation, as flesh does when it is touched. Indeed, none of the residues yields any sensation either, nor does the nourishment. This difference of behaviour is because the blood is not continuous with the flesh nor conjoined to it organically : it just stands in the heart and in the blood-vessels like water in a jar. A description of the way in which the parts of the body derive their growth from the blood, and the discussion of nourishment in general, comes more appropriately in the treatise on *Generation*^a and elsewhere. For the present it is enough to have said that the purpose of the blood is to provide nourishment, that is to say, nourishment for the parts of the body. So much and no more is pertinent to our present inquiry.

IV. The blood of some animals contains what are called fibres ; the blood of others (*e g* the deer and the gazelle) does not. Blood which lacks fibres does not congeal, for the following reason. Part of the blood is of a more watery nature, and therefore does not congeal ; while the other part, which is earthy, congeals as the fluid part evaporates off. The fibres are this earthy part.

Now some of the animals whose blood is watery have a specially subtle intelligence.^b This is due not to the coldness of their blood, but to its greater thin-

The uniform
parts :
Blood.

650 b

διὰ τὸ καθαρὸν εἶναι· τὸ γὰρ γεῶδες οὐδέτερον ἔχει
 τούτων. εὐκινητοτέραν γὰρ ἔχουσι τὴν αἴσθησιν τὰ
 λεπτοτέραν ἔχοντα τὴν ὑγρότητα καὶ καθαρωτέραν.
 διὰ γὰρ τοῦτο καὶ τῶν ἀναίμων ἔνια συνετωτέραν ἔχει
 25 τὴν ψυχὴν ἐνίων ἐναίμων, καθάπερ εἴρηται πρότερον,
 οἶον ἢ μέλιττα καὶ τὸ γένος τὸ τῶν μυρμηκῶν καὶ
 εἴ τι ἕτερον τοιοῦτόν ἐστιν· δειλότερα δὲ τὰ λίαν
 ὑδατώδη. ὁ γὰρ φόβος καταψύχει· προωδοποιῆται
 οὖν τῷ πάθει τὰ τοιαύτην ἔχοντα τὴν ἐν τῇ καρδίᾳ
 30 κρᾶσιν· τὸ γὰρ ὕδωρ τῷ ψυχρῷ πηκτόν ἐστιν. διὸ
 καὶ τᾶλλα τὰ ἄναιμα δειλότερα τῶν ἐναίμων ἐστὶν
 ὡς ἀπλῶς εἰπεῖν, καὶ ἀκίνητίζει τε φοβούμενα καὶ
 προίεται περιττώματα καὶ μεταβάλλει ἔνια τὰς
 χροὰς αὐτῶν. τὰ δὲ πολλὰς ἔχοντα λίαν ἵνας καὶ
 35 παχείας γεωδέστερα τὴν φύσιν ἐστὶ καὶ θυμώδη τὸ
 ἦθος καὶ ἐκστατικὰ διὰ τὸν θυμόν. θερμότητος
 γὰρ ποιητικὸν ὁ θυμός, τὰ δὲ στερεὰ θερμανθέντα
 651 a μᾶλλον θερμαίνει τῶν ὑγρῶν· αἱ δ' ἵνες στερεὸν καὶ
 γεῶδες, ὥστε γίνονται οἶον πυρίαι ἐν τῷ αἵματι
 καὶ ζέσιν ποιοῦσιν ἐν τοῖς θυμοῖς· διὸ οἱ ταῦροι καὶ
 οἱ κάπροι θυμώδεις καὶ ἐκστατικοί· τὸ γὰρ αἷμα
 τούτων ἰνωδέστατον, καὶ τό γε τοῦ ταύρου τάχιστα
 5 πῆγνυται πάντων. ἐξαιρουμένων δὲ τούτων τῶν
 ἰνῶν οὐ πῆγνυται τὸ αἷμα· καθάπερ γὰρ ἐκ πηλοῦ
 εἴ τις ἐξέλοι τὸ γεῶδες οὐ πῆγνυται τὸ ὕδωρ, οὕτω
 καὶ τὸ αἷμα· αἱ γὰρ ἵνες γῆς. μὴ ἐξαιρουμένων

^a At 648 a 2 ff.

^b For the connexion between fear and cold cf 667 a 16, 692 a 22 ff., and *Rhetoric*, 1389 b 30.

PARTS OF ANIMALS, II. iv.

ness and clarity, neither of which characteristics belongs to the earthy substance ; and an animal which has the thinner and clearer sort of fluid in it has also a more mobile faculty of sensation. This is why, as I said before,^a some of the bloodless creatures have a more intelligent Soul than some of the blooded ones ; *e.g.* the bee and the ants and such insects. Those, however, that have excessively watery blood are somewhat timorous. This is because water is congealed by cold ; and coldness also accompanies fear ; therefore in those creatures whose heart contains a predominantly watery blend, the way is already prepared for a timorous disposition^b This, too, is why, generally speaking, the bloodless creatures are more timorous than the blooded ones and why they stand motionless when they are frightened and discharge their residues and (in some cases) change their colour On the other side, there are the animals that have specially plentiful and thick fibres in their blood ; these are of an earthier nature, and are of a passionate temperament and liable to outbursts of passion. Passion produces heat ; and solids, when they have been heated, give off more heat than fluids. So the fibres, which are solid and earthy, become as it were embers inside the blood and cause it to boil up when the fits of passion come on. That is why bulls and boars are so liable to these fits of passion. Their blood is very fibrous ; indeed, that of the bull is the quickest of all to congeal. But just as when the earthy matter is taken out of mud, the water which remains does not congeal ; so when the fibres, which consist of earth, are taken out of the blood, it no longer congeals. If they are

651^a δὲ πηγνυται, οἷον ὑγρὰ γῇ ὑπὸ ψύχους· τοῦ γὰρ
 θερμοῦ ὑπὸ τοῦ ψυχροῦ ἐκθλιβομένου συνεξατμίζει
 10 τὸ ὑγρόν, καθάπερ εἴρηται πρότερον, καὶ πηγνυται
 οὐχ ὑπὸ θερμοῦ ἀλλ' ὑπὸ ψυχροῦ ξηραίνόμενον. ἐν
 δὲ τοῖς σώμασιν ὑγρόν ἐστι διὰ τὴν θερμότητα τὴν
 ἐν τοῖς ζώοις.

Πολλῶν δ' ἐστὶν αἰτία ἡ τοῦ αἵματος φύσις καὶ
 κατὰ τὸ ἥθος τοῖς ζώοις καὶ κατὰ τὴν αἴσθησιν,
 εὐλόγως· ὕλη γάρ ἐστι παντὸς τοῦ σώματος· ἡ γὰρ
 15 τροφή ὕλη, τὸ δ' αἷμα ἡ ἐσχάτη τροφή. πολλὴν
 οὖν ποιεῖ διαφορὰν θερμὸν ὄν καὶ ψυχρὸν καὶ λεπτὸν
 καὶ παχὺ καὶ θολερὸν καὶ καθαρὸν. ἰχώρ δ' ἐστὶ
 τὸ ὕδατῶδες τοῦ αἵματος διὰ τὸ μήπω πεπεφθαι ἢ
 διεφθάρθαι, ὥστε ὁ μὲν ἐξ ἀνάγκης ἰχώρ, ὁ δ'
 αἵματος χάριν ἐστίν.

20 V Πιμελὴ δὲ καὶ στέαρ διαφέρουσι μὲν ἀλλήλων
 κατὰ τὴν τοῦ αἵματος διαφοράν· ἔστι γὰρ ἐκά-
 τερον αὐτῶν αἷμα πεπεμμένον δι' εὐτροφίαν, καὶ τὸ
 μὴ καταναλισκόμενον εἰς τὸ σαρκῶδες μόριον τῶν
 ζώων, εὐπεπτον δὲ καὶ εὐτραφές. δηλοῖ δὲ τὸ
 25 λιπαρὸν αὐτῶν· τῶν γὰρ ὑγρῶν τὸ λιπαρὸν κοινὸν
 αἶρος καὶ πυρός ἐστιν. διὰ τοῦτο οὐδὲν ἔχει τῶν
 ἀναίμων οὔτε πιμελὴν οὔτε στέαρ, ὅτι οὐδ' αἷμα.
 τῶν δ' ἐναίμων τὰ μὲν σωματῶδες ἔχοντα τὸ αἷμα
 στέαρ ἔχει μᾶλλον. τὸ γὰρ στέαρ γεωδές ἐστι, διό

^a As it were, the "raw" material.

^b I have used the terms "lard" and "suet" rather than "soft fat" and "hard fat" because they represent more closely the distinction made by Aristotle. The difference between them is now known to be less fundamental, and is

PARTS OF ANIMALS, II. IV.-V.

not taken out, it does congeal, as moist earth does under the influence of cold · the cold expels the heat and makes the fluid evaporate, as has been said before ; so it is due to the solidifying effect of the cold, and not of the hot, that what remains becomes congealed And while it is in the body the blood is fluid on account of the heat which is there.

There are many points both in regard to the temperament of animals and their power of sensation which are controlled by the character of the blood. This is what we should expect : for the blood is the material ^a of which the whole body consists—material in the case of living creatures being nourishment, and blood is the final form which the nourishment assumes For this reason a great deal depends upon whether the blood be hot, cold, thin, thick, muddy, or clear. Serum is the watery part of blood ; and it is watery either because it has not yet undergone concoction or because it has been already corrupted ; consequently some of the serum is the result of a *necessary* process, and some is there for the *purpose* of producing blood.

V. The difference between lard and suet^b is parallel ^{Lard and Suet} to a difference in the blood. They both consist of blood that has been concocted as the result of plentiful nourishment ; that is, the surplus blood that is not used up to nourish the fleshy parts of the animal, but is well concocted and well nourished. (This point is proved by their greasiness, for grease in fluids is a combination of Air and Fire) This explains why there is no lard or suet in any of the bloodless animals. And among the others, those whose blood is denser tend to contain suet rather than lard. Suet

due to varying proportions of unsaturated triglycerides and the lengths of the carbon chains.

651 a

πήγνυται καθάπερ καὶ τὸ αἷμα τὸ ἰνῶδες καὶ αὐτὸ
καὶ οἱ ζῳμοὶ οἱ τοιοῦτοι· ὀλίγον γὰρ ἔχει ὕδατος,
30 τὸ δὲ πολὺ γῆς. διὸ τὰ μὴ ἀμφώδοντα ἀλλὰ
κερατώδη στέαρ ἔχει. φανερὰ δ' ἡ φύσις αὐτῶν
τοῦ τοιούτου στοιχείου πλήρης οὔσα τῷ κερατώδους
εἶναι καὶ ἀστραγάλους ἔχειν· ἅπαντα γὰρ ξηρὰ καὶ
γεηρὰ τὴν φύσιν ἐστίν. τὰ δ' ἀμφώδοντα καὶ
35 ἀκέρατα καὶ πολυσχιδῇ πιμελὴν ἔχει ἀντὶ στέατος,
ἣ οὐ πήγνυται οὐδὲ θρύπτεται ξηραίνομένη διὰ τὸ
μὴ εἶναι γεώδη τὴν φύσιν αὐτῆς.

Μέτρια μὲν οὖν ταῦτα ὄντα ἐν τοῖς μορίοις τῶν
651 b ζώων ὠφελεῖ (πρὸς μὲν γὰρ αἴσθησιν οὐκ ἐμποδίζει,
πρὸς δ' ὑγίειαν καὶ δύναμιν ἔχει βοήθειαν), ὑπερ-
βάλλοντα δὲ τῷ πλήθει φθείρει καὶ βλάπτει. εἰ
γὰρ πᾶν γένοιτο τὸ σῶμα πιμελὴ καὶ στέαρ, ἀπό-
λοιτ' ἄν. ζῶον μὲν γὰρ ἐστὶ κατὰ τὸ αἰσθητικὸν
5 μόριον, ἣ δὲ σὰρξ καὶ τὸ ἀνάλογον αἰσθητικόν· τὸ
δ' αἷμα, ὥσπερ εἴρηται καὶ πρότερον, οὐκ ἔχει
αἴσθησιν, διὸ οὐδὲ πιμελὴ οὐδὲ στέαρ· αἷμα γὰρ
πεπεμμένον ἐστίν. ὥστ' εἰ πᾶν γένοιτο τὸ σῶμα
τοιοῦτον, οὐκ ἂν ἔχοι οὐδεμίαν αἴσθησιν. διὸ καὶ
γηράσκει ταχέως τὰ λίαν πίονα· ὀλίγαιμα γὰρ ἅτε
10 εἰς τὴν πίότητα ἀναλίσκομένον τοῦ αἵματος, τὰ δ'
ὀλίγαιμα ἤδη προωδοποιῆται πρὸς τὴν φθοράν· ἣ
γὰρ φθορὰ ὀλιγαίμία τις ἐστί, καὶ τὸ ὀλίγον παθη-
τικὸν καὶ ὑπὸ ψυχροῦ τοῦ τυχόντος καὶ ὑπὸ θερμοῦ.

PARTS OF ANIMALS, II. v.

is of an earthy character ; it contains but little water against a large proportion of earth ; so it congeals just as fibrous blood and broths do. So too the animals which have horns but have teeth in one jaw only contain suet. And it is clear that their natural constitution is full of this element (earth) from the fact that they have horns and hucklebones ; indeed, they are all of them dry and earthy in constitution. On the other hand, the animals which have incisor teeth in both jaws and have toes (not uncloven hoofs), but no horns, contain lard instead of suet. Lard neither congeals nor splits up into small pieces when it dries, owing to the fact that it is not earthy.

Lard and suet when present in the parts of animals in moderate quantities are beneficial. they do not hinder the action of the senses, and they contribute towards the health and strength of the body. But when the amount of them is excessive they are destructive and injurious. This is shown by the consideration that if the whole body were to become lard and suet, it would perish. The *sine qua non* of a living creature is its sensory part, which is flesh or its counterpart ; and since, as I have said before, blood is not sensitive, neither lard nor suet, which are just concocted blood, is sensitive. Therefore, if the whole body were to become either of these, it would have no sensation whatever. For this reason, too, unduly fat animals age quickly : their blood gets used up to produce fat, so there is very little of it left ; and anything that has but little blood is well on the road to decay. In fact, decay is just a form of blood-deficiency ; and when the blood is small in bulk it is easily susceptible to the effects of accidental cold and

651 b

καὶ ἀγονώτερα δὴ τὰ πίνονά ἐστι διὰ τὴν αὐτὴν αἰτίαν· ὁ γὰρ ἔδει ἐκ τοῦ αἵματος εἰς τὴν γονὴν
 15 ἵεναι καὶ τὸ σπέρμα, τοῦτ' εἰς τὴν πιμελὴν ἀνα-
 λίσκεται καὶ τὸ στέαρ· πεττόμενον γὰρ τὸ αἷμα
 γίνεται ταῦτα, ὥστε ἢ ὅλως οὐ γίνεται περίττωμα
 αὐτοῖς οὐδὲν ἢ ὀλίγον.

Καὶ περὶ μὲν αἵματος καὶ ἰχώρος καὶ πιμελῆς
 καὶ στέατος, τί τέ ἐστιν ἕκαστον αὐτῶν καὶ διὰ
 τίνας αἰτίας, εἴρηται.

20 VI "Ἐστι δὲ καὶ ὁ μυελὸς αἵματός τις φύσις, καὶ
 οὐχ ὥσπερ οἶονταί τινες, τῆς γονῆς σπερματικὴ
 δύναμις. δηλοῖ δ' ἐν τοῖς νέοις πάμπαν· ἅτε γὰρ
 ἐξ αἵματος συνεστῶτων τῶν μορίων καὶ τῆς τροφῆς
 οὔσης τοῖς ἐμβρύοις αἵματος, καὶ ἐν τοῖς ὀστοῖς ὁ
 25 μυελὸς αἱματώδης ἐστίν αὐξανομένων δὲ καὶ πετ-
 τομένων, καθάπερ καὶ τὰ μόρια μεταβάλλει καὶ τὰ
 σπλάγχνα τὰς χροάς (ὑπερβολῇ γὰρ αἱματῶδες καὶ
 τῶν σπλάγχνων ἕκαστόν ἐστιν ἔτι νέων ὄντων),
 οὕτω καὶ ὁ μυελός.

Καὶ τῶν μὲν πιμελωδῶν λιπαρὸς καὶ πιμελῇ
 ὅμοιος, ὅσοις δὲ μὴ πιμελῇ ὅμοιον¹ ἀλλὰ στέαρ
 30 γίνεται τὸ αἷμα πεττόμενον, τούτοις δὲ στεατώδης.
 διὸ τοῖς μὲν κερατοφόροις καὶ μὴ ἀμφώδουσι
 στεατώδης, τοῖς δ' ἀμφώδουσι καὶ πολυσχιδέσι
 πιμελώδης. (ἦκιστα δὲ τοιοῦτος ὁ ῥαχίτης ἐστὶ
 μυελὸς διὰ τὸ δεῖν αὐτὸν εἶναι συνεχῇ καὶ διέχειν
 διὰ πάσης τῆς ῥάχεως διηρημένης κατὰ τοὺς
 35 σφονδύλους λιπαρὸς δ' ὢν ἢ στεατώδης οὐκ ἂν
 ὁμοίως ᾗν συνεχής, ἀλλ' ἢ θραυστὸς ἢ ὑγρὸς)

¹ ὅμοιον Z: ὅμοιος alu

^a e.g. secretion of semen. See above, on 647 b 27.

^b Plato, *Timaeus*, 73 c.

PARTS OF ANIMALS, II. v.-vi

heat. The same cause is responsible for the comparative sterility of fat animals: that part of the blood which ought to go to form semen or seed gets used up in forming lard and suet, which are formed by the concoction of blood. Hence in fat animals there is either no residue^a at all, or else very little.

I have now spoken of blood, serum, lard and suet, describing the nature and the Causes of each of them.

VI. Marrow, again, is really a form of blood, and not, Marrow as some^b think, the same as the seminal substance^c of the seed. This is proved by the case of very young animals. In the embryo, the parts are composed out of blood and its nourishment is blood; so it is not surprising that the marrow in the bones has a blood-like appearance. As they grow and become mature,^d the marrow changes its colour just like the other parts^e of the body and the viscera, which while the creature is young all have a blood-like appearance owing to the large quantity of blood in them.

Animals which contain lard have greasy marrow, like lard; those whose concocted blood produces not a substance like lard but suet have suety marrow. Hence, in the horned animals which have teeth in one jaw only the marrow is suety, and in the animals that have incisor teeth in both jaws and cloven feet it is like lard. (The spinal marrow cannot possibly be of this nature because it has to be continuous and to pass without a break right through the whole spine which is divided into separate vertebrae; and if it were fatty or suety it could not hold together as well as it does, but it would be either brittle or fluid.)

^c *Dynamis*. See Introduction, pp. 30 ff and note on 646 a 14.

^d Lit. "are concocted."

^e A good instance of Aristotle's usage of the term "part."

651 b

Ἔνια δ' οὐκ ἔχει τῶν ζώων ὡς ἀξίως εἰπεῖν
μυελόν, ὅσων τὰ ὀστᾶ ἰσχυρὰ καὶ πυκνά, οἷον τὰ

652 a τοῦ λέοντος· τούτου γὰρ τὰ ὀστᾶ, διὰ τὸ πάμπαν
ἄσημον ἔχειν, δοκεῖ οὐκ ἔχειν ὅλως μυελόν. ἐπεὶ
δὲ τὴν μὲν τῶν ὀστέων ἀνάγκη φύσιν ὑπάρχειν τοῖς
ζώοις ἢ τὸ ἀνάλογον τοῖς ὀστοῖς, οἷον τοῖς ἐνύδροις
τὴν ἄκανθαν, ἀναγκαῖον ἐνίοις ὑπάρχειν καὶ μυελόν,
ἐμπεριλαμβανομένης τῆς τροφῆς ἐξ ἧς γίνεται τὰ
ὀστᾶ. ὅτι δ' ἡ τροφή πᾶσιν αἷμα, εἴρηται πρό-
τερον. εὐλόγως δὲ καὶ στεατώδεις οἱ μυελοὶ καὶ
πιμελώδεις εἰσίν· διὰ γὰρ τὴν ἀλέαν τὴν γινομένην
ὑπὸ τοῦ περιέχεσθαι τοῖς ὀστοῖς πέττεται τὸ αἷμα,
10 ἢ δὲ καθ' αὐτὸ πέψις αἵματος στέαρ καὶ πιμελή
ἐστίν. καὶ ἐν τοῖς δὴ τὰ ὀστᾶ πυκνὰ ἔχουσι καὶ
ἰσχυρὰ εὐλόγως ἐν τοῖς μὲν οὐκ ἔνεστι, τοῖς δ'
ὀλίγος¹ ἔνεστιν· εἰς γὰρ τὰ ὀστᾶ ἀναλίσκεται ἡ
τροφή.

Ἐν δὲ τοῖς μὴ ἔχουσιν ὀστᾶ ἀλλ' ἄκανθαν ὁ
ῥαχίτης μόνος ἐστὶ μυελός· ὀλίγαιμά τε γὰρ φύσει
15 ὑπάρχει ὄντα, καὶ κοίλη ἄκανθα μόνον ἢ τῆς ῥά-
χεώς ἐστίν. διὸ ἐν ταύτῃ ἐγγίνεται· μόνη τε γὰρ
ἔχει χώραν, καὶ μόνη δεῖται συνδέσμου διὰ τὰς
διαλήψεις. διὸ καὶ ὁ ἐνταῦθα μυελός, ὥσπερ
εἴρηται, ἀλλοιότερός ἐστιν· διὰ τὸ ἀντὶ περόνης

ὀλίγοις per errorem Bekker.

PARTS OF ANIMALS, II. vi

Some animals have no marrow worth mentioning : these are they whose bones are strong and close-textured : for instance, the Lion, whose bones contain so insignificant an amount of marrow that they look as if they contained none at all. Now in view of the fact that the bodies of animals must have in them either bones or the counterpart of bones (*e g* the spines in water-animals), it follows of necessity that some of them must contain marrow as well, because the nourishment which builds up the bones is contained within them. Now we have stated already that the general nourishment of the parts of the body is blood. And it is quite reasonable that the various sorts of marrow should be suety and lardy ; because the blood undergoes concoction owing to the heat produced by its being surrounded by bone, and the product of blood when it undergoes concoction by itself is suet and lard. Similarly, of the animals that have strong, close-textured bones, some have no marrow, others have but little, and this is reasonable too, because the nourishment gets used up to supply the substance of the bones themselves.

In those animals that have no bones but only a spine, the backbone contains the only marrow they possess. It is the nature of these creatures to have but a small amount of blood, and their only hollow spine is that of the backbone. Therefore the marrow is formed in it—indeed, it is the only bone where there is room for the marrow, and the only one which requires something to connect it together, owing to its being divided up into segments. This also explains why the marrow here is (as I have already said) somewhat different from the marrow elsewhere. It has to serve as a fastening,

652 a

γὰρ γίνεσθαι γλίσχρος, καὶ νευρώδης ἐστὶν ἔν' ἔχῃ τάσιν.

- 20 Διὰ τί μὲν οὖν μυελὸν ἔχει τὰ ζῶα τὰ ἔχοντα μυελόν, εἴρηται· καὶ τί ἐστὶν ὁ μυελός, ἐκ τούτων φανερόν, ὅτι τῆς αἵματικῆς τροφῆς τῆς εἰς ὅσῳ καὶ ἄκανθαν μεριζομένης ἐστὶ τὸ ἐμπεριλαμβανόμενον περίττωμα πεφθέν.

- VII. Περὶ δ' ἐγκεφάλου σχεδόν ἐστιν ἐχόμενον
 25 εἰπεῖν· πολλοῖς γὰρ καὶ ὁ ἐγκέφαλος δοκεῖ μυελὸς εἶναι καὶ ἀρχὴ τοῦ μυελοῦ διὰ τὸ συνεχῇ τὸν ῥαχίτην αὐτῷ ὀρᾶν μυελόν. ἔστι δὲ πᾶν τοῦναντίον αὐτῷ τὴν φύσιν ὡς εἰπεῖν· ὁ μὲν γὰρ ἐγκέφαλος ψυχρότατον τῶν ἐν τῷ σώματι μορίων, ὁ δὲ μυελὸς θερμὸς τὴν φύσιν· δηλοῖ δ' ἡ λιπαρότης αὐτοῦ καὶ
 30 τὸ πῖον. διὸ καὶ συνεχῆς ὁ ῥαχίτης τῷ ἐγκεφάλῳ ἐστὶν αἰεὶ γὰρ ἡ φύσις μηχανᾶται πρὸς τὴν ἐκάστου ὑπερβολὴν βοήθειαν τὴν τοῦ ἐναντίου παρεδρίαν, ἵνα ἀνισάζῃ τὴν θατέρου ὑπερβολὴν θάτερον. ὅτι μὲν οὖν ὁ μυελὸς θερμός¹ ἐστὶ, δῆλον ἐκ πολλῶν. ἡ δὲ
 35 τοῦ ἐγκεφάλου ψυχρότης φανερά μὲν καὶ κατὰ τὴν θίξιν, ἔτι δ' ἀναιμότατον τῶν ὑγρῶν τῶν ἐν τῷ σώματι πάντων (οὐδ' ὅτι οὖν γὰρ αἵματος ἔχει ἐν
 652 b αὐτῷ) καὶ αὐχμηρότατον. ἔστι δ' οὔτε περίττωμα οὔτε τῶν συνεχῶν μορίων, ἀλλὰ ἴδιος ἡ φύσις, καὶ εὐλόγως τοιαύτη. ὅτι μὲν οὖν οὐκ ἔχει συνέχειαν οὐδεμίαν πρὸς τὰ αἰσθητικὰ μόρια, δῆλον μὲν καὶ
 5 διὰ τῆς ὄψεως, ἔτι δὲ μᾶλλον τῷ μηδεμίαν ποιεῖν αἰσθησιν θιγγανόμενος, ὥσπερ οὐδὲ τὸ αἶμα οὐδὲ τὸ περίττωμα τῶν ζώων.

¹ θερμός PZ· θερμόν vulg.

PARTS OF ANIMALS, II. VI.—VII.

and so it is sticky; and it is sinewy too so that it can stretch.

We have now explained why marrow is present in certain animals. We have also made clear what marrow is. The surplus of the blood-like nourishment normally distributed into the bones (or spine) gets enclosed within the bones, and after it has undergone concoction then it is marrow.

VII. The brain is the next subject on our list. It ^{Brain} comes appropriately after the marrow, as many think that the brain is really marrow and is the source of the marrow, because, as observation shows, the spinal marrow is continuous with the brain. As a matter of fact, however, the two are quite opposite in nature. The brain is the coldest of all the parts in the body, whereas the marrow is hot, as is shown by the fact that it is greasy and fat. And that is the real reason why the spinal marrow is continuous with the brain. Nature is always contriving to set next to anything that is excessive a reinforcement of the opposite substance, so that the one may level out the excess of the other. Now there are many indications that the marrow is hot; and the coldness of the brain is shown not only by its being cold to the touch, but also by its being the driest of all the fluid parts of the body and the one that has the least blood in it—in fact, it has none at all. It is not a residue, nor is it to be classed among the parts that are continuous. It is peculiar in its nature, and this after all is but reasonable. Inspection shows that the brain has no continuity with the sensory parts, but this is shown still more unmistakably by the fact that like the blood and the residues it produces no sensation when it is touched.

652b

Ἵπάρχει δὲ τοῖς ζώοις πρὸς τὴν τῆς φύσεως
 ὅλης σωτηρίαν. οἱ μὲν γὰρ τοῦ ζώου τὴν ψυχὴν
 τιθέασιν πῦρ ἢ τοιαύτην τινὰ δύναμιν, φορτικῶς
 τιθέντες· βέλτιον δ' ἴσως φάναι ἐν τοιούτῳ τινὶ
 10 σώματι συνεστάναι. τούτου δ' αἴτιον ὅτι τοῖς τῆς
 ψυχῆς ἔργοις ὑπερρετικώτατον τῶν σωμάτων τὸ
 θερμόν ἐστιν· τὸ τρέφειν γὰρ καὶ κινεῖν ψυχῆς
 ἔργον ἐστί, ταῦτα δὲ διὰ ταύτης μάλιστα γίνεται
 τῆς δυνάμεως. ὁμοιον οὖν τὸ τὴν ψυχὴν εἶναι
 φάναι πῦρ καὶ τὸ πρίονα ἢ τρύπανον τὸν τέκτονα
 15 ἢ τὴν τεκτονικὴν, ὅτι τὸ ἔργον περαίνεται ἐγγὺς
 ἀλλήλων οὖσιν. ὅτι μὲν οὖν θερμότητος τὰ ζῶα
 μετέχειν ἀναγκαῖον, δηλὸν ἐκ τούτων· ἐπεὶ δ'
 ἅπαντα δέεται τῆς ἐναντίας ῥοπῆς, ἵνα τυγχάνῃ τοῦ
 μετρίου καὶ τοῦ μέσου (τὴν γὰρ οὐσίαν ἔχει τοῦτο
 καὶ τὸν λόγον, τῶν δ' ἄκρων ἐκάτερον οὐκ ἔχει
 20 χωρὶς), διὰ ταύτην τὴν αἰτίαν πρὸς τὸν τῆς καρδίας
 τόπον καὶ τὴν ἐν αὐτῇ θερμότητα μεμηχάνηται τὸν
 ἐγκέφαλον ἢ φύσιν, καὶ τούτου χάριν ὑπάρχει τοῦτο
 τὸ μόριον τοῖς ζώοις, τὴν φύσιν ἔχον κοινὴν ὕδατος
 καὶ γῆς, καὶ διὰ τοῦτο τὰ <μὲν>¹ ἔναιμα ἔχει πάντα
 ἐγκέφαλον, τῶν δ' ἄλλων οὐδὲν ὥς εἰπεῖν, πλὴν ὅτι
 25 κατὰ τὸ ἀνάλογον, οἷον ὁ πολύπους· ὀλιγόθερμα γὰρ
 πάντα διὰ τὴν ἀναιμίαν.

Ὁ μὲν οὖν ἐγκέφαλος εὐκρατον ποιεῖ τὴν ἐν τῇ
 καρδίᾳ θερμότητα καὶ ζέσιν· ἵνα δὲ καὶ τοῦτο τὸ
 μόριον τυγχάνῃ μετρίας θερμότητος, ἀφ' ἐκατέρας
 τῆς φλεβός, τῆς τε μεγάλης καὶ τῆς καλουμένης
 30 ἀορτῆς, τελευτῶσιν αἱ φλέβες εἰς τὴν μήνιγγα τὴν

¹ <μὲν> Rackham.

^a e.g. Democritus, see Aristotle, *De anima*, 403 b 31.

^b Or, "proportion."

PARTS OF ANIMALS, II VII.

The brain is present in order to preserve the animal organism as a whole. Some ^a maintain that the Soul of an animal is Fire or some such substance. This is a crude way of putting it ; and might be improved upon by saying that the Soul is carried in some body of a fiery nature. The reason for this is that the hot substance is the most serviceable of all for the activities of the Soul. *E.g* , one of the activities of the Soul is to nourish ; another is to cause motion ; and these are most readily effected by means of this substance (*viz.* the hot). So to say that the Soul is fire is like saying that the craftsman, or his craft, is the saw or the auger which he uses, on the ground that the activity is performed while the two are near together. From what we have said this at any rate is clear . animals must of necessity have in them a certain amount of heat Now, everything needs something to counterbalance it, so that it may achieve moderation and the mean ; and it is the mean, of course, and not either of the extremes alone, which has reality and rationality.^b For this cause nature has contrived the brain to counterbalance the region of the heart and the heat in it ; and that is why animals have a brain, the composition of which is a combination of Water and Earth. Hence, although all blooded animals have a brain, practically none of the others has (unless it be just a counterpart, as in the case of the Octopus), for since they lack blood they have but little heat.

The brain, then, makes the heat and the boiling in the heart well blent and tempered ; yet in order that the brain may still have a moderate heat, blood-vessels run from the great Blood-vessel and what is known as the Aorta, till they reach the membrane

652 b

περὶ τὸν ἐγκέφαλον. πρὸς δὲ τὸ τῇ θερμότητι μὴ
 βλάπτειν, ἀντὶ μὲν μεγάλων <καὶ>¹ ὀλίγων πυκναὶ
 καὶ λεπταὶ φλέβες περιέχουσιν αὐτόν, ἀντὶ δὲ πολ-
 λοῦ καὶ παχέος αἵματος λεπτὸν καὶ καθαρὸν διὸ
 καὶ τὰ ρεύματα τοῖς σώμασιν ἐκ τῆς κεφαλῆς ἐστι
 35 τὴν ἀρχήν, ὅσοις ἂν ᾗ τὰ περὶ τὸν ἐγκέφαλον
 ψυχρότερα τῆς συμμέτρου κράσεως· ἀναθυμιω-
 653 a μένης γὰρ διὰ τῶν φλεβῶν ἄνω τῆς τροφῆς τὸ
 περίττωμα ψυχόμενον διὰ τὴν τοῦ τόπου τούτου
 δύναμιν ρεύματα ποιεῖ φλέγματος καὶ ἰχῶρος.
 δεῖ δὲ λαβεῖν, ὥς μεγάλῳ παρεικάζοντα μικρόν,
 ὁμοίως συμβαίνειν ὥσπερ τὴν τῶν ὑετῶν γένεσιν·
 5 ἀναθυμιωμένης γὰρ ἐκ τῆς γῆς τῆς ἀτμίδος καὶ
 φερομένης ὑπὸ τοῦ θερμοῦ πρὸς τὸν ἄνω τόπον,
 ὅταν ἐν τῷ ὑπὲρ τῆς γῆς γένηται ἀέρι ὄντι ψυχρῷ,
 συνίσταται πάλιν εἰς ὕδωρ διὰ τὴν φύσιν καὶ ρεῖ
 κάτω πρὸς τὴν γῆν. ἀλλὰ περὶ μὲν τούτων ἐν ταῖς
 τῶν νόσων ἀρχαῖς ἀρμόττει λέγειν, ἐφ' ὅσον τῆς φυ-
 10 σικῆς φιλοσοφίας ἐστὶν εἰπεῖν περὶ αὐτῶν.

Ποιεῖ δὲ καὶ τὸν ὕπνον τοῖς ζώοις τοῦτο τὸ
 μόριον τοῖς ἔχουσιν ἐγκέφαλον, τοῖς δὲ μὴ ἔχουσι
 τὸ ἀνάλογον· καταψύχον γὰρ τὴν ἀπὸ τῆς τροφῆς
 τοῦ αἵματος ἐπίρρυσιν (ἢ καὶ διὰ τινας ὁμοίας
 αἰτίας ἄλλας), βαρύνει τε τὸν τόπον (διὸ τὴν κεφαλὴν
 15 κερηβαροῦσιν οἱ ὑπνώσσοντες) καὶ κάτω ποιεῖ τὸ
 θερμὸν ὑποφεύγειν μετὰ τοῦ αἵματος. διὸ πλείον
 ἄθροισζόμενον ἐπὶ τὸν κάτω τόπον ἀπεργάζεται τὸν
 ὕπνον, καὶ τὸ δύνασθαι ἐστάναι ὀρθὰ ἀφαιρεῖται
 ὅσα τῶν ζώων ὀρθὰ τὴν φύσιν ἐστί, τῶν δ' ἄλλων

¹ <καὶ> Rackham.

PARTS OF ANIMALS, II. VII.

which surrounds the brain. And in order to prevent injury being done through heat, the blood-vessels surrounding it are not few and large but small and multitudinous ; and the blood is not plentiful and thick but thin and clear. This also explains why fluxes begin in the head ; they occur when the parts around the brain are too cold to allow of a well-tempered blend. What happens is that, as the nourishment rises up in vapour through the blood-vessels, the residue from it becomes cooled owing to the specific nature of the brain, and produces fluxes of phlegm and serum. And we should be justified in maintaining that this process resembles, on a small scale, the one which produces rain-showers. Damp vapour rises up from the earth and is carried into the upper regions by the heat ; and when it reaches the cold air up aloft, it condenses back again into water owing to the cold, and pours down towards the earth. However, so far as Natural Philosophy is concerned with these matters, the proper place to speak of them is in the *Origins of Diseases*.^a

Furthermore, it is the brain (or, if there is no brain, its counterpart) which produces sleep in animals. It cools the onflow of blood which comes from the food (or else is due to other causes of the same sort), and weighs down the part where it is (that is why when a person is sleepy his head is weighed down), and causes the hot substance to escape below together with the blood. Hence, the blood accumulates unduly in the lower region of the body and produces sleep ; at the same time it takes away from those animals whose nature is to stand upright the power to do so, and the others it prevents from

^a No such treatise exists.

653 a

τὴν ὀρθότητα τῆς κεφαλῆς περὶ ὧν εἴρηται καθ'
 20 αὐτὰ ἔν τε τοῖς περὶ αἰσθήσεως καὶ περὶ ὕπνου
 διωρισμένοις.

“Ὅτι δ’ ἐστὶν ὁ ἐγκέφαλος κοινὸς ὕδατος καὶ
 γῆς, δηλοῖ τὸ συμβαίνειν περὶ αὐτόν· ἐψόμενος γὰρ
 γίνεται ξηρὸς καὶ σκληρὸς, καὶ λείπεται τὸ γεῶδες
 ἐξατμισθέντος τοῦ ὕδατος ὑπὸ τῆς θερμότητος,
 ὥσπερ τὰ τῶν χεδρόπων ἐψήματα καὶ τῶν ἄλλων
 25 καρπῶν, διὰ τὸ γῆς εἶναι τὸ πλείστον μέρος, ἐξ-
 ιόντος τοῦ मिχθέντος ὕγρου· καὶ γὰρ ταῦτα γίνεται
 σκληρὰ καὶ γεηρὰ πάμπαν.

Ἐχει δὲ τῶν ζώων ἐγκέφαλον πλείστον ἄνθρωπος
 ὡς κατὰ μέγεθος, καὶ τῶν ἀνθρώπων οἱ ἄρρενες τῶν
 θηλειῶν καὶ γὰρ τὸν περὶ τὴν καρδίαν καὶ τὸν
 30 πλεύμονα τόπον θερμότατον καὶ ἐναιμότατον. διὸ
 καὶ μόνον ἐστὶ τῶν ζώων ὀρθόν· ἡ γὰρ τοῦ θερμοῦ
 φύσις ἐνισχύουσα ποιεῖ τὴν αὔξησιν ἀπὸ τοῦ μέσου
 κατὰ τὴν αὐτῆς φοράν. πρὸς οὖν πολλὴν θερμότητα
 ἀντίκειται πλείων ὑγρότης καὶ ψυχρότης, καὶ διὰ τὸ
 πλήθος ὀψιαίτατα πηγνυται τὸ περὶ τὴν κεφαλὴν
 35 ὁστοῦν, ὃ καλοῦσι βρέγμα τινές, διὰ τὸ πολὺν
 χρόνον τὸ θερμὸν ἀπατμίζειν· τῶν δ’ ἄλλων οὐδενὶ
 τοῦτο συμβαίνει τῶν ἐναίμων ζώων. καὶ ῥαφὰς δὲ
 653 b πλείστας ἔχει περὶ τὴν κεφαλὴν, καὶ τὸ ἄρρεν
 πλείους τῶν θηλειῶν, διὰ τὴν αὐτὴν αἰτίαν, ὅπως ὁ
 τόπος εὐπνους ἦ, καὶ μᾶλλον ὁ πλείων ἐγκέφαλος·
 ὑγραινόμενος γὰρ ἢ ξηραινόμενος μᾶλλον οὐ ποιήσει
 τὸ αὐτοῦ ἔργον, ἀλλ’ ἢ οὐ ψύξει ἢ πῆξει, ὥστε

^a See *De somno*, 455 b 28 ff., especially 456 b 17 ff.

^b The cranial bone, the anterior fontanel.

PARTS OF ANIMALS, II VII.

holding their heads upright. These matters have been spoken of separately in the treatises on *Sensation* and on *Sleep*.^a

I said the brain is compounded of Water and Earth. This is shown by what happens when it is boiled. Then it becomes solid and hard : the earthy substance is left behind after the Water has evaporated owing to the heat. It is just what happens when pulse and other forms of fruit are boiled ; they also get hard and earthy altogether, because the greater part of them is earth, and the fluid mixed with it departs when they are boiled

Of all the animals, man has the largest brain for his size ; and men have a larger brain than women. In both cases the largeness is due to there being a great deal of heat and blood in the region around the heart and the lung. This too explains why man is the only animal that stands upright. As the hot substance prevails in the body it induces growth, beginning from the centre along its own line of travel. It is against great heat, then, that a large supply of fluid and cold is provided. This bulk of moisture is also the reason why the bone that surrounds the brain (called by some the *bregma*)^b is the last of all to solidify ; the hot substance takes a long time to evaporate it off. This phenomenon does not occur in any other of the blooded animals. Again, man has more sutures in the skull than any other animal, and males have more than females. The size of the brain is the reason for this also ; it is to secure ventilation, and the larger the brain, the more ventilation it requires. If the brain becomes unduly fluid or unduly solid, it will not perform its proper function, but will either fail to cool the blood or else

653 b

5 νόσους καὶ παρανοίας ποιεῖν καὶ θανάτους· τὸ γὰρ ἐν τῇ καρδίᾳ θερμὸν καὶ ἡ ἀρχὴ συμπαθέστατόν ἐστι καὶ ταχεῖαν ποιεῖται τὴν αἰσθησιν μεταβάλλοντός τι καὶ πάσχοντος τοῦ περὶ τὸν ἐγκέφαλον αἵματος.

Περὶ μὲν οὖν τῶν συμφύτων τοῖς ζώοις ὑγρῶν
10 σχεδὸν εἴρηται περὶ πάντων· τῶν δ' ὑστερογενῶν τά τε περιττώματα τῆς τροφῆς ἐστί, τό τε τῆς κύστεως ὑπόστημα καὶ τὸ τῆς κοιλίας, καὶ παρὰ ταῦτα γονὴ καὶ γάλα τοῖς πεφυκόσιν ἔχειν ἕκαστα τούτων. τὰ μὲν οὖν τῆς τροφῆς περιττώματα περὶ τὴν τῆς τροφῆς σκέψιν καὶ θεωρίαν οἰκείους ἔχει
15 τοὺς λόγους, τίσι τε τῶν ζώων ὑπάρχει καὶ διὰ τίνος αἰτίας, τὰ δὲ περὶ σπέρματος καὶ γάλακτος ἐν τοῖς περὶ γενέσεως· τὸ μὲν γὰρ ἀρχὴ γενέσεως αὐτῶν ἐστι, τὸ δὲ χάριν γενέσεως.

VIII. Περὶ δὲ τῶν ἄλλων μορίων τῶν ὁμοιο-
20 μερῶν σκεπτέον, καὶ πρῶτον περὶ σαρκὸς ἐν τοῖς ἔχουσι σάρκας, ἐν δὲ τοῖς ἄλλοις τὸ ἀνάλογον· τοῦτο γὰρ ἀρχὴ καὶ σῶμα καθ' αὐτὸ τῶν ζώων ἐστίν. δῆλον δὲ καὶ κατὰ τὸν λόγον τὸ γὰρ ζῶον ὀριζόμεθα τῷ ἔχειν αἰσθησιν, πρῶτον δὲ τὴν πρῶτην· αὕτη δ' ἐστὶν ἀφή, ταύτης δ' αἰσθητήριον τὸ τοιοῦ-
25 τον μόριόν ἐστιν, ἥτοι τὸ πρῶτον, ὥσπερ ἡ κόρη

^a At *De gen. an.* 722 a, 776 a 15 ff.

PARTS OF ANIMALS, II. VII.—VIII.

will make it set fast, thus producing various forms of disease, madness, and death. Indeed, the heat that is in the heart, being the source, is extremely responsive to any influence upon it; and if the blood which surrounds the brain undergoes any change or any other affection, then this hot matter at once becomes sensitive of it.

We may now claim to have considered all the fluids which are present in animal bodies from their very earliest stages. There are others which are first produced only at some later stage, and among these we must reckon the residues of the nourishment—that is to say, the deposits from the bladder and from the gut; and also semen, and milk; these make their appearance according to the species and sex of the animal concerned. Discussion of the residues of the nourishment will come in appropriately during our general consideration and examination of nourishment; we shall then show in what animals they occur, and why they do so. Semen, which gives rise to generation, and milk, which exists on account of generation, we shall deal with in the treatise on *Generation*.^a

VIII We must now go on to consider the rest of the uniform parts. Let us take first of all Flesh (and, where Flesh is absent, its counterpart), which is the fundamental and essential substance of animal bodies. This primacy of flesh can be logically shown, as follows. We define an animal as something that has the power of sensation, and chiefly the primary sensation, which is touch; and the organ through which this sensation is effected is the flesh (or its counterpart). And flesh is either its chief organ (comparable to the pupil in the case of sight), or else it is the organ and

Flesh and
Bone

653 b

τῆς ὄψεως, ἢ τὸ δι' οὗ συνειλημμένον, ὥσπερ ἂν εἴ
 τις προσλάβοι τῇ κόρῃ τὸ διαφανὲς πᾶν. ἐπὶ μὲν
 οὖν τῶν ἄλλων αἰσθήσεων ἀδύνατόν τε καὶ οὐδὲν
 προὔργου τοῦτ' ἦν ποιῆσαι τῇ φύσει, τὸ δ' ἀπτικὸν
 ἐξ ἀνάγκης μόνον γὰρ ἢ μάλιστα τοῦτ' ἐστὶ σωμα-
 30 τῶδες τῶν αἰσθητηρίων. κατὰ δὲ τὴν αἴσθησιν
 φανερόν πάντα τᾶλλα τούτου χάριν ὄντα, λέγω δ'
 οἷον ὀστᾶ καὶ δέρμα καὶ νεῦρα καὶ φλέβες, ἔτι δὲ
 τρίχες καὶ τὸ τῶν ὀνύχων γένος, καὶ εἴ τι τοιοῦτον
 ἕτερόν ἐστιν. ἡ μὲν γὰρ τῶν ὀστῶν φύσις σωτη-
 ρίας ἔνεκεν μεμηχάνηται (τοῦ)¹ μαλακοῦ, σκληρὰ
 35 τὴν φύσιν οὔσα, ἐν τοῖς ἔχουσιν ὀστᾶ· ἐν δὲ τοῖς
 μὴ ἔχουσι, τὸ ἀνάλογον, οἷον ἐν τοῖς ἰχθύσι τοῖς
 μὲν ἄκανθα τοῖς δὲ χόνδρος.

Τὰ μὲν οὖν ἔχει τῶν ζώων ἐντὸς τὴν τοιαύτην
 654 a βοήθειαν, ἕνια δὲ τῶν ἀναίμων ἐκτός, ὥσπερ τῶν τε
 μαλακοστράκων ἕκαστον, οἷον καρκίνοι καὶ τὸ τῶν
 καράβων γένος, καὶ τὸ τῶν ὀστρακοδέρμων ὡς-
 αὐτως, οἷον τὰ καλούμενα ὀστρεα· πᾶσι γὰρ τούτοις
 τὸ μὲν σαρκῶδες ἐντός, τὸ δὲ συνέχον καὶ φυλάττον
 5 ἐκτός τὸ γεῶδες ἐστίν· πρὸς γὰρ τῇ φυλακῇ τῆς
 συνεχείας, τῷ ἔχειν ὀλίγον αὐτῶν τὴν φύσιν θερμὸν
 ἀναίμων ὄντων, οἷον πνιγεύς τις περικείμενον τὸ
 ὀστρακον φυλάττει τὸ ἐμπεπυρευμένον θερμόν. ἡ
 δὲ χελώνη καὶ τὸ τῶν ἐμύδων γένος ὁμοίως ἔχειν

¹ (τοῦ) Ogle.

^a Apparently because the objects with which it deals are more "corporeal" than those of the other senses—it has to be in bodily contact with them.

^b As apart from *a priori* reasoning.

^c Sometimes, as here, "counterpart" could be represented by the modern term "analogue."

^d Lit., "the soft-shelled creatures."

PARTS OF ANIMALS, II. VIII.

the medium of the sensation combined in one (as if in discussing sight we took the whole of the transparent medium as well as the pupil) Now not only was it pointless, it was impossible for Nature to make such a combination in the case of the other senses ; with touch, however, it was unavoidable, since its sense-organ is the only one which is corporeal—or at least it is definitely the most corporeal one ^a It is also clear from our actual experience in sensation ^b that all the other parts exist for the sake of the organ of touch (the flesh) In these I include the bones, the skin, the sinews, the blood-vessels ; also the hair, nails of every sort and kind, and the like The bones, for instance, which are hard in substance, have been devised for the preservation of the soft parts The same is true of the counterpart ^c of the bones in other creatures : two examples in species of fish are spine and cartilage

Now with some animals this hard supporting substance is situated inside the body, with others (some of the bloodless ones) it is outside. It is outside in the case of all the Crustacea ^d (e g the Crabs and the group of Crayfish), and the group of Testacea ^e too, e g. those that are known as Oysters. All these have their fleshy part inside, and the earthy part which holds them together and protects them is outside—outside, because it performs an additional function as well since these creatures are bloodless, they possess but little heat, and the shell acts like a *couvre-feu* ; it encloses the faintly burning heat and protects it. Another quite different group of creatures, the Turtles and the group of freshwater

^a Lit., “the shell-skinned creatures.” “Testacea” is the nearest modern term. See Introduction, p. 23.

654 a

δοκεῖ τούτοις, ἕτερον ὃν γένος τούτων. τὰ δ'
 10 ἔντομα τῶν ζώων καὶ τὰ μαλάκια τούτοις τ'
 ἐναντίως καὶ αὐτοῖς ἀντικειμένως συνέστηκεν· οὐδὲν
 γὰρ ὁστῶδες ἔχειν ἔοικεν οὐδὲ γεγηρὸν ἀποκεκρι-
 μένον, ὃ τι καὶ ἄξιον εἰπεῖν, ἀλλὰ τὰ μὲν μαλάκια
 σχεδὸν ὅλα σαρκώδη καὶ μαλακά, πρὸς δὲ τὸ μὴ
 εὐφθαρτον εἶναι τὸ σῶμα αὐτῶν, καθάπερ τὰ
 15 σαρκώδη, μεταξὺ σαρκὸς καὶ νεύρου τὴν φύσιν ἔχει.
 μαλακὸν μὲν γὰρ ὥσπερ σάρξ ἐστίν, ἔχει δὲ τάσιν
 ὥσπερ νεῦρον· τὴν δὲ σχίσιν ἔχει τῆς σαρκὸς οὐ
 κατ' εὐθυωρίαν ἀλλὰ κατὰ κύκλους διαιρετήν·
 οὕτως γὰρ [ἄν]¹ ἔχον χρησιμώτατον ἂν εἴη² πρὸς τὴν
 20 ἰσχύν. ὑπάρχει δ' ἐν αὐτοῖς καὶ τὸ ἀνάλογον ταῖς
 τῶν ἰχθύων ἀκάνθαις, οἷον ἐν μὲν ταῖς σηπίαις τὸ
 καλούμενον σηπίον, ἐν δὲ ταῖς τευθίσιν τὸ καλού-
 μενον ξίφος. τὸ³ δ' αὖ τῶν πολυπόδων <γένος>⁴
 τοιοῦτον οὐδὲν ἔχει διὰ τὸ μικρὸν ἔχειν τὸ κύτος
 τὴν καλουμένην κεφαλὴν, θάτερα δ' εὐμήκη. διὸ
 πρὸς τὴν ὀρθότητα αὐτῶν καὶ τὴν ἀκαμψίαν ὑπ-
 25 ἐγράψε ταῦτα ἡ φύσις, ὥσπερ τῶν ἐναίμων τοῖς
 μὲν ὁστοῦν τοῖς δ' ἄκανθαν. τὰ δ' ἔντομα τούτοις
 τ' ἐναντίως ἔχει καὶ τοῖς ἐναίμοις, καθάπερ εἵπομεν·
 οὐδὲν γὰρ ἀφωρισμένον ἔχει σκληρόν, τὸ δὲ μαλα-
 κόν, ἀλλ' ὅλον τὸ σῶμα σκληρόν, σκληρότητα δὲ
 τοιαύτην, ὁστοῦ μὲν σαρκωδεστέραν, σαρκὸς δ'

¹ [ἄν] clusi³ τὸ Platt· τὰ vulg.² χρησιμώτατα εἴη SU.¹ <γένος> Platt.

PARTS OF ANIMALS, II. VIII.

Tortoises, are apparently in like case. On the other hand, the Insects and the Cephalopods are differently constructed from these, as well as being different from each other. Not only, as it appears, have they no bony part, but they have practically no earthy part at all distinct from the rest of the body. The Cephalopods are almost wholly soft and fleshy, yet in order to prevent their bodies from being easily destroyed as those of the fleshy creatures are, the substance of which they are formed is intermediate between flesh and sinew, having the softness of flesh and the elasticity of sinew. When it is split up, it breaks as flesh does, that is, not longitudinally but into circular portions. The reason for this seems to be that such a structure secures the greatest strength. There is found also in these creatures the counterpart of the spinous bones of fishes; examples are: the "pounce" (*os sepiæ*) of the cuttlefish, and the "pen" (*gladius*) of the calamaries. Nothing of this sort, however, appears in the Octopuses: this is because in them what is called the "head" forms but a small sac, whereas in the cuttlefish and calamaries the "head" is of considerable length. So we see that, in order to secure that they should be straight and inflexible, nature prescribed for them this hard support, just as she gave to the blooded creatures bones or spines. Quite a different contrivance obtains in the Insects—different both from the Cephalopods and from the blooded creatures, as has already been stated. In the Insects we do not find the clear-cut distinction of hard parts and soft; here, the whole body is hard, yet its hardness is such that it is more fleshlike than

654 a

30 ὅστωδεστέραν καὶ γεωδεστέραν, πρὸς τὸ μὴ εὐ-
διαίρετον εἶναι τὸ σῶμα αὐτῶν.

IX. Ἐχει δ' ὁμοίως ἢ τε τῶν ὁστών καὶ ἡ
τῶν φλεβῶν φύσις. ἐκατέρα γὰρ αὐτῶν ἀφ' ἑνὸς
ἡργμένη συνεχῆς ἐστι, καὶ οὗτ' ὅστουν ἐστὶν αὐτὸ
35 καθ' αὐτὸ οὐδέν, ἀλλ' ἢ μόριον ὡς συνεχοῦς ἢ
ἀπτόμενον καὶ προσδεδεμένον, ἵνα χρῆται ἡ φύσις

654 b

καὶ ὡς ἐνὶ καὶ συνεχεῖ καὶ ὡς δυσὶ καὶ διηρημένοις
πρὸς τὴν κάμψιν. ὁμοίως δὲ καὶ φλέψ οὐδεμία
αὐτὴ καθ' αὐτὴν ἐστὶν, ἀλλὰ πᾶσαι μόριον μιᾶς
εἰσιν. ὅστουν τε γὰρ εἴ τι κεχωρισμένον ἦν, τό τ'
5 ἔργον οὐκ ἂν ἐποίει οὐδ' χάριν ἢ τῶν ὁστών ἐστὶ
φύσις (οὔτε γὰρ ἂν κάμψεως ἦν αἴτιον οὗτ' ὀρθό-
τητος οὐδεμιᾶς μὴ συνεχές ὃν ἀλλὰ διαλείπον), ἔτι
τ' ἔβλαπτεν ἂν ὥσπερ ἄκανθά τις ἢ βέλος ἐνὸν ταῖς
σαρξίν. εἴτε φλέψ ἦν τις κεχωρισμένη καὶ μὴ
συνεχῆς πρὸς τὴν ἀρχήν, οὐκ ἂν ἔσωζε τὸ ἐν αὐτῇ
10 αἷμα· ἡ γὰρ ἀπ' ἐκείνης θερμότης κωλύει πηγνυ-
σθαι, φαίνεται δὲ καὶ σηπόμενον τὸ χωριζόμενον.
ἀρχὴ δὲ τῶν μὲν φλεβῶν ἡ καρδία, τῶν δ' ὁστών ἡ
καλουμένη ῥάχῃς τοῖς ἔχουσιν ὁστᾶ πᾶσιν, ἀφ' ἧς
συνεχῆς ἡ τῶν ἄλλων ὁστών ἐστὶ φύσις· ἡ γὰρ τὸ
μῆκος καὶ τὴν ὀρθότητα συνέχουσα τῶν ζώων ἡ
15 ῥάχῃς ἐστίν. ἐπεὶ δ' ἀνάγκη κινουμένου τοῦ ζώου

PARTS OF ANIMALS, II. VIII.—IX.

bone is and more bony and earthy than flesh. The purpose of this is to ensure that the body shall not easily break up.

IX. The system of the bones is similar to that of ^{Bones} the blood-vessels: each is a connected system beginning from one point. There is no such thing as a bone by itself in isolation; every bone is either actually part of the connected scheme, or else is attached to it and so is in contact with it. This enables Nature to use any couple of bones either as a single connected piece, or, when flexion is required, as two distinct pieces. In like manner, there is no such thing as a blood-vessel by itself in isolation: they are all of them parts of one blood-vessel. An isolated bone could never discharge the function for which all bones exist; for, being discontinuous and disconnected from the rest, it could never serve as the means either for bending or for straightening a limb; but worse than that, it would be a source of harm, like a thorn or an arrow sticking in the flesh. Similarly, if we imagine a blood-vessel isolated and not connected with the source of them all, it could never keep the blood within it in a proper condition, since it is the heat which comes from that source which prevents the blood from congealing, as is shown by the putrefaction of blood when separated from it. This source of the blood-vessels is of course the heart, and the corresponding source of the bones in all bony species is what is called the backbone. The system of the bones is a connected whole, starting from the backbone, since the backbone connects together the length of the animal's body and holds it straight. Now although this backbone is a unity because it is connected together, it

654 b

κάμπτεσθαι τὸ σῶμα, μία μὲν διὰ τὴν συνέχειάν ἐστι, πολυμερῆς δὲ τῇ διαιρέσει τῶν σπονδύλων. ἐκ δὲ ταύτης τοῖς ἔχουσι κῶλα συνεχῇ [πρὸς αὐτὴν] τὰ τούτων ὅστᾳ [τῶν ἀρμονιῶν] ἐστίν· τὰ¹ μὲν [ἔχει τὰ κῶλα κάμψιν συνδεδεμένα τοῖς² νεύροις, καὶ] τῶν
 20 ἐσχάτων συναρμοσπόντων, τοῦ μὲν ὄντος κοίλου τοῦ δὲ περιφεροῦς, ἢ καὶ ἀμφοτέρων κοίλων, ἐν μέσῳ δὲ περιειληφόντων, οἷον γόμφον, ἀστράγαλον, ἵνα γίνηται κάμψις καὶ ἔκτασις (ἄλλως γὰρ ἢ ὅλως ἀδύνατον, ἢ οὐ καλῶς ἂν ἐποιοῦν τὴν τοιαύτην κίνησιν). ἔνια δ' αὐτῶν ὁμοίαν ἔχοντα τὴν ἀρχὴν τὴν
 25 θατέρου τῇ τελευτῇ θατέρου [συνδέδεται νεύροις].³ καὶ χονδρώδη δὲ μόρια μεταξὺ τῶν κάμψεων ἐστίν,⁴ οἷον στοιβή, πρὸς τὸ ἄλληλα μὴ τρίβειν.

Περὶ δὲ τὰ ὅστᾳ αἱ σάρκες περιπεφύκασι, προσειλημμένοι λεπτοῖς καὶ ἰνώδεσι δεσμοῖς· ὧν ἕνεκεν τὸ τῶν ὀστέων ἐστὶ γένος. ὥσπερ γὰρ οἱ
 30 πλάττοντες ἐκ πηλοῦ ζῶον ἢ τινος ἄλλης ὑγρᾶς συστάσεως ὑφίστασι τῶν στερεῶν τι σωματίων, εἴθ' οὕτω περιπλάττουσι, τὸν αὐτὸν τρόπον ἢ φύσις δεδημιούργηκεν ἐκ τῶν σαρκῶν τὸ ζῶον. τοῖς μὲν οὖν ἄλλοις ὑπεστὶν ὅστᾳ τοῖς σαρκώδεσι μορίοις, τοῖς μὲν κινουμένοις διὰ κάμψιν τούτου
 85 χάριν, τοῖς δ' ἀκινήτοις φυλακῆς ἕνεκεν, οἷον αἱ
 655 a συγκλείουσαι πλευραὶ τὸ στῆθος σωτηρίας χάριν

¹ τὰ Peck: τὰς Z· ἢ vulg.: ὅστᾳ τῶν μορίων ἐστί, τὰς μὲν (ἢ μὲν vulg) ἔχει τὰ κῶλα καὶ κάμψιν Z.

² τοῖς SU: τε vulg.: γε EY.

³ ll. 16-25· hunc locum correxi, partim Σ et Albertum secutus vid. p. 46. fortasse et ἐπεὶ δ' ἀνάγκη . . . σπονδύλων (ll. 14-16) secludenda

⁴ εἰσι vulg

PARTS OF ANIMALS, II. IX.

is also a thing of many parts because of its division into vertebrae, since the body must be able to bend while the animal is in motion. And the bones of the various limbs (in those animals which have them) are connected with this backbone, from which they originate. Some of them have extremities which fit on to each other: either (*a*) one is hollow and the other rounded, or (*b*) both are hollow and hold a huckle-bone between them (as it might be a bolt), to admit of bending and extension, since these movements would be quite impossible or at any rate unsatisfactory without such an arrangement (*c*) There are some joints in which the adjacent ends of the two bones are similar in shape; [these are bound together by sinews,] and there are pieces of cartilage inserted in between them, like a pad, to prevent them from rubbing against each other.^a

Now the whole system of the bones exists to subserve the fleshy parts of the body, which have their place around the bones and are attached to them by thin fibrous threads. Modellers who set out to mould an animal out of clay or some other plastic substance begin first of all with a hard and solid core and mould their figure round it. Nature's method has been the same in fashioning animals out of flesh. With one exception, all the fleshy parts have a core of bone. for the parts that move and bend, this is present as a means for enabling the limb to bend; for those that do not move, it serves as a protection. an example of this are the ribs, enclosing the chest, which are a means of protection for the viscera in

^a The text of this paragraph has been confused by a number of interpolations, most of which I have omitted in translating.

655 a

τῶν περὶ τὴν καρδίαν σπλάγχχνων· τὰ δὲ περὶ τὴν κοιλίαν ἀνόσ τεα πᾶσιν, ὅπως μὴ κωλύῃ τὴν ἀν-οίδησιν τὴν ἀπὸ τῆς τροφῆς γινομένην τοῖς ζώοις ἐξ ἀνάγκης καὶ τοῖς θήλεσι τὴν ἐν αὐτοῖς τῶν ἐμ-βρύων αὐξήσιν.

- 5 Τὰ μὲν οὖν ζωοτόκα τῶν ζώων καὶ ἐν αὐτοῖς καὶ ἐκτὸς παραπλησίαν ἔχει τὴν τῶν ὀστέων δύναμιν καὶ ἰσχυράν. πολὺ γὰρ μείζω πάντα τὰ τοιαῦτα τῶν μὴ ζωοτόκων ὥς κατὰ λόγον εἰπεῖν τῶν σωματῶν· ἐνιαχοῦ γὰρ πολλὰ γίνεται μεγάλα τῶν ζωοτόκων,
 10 οἷον ἐν Λιβύῃ καὶ τοῖς τόποις τοῖς θερμοῖς καὶ τοῖς ξηροῖς. τοῖς δὲ μεγάλοις ἰσχυροτέρων δεῖ τῶν ὑπερεισμάτων καὶ μειζόνων καὶ σκληροτέρων, καὶ τούτων αὐτῶν τοῖς βιαστικωτέροις. διὸ τὰ τῶν ἄρρένων σκληρότερα ἢ τὰ τῶν θηλειῶν, καὶ τὰ τῶν σαρκοφάγων (ἢ τροφή γὰρ διὰ μάχης τούτοις), ὥσπερ τὰ τοῦ λέοντος· οὕτω γὰρ ἔχει ταῦτα
 15 σκληρὰν τὴν φύσιν ὥστ' ἐξάπτεσθαι τυπτομένων καθάπερ ἐκ λίθων πῦρ ἔχει δὲ καὶ ὁ δελφὶς οὐκ ἀκάνθας ἀλλ' ὀστᾶ· ζωοτόκος γὰρ ἐστίν.

- Τοῖς δ' ἐναίμοις μὲν μὴ ζωοτόκοις δὲ παρ-αλλάττει κατὰ μικρὸν ἢ φύσις, οἷον τοῖς ὄρνισιν ὀστᾶ μὲν, ἀσθενέστερα δέ. τῶν δ' ἰχθύων τοῖς μὲν
 20 ζωοτόκοις ἀκάνθα, καὶ τοῖς ὄφεσιν ἀκανθώδης ἐστὶν ἢ τῶν ὀστέων φύσις, πλὴν τοῖς λίαν μεγάλοις· τού-τοις δέ, δι' ἅπερ καὶ τοῖς ζωοτόκοις, πρὸς τὴν ἰσχὺν ἰσχυροτέρων δεῖ τῶν στερεωμάτων. τὰ δὲ καλούμενα σελάχη χονδράκανθα τὴν φύσιν ἐστίν· ὑγροτέραν τε γὰρ ἀναγκαῖον αὐτῶν εἶναι τὴν κί-

^a Cartilaginous fishes, including the sharks.

the region of the heart The exception is the parts near the belly, which in all animals are boneless. The purpose of this is that the unavoidable swelling which takes place after the receipt of nourishment may not be hampered, and (in females) to prevent any interference with the growth of the foetus

The nature of the bones is similar in all viviparous animals (that is, internally viviparous as well as externally); and as the Vivipara are much larger proportionately in bodily size than other animals, their bones are strong In some places many of these animals grow to a great size, as for example in Libya and other hot dry countries These large animals need stronger and bigger and harder supports, especially those of them that are particularly violent in their habits Hence, the bones of males are harder than the bones of females, and those of carnivorous animals than those of herbivorous, because the carnivorous have to fight for their food. An example is the Lion: it has such hard bones that when they are struck fire is kindled as it is from stones. Note that the Dolphin, being viviparous, has bones like the other viviparous creatures, and not fish-spines.

In the creatures which though blooded are not viviparous Nature has made a series of graduated changes: for example, birds have bones, but they are weaker than the bones of the Vivipara. The oviparous fishes have fish-spine, not bone, and the serpents have bone whose nature is that of fish-spine; except the very large species, and they have bones, because (just like the Vivipara) if their bodies are to be strong the solid framework of them must be stronger. The creatures called *Selachia*^a have spines made of cartilage. This is because their movement

655 a

25 νησιν, ὥστε δεῖ καὶ τὴν τῶν ἐρεισμάτων μὴ κραυ-
 ρον εἶναι ἀλλὰ μαλακωτέραν, καὶ τὸ γεῶδες εἰς
 τὸ δέρμα πᾶν ἀνήλωκεν ἢ φύσις· ἅμα δὲ τὴν αὐτὴν
 ὑπεροχὴν εἰς πολλοὺς τόπους ἀδυνατεῖ διανέμειν ἢ
 φύσις. ἔνεστι δὲ καὶ ἐν τοῖς ζωοτόκοις πολλὰ τῶν
 ὀστέων χονδρώδη, ἐν ὅσοις συμφέρει μαλακὸν εἶναι
 30 καὶ μυξῶδες¹ τὸ στερεὸν διὰ τὴν σάρκα τὴν περι-
 κειμένην, οἷον συμβέβηκε περὶ τε τὰ ὦτα καὶ
 τοὺς μυκτῆρας θραύεται γὰρ τὰ κραῦρα ταχέως
 ἐν τοῖς ἀπέχουσιν. ἢ δὲ φύσις ἢ αὐτὴ χόνδρου
 καὶ ὀστοῦ ἔστι, διαφέρει δὲ τῷ μᾶλλον καὶ ἥττον·
 διὸ καὶ οὐδέτερον αὐξάνεται ἀποκοπέν.

35 Οἱ μὲν οὖν ἐν τοῖς πεζοῖς ἀμύελοι χόνδροι κεχω-
 ρισμένῳ μυελῷ· τὸ γὰρ χωριζόμενον εἰς ἅπαν
 μεμιγμένον μαλακὴν ποιεῖ καὶ μυξώδη² τὴν τοῦ
 χόνδρου σύστασιν. ἐν δὲ τοῖς σελάχεσιν ἢ ῥάχισ
 655 b χονδρώδης μὲν ἔστιν, ἔχει δὲ μυελόν· ἀντ' ὀστοῦ
 γὰρ αὐτοῖς ὑπάρχει τοῦτο τὸ μόριον.

Σύνεγγυς δὲ κατὰ τὴν ἀφήν ἔστι τοῖς ὀστοῖς καὶ
 τὰ τοιάδε τῶν μορίων, οἷον ὄνυχές τε καὶ ὄπλα καὶ
 χηλαὶ καὶ κέρατα καὶ ῥύγχη τὰ τῶν ὀρνίθων. πάντα
 5 δὲ ταῦτα βοηθείας ἔχουσι χάριν [τὰ ζῶα]³ τὰ γὰρ ἐξ
 αὐτῶν συνεστηκότα ὅλα καὶ συνώνυμα τοῖς μορίοις,
 οἷον ὄπλή τε ὄλη καὶ κέρας ὅλον, μεμηχάνηται πρὸς
 τὴν σωτηρίαν ἐκάστοις. ἐν τούτῳ δὲ τῷ γένει καὶ

¹ ζυμῶδες Z.² ζυμώδη EPSZ.³ [τὰ ζῶα] secludit Rackham.^a Cf the "law of organic equivalents."^b See note on 644 a 17.

has to be somewhat supple, and accordingly the supporting framework of their bodies must be somewhat pliable, not brittle. In addition, Nature cannot allot the same plentiful supply of any one substance to many different parts of the body ;^a and in the case of the Selachia she has used up all the available earthy substance in constructing their skin. In the Vivipara too there are many instances of cartilaginous bones : they are found where it is an advantage that the solid framework should be pliable and glutinous for the benefit of the flesh that surrounds them. This applies to the ears and the nostrils. Such projecting parts quickly get broken if they are brittle. Cartilage and bone are the same in kind and differ only by "the more and less"^b ; so neither of them continues to grow when it has been cut out of the living organism.

The cartilages of land-animals contain no marrow—that is, no marrow existing as a separate thing. What in ordinary bones is separable is here mixed in with the body of the cartilage and gives it its pliable and glutinous character. In the Selachia, however, although the backbone is cartilaginous it contains marrow, because it stands to these creatures in place of a bone.

The following substances or "parts" resemble bones very closely as regards their feel : the various sorts of nail ; hoof and talon ; horn, and beak. All these substances are present for the sake of self-defence. This is shown by the fact that the complete structures which are made out of them and bear the same names—*e.g.* the complete hoof, or horn—have been contrived in each case by Nature for the creature's self-preservation. We must reckon the teeth in this

655 b

ἡ τῶν ὀδόντων ἐστὶ φύσις, τοῖς μὲν ὑπάρχουσα
 10 πρὸς ἓν ἔργον τὴν τῆς τροφῆς ἐργασίαν, τοῖς δὲ
 πρὸς τε τοῦτο καὶ πρὸς ἀλκὴν, οἷον τοῖς καρχαρ-
 ὄδουσι καὶ χαυλιόδουσι πᾶσιν. ἐξ ἀνάγκης δὲ
 πάντα ταῦτα γεώδη καὶ στερεὰν ἔχει τὴν φύσιν.
 ὄπλου γὰρ αὕτη δύναμις. διὸ καὶ πάντα τὰ τοιαῦτα
 μᾶλλον ἐν τοῖς τετράποσιν ὑπάρχει ζώοις τῶν
 15 ζωοτόκων, διὰ τὸ γεωδεστέραν ἔχειν πάντα τὴν
 σύστασιν ἢ τὸ τῶν ἀνθρώπων γένος. ἀλλὰ καὶ
 περὶ τούτων καὶ τῶν ἐχομένων, οἷον δέρματος καὶ
 κύστεως καὶ ὑμένος καὶ τριχῶν καὶ πτερῶν καὶ τῶν
 ἀνάλογον τούτοις καὶ εἴ τι τοιοῦτόν ἐστι μέρος,
 ὕστερον ἅμα τοῖς ἀνομοιομερέσι θεωρητέον τὴν
 20 αἰτίαν αὐτῶν, καὶ τίνος ἕνεκεν ὑπάρχει τοῖς ζώοις
 ἕκαστον. ἐκ τῶν ἔργων γὰρ γνωρίζειν, ὥσπερ
 καὶ κεῖνα, καὶ ταῦτα ἀναγκαῖον ἂν εἴη. ἀλλ' ὅτι
 συνώνυμα τοῖς ὅλοις τὰ μέρη, τὴν τάξιν ἀπέλαβεν
 ἐν τοῖς ὁμοιομερέσι νῦν. εἰσὶ δ' ἀρχαὶ πάντων
 τούτων τό τε ὀστοῦν καὶ ἡ σὰρξ. ἔτι δὲ περὶ
 γονῆς καὶ γάλακτος ἀπελίπομεν ἐν τῇ περὶ τῶν
 25 ὑγρῶν καὶ ὁμοιομερῶν θεωρίᾳ τοῖς γὰρ περὶ
 γενέσεως λόγοις ἀρμόττουσαν ἔχει τὴν σκέψιν. τὸ
 μὲν γὰρ αὐτῶν ἀρχὴ τὸ δὲ τροφή τῶν γινομένων
 ἐστίν.

X. Νῦν δὲ λέγωμεν οἷον ἀπ' ἀρχῆς πάλιν, ἀρξά-
 μνοι πρῶτον ἀπὸ τῶν πρώτων. πᾶσι γὰρ τοῖς

^a Which are also interfitting. See 661 b 18.

PARTS OF ANIMALS, II. IX.-X.

class too. In some creatures teeth are present to discharge one function only—viz. mastication; in others they are a means of self-defence as well (*e g* sawlike teeth^a and tusks). All these parts are of necessity earthy and solid in character; that is the proper sort of substance for a weapon. So there is a tendency for all parts of this sort to appear in the four-footed Vivipara more extensively than in man, because the former all have more earthy matter in their constitution. We shall, however, consider these substances, and the other kindred ones such as skin, bladder, membrane, hair, feather, and the counterparts of them, and all such parts, when we come to deal with the non-uniform parts. Then also we shall consider the Causes of them and for what purpose each of them is present in animal bodies; since it is true to say, of both sets of things, that our knowledge of them must be derived from a study of the functions which they discharge. The reason why we have just been taking them with the uniform substances and out of their proper order is that in them the name of the complete structure is the same as that of a portion of it, and also because the sources and principles of them all are bone and flesh. We also left out all mention of semen and milk when we were considering the fluid uniform substances. As semen is the source of the things that are generated and milk is the food that feeds them, the proper place to discuss these is in the treatise dealing with *Generation*.

X. We may now make what is practically a fresh beginning. We will begin first of all with the things that come first in importance.

The non-uniform parts

655 b

30 ζώοις τοῖς τελείοις¹ δύο τὰ ἀναγκαιοτάτα μόρια
 ἔστιν, ἥ τε δέχονται τὴν τροφήν καὶ ἥ τὸ περίπτωμα
 ἀφιασιν². οὔτε γὰρ εἶναι οὔτε αὐξάνεσθαι ἐνδέχεται
 ἄνευ τροφῆς. (τὰ μὲν οὖν φυτὰ—καὶ γὰρ ταῦτα ζῆν
 φαμεν—τοῦ μὲν ἀχρήστου περιπτώματος οὐκ ἔχει
 35 τόπον· ἐκ τῆς γῆς γὰρ λαμβάνει πεπεμμένην τὴν
 τροφήν, ἀντὶ δὲ τούτου προίεται τὰ σπέρματα καὶ
 τοὺς καρπούς.) τρίτον δὲ μέρος ἐν πᾶσιν ἔστι τὸ
 τούτων μέσον, ἐν ᾧ ἡ ἀρχὴ ἔστιν ἡ τῆς ζωῆς. ἡ
 656 a μὲν οὖν τῶν φυτῶν φύσις οὔσα μόνιμος οὐ πολυ-
 εἰδῆς ἔστι τῶν ἀνομοιομερῶν· πρὸς γὰρ ὀλίγας
 πράξεις ὀλίγων ὀργάνων ἢ χρήσις· διὸ θεωρητέον
 καθ' αὐτὰ περὶ τῆς ιδέας αὐτῶν. τὰ δὲ πρὸς τῷ
 ζῆν αἰσθησιν ἔχοντα πολυμορφοτέραν ἔχει τὴν
 5 ιδέαν, καὶ τούτων ἕτερα πρὸ ἐτέρων μᾶλλον, καὶ
 πολυχουστέραν ὅσων μὴ μόνον τοῦ ζῆν ἀλλὰ καὶ
 τοῦ εἶ ζῆν ἡ φύσις μετέιληφεν. τοιοῦτο δ' ἔστι τὸ
 τῶν ἀνθρώπων γένος· ἡ γὰρ μόνον μετέχει τοῦ
 θείου τῶν ἡμῖν γνωρίμων ζώων, ἡ μάλιστα πάντων.
 ὥστε διὰ τε τοῦτο, καὶ διὰ τὸ γνῶριμον εἶναι
 10 μάλιστ' αὐτοῦ τὴν τῶν ἕξωθεν μορίων μορφήν,
 περὶ τούτου λεκτέον πρῶτον. εὐθὺς γὰρ καὶ τὰ
 φύσει μόρια κατὰ φύσιν ἔχει τούτῳ μόνῳ, καὶ τὸ

¹ τοῖς τελείοις Peck: τοῖς γε τ Ogle: καὶ τελειουμένοις καὶ
 τελείοις Platt: καὶ τελείοις vulg.

² ἀφιασιν SUY: ἀφήσουσιν alii.

^a These three parts of the "perfect" animals are again
 referred to at *De juv. et sen.* 468 a 13 ff. At *De gen. an.*
 172

An animal can neither exist nor grow without food. Therefore in all living creatures of perfect formation^a there are two parts indispensable above all : one by which food is taken in and the other by which residues are eliminated (The second of these parts is lacking in plants, it is true, though we include them under the head of living things ; but this is because their food, which they get out of the earth, is already concocted before it enters them, and in return for it they yield their fruit and seeds.) And in all creatures there is a third part intermediate between these indispensable two, and this is the seat of the source and principle of life. Plants, moreover, are so made as to remain in one place, and thus they do not exhibit a great variety of non-uniform substances ; they have few actions to perform, and therefore but few organs are needed to perform them. For this reason we must consider plants and their formations separately. But with creatures that not only live but also have the power of sensation, the formations are more varied, and there is more diversity in some than in others, the greatest variety being found in those creatures which in addition to living have the capability of living the good life, as man has. Man is the only one of the animals known to us who has something of the divine in him, or if there are others, he has most. This is one reason why we ought to speak about man first, and another is that the shape of his external parts is better known than that of other animals. Another and obvious reason is that in man and in man alone do the natural parts appear in their natural situation : the

733 b 1 and 737 b 16, 26, the "perfect" animals are the viviparous ones. For the "most highly finished" animals see 666 a 28.

656 a

τούτου ἄνω πρὸς τὸ τοῦ ὅλου ἔχει ἄνω· μόνον γὰρ ὀρθόν ἐστι τῶν ζώων ἄνθρωπος.

- Τὸ μὲν οὖν ἔχειν τὴν κεφαλὴν ἄσαρκον ἐκ τῶν
 15 περὶ τὸν ἐγκέφαλον εἰρημένων ἀναγκαῖον συμβέβηκεν. οὐ γὰρ ὥσπερ τινὲς λέγουσιν, ὅτι εἰ σαρκώδης ἦν, μακροβιώτερον ἂν ἦν τὸ γένος· ἄλλοι δ'¹ εὐαισθησίας ἕνεκεν ἄσαρκον εἶναί φασιν· αἰσθάνεσθαι μὲν γὰρ τῷ ἐγκεφάλῳ, τὴν δ' αἴσθησιν οὐ προσίεσθαι τὰ μόρια τὰ σαρκώδη λίαν. τούτων
 20 δ' οὐδέτερόν ἐστιν ἀληθές, ἀλλὰ πολύσαρκος μὲν ὁ τόπος ὣν ὁ περὶ τὸν ἐγκέφαλον τοῦναντίον ἂν ἀπειργάζετο οὐ ἕνεκα ὑπάρχει τοῖς ζώοις ὁ ἐγκέφαλος (οὐ γὰρ ἂν ἐδύνατο καταψύχειν ἀλεαίνων αὐτὸς λίαν), τῶν τ' αἰσθήσεων οὐκ αἴτιος οὐδεμιᾶς, ὅς γε ἀναίσθητος καὶ αὐτός ἐστιν ὥσπερ ὅτι οὖν
 25 τῶν περιπτωμάτων ἀλλ' οὐχ εὐρίσκοντες διὰ τίνα αἰτίαν ἔναι τῶν αἰσθήσεων ἐν τῇ κεφαλῇ τοῖς ζώοις εἰσί, τοῦτο δ' ὁρῶντες ἰδιαίτερον ὃν τῶν ἄλλων μορίων, ἐκ συλλογισμοῦ πρὸς ἄλληλα συνδυάζουσιν. ὅτι μὲν οὖν ἀρχὴ τῶν αἰσθήσεων ἐστιν ὁ περὶ τὴν καρδίαν τόπος, διώρισται πρότερον ἐν τοῖς περὶ αἰσθήσεως, καὶ διότι αἱ μὲν δύο
 30 φανερώς ἡρτημέναι πρὸς τὴν καρδίαν εἰσίν, ἥ τε τῶν ἀπτῶν καὶ ἡ τῶν χυμῶν, τῶν δὲ τριῶν ἥ μὲν τῆς ὁσφρήσεως μέση, ἀκοὴ δὲ καὶ ὄψις μάλιστ' ἐν τῇ κεφαλῇ διὰ τὴν τῶν αἰσθητηρίων φύσιν εἰσί, καὶ

¹ ἄλλοι δ' Peck· ἀλλ' vulg.

^a See the identical phrase in *De resp.* 477 a 22.

PARTS OF ANIMALS, II. x.

upper part of man is placed towards the upper part of the universe.^a In other words, man is the only animal that stands upright.

We saw, as a result of our discussion on the brain, why it is that in man the head contains little or no flesh. Erroneous reasons for this are sometimes given. Some say that if the head abounded with flesh man would live longer than he does; others hold that the brain is the organ of sensation, and say that flesh is absent from it on purpose to facilitate sensation, which cannot penetrate parts that are too fleshy. Neither of these views is the true one. The truth is that if the part surrounding the brain were fleshy, the effect of the brain would be the very reverse of that for which it is intended: it would be unable to cool the rest of the body because it would be too hot itself. And, of course, the brain is not responsible for any of the sensations at all; it has no more power of sensation than any of the residues. People adopt these erroneous views because they are unable to discover the reason why some of the senses are placed in the head; but they see that the head is a somewhat unusual part, compared with the rest, so they put two and two together and argue that the brain is the seat of sensation. The correct view, that the seat and source of sensation is the region of the heart, has already been set forth in the treatise *Of Sensation*,^b where also I show why it is that two of the senses, touch and taste, are evidently connected to the heart; of the remaining three, smell is placed between the other two, hearing and sight, and these are practically always located in the head: this is owing to the nature of the organs through which

Of the
Head the
Brain and
Sense-
organs.

^b *De sensu*, 438 b 25 ff.

656 a

τούτων ἢ ὄψις πᾶσιν· ἐπεὶ ἢ γ' ἀκοὴ καὶ ἢ ὄσφρησις
 35 ἐπὶ τῶν ἰχθύων καὶ τῶν τοιούτων ποιεῖ τὸ λεγόμενον φανερόν· ἀκούουσι μὲν γὰρ καὶ ὀσφραίνονται, αἰσθητήριον δ' οὐδὲν ἔχουσι φανερόν ἐν τῇ κεφαλῇ τούτων τῶν αἰσθητῶν.¹ ἢ δ' ὄψις πᾶσι τοῖς ἔχουσιν

656 b

εὐλόγως ἐστὶ περὶ τὸν ἐγκέφαλον· ὁ μὲν γὰρ ὑγρὸς καὶ ψυχρὸς, ἢ δ' ὕδωρ τὴν φύσιν ἐστίν· τοῦτο γὰρ τῶν διαφανῶν εὐφυλακτότατόν ἐστιν. ἔτι δὲ τὰς ἀκριβεστέρας τῶν αἰσθήσεων διὰ τῶν καθαρώτερον ἐχόντων τὸ αἷμα μορίων ἀναγκαῖον ἀκριβεστέρας
 5 γίνεσθαι· ἐκκόπτει γὰρ ἢ τῆς ἐν τῷ αἵματι θερμότητος κίνησις τὴν αἰσθητικὴν ἐνέργειαν· διὰ ταύτας τὰς αἰτίας ἐν τῇ κεφαλῇ τούτων τὰ αἰσθητήριά ἐστιν.

Οὐ μόνον δ' ἐστὶ τὸ ἔμπροσθεν ἄσαρκον, ἀλλὰ τὸ ὀπισθεν τῆς κεφαλῆς, διὰ τὸ πᾶσι τοῖς ἔχουσιν αὐτὴν ὀρθότατον δεῖν εἶναι τοῦτο τὸ μόριον· οὐδὲν
 10 γὰρ ὀρθοῦσθαι δύναται φορτίον ἔχον, ἣν δ' ἂν τοιοῦτον, εἰ σεσαρκωμένην εἶχε τὴν κεφαλὴν. ἥ καὶ δηλὸν ὅτι οὐ τῆς τοῦ ἐγκεφάλου αἰσθήσεως χάριν ἄσαρκος ἢ κεφαλὴ ἐστίν· τὸ γὰρ ὀπισθεν οὐκ ἔχει ἐγκέφαλον, ἄσαρκον δ' ὁμοίως.

Ἐχει δὲ καὶ τὴν ἀκοὴν εὐλόγως ἔνια τῶν ζώων
 15 ἐν τῷ τόπῳ τῷ περὶ τὴν κεφαλὴν· τὸ γὰρ κενὸν καλούμενον ἀέρος πληρές ἐστι, τὸ δὲ τῆς ἀκοῆς αἰσθητήριον ἀέρος εἶναί φαμεν.

¹ (ἐπεὶ . . . αἰσθητῶν) Cook Wilson, qui et <οὐ> post λεγόμενον, l. 35.

PARTS OF ANIMALS, II. x.

they operate. Sight is always located there. The case of hearing and smell in fishes and the like shows that the opinion I maintain is patently correct. These creatures hear and smell, although they have no obvious and visible organs for these senses in the head. As for sight, it is reasonable enough that when present it should always be located near the brain, for the brain is fluid and cold, and the sense-organ of sight is identical in its nature with water, which of all transparent substances is the easiest to keep confined. Again, those senses which are intended for more precise work than the others must necessarily receive greater precision by being situated in parts where the blood is specially pure, since the motion of the blood when heat is in it excludes the activity appropriate to sensation. These are the reasons why the organs of these senses are placed in the head

Now the back of the head is free from fleshiness as well as the front. This is because the head is the part which all animals that possess one have to hold as upright as possible. Nothing that carries a burden can raise itself upright, and the head would be burdened if it were well covered with flesh. And this is another reason to show that the lack of flesh on the head is not for the purpose of enabling the brain to function in sensation. There is no brain in the back of the head, although the back has no more flesh on it than the front

Some animals have their organ of hearing as well as of sight located in the region of the head. This is well explained on our view, which is that the organ of hearing is of air. The space in the head called the *vacuum* is full of air.

656 b

Ἐκ μὲν οὖν τῶν ὀφθαλμῶν οἱ πόροι φέρουσιν εἰς τὰς περὶ τὸν ἐγκέφαλον φλέβας· πάλιν δ' ἐκ τῶν ὠτῶν ὡσαύτως πόρος εἰς τοῦπισθεν συνάπτει.

[Ἔστι δ' οὐτ' ἄναιμον οὐδὲν αἰσθητικὸν οὔτε τὸ αἷμα, ἀλλὰ τῶν ἐκ τούτου τι διόπερ οὐδὲν ἐν τοῖς ἐναίμοις ἄναιμον αἰσθητικόν, οὐδ' αὐτὸ τὸ αἷμα¹. οὐδὲν γὰρ τῶν ζώων μόριον.]²

Ἔχει δ' ἐν τῷ ἔμπροσθεν τὸν ἐγκέφαλον πάντα τὰ ἔχοντα τοῦτο τὸ μόριον, διὰ τὸ ἔμπροσθεν εἶναι ἐφ' ὃ αἰσθάνεται, τὴν δ' αἰσθῆσιν ἀπὸ τῆς καρδίας, ταύτην δ' εἶναι ἐν τοῖς ἔμπροσθεν, καὶ τὸ αἰσθάνεσθαι διὰ τῶν ἐναίμων γίνεσθαι μορίων, φλεβῶν δ' εἶναι κενὸν τὸ ὅπισθεν κύτος. τέτακται δὲ τὸν τρόπον τοῦτον τὰ αἰσθητήρια τῇ φύσει καλῶς, τὰ μὲν τῆς ἀκοῆς ἐπὶ μέσης τῆς περιφερείας (ἀκούει γὰρ οὐ μόνον κατ' εὐθυωρίαν ἀλλὰ πάντοθεν), ἡ δ' ὄψις εἰς τὸ ἔμπροσθεν (ὄρα γὰρ κατ' εὐθυωρίαν, ἡ δὲ κίνησις εἰς τὸ ἔμπροσθεν, προορᾶν δὲ δεῖ ἐφ' ὃ ἡ κίνησις). ἡ δὲ τῆς ὀσφρήσεως μεταξὺ τῶν ὀμμάτων εὐλόγως. διπλοῦν μὲν γὰρ ἔστιν ἕκαστον τῶν αἰσθητηρίων διὰ τὸ διπλοῦν εἶναι τὸ σῶμα, τὸ μὲν δεξιὸν τὸ δ' ἀριστερόν. ἐπὶ μὲν οὖν τῆς ἀφῆς τοῦτ' ἄδηλον τούτου δ' αἷτιον ὅτι οὐκ ἔστι τὸ πρῶτον αἰσθητήριον ἢ σὰρξ καὶ τὸ τοιοῦτον μόριον, ἀλλ' ἐντός. ἐπὶ δὲ τῆς γλώττης ἦττον μὲν, μᾶλλον δ' ἢ ἐπὶ τῆς ἀφῆς· ἔστι γὰρ οἶον

¹ οὐδ' αὐτὸ τὸ αἷμα om. E.

² ll. 19-22 seclusi · partim ex 666 a 16 translata.

^a This passage seems to be a note on a remark which comes a few lines below, and should probably be omitted from the text. Part of it is taken from 666 a 16.

PARTS OF ANIMALS, II. x.

Passages (or channels) run from the eyes to the blood-vessels that are round the brain. And, again, a passage runs from the ears and connects to the back of the brain.

[No bloodless part is capable of sensation, nor indeed is the blood itself. It is the parts which are made out of blood that have this faculty. Hence, in the blooded animals, no bloodless part is capable of sensation, nor indeed is the blood itself, for it is no part of animals]^a

The brain, whenever there is one, is in the forepart of the head. This is (*a*) because all acts of sensation take place in a forward direction ; (*b*) because the heart, from which sensation has its origin, is in the forepart of the body ; and (*c*) because the process of sensation depends upon parts that have blood in them, whereas the sac at the back of the head contains no blood-vessels at all. In fact, Nature has located the sense-organs in a very satisfactory manner. The ears are half-way round the circumference of the head, because they are to hear sounds from all directions alike and not only from straight before them. The eyes face front : this is because sight is along one straight line, and we must be able to see along the line in which we are moving, which is directly forward. The nostrils are between the eyes, and this is quite reasonable. Each of the sense-organs is double, because the body itself is double : it has a right side and a left side. It must be admitted that this duality is not at all clear in the case of touch. this is because the primary sense-organ of touch is not the flesh or a corresponding part, but something internal. With the tongue the duality is not very clear, but more so than with touch.

657^a ἀφή τις καὶ αὕτη ἡ αἴσθησις. ὅμως δὲ δῆλον καὶ ἐπὶ ταύτης· φαίνεται γὰρ ἐσχισμένη. ἐπὶ δὲ τῶν ἄλλων αἰσθητηρίων φανερωτέρως ἐστὶν ἡ αἴσθησις διμερής· ὡτά τε γὰρ δύο καὶ ὄμματα καὶ ἡ τῶν μυκτῆρων δύναμις διφυής ἐστίν. ἄλλον οὖν ἂν
 5 τρόπον κειμένη καὶ διεσπασμένη, καθάπερ ἡ τῆς ἀκοῆς, οὐκ ἂν ἐποίει τὸ αὐτῆς ἔργον, οὐδὲ τὸ μόριον ἐν ᾧ ἐστίν· διὰ γὰρ τῆς ἀναπνοῆς ἡ αἴσθησις τοῖς ἔχουσι μυκτῆρας, τοῦτο δὲ τὸ μόριον κατὰ μέσον καὶ ἐν τοῖς ἔμπροσθέν ἐστίν. διόπερ εἰς μέσον τῶν τριῶν αἰσθητηρίων συνήγαγεν ἡ φύσις
 10 τοὺς μυκτῆρας, οἷον ἐπὶ στάθμην θείσα μίαν ἐπὶ τὴν τῆς ἀναπνοῆς κίνησιν.

Καλῶς δὲ καὶ τοῖς ἄλλοις ἔχει ταῦτα τὰ αἰσθητήρια ζώοις πρὸς τὴν ἰδίαν φύσιν ἐκάστω. XI. τὰ μὲν γὰρ τετράποδα ἀπηρτημένα ἔχει τὰ ὦτα καὶ ἄνωθεν τῶν ὀμμάτων, ὡς δόξειεν ἂν, οὐκ ἔχει δέ,
 15 ἀλλὰ φαίνεται διὰ τὸ μὴ ὀρθὰ εἶναι τὰ ζῶα ἀλλὰ κύπτειν. οὕτω δὲ τὸ πλείστον κινουμένων χρήσιμα μετεωρότερα τ' ὄντα καὶ κινούμενα· δέχεται γὰρ στρεφόμενα πάντοθεν τοὺς ψόφους μᾶλλον.

XII. Οἱ δ' ὀρνιθες τοὺς πόρους μόνον ἔχουσι διὰ τὴν τοῦ δέρματος σκληρότητα καὶ τὸ ἔχειν μὴ
 20 τρίχας ἀλλὰ πτερωτὰ εἶναι· οὐκ οὖν ἔχει τοιαύτην ὕλην ἐξ ἧς ἂν ἐπλασε τὰ ὦτα. ὁμοίως δὲ καὶ τῶν

^a Aristotle seems to refer here to the forked tongues of certain animals.

PARTS OF ANIMALS, II X.-XII.

(Taste, in fact, is itself, as it were, a sort of touch) The duality is plain, however, even with this sense, for it is seen to be divided ^a With the other senses, the organ is more evidently parted into two : there are two ears and two eyes, and two passages for the nostrils in the nose. The sense of smell, if it had been otherwise placed—separated into two, that is, like the sense of hearing—would not have been able to perform its proper function ; nor would that part of the body in which it is situated, since in animals which have nostrils, the sensation of smell is effected by means of inspiration, and this part is at the front and in the middle. This is why Nature has brought the nostrils together in a straight line and made them the central of the three sense-organs in the head, located where the motion of in-breathing takes place

In the other animals as well as in man these sense-organs are very satisfactorily arranged as required by the peculiar nature of each animal XI. For instance, the quadrupeds have ears that stand out free from the head, and they are higher than the eyes—or appear to be, although this is not really so—it is an illusion due to the fact that these animals are not upright but stand on all fours. And as they are usually in this posture when in motion, it is useful for them to have their ears well up in the air, and also movable—this enables them to be turned round and pick up sounds better from all directions.

XII. Birds have the auditory passages only, owing to the hardness of their skin, and because they have feathers instead of hair, which means that they have not got the right material for forming ears. The same argument applies to those oviparous

657 a

τετραπόδων τὰ ὠτόκα καὶ φολιδωτά· ὁ γὰρ αὐτὸς ἀρμόσει καὶ ἐπ' ἐκείνων λόγος. ἔχει δὲ καὶ ἡ φώκη τῶν ζωοτόκων οὐκ ὦτα ἀλλὰ πόρους ἀκοῆς, διὰ τὸ πεπηρωμένον εἶναι τετράπουν.

25

XIII. Καὶ οἱ μὲν ἄνθρωποι καὶ οἱ ὄρνιθες καὶ τὰ ζωοτόκα καὶ τὰ ὠτόκα τῶν τετραπόδων φυλακὴν ἔχουσι τῆς ὄψεως, τὰ μὲν ζωοτόκα βλέφαρα δύο, οἷς καὶ σκαρδαμύττουσι, τῶν δ' ὀρνίθων ἄλλοι τε καὶ οἱ βαρεῖς καὶ τὰ ὠτόκα τῶν τετραπόδων τῇ

30

κάτω βλεφαρίδι μύουσιν· σκαρδαμύττουσι δ' οἱ ὄρνιθες ἐκ τῶν κανθῶν ὑμένι. τοῦ μὲν οὖν φυλακὴν ἔχειν αἴτιον τὸ ὑγρὰ τὰ ὄμματα εἶναι, ἵνα ὁξὺ βλέπωσι τοῦτον τὸν τρόπον ὑπὸ τῆς φύσεως. σκληρόδερμα γὰρ ὄντα ἀβλαβέστερα μὲν ἂν ἦν ὑπὸ τῶν ἔξωθεν προσπιπτόντων, οὐκ ὁξυνωπὰ δέ. τούτου μὲν οὖν¹ ἔνεκα λεπτόν τὸ δέρμα τὸ περὶ

35

τὴν κόρην ἐστί, τῆς δὲ σωτηρίας χάριν τὰ βλέφαρα· καὶ διὰ τοῦτο σκαρδαμύττει τε πάντα καὶ μάλιστ' ἄνθρωπος, πάντα μὲν ὅπως τὰ προσπίπτοντα τοῖς

657 b

βλεφάροις κωλύωσι (καὶ τοῦτο οὐκ ἐκ προαιρέσεως, ἀλλ' ἡ φύσις ἐποίησε), πλειστάκις δ' ὁ ἄνθρωπος διὰ τὸ λεπτοδερμότατος εἶναι.

Ἡ δὲ βλεφαρίς ἐστὶ δέρματι περιειλημμένη· διὸ καὶ οὐ συμφύεται οὔτε βλεφαρίς οὔτ' ἀκροποσθία, ὅτι ἄνευ σαρκὸς δέρματά ἐστιν.

5

Τῶν δ' ὀρνίθων ὅσοι τῇ κάτω βλεφαρίδι μύουσι, καὶ τὰ ὠτόκα τῶν τετραπόδων, διὰ τὴν σκληρό-

¹ τούτου μὲν οὖν] τοῦ μὲν οὖν εὔ EPZ.

quadrupeds which have horny scales. One viviparous animal, the Seal, has no ears but only auditory passages ; but this is because, though a quadruped, it is deformed.^a

XIII. Man, the Birds, and the Quadrupeds (both ^{Eyes} viviparous and oviparous) have a protective covering for their eyes. The viviparous quadrupeds have two eyelids to each eye (which also enable them to blink) ; some of the birds, especially the heavily built ones, and the oviparous quadrupeds, when they close their eyes, do so with the lower eyelid ; birds, however, can blink, with the aid of a membrane that comes out of the corner of the eye. The reason for the existence of these protective coverings is that the eye is fluid ; by this means Nature has secured swiftness of vision. If the eye had been constructed with a hard skin it would of course have been less liable to injury by impact from without, but its vision would have been duller. For this cause the skin round the pupil is left thin and fine, and the safety of the eye is ensured by the addition of the eyelids. The movement of the eyelids known as blinking is a natural and instinctive one, not dependent on the will, and its object is to prevent things from getting into the eyes. All animals that have eyelids do it, but human beings blink more often than other animals, because they have thinner and finer skin on the eye.

Now the eyelid is encased with skin ; and that is why, like the tip of the foreskin, it will not unite again once it has been cut, because both of them are skin and contain no flesh.

We said just now that some birds and the oviparous quadrupeds close the eye with the lower

657 b

τητα τοῦ δέρματος τοῦ περὶ τὴν κεφαλὴν οὕτω
 μύουσιν. οἱ μὲν γὰρ βαρεῖς τῶν πτερωτῶν διὰ τὸ
 μὴ πτητικοὶ εἶναι τὴν τῶν πτερῶν αὐξήσιν εἰς τὴν
 τοῦ δέρματος παχύτητα τετραμμένην ἔχουσιν. διὸ
 10 καὶ οὗτοι μὲν τῷ κάτω βλεφάρῳ μύουσιν, περι-
 στεραὶ δὲ καὶ τὰ τοιαῦτα ἀμφοῖν. τὰ δὲ τετράποδα
 τῶν ὠοτόκων φολιδωτά ἐστιν· ταῦτα δὲ σκληρό-
 τερα πάντα τριχός, ὥστε καὶ τὰ δέρματα τοῦ
 δέρματος. τὸ μὲν οὖν περὶ τὴν κεφαλὴν σκληρόν
 ἐστὶν αὐτοῖς, διόπερ οὐκ ἔχει βλέφαρον ἐκείθεν,
 15 τὸ δὲ κάτωθεν σαρκῶδες, ὥστ' ἔχειν τὸ βλέφαρον
 λεπτότητα καὶ τάσιν.

Σκαρδαμύττουσι δ' οἱ βαρεῖς ὄρνιας τούτῳ μὲν
 οὐ, τῷ δ' ὑμένι, διὰ τὸ βραδεῖαν εἶναι τὴν τούτου
 κίνησιν, δεῖν δὲ ταχεῖαν γίνεσθαι, ὃ δ' ὑμὴν τοιοῦ-
 τον. ἐκ δὲ τοῦ κανθοῦ τοῦ παρὰ τοὺς μυκτῆρας
 20 σκαρδαμύττουσιν, ὅτι βέλτιον ἀπ' ἀρχῆς μιᾶς τὴν
 φύσιν εἶναι αὐτῶν, οὗτοι δ' ἔχουσιν ἀρχὴν τὴν πρὸς
 τὸν μυκτῆρα πρόσφυσιν· καὶ τὸ πρόσθιον ἀρχὴ τοῦ
 πλαγίου μάλλον.

Τὰ δὲ τετράποδα καὶ ὠοτόκα οὐ σκαρδαμύττει
 ὁμοίως, ὅτι οὐδ' ὑγρὰν αὐτοῖς ἀναγκαῖον ἔχειν καὶ
 ἀκριβῆ τὴν ὄψιν ἐπιγείοις οὖσιν· τοῖς δ' ὄρνευσιν
 25 ἀναγκαῖον, πόρρωθεν γὰρ ἢ χρήσις τῆς ὄψεως. διὸ
 καὶ τὰ γαμφώνυχια μὲν ὀξύωπά (ἄνωθεν γὰρ αὐτοῖς
 ἡ θεωρία τῆς τροφῆς, διὸ καὶ ἀναπέτονται ταῦτα
 μάλιστα τῶν ὀρνέων εἰς ὕψος), τὰ δ' ἐπίγεια καὶ
 μὴ πτητικά, οἷον ἀλεκτρονέες καὶ τὰ τοιαῦτα,

eyelid only. This is due to the hardness of the skin which surrounds the head. (a) The heavily built birds are not great fliers, and so the material which would have supplied growth for the wings has been diverted, resulting in thickness of the skin. These creatures, then, use only the bottom eyelid to cover the eye ; whereas pigeons and such use both eyelids. (b) With regard to the oviparous quadrupeds : As the horny scales with which they are covered are in every case harder than hair, so their skin also is harder than ordinary skin. And as the skin on their heads is hard, they can have no upper eyelid ; but lower down the skin has some flesh with it, and so they have a lower eyelid that is thin and extensible.

Now the heavily built birds blink not with this lower eyelid, because its motion is slow, but with the membrane above mentioned, whose motion is swift, as is requisite. This blinking or nictitating begins at the corner of the eye nearest the nostrils, where the eye and nostril are conjoined, because it is better that the membranes should have one place of origin rather than two, and it is better to have it in front than at the side.

The oviparous quadrupeds do not blink in this way, because, unlike birds, which have to use their eyes over great distances, they go upon the ground, and therefore there is no need for them to have fluid eyes or great accuracy of sight. Birds that have talons are sharp-sighted, for they view their prey from above, and that also explains why they fly to a greater height than other birds. The birds that remain on the ground, however, and do not fly much (*e.g.* barn-door fowls and the like) are

657 b

οὐκ ὀξύωπά· οὐδὲν γὰρ αὐτὰ κατεπείγει πρὸς τὸν βίον.

30 Οἱ δ' ἰχθύες καὶ τὰ ἔντομα καὶ τὰ σκληρόδερμα διαφέροντα μὲν ἔχουσι τὰ ὄμματα, βλέφαρον δ' οὐδὲν αὐτῶν ἔχει. τὰ μὲν γὰρ σκληρόδερμα ὅλως οὐκ ἔχει· ἡ δὲ τοῦ βλεφάρου χρήσις ταχεῖαν τὴν¹ δερματικὴν ἔχει ἐργασίαν· ἀλλ' ἀντὶ ταύτης τῆς

35 φυλακῆς πάντα σκληρόφθαλμά ἐστιν, οἷον βλέποντα διὰ τοῦ βλεφάρου προσπεφυκότος. ἐπεὶ δ' ἀναγκαῖον διὰ τὴν σκληρότητα ἀμβλύτερον βλέπειν, κινουμένους ἐποίησεν ἡ φύσις τοὺς ὀφθαλμοὺς τοῖς

658 a ἐντόμοις, καὶ μᾶλλον ἔτι τοῖς σκληροδέρμοις, ὥσπερ ἓνια τῶν τετραπόδων τὰ ὦτα, ὅπως ὀξύτερον βλέπη στρέφοντα πρὸς τὸ φῶς καὶ δεχόμενα τὴν αὐγὴν. οἱ δ' ἰχθύες ὑγρόφθαλμοι μὲν εἰσιν· ἀναγκαία γὰρ 5 τοῖς πολλὴν ποιουμένοις κίνησιν ἡ τῆς ὀψεως ἐκ πολλοῦ χρήσις. τοῖς μὲν οὖν πεζοῖς ὁ ἀήρ εὐδίοπτος· ἐκείνοις δ' ἐπεὶ τὸ ὕδωρ πρὸς μὲν τὸ ὀξύ βλέπειν ἐναντίον, οὐκ ἔχει δὲ πολλὰ τὰ προσκρούσματα πρὸς τὴν ὄψιν ὥσπερ ὁ ἀήρ, διὰ μὲν τοῦτ' οὐκ ἔχει βλέφαρον (οὐδὲν γὰρ ἡ φύσις ποιεῖ μάτην), 10 πρὸς δὲ τὴν παχύτητα τοῦ ὕδατος ὑγρόφθαλμοί εἰσιν.

XIV. Βλεφαρίδας δ' ἐπὶ τῶν βλεφάρων ἔχουσιν ὅσα τρίχας ἔχουσιν, ὄρνιθες δὲ καὶ τῶν φολιδωτῶν οὐδέν οὐ γὰρ ἔχουσιν τρίχας. περὶ γὰρ τοῦ στρουθοῦ τοῦ Λιβυκοῦ τὴν αἰτίαν ὕστερον ἐροῦμεν· τοῦτο

¹ τὴν Ogle: καὶ vulg.: τὴν ante ἐργασίαν vulg., om. SU.

not sharp-sighted, since there is no urgent necessity for it in their kind of life.

Many differences in the eye itself are found among the Fishes, the Insects and the hard-skinned Crustacea, though not one of them has eyelids. In the hard-skinned Crustacea there cannot be an eyelid at all, for the action of an eyelid depends upon swift working of the skin. To compensate for the lack of this protection, all these creatures have hard eyes: it is as though the eyelid were all of a piece with the eyeball, and the creature looked through the lid as well. But since the vision is bound to be dimmed by this hardness of the eye, Nature has given the Insects (and even more noticeably the Crustacea) movable eyes, just as she has given some quadrupeds movable ears; this is to enable them to turn towards the light and catch its rays and so to quicken their vision. Fish have fluid eyes for the following reason. They move about a good deal and have to use their sight over long distances. Now when land-animals do this, they are looking through air, which is highly transparent; but fish move about in water, which is inimical to sharpness of vision; so to counteract its opacity their eyes are fluid in composition. At the same time, water contains far fewer objects to injure the eyes than the air does; hence fish need no eyelids, and because Nature never makes anything without a purpose, they have none.

XIV. Those animals that have hair on their body have eyelashes on their eyelids: the others (birds and the creatures with horny scales) have none. There is one exception to this rule: the Libyan ostrich, which has eyelashes. The cause of this

Eyelashes
and Hair.

658 a

- 15 γὰρ ἔχει βλεφαρίδας τὸ ζῶον. καὶ τῶν ἐχόντων
 τρίχας ἐπ' ἀμφοτέρω οἱ ἄνθρωποι μόνον ἔχουσιν.
 τὰ γὰρ τετράποδα τῶν ζώων ἐν τοῖς ὑπτίοις οὐκ
 ἔχει τρίχας, ἀλλ' ἐν τοῖς πρανεσί μαλλον· οἱ δ'
 ἄνθρωποι τοῦναντίον ἐν τοῖς ὑπτίοις μᾶλλον ἢ ἐν
 τοῖς πρανεσί. σκέπης γὰρ χάριν αἱ τρίχες ὑπ-
 ἄρχουσι τοῖς ἔχουσιν τοῖς μὲν οὖν τετράποσι τὰ
 20 πρηνῇ δεῖται μᾶλλον τῆς σκέπης, τὰ δὲ πρόσθια
 τιμιώτερα μὲν, ἀλλὰ λεάζει διὰ τὴν κάμψιν· τοῖς
 δ' ἀνθρώποις ἐπεὶ ἐξ ἴσου διὰ τὴν ὀρθότητα τὰ
 πρόσθια τοῖς ὀπισθίοις, τοῖς τιμιωτέροις ὑπέγραψεν
 ἡ φύσις τὴν βοήθειαν· αἰεὶ γὰρ ἐκ τῶν ἐνδεχο-
 μένων αἰτία τοῦ βελτιονός ἐστιν. καὶ διὰ τοῦτο
 25 τῶν τετραπόδων οὐθὲν οὔτε βλεφαρίδα ἔχει τὴν
 κάτωθεν, ἀλλ' ὑπὸ τοῦτο τὸ βλέφαρον ἐνίοις παρα-
 φύονται μανὰι τρίχες, οὔτ' ἐν ταῖς μασχάλαις οὔτ'
 ἐπὶ τῆς ἥβης, ὥσπερ τοῖς ἀνθρώποις· ἀλλ' ἀντὶ
 τούτων τὰ μὲν καθ' ὅλον τὸ σῶμα πρανεῖς¹ δεδά-
 συνται ταῖς θριξίν, οἷον τὸ τῶν κυνῶν γένος, τὰ δὲ
 30 λοφίαν ἔχει, καθάπερ ἵπποι καὶ τὰ τοιαῦτα τῶν
 ζώων, τὰ δὲ χαίτην, ὥσπερ ὁ ἄρρην λέων. ἔτι δ'
 ὅσα κέρκους ἔχει μῆκος ἐχούσας, καὶ ταύτας ἐπι-
 κεκόσμηκεν ἡ φύσις θριξί, τοῖς μὲν μικρὸν ἔχουσι
 τὸν στόλον μακραῖς, ὥσπερ τοῖς ἵπποις, τοῖς δὲ
 35 μακρὸν βραχείαις, καὶ κατὰ τὴν τοῦ ἄλλου σώματος
 φύσιν· πανταχοῦ γὰρ ἀποδίδωσι λαβοῦσα ἐτέρωθεν
 πρὸς ἄλλο μόριον. ὅσοις δὲ τὸ σῶμα δασὺ λίαν
 658 b πεποίηκε, τούτοις ἐνδεῶς ἔχει τὰ περὶ τὴν κέρκον,
 οἷον ἐπὶ τῶν ἄρκτων συμβέβηκεν.

¹ πρανεῖς delet Platt.

PARTS OF ANIMALS, II. XIV.

will be explained later.^a Man is the only animal which has eyelashes on both lds. Why is this? The quadrupeds tend to have more hair on their backs than on the underside of the body; but in man the reverse is true. The purpose of hair is to give protection; and as the quadrupeds go on all fours, they need more protection on their backs; so they have no hair on their front, although the front is the nobler of the two sides. Man goes upright, and so there is nothing to choose as regards his need of protection between front and back. Therefore Nature has prescribed the protection for the nobler side, the front—an example of how she always produces out of given conditions that which is the better. Thus, then, is why none of the quadrupeds has lower eyelashes (though some have a few scattered hairs growing on the lower eyelid), or hair in the axillae or on the pubes, as man has. Instead of this, some of them have thick hair all over the back part of^b their body (*e.g.* dogs), some of them have a mane (*e.g.* horses and such), others a flowing mane, like the male lion. Again, if an animal has a tail of any length, Nature decks that with hair too; long hair for tails with a short stem (*e.g.* horses), short hair for tails with a long stem. This, however, is not independent of the general condition of the whole animal, for Nature gives something to one part of the body only after she has taken it from another part. So when she has made an animal's body extremely hairy, we find that there is not much hair about the tail. An example of this is the Bears.

^a See 697 b 13.

^b Platt deletes "the back part of."

Τὴν δὲ κεφαλὴν ἄνθρωπός ἐστι τῶν ζώων δασύ-
 τατον, ἐξ ἀνάγκης μὲν διὰ τὴν ὑγρότητα τοῦ
 ἐγκεφάλου καὶ διὰ τὰς ῥαφάς (ὅπου γὰρ ὑγρὸν καὶ
 5 θερμὸν πλείστον, ἐνταῦθ' ἀναγκαῖον πλείστην εἶναι
 τὴν ἔκφυσιν), ἕνεκεν δὲ βοηθείας, ὅπως σκεπάζωσι
 φυλάττουσαι τὰς ὑπερβολὰς τοῦ τε ψύχους καὶ τῆς
 ἀλέας. πλείστος δ' ὢν καὶ ὑγρότατος ὁ τῶν
 ἀνθρώπων ἐγκέφαλος πλείστης καὶ τῆς φυλακῆς
 δεῖται· τὸ γὰρ ὑγρότατον καὶ ζεῖ καὶ ψύχεται
 10 μάλιστα, τὸ δ' ἐναντίως ἔχον ἀπαθέστερόν ἐστιν.

Ἄλλὰ περὶ μὲν τούτων παρεκβῆναι συμβέβηκεν
 ἐχομένοις τῆς περὶ τὰς βλεφαρίδας αἰτίας, διὰ τὴν
 συγγένειαν αὐτῶν, ὥστε περὶ τῶν λοιπῶν ἐν τοῖς
 οἰκείοις καιροῖς ἀποδοτέον τὴν μνείαν.

XV. Αἱ δ' ὀφρύες καὶ αἱ βλεφαρίδες ἀμφοτέραι
 15 βοηθείας χάριν εἰσίν, αἱ μὲν ὀφρύες τῶν κατα-
 βαίνοντων ὑγρῶν, ὅπως ἀποστέγωσιν οἶον ἀπογεί-
 σωμα τῶν ἀπὸ τῆς κεφαλῆς ὑγρῶν, αἱ δὲ βλεφαρίδες
 τῶν πρὸς τὰ ὄμματα προσπιπτόντων ἕνεκεν, οἶον
 τὰ χαρακώματα ποιοῦσί τινες πρὸ τῶν ἐργμάτων.¹
 εἰσὶ δ' αἱ μὲν ὀφρύες ἐπὶ συνθέσει ὁσῶν, διὸ καὶ
 20 δασύνονται πολλοῖς ἀπογηράσκουσιν οὕτως ὥστε
 δεῖσθαι κουῤῥας, αἱ δὲ βλεφαρίδες ἐπὶ πέρατι
 φλεβίων· ἥ γὰρ τὸ δέρμα περαίνει, καὶ τὰ φλέβια

¹ ἐργμάτων Bekker : ἐρυμάτων editores.

^a This is one of the passages fastened upon by Bacon in his tirade against the importation of final causes into physics, *Adv. of Learning* (publ. 1605), II. pp. 29, 30 : " This I finde done not onely by Plato, who euer ancreth vpon that shoare, but by Aristotle, Galen, and others, who do vsually likewise fall vpon these flatts of discoursing causes ; For to say that the haire of the Eye-liddes are for a quic-sette and fence about

PARTS OF ANIMALS, II. XIV.—XV.

Man has the hairiest head among all the animals. There are two reasons for this: (1) The brain is fluid, and the skull has many sutures. A large out-growth is bound to occur where there is a large amount of fluid and hot substance. (2) On purpose to give protection; that is, the hair affords shelter both from excessive cold and from excessive heat. The human brain is the biggest and the most fluid of all brains; therefore it needs the greatest amount of protection. A very fluid thing is very liable both to violent heating and violent cooling, while substances of an opposite nature are hardly affected in this way at all.

This, however, is a digression. We were led into it because the subject was connected with our investigation of the causes of eyelashes. Anything further that there is to be said about it will be said in its proper place.

XV. Both eyebrows and eyelashes exist to afford protection to the eyes. The eyebrows act like the eaves of a house and protect the eyes from the fluids that run down from the head; the eyelashes act like the palisades which are sometimes put up in front of an enclosure; they are there to keep out things that try to get in.^a The eyebrows are placed where two bones join, which explains why they often get so thick in old age that they have to be cut. The eyelashes are placed at the ends of small blood-vessels, which have to stop where the skin itself

the Sight . . . and the like, is well inquired & collected in METAPHISICKE, but in PHISICKE they are impertinent." But there is no incompatibility, p. 33, "For the cause rendred *that the haïres about the Eye-liddes are for the safegard of the sight*, doth not impugne the cause rendred, *that Pilositie is incident to Orifices of Moisture.*" See also Xen. Mem. i. 4. 6.

658 b

πέρας ἔχει τοῦ μήκους· ὥστ' ἀναγκαῖον διὰ τὴν ἀπιοῦσαν ἱκμάδα σωματικὴν οὔσαν, ἂν μή τι τῆς φύσεως ἔργον ἐμποδίσῃ πρὸς ἄλλην χρῆσιν, καὶ
 25 διὰ τὴν τοιαύτην αἰτίαν ἐξ ἀνάγκης ἐν τοῖς τόποις τούτοις γίνεσθαι τρίχας.

XVI. Τοῖς μὲν οὖν ἄλλοις ζώοις τοῖς τετράποσι καὶ ζωοτόκοις οὐ πόρρω τρόπον τινὰ διέστηκεν ἀλλήλων τὸ τῆς ὁσφρήσεως αἰσθητήριον, ἀλλ' ὅσα
 30 μὲν ἔχει προμήκεις εἰς στενὸν ἀπηγμένας τὰς σιαγόνας, ἐν τῷ καλουμένῳ ῥύγχει καὶ τὸ τῶν μυκτῆρων ἐνυπάρχει μόριον κατὰ τὸν ἐνδεχόμενον τρόπον, τοῖς δ' ἄλλοις μᾶλλον διηρθρωμένον ἐστὶ πρὸς τὰς σιαγόνας. ὁ δ' ἐλέφας ἰδιαίτατον ἔχει τοῦτο τὸ μόριον τῶν ἄλλων ζώων τό τε γὰρ
 35 μέγεθος καὶ τὴν δύναμιν ἔχει περιττήν. μυκτῆρ γὰρ ἐστὶν ᾧ τὴν τροφήν προσάγεται, καθάπερ χειρὶ
 659 a χρώμενος, πρὸς τὸ στόμα, τὴν τε ξηρὰν καὶ τὴν ὑγρὰν, καὶ τὰ δένδρα περιελίττων ἀνασπᾷ, καὶ χρῆται καθάπερ ἂν εἰ χειρί. τὴν γὰρ φύσιν ἐλῶδες ἅμα τὸ ζῶόν ἐστι καὶ πεζόν, ὥστ' ἐπεὶ τὴν τροφήν ἐξ ὑγροῦ συνέβαινε ἔχειν, ἀναπνεῖν δ' ἀναγκαῖον
 5 πεζὸν ὃν καὶ ἔναιμον, καὶ μὴ ταχεῖαν ποιεῖσθαι τὴν μεταβολὴν ἐκ τοῦ ὑγροῦ πρὸς τὸ ξηρόν, καθάπερ ἔνια τῶν ζωοτόκων καὶ ἐναίμων καὶ ἀναπνεόντων, τὸ γὰρ μέγεθος ὃν ὑπερβάλλον, ἀναγκαῖον ὁμοίως ἦν χρῆσθαι τῷ ὑγρῷ ὥσπερ καὶ τῇ γῇ. οἷον οὖν τοῖς κολυμβηταῖς ἐνιοὶ πρὸς τὴν ἀναπνοὴν ὄργανα
 10 πορίζονται, ἵνα πολὺν χρόνον ἐν τῇ θαλάττῃ μένοντες ἔλκωσιν ἔξωθεν τοῦ ὑγροῦ διὰ τοῦ ὄργανου τὸν ἀέρα, τοιοῦτον ἢ φύσις τὸ τοῦ μυκτῆρος μέγεθος ἐποίησε τοῖς ἐλέφασιν. διόπερ ἀναπνεύουσιν

^a Or "strength."

PARTS OF ANIMALS, II. XV -XVI.

comes to an end ; and at these places, unless Nature has some other function for it and so diverts it, the moisture which comes off must, both on this account and also because it is corporeal in composition, cause the formation of hairs.

XVI. The general run of viviparous quadrupeds Nostrils differ very little among themselves as regards the organ of smell. The following variations occur, however. Those animals whose jaws project forward and become gradually narrower, forming what is called a snout, have the organ of smell in their snout—this being the only possibility ; in the others, the jaws and nostrils are more definitely separated. The elephant's nose is unique owing to its enormous size and its extraordinary character.^a By means of his nose, as if it were a hand, the elephant conveys his food, both solid and fluid, to his mouth ; by means of it he tears up trees, by winding it round them. In fact, he uses it for all purposes as if it were a hand. This is because the elephant has a double character : he is a land-animal, but he also lives in swamps. He has to get his food from the water ; yet he has to breathe, because he is a land-animal and has blood ; owing to his enormous size, however, he cannot transfer himself quickly from the water on to the land, as do quite a number of blooded viviparous animals that breathe ; hence he has to be equally at home on land and in the water. Some divers, when they go down into the sea, provide themselves with a breathing-machine, by means of which they can inhale the air from above the surface while they remain for a long time in the water. Nature has provided the elephant with something of this sort by giving him a long nose. If ever the

659 a

ἄραντες ἄνω διὰ τοῦ ὕδατος τὸν μυκτῆρα, ἂν ποτε
 ποιῶνται δι' ὑγροῦ τὴν πορείαν· καθάπερ γὰρ
 15 εἵπομεν, μυκτῆρ ἐστὶν ἡ προβοσκὶς τοῖς ἐλέφασιν.
 ἐπεὶ δ' ἀδύνατον ἦν εἶναι τὸν μυκτῆρα τοιοῦτον μὴ
 μαλακὸν ὄντα μηδὲ κάμπτεσθαι δυνάμενον (ἐνεπό-
 διζε γὰρ ἂν τῷ μήκει πρὸς τὸ λαβεῖν τὴν θύραθεν
 τροφήν, καθάπερ φασὶ τὰ κέρατα τοῖς ὀπισθονόμοις
 20 βουσίν· καὶ γὰρ ἐκείνους νέμεσθαί φασιν ὑπο-
 χωροῦντας παλιμπυγηδόν)—ὑπάρξαντος οὖν τοιού-
 του τοῦ μυκτῆρος, ἡ φύσις παρακαταχρῆται, καθ-
 ἄπερ εἴωθεν, ἐπὶ πλείονα τοῖς αὐτοῖς μορίοις, ἀντὶ
 τῆς τῶν προσθίων ποδῶν χρείας· τούτους γὰρ τὰ
 πολυδάκτυλα τῶν τετραπόδων ἀντὶ χειρῶν ἔχουσιν,
 25 ἀλλ' οὐ μόνον ἔνεχ' ὑποστάσεως τοῦ βάρους· οἱ δ'
 ἐλέφαντες τῶν πολυδακτύλων εἰσὶ, καὶ οὔτε διχά-
 λους ἔχουσιν οὔτε μώνυχας τοὺς πόδας· ἐπεὶ δὲ τὸ
 μέγεθος πολὺ καὶ τὸ βάρος τὸ τοῦ σώματος, διὰ
 τοῦτο μόνον ἐρείσματός εἰσι χάριν, καὶ διὰ τὴν
 βραδυτῆτα καὶ τὴν ἀφυΐαν τῆς κάμψεως οὐ χρή-
 σιμοί¹ πρὸς ἄλλο οὐθέν.

30 Διὰ μὲν οὖν τὴν ἀναπνοὴν ἔχει μυκτῆρα, καθάπερ
 καὶ τῶν ἄλλων ἕκαστον τῶν ἐχόντων πλεύμονα
 ζῶων, διὰ δὲ τὴν ἐν τῷ ὑγρῷ διατριβὴν καὶ τὴν
 βραδυτῆτα τῆς ἐκείθεν μεταβολῆς δυνάμενον ἐλίτ-
 τεσθαι καὶ μακρόν· ἀφηρημένης δὲ τῆς τῶν ποδῶν
 35 χρήσεως, καὶ ἡ φύσις, ὥσπερ εἵπομεν, καταχρῆται
 καὶ πρὸς τὴν ἀπὸ τῶν ποδῶν γινομένην ἂν βοήθειαν
 τούτῳ τῷ μορίῳ.

659 b Οἱ δ' ὄρνιθες καὶ οἱ ὄφεις καὶ ὅσα ἄλλ' ἔναιμα

¹ χρήσιμοι Rackham : χρήσιμον vulg.

elephant has to make his way through deep water, he will put his trunk up to the surface and breathe through it. This is possible, because, as I have said already, the trunk is really a nostril. Now it would have been impossible for the nostril to be put to all these uses if it had not been soft and able to bend ; for then by its very length it would have prevented the animal from getting its food, just as they say the horns of the " backward-grazing " oxen do, forcing them to walk backwards as they feed ^a. So the trunk is soft and pliable ; and in consequence Nature, as usual, takes advantage of this to make it discharge an extra function beside its original one : it has to serve instead of forefeet. Now in polydactylous quadrupeds the forefeet are there to serve as hands, not merely in order to support the weight of the animal ; but elephants (which must be included under this class of animals, because they have neither a solid hoof nor a cloven one) are so large and so heavy that their forefeet can serve only as supports ; and indeed they are no good for anything else because they move so slowly and are quite unsuited for bending.

So the elephant's nostril is there, in the first place, to enable him to breathe (as in all animals that have a lung) ; and also it is lengthened and able to coil itself round things because the elephant spends much of his time in the water and cannot quickly emerge upon land. And as his forefeet are not available for the normal function, Nature, as we said, presses the trunk into service to supply what should have been forthcoming from the feet.

The Birds and Serpents and the quadrupeds which

^a See above, on 648 a 16. This is from Herodotus, iv. 183.

659 b

καὶ ὥσπερ¹ τῶν τετραπόδων, τοὺς μὲν πόρους ἔχουσι τῶν μυκτῆρων πρὸ τοῦ στόματος, ὥστε δ' εἰπεῖν μυκτῆρας, εἰ μὴ διὰ τὸ ἔργον, οὐκ ἔχουσι φανερώς διηρθρωμένους· ἀλλ' ἢ γ' ὄρνις ὥστε
 5 μηθὲν ἂν εἰπεῖν ἔχει² ῥίνας. τοῦτο δὲ συμβέβηκεν, ὅτι ἀντὶ σιαγόνων ἔχει τὸ καλούμενον ῥύγχος. αἰτία δὲ τούτων ἢ φύσις ἢ τῶν ὀρνίθων συνεστηκυῖα τοῦτον τὸν τρόπον. δίδουν γάρ ἐστι καὶ πτερυγῶν, ὥστ' ἀνάγκη μικρὸν τὸ βάρος ἔχειν τὸ τοῦ αὐχένος καὶ τὸ τῆς κεφαλῆς, ὥσπερ καὶ τὸ στῆθος
 10 στενόν· ὅπως μὲν οὖν ἢ χρησίμων πρὸς τε τὴν ἀλκὴν καὶ διὰ τὴν τροφήν, ὁστῶδες ἔχουσι τὸ ῥύγχος, στενὸν δὲ διὰ τὴν μικρότητα τῆς κεφαλῆς. ἐν δὲ τῷ ῥύγχει τοὺς πόρους ἔχουσι τῆς ὁσφρήσεως, μυκτῆρας δ' ἔχειν ἀδύνατον.

Περὶ δὲ τῶν ἄλλων ζώων τῶν μὴ ἀναπνεόντων
 15 εἴρηται πρότερον δι' ἣν αἰτίαν οὐκ ἔχουσι μυκτῆρας, ἀλλὰ τὰ μὲν διὰ τῶν βραγχίων, τὰ δὲ διὰ τοῦ αὐλοῦ, τὰ δ' ἔντομα διὰ τοῦ ὑποζώματος αἰσθάνονται τῶν ὁσμῶν, καὶ πάντα τῷ συμφύτῳ πνεύματι τοῦ σώματος ὥπερ³ <καὶ>⁴ κινεῖται· τοῦτο δ' ὑπάρχει φύσει πᾶσι καὶ οὐ θύραθεν ἐπείσακτόν ἐστιν.

20 Ὑπὸ δὲ τοὺς μυκτῆρας ἢ τῶν χειλῶν ἐστι φύσις τοῖς ἔχουσι τῶν ἐναίμων ὁδόντας. τοῖς γὰρ ὄρνισι, καθάπερ εἵπομεν, διὰ τὴν τροφήν καὶ τὴν ἀλκὴν τὸ ῥύγχος ὁστῶδες ἐστίν· συνῆκται γὰρ εἰς ἓν ἀντ' ὁδόντων καὶ χειλῶν, ὥσπερ ἂν εἴ τις ἀφελὼν
 25 ἀνθρώπου τὰ χεῖλη καὶ συμφύσας τοὺς ἄνωθεν

¹ ζωοτόκα EPSUY.² ἔχει S: ἔχειν vulg.

PARTS OF ANIMALS, II. XVI.

like them are blooded and oviparous, have their nostril-passages in front of the mouth : but they have nothing which except for its function can be called nostrils—nothing distinctly articulated. A bird, at any rate, one might say has no nose at all. The reason for this is that its beak really replaces jaws. And this is because of the natural structure of birds. A bird is a winged biped ; hence its head and its neck must be light in weight, and its breast must be narrow ; and it has a beak, which (*a*) is made out of bony material, so that it will serve as a weapon as well as for the uptake of food, and (*b*) is narrow, owing to the small size of the head. It has the passages for smell in this beak, but it is impossible for it to have nostrils there

We have spoken already about the animals that do not breathe, and shown why they have no nostrils : some of them smell by means of the gills, some through a blow-hole ; while the insects smell through the middle part of the body. All of them smell, as all of them move, by means of the “innate breath”^a of their bodies, which is not introduced from without, but is present in all of them by nature.

In all blooded animals that have teeth, the lips have ^{Lips} their place below the nostrils. (As stated already, birds have a bony beak for getting food and for defence ; and this is as it were teeth and lips run into one. The nature of the beak can be illustrated thus. Supposing, in a human being, that the lips were removed, and all the upper teeth were welded to-

^a For an account of this “innate breath” see *De somno et vig.* 455 b 34—456 a 15.

³ ὤπερ SU : ὥσπερ vulg.

⁴ <καὶ> Peck.

659 b

ὀδόντας χωρὶς καὶ τοὺς κάτωθεν προαγάγοι μήκος ποιήσας ἀμφοτέρωθεν εἰς στενόν· εἴη γὰρ ἂν τοῦτο ἦδη ῥύγχος ὀρνιθῶδες. τοῖς μὲν οὖν ἄλλοις ζώοις πρὸς σωτηρίαν τῶν ὀδόντων ἢ τῶν χειλῶν φύσις ἐστὶ καὶ πρὸς φυλακὴν, διόπερ ὥς ἐκείνων μετ-

30 ἔχουσι τοῦ ἀκριβῶς καὶ καλῶς ἢ τοῦναντίον, οὕτω καὶ τοῦ διηρθρῶσθαι τοῦτο τὸ μόριον ἔχουσιν· οἱ δ' ἄνθρωποι μαλακὰ καὶ σαρκώδη καὶ δυνάμενα χωρίζεσθαι, φυλακῆς θ' ἔνεκα τῶν ὀδόντων ὥσπερ καὶ τὰ ἄλλα, καὶ μᾶλλον ἔτι διὰ τὸ εὖ· πρὸς γὰρ τὸ χρῆσθαι τῷ λόγῳ καὶ ταῦτα. ὥσπερ γὰρ τὴν
35 γλῶτταν οὐχ ὁμοίαν τοῖς ἄλλοις ἐποίησεν ἢ φύσις, πρὸς ἐργασίας δύο καταχρησαμένη, καθάπερ

660 a εἵπομεν ποιεῖν αὐτὴν ἐπὶ πολλῶν, τὴν μὲν γλῶτταν τῶν τε χυμῶν ἔνεκεν καὶ τοῦ λόγου, τὰ δὲ χεῖλη τούτου θ' ἔνεκεν καὶ τῆς τῶν ὀδόντων φυλακῆς. ὁ μὲν γὰρ λόγος ὁ διὰ τῆς φωνῆς ἐκ τῶν γραμμάτων σύγκειται, τῆς δὲ γλώττης μὴ τοιαύτης οὔσης μηδὲ
5 τῶν χειλῶν ὑγρῶν οὐκ ἂν ἦν φθέγγεσθαι τὰ πλεῖστα τῶν γραμμάτων· τὰ μὲν γὰρ τῆς γλώττης εἰσὶ προσβολαί, τὰ δὲ συμβολαί τῶν χειλῶν. ποίας δὲ ταῦτα καὶ πόσας καὶ τίνας ἔχει διαφοράς, δεῖ πυνθάνεσθαι παρὰ τῶν μετρικῶν.

Ἀνάγκη δ' ἦν εὐθὺς ἀκολουθησαί τούτων τῶν
10 μορίων ἐκάτερον πρὸς τὴν εἰρημένην χρῆσιν εὐεργὰ καὶ τοιαύτην ἔχοντα τὴν φύσιν· διὸ σάρκινα. μαλακωτάτη δ' ἢ σὰρξ ἢ τῶν ἀνθρώπων ὑπῆρχεν. τοῦτο δὲ διὰ τὸ αἰσθητικώτατον εἶναι τῶν ζώων τὴν διὰ τῆς ἀφῆς αἴσθησιν.

gether, and similarly all the bottom teeth, and then each set were extended in a forward direction, and made to taper : this would result in a beak such as birds have.) In all animals except man the lips are intended to preserve and to protect the teeth ; hence we find that the distinctness of formation in the lips is directly proportionate to the nicety and exactitude of formation in the teeth. In man the lips are soft and fleshy and can be separated. Their purpose is (as in other animals) to protect the teeth ; but—still more important—they subserve a good purpose, inasmuch as they are among the parts that make speech possible. This double function of the human lips, to facilitate speech as well as to protect the teeth, may be compared with that of the human tongue, which is unlike that of any other animal, and is used by Nature for two functions (a device of hers which we have often noted), (*a*) to perceive the various tastes, and (*b*) to be the means of speech. Now vocal speech consists of combinations of the various letters or sounds, some of which are produced by an impact of the tongue, others by closing the lips ; and if the lips were not supple, or if the tongue were other than it is, the greater part of these could not possibly be pronounced. For further particulars about the various differences between these sounds you must consult the authorities on Metre.

It is obvious that these two parts of the body, lips and tongue, must, each of them, be able to fulfil their function as stated above ; therefore their nature had to be adapted thereto, and that is why they are made of flesh. Human flesh is the softest kind of flesh there is ; and this is because man's sense of touch is much more delicate than that of any other creature.

660 a

XVII. Ὑπὸ δὲ τὸν οὐρανὸν ἐν τῷ στόματι ἡ
 15 γλῶττα τοῖς ζώοις ἐστί, τοῖς μὲν πεζοῖς σχεδὸν
 ὁμοίως πᾶσι, τοῖς δ' ἄλλοις ἀνομοίως καὶ αὐτοῖς
 πρὸς αὐτὰ καὶ πρὸς τὰ πεζὰ τῶν ζώων. ὁ μὲν οὖν
 ἄνθρωπος ἀπολελυμένην τε καὶ μαλακωτάτην ἔχει
 μάλιστα τὴν γλῶτταν καὶ πλατεῖαν, ὅπως πρὸς
 ἀμφοτέρας ἢ τὰς ἐργασίας χρήσιμος, πρὸς τε τὴν
 20 τῶν χυμῶν αἴσθησιν (ὁ γὰρ ἄνθρωπος εὐαίσθητό-
 τatos τῶν ἄλλων ζώων, καὶ ἡ γλῶττα μαλακω-
 τάτη¹. ἀπτικωτάτη γάρ, ἡ δὲ γεῦσις ἀφή τίς ἐστιν),
 καὶ πρὸς τὴν τῶν γραμμάτων διάρθρωσιν καὶ πρὸς
 τὸν λόγον ἡ μαλακὴ καὶ πλατεῖα χρήσιμος· συστέλ-
 λειν γὰρ καὶ προβάλλειν παντοδαπῇ τοιαύτῃ οὐσα
 25 καὶ ἀπολελυμένη μάλιστ' ἂν δύναιτο. δηλοῖ δ'
 ὅσοις μὴ λίαν ἀπολέλγεται· ψελλίζονται γὰρ καὶ
 τραυλίζουσι, τοῦτο δ' ἐστὶν ἔνδεια τῶν γραμ-
 μάτων.

Ἐν τε τῷ πλατεῖαν εἶναι καὶ τὸ στενὴν ἐστίν·
 ἐν γὰρ τῷ μεγάλῳ καὶ τὸ μικρόν, ἐν δὲ τῷ μικρῷ
 τὸ μέγα οὐκ ἐστίν. διὸ καὶ τῶν ὀρνίθων οἱ μάλιστα
 30 φθεγγόμενοι γράμματα πλατυγλωττότεροι τῶν ἄλ-
 λων εἰσίν. τὰ δ' ἔναιμα καὶ ζωοτόκα τῶν τετρα-
 πόδων βραχεῖαν τῆς φωνῆς ἔχει διάρθρωσιν·
 σκληράν τε γὰρ καὶ οὐκ ἀπολελυμένην ἔχουσι
 καὶ παχεῖαν τὴν γλῶτταν. τῶν δ' ὀρνίθων ἔνιοι
 πολύφωνοι, καὶ πλατυτέραν οἱ γαμψώνυχοι ἔχουσιν.
 35 πολύφωνοι δ' οἱ μικρότεροι. καὶ χρῶνται τῇ
 γλώττῃ καὶ πρὸς ἐρμηνείαν ἀλλήλοις πάντες μὲν,
 660 b ἕτεροι δὲ τῶν ἐτέρων μᾶλλον, ὥστ' ἐπ' ἐνίων καὶ

¹ γλῶττα μαλακωτάτη Peck: μαλακὴ γλῶττα vulg.

XVII. Under the vaulted roof of the mouth is ^{Tongue} placed the tongue, and it is practically the same in all land-animals ; but there are variations in the other groups, whose tongues are as a whole different from those of land-animals and also different among themselves. The human tongue is the freest, the softest, and the broadest of all . this is to enable it to fulfil both its functions. On the one hand, it has to perceive all the various tastes Now man has the most delicate senses of all the animals, and as taste is a sort of touch, the tongue must be as responsive as possible to every contact, and that is why it is soft. It has, also, to articulate the various sounds and to produce speech, and for this a tongue which is soft and broad is admirably suited, because it can roll back and dart forward in all directions ; and herein too its freedom and looseness assists it This is shown by the case of those whose tongues are slightly tied : their speech is indistinct and lisping, which is due to the fact that they cannot produce all the sounds.

A tongue which is broad can also become narrow, on the principle that the great includes the small, but not *vice versa*. That is why the clearest talkers, even among birds, are those which have the broadest tongues On the other hand, the blooded viviparous quadrupeds have a limited vocal articulation ; it is because their tongues are hard and thick and not sufficiently loose Some birds—the smaller sorts—have a large variety of notes. The taloned birds have fairly broad tongues. All birds use their tongues as a means of communication with other birds, and some to a very considerable extent, so much so that it is probable that in

660 b

μάθησιν εἶναι δοκεῖν παρ' ἀλλήλων· εἴρηται δὲ περὶ αὐτῶν ἐν ταῖς ἱστορίαις ταῖς περὶ τῶν ζώων.

Τῶν δὲ πεζῶν καὶ ψοτόκων καὶ ἐναίμων πρὸς μὲν τὴν τῆς φωνῆς ἐργασίαν ἄχρηστον τὰ πολλὰ
 5 τὴν γλῶτταν ἔχει καὶ προσδεδεμένην καὶ σκληράν, πρὸς δὲ τὴν τῶν χυμῶν γεῦσιν οἱ τ' ὄφεις καὶ οἱ σαῦροι μακρὰν καὶ δικρόαν ἔχουσιν, οἱ μὲν ὄφεις οὕτω μακρὰν ὥστ' ἐκτείνεσθαι ἐκ μικροῦ ἐπὶ πολὺ, δικρόαν δὲ καὶ τὸ ἄκρον λεπτόν καὶ τριχῶδες διὰ τὴν λιχνεῖαν τῆς φύσεως διπλὴν γὰρ τὴν ἡδονὴν
 10 κτᾶται τῶν χυμῶν, ὥσπερ διπλὴν ἔχοντα τὴν τῆς γεύσεως αἴσθησιν.

Ἔχει δὲ καὶ τὰ μὴ ἔναιμα τῶν ζώων τὸ αἰσθη-
 τικὸν τῶν χυμῶν μόριον καὶ τὰ ἔναιμα πάντα· καὶ γὰρ ὅσα μὴ δοκεῖ τοῖς πολλοῖς ἔχειν, οἷον ἔνιοι τῶν ἰχθύων, καὶ οὗτοι τρόπον τινὰ γλίσχρον ἔχουσι, καὶ
 15 σχεδὸν παραπλησίως τοῖς ποταμίοις κροκοδείλοις. οὐ φαίνονται δ' οἱ πλεῖστοι αὐτῶν ἔχειν διὰ τιν' αἰτίαν εὐλογον· ἀκανθώδης τε γὰρ ἐστὶν ὁ τόπος τοῦ στόματος πᾶσι τοῖς τοιούτοις, καὶ διὰ τὸ μικρὸν χρόνον εἶναι τὴν αἴσθησιν τοῖς ἐνύδροις τῶν χυμῶν, ὥσπερ καὶ ἡ χρῆσις αὐτῆς βραχεῖα, οὕτω
 20 βραχεῖαν ἔχουσιν αὐτῆς καὶ τὴν διάρθρωσιν. ταχεῖα δ' ἡ δίοδος εἰς τὴν κοιλίαν διὰ τὸ μὴ οἷόν τ' εἶναι διατρίβειν ἐκχυμίζοντας· παρεμπύπτει γὰρ ἂν τὸ ὕδωρ. ὥστ' ἐὰν μὴ τις τὸ στόμα ἐπικλίνη, μὴ φαίνεσθαι ἀφεστηκὸς τοῦτο τὸ μόριον. ἀκανθώδης δ' ἐστὶν οὗτος ὁ τόπος· σύγκειται γὰρ ἐκ τῆς
 25 συμψεύσεως τῶν βραγχείων, ὧν ἡ φύσις ἀκανθώδης ἐστίν.

^a See *Hist. An.* 504 b 1, 536 a 20 ff., 597 b 26, 608 a 17.

PARTS OF ANIMALS, II. xvii.

some cases information is actually conveyed from one bird to another. I have spoken of these in the *Researches upon Animals* ^a

The tongue is useless for the purpose of speech in most of the oviparous and blooded land-animals because it is fastened down and is hard ; but it is very useful for the purpose of taste, *e g.* in the serpents and lizards, which have long, forked tongues. Serpents' tongues are very long, but can be rolled into a small compass and then extended to a great distance ; they are also forked, and the tips of them are fine and hairy, owing to their having such inordinate appetites ; by this means the serpents get a double pleasure out of what they taste, owing to their possessing as it were a double organ for this sense.

Even some of the bloodless animals have an organ for perceiving tastes ; and of course all the blooded animals have one, including those which most people would say had not, *e g.* certain of the fishes, which have a paltry sort of tongue, very like what the river-crocodiles have. Most of these creatures look as if they had no tongue, and there is good reason for this. (1) All animals of this sort have spinous mouths ; (2) the time which water-animals have for perceiving tastes is short ; hence, since the use of this sense is short, so is the articulation of its organ. The reason why their food passes very quickly into the stomach is because they cannot spend much time sucking out its juices, otherwise the water would get in as well. So unless you pull the mouth well open, you will not be able to see that the tongue is a separate projection. The inside of the mouth is spinous, because it is formed by the juxtaposition of the gills which are of a spinous nature.

660 b

Τοῖς δὲ κροκοδείλοις συμβάλλεται τι πρὸς τὴν τοῦ μορίου τούτου ἀναπηρίαν καὶ τὸ τὴν σιαγόνα τὴν κάτω ἀκίνητον ἔχειν ἔστι μὲν γὰρ ἡ γλώττα τῇ κάτω συμφυῆς, οἱ δ' ἔχουσιν ὥσπερ ἀνάπαλιν τὴν ἄνω κάτω· τοῖς γὰρ ἄλλοις ἡ ἄνω ἀκίνητος.
 30 πρὸς μὲν οὖν τῇ ἄνω οὐκ ἔχουσι τὴν γλώτταν, ὅτι ἐναντίως ἂν ἔχοι πρὸς τὴν τῆς τροφῆς εἴσοδον, πρὸς δὲ τῇ κάτω, ὅτι ὥσπερ μετακειμένη ἡ ἄνω ἐστίν. ἔτι δὲ καὶ συμβέβηκεν αὐτῷ πεζῷ ὄντι ζῆν ἰχθύων βίον, ὥστε καὶ διὰ τοῦτο ἀναγκαῖον ἀδιάρθρωτον αὐτὸν ἔχειν τοῦτο τὸ μῶριον.

35 Τὸν δ' οὐρανὸν σαρκώδη πολλοὶ καὶ τῶν ἰχθύων ἔχουσι, καὶ τῶν ποταμίων ἐνιοὶ σφόδρα σαρκώδη καὶ μαλακόν, οἷον οἱ καλούμενοι κυπρίνοι, ὥστε
 661 a δοκεῖν τοῖς μὴ σκοποῦσιν ἀκριβῶς γλώτταν ἔχειν ταύτην. οἱ δ' ἰχθύες διὰ τὴν εἰρημένην αἰτίαν ἔχουσι μὲν οὐ σαφῇ δ' ἔχουσι τὴν διάρθρωσιν τῆς γλώττης. ἐπεὶ δὲ [τῆς τροφῆς χάριν]¹ καὶ τῶν
 5 χυμῶν αἴσθησις ἐνεστι μὲν τῷ γλωττοειδεῖ μορίῳ, οὐ παντὶ² δ' ὁμοίως ἀλλὰ τῷ ἄκρῳ μάλιστα, διὰ τοῦτο τοῖς ἰχθύσι τοῦτ' ἀφώρισται μόνον.

Ἐπιθυμίαν δ' ἔχει τροφῆς τὰ ζῶα πάντα ὥς ἔχοντα αἴσθησιν τῆς ἡδονῆς τῆς γινομένης ἐκ τῆς τροφῆς· ἡ γὰρ ἐπιθυμία τοῦ ἡδέος ἐστίν. ἀλλὰ τὸ μῶριον οὐχ ὁμοιον τοῦτο πᾶσιν, ᾧ τὴν αἴσθησιν
 10 ποιοῦνται τῆς τροφῆς, ἀλλὰ τοῖς μὲν ἀπολελυμένον τοῖς δὲ προσπεφυκός, ὅσοις μηδὲν ἔργον ὑπάρχει

¹ [τῆς τροφῆς χάριν] praecedentium interpretationem seclusi, cetera coirexi: τῆς ἐν τοῖς χυμοῖς ἐστίν ἡ αἴσθησις (eis αἴσθησιν Z) τὸ μὲν (μὲν τὸ EYZ) γλωττοειδὲς ἔχει (ἔχει om. Z) μῶριον vulg.

² παντὶ Z: πάντῃ vulg.

PARTS OF ANIMALS, II. XVII.

Among the factors which contribute to the deformity of the crocodile's tongue is the immobility of its lower jaw, to which the tongue is naturally joined. We must remember, however, that the crocodile's jaws are topsy-turvy; the bottom one is on top and the top one below; this is clearly so, because in other animals the top jaw is the immovable one. The tongue is not fixed to the upper jaw (as one might expect it to be) because it would get in the way of the food as it entered the mouth, but to the lower one, which is really the upper one in the wrong place. Furthermore, although the crocodile is a land-animal, his manner of life is that of a fish, and this is another reason why he must have a tongue that is not distinctly articulated.

Many fish, however, have a *fleshy* roof to their mouths. In some of the fresh-water fish—*e g* those known as Cyprinoid—it is very fleshy and soft, so that casual observers think it is a tongue. In fish, however, for the reason already given, the tongue, though articulated, is not distinctly so; yet, inasmuch as the power also of perceiving tastes resides in the tongue-like organ, though not in the whole of it equally but chiefly in the tip, therefore on this account in fish the tip only is separate from the jaw.

Now all animals are able to perceive the pleasant taste which is derived from food, and so they have a desire for food, because desire aims at getting that which is pleasant. The part, however, by which this perception or sensation of the food takes place, is not identical in all of them, for some have a tongue which moves freely and loosely, others (which have no vocal functions) have a tongue that is fastened down.

661 a

φωνῆς, καὶ τοῖς μὲν σκληρόν τοῖς δὲ μαλακὸν
 ἢ σαρκῶδες. διὸ καὶ τοῖς μαλακοστράκοις, οἷον
 καράβοις καὶ τοῖς τοιούτοις, ἐντὸς ὑπάρχει τι τοῦ
 15 στόματος τοιοῦτον, καὶ τοῖς μαλακίοις, οἷον σηπίαίς
 καὶ πολύποσιν. τῶν δ' ἐντόμων ζώων ἓνα μὲν
 ἐντὸς ἔχει τὸ τοιοῦτον μόριον, οἷον τὸ τῶν μυρ-
 μήκων γένος, ὡσαύτως δὲ καὶ τῶν ὀστρακοδέρμων
 πολλά· τὰ δ' ἐκτός, οἷον κέντρον, σομφὸν δὲ τὴν
 φύσιν καὶ κοῖλον, ὥσθ' ἅμα τούτῳ καὶ γενέσθαι καὶ
 20 τὴν τροφήν ἀνασπᾶν. δῆλον δὲ τοῦτο ἐπὶ τε μυιῶν
 καὶ μελιττῶν καὶ πάντων τῶν τοιούτων, ἔτι δ'
 ἐπ' ἐνίων τῶν ὀστρακοδέρμων· ταῖς γὰρ πορφύραις
 τοσαύτην ἔχει δύναμιν τοῦτο τὸ μόριον ὥστε καὶ
 τῶν κογχυλίων διατρυνῶσι τὸ ὀστρακον, οἷον τῶν
 στρόμβων οἷς δελεάζουσιν αὐτάς. ἔτι δ' οἷ τ'
 οἰστροὶ καὶ οἷ μύωπες οἱ μὲν τὰ τῶν ἀνθρώπων
 25 οἱ δὲ καὶ τὰ τῶν ἄλλων ζώων δέρματα διαιροῦσιν.
 ἐν μὲν οὖν τούτοις τοῖς ζώοις ἢ γλῶττα τοιαύτη
 τὴν φύσιν ἐστίν, ὥσπερ ἀντιστρόφως ἔχουσα τῷ
 μυκτῆρι τῷ τῶν ἐλεφάντων· καὶ γὰρ ἐκείνους πρὸς
 βοήθειαν ὁ μυκτῆρ, καὶ τούτοις ἢ γλῶττα ἀντὶ
 κέντρου ἐστίν. ἐπὶ δὲ τῶν ἄλλων ζώων ἢ γλῶττα
 30 πάντων ἐστὶν οἷανπερ εἵπομεν.

^a Under this name Aristotle probably includes several species of *Purpura* and *Murex*. Tyrian purple (6, 6' dibrom-

PARTS OF ANIMALS, II. XVII.

Some again have a hard tongue ; others a soft or fleshy one. So we find that even the Crustacea—*e.g.* the Crayfish and such—have a tongue-like object inside the mouth, and so have the Cephalopods—*e.g.* the Sepias and the Octopuses. Of the Insects, some have this organ inside the mouth ; examples are the Ants, and many of the Testacea. Others have it outside, as though it were a sting, in which case it is spongy and hollow, and so they can use it both for tasting and for drawing up their food. Clear examples of this are flies and bees and all such creatures, and also some of the Testacea. In the Purpuræ,^a for instance, this “ tongue ” has such strength that they can actually bore through the shells of shellfish with it, including those of the spiral snails which are used as baits for them. Also, there are among the gad-flies and cattle-flies creatures that can pierce through the skin of the human body, and some can actually puncture animal hides as well. Tongues of this sort, we may say, are on a par with the elephant’s nose ; in their tongue these creatures have a useful sting just as the elephant has a handy implement in his trunk

In all other animals the tongue conforms to the description we have given.

indigo) is obtained from *Murex brandaris*. For the boring powers of these creatures’ tongues see the reference for *Purpura lapillus* given by Ogle (Forbes and Hanley, *Brit. Mollusca*, iii. 385).

Γ

661 a

Ἐχόμενον δὲ τῶν εἰρημένων ἢ τῶν ὀδόντων
 35 ἔστι φύσις τοῖς ζώοις, καὶ τὸ στόμα τὸ περι-
 εχόμενον ὑπὸ τούτων καὶ συνεστηκὸς ἐκ τούτων.

661 b

Τοῖς μὲν οὖν ἄλλοις ἢ τῶν ὀδόντων φύσις κοινὴ
 μὲν ἐπὶ τὴν τῆς τροφῆς ἐργασίαν ὑπάρχει, χωρὶς
 δὲ κατὰ γένη τοῖς μὲν ἀλκῆς χάριν, καὶ ταύτης δι-
 ηρημένης, ἐπὶ τε τὸ ποιεῖν καὶ τὸ μὴ πᾶσχειν·
 τὰ μὲν γὰρ ἀμφοῖν ἔνεκεν ἔχει, καὶ τοῦ μὴ παθεῖν
 5 καὶ τοῦ ποιεῖν, οἷον ὅσα σαρκοφάγα τῶν ἀγρίων
 τὴν φύσιν ἐστίν, τὰ δὲ βοηθείας χάριν, ὥσπερ
 πολλὰ τῶν ἀγρίων καὶ τῶν ἡμέρων.

Ὁ δ' ἄνθρωπος πρὸς τε τὴν κοινὴν χρῆσιν καλῶς
 ἔχει πεφυκότας· τοὺς μὲν προσθίους ὀξεῖς, ἵνα
 διαιρῶσι, τοὺς δὲ γομφίους πλατεῖς, ἵνα λεαίνωσιν·
 10 ὀρίζουσι δ' ἑκατέρους οἱ κυνόδοντες, μέσοι τὴν
 φύσιν ἀμφοτέρων ὄντες· τό τε γὰρ μέσον ἀμφοτέρων
 μετέχει τῶν ἄκρων, οἳ τε κυνόδοντες τῇ μὲν
 ὀξεῖς τῇ δὲ πλατεῖς εἰσιν· ὁμοίως δὲ καὶ ἐπὶ
 τῶν ἄλλων ζώων, ὅσα μὴ πάντας ἔχουσιν ὀξεῖς
 —μάλιστα δὲ καὶ τούτους τοιούτους καὶ τοσοῦ-
 τος πρὸς τὴν διάλεκτον· πολλὰ γὰρ πρὸς τὴν
 208

BOOK III

THE subject which follows naturally after our previous ^{Teeth} remarks is that of the Teeth. We shall also speak about the Mouth, for this is bounded by the teeth and is really formed by them.

In all animals without exception the teeth are present in order to exert action upon the food ; but they have various additional functions in different groups of animals. In some they serve as weapons, whether offensive or defensive. There are animals which use them both for offence and defence (*e.g.* the wild carnivora) ; others (including many animals both wild and domesticated) use them only for defence.

Now human teeth are admirably adapted for the purpose that all teeth subserve the front ones are sharp, to bite up the food ; the molars are broad and flat, to grind it small. On the border between the two are the dog-teeth whose nature is intermediate between the two : and just as a mean shares the nature of both its extremes, so the dog-teeth are broad in one part and sharp in another. These three sorts of teeth are found in all animals, unless all the teeth are sharp. But in man the teeth are especially adapted (as the tongue is) for the purposes of speech, both as regards their character and their number, since the

661 b

15 γένεσιν τῶν γραμμάτων οἱ πρόσθιοι τῶν ὀδόντων συμβάλλονται.

Ἐνια δὲ τῶν ζώων, ὥσπερ εἵπομεν, τροφῆς χάριν ἔχει μόνον. ὅσα δὲ καὶ πρὸς βοήθειάν τε καὶ πρὸς ἀλκὴν, τὰ μὲν χαυλιόδοντας ἔχει, καθάπερ ὕς, τὰ δ' ὀξεῖς καὶ ἐπαλλάττοντας, ὅθεν καρχαρόδοντα
20 καλεῖται. ἐπεὶ γὰρ ἐν τοῖς ὀδοῦσιν ἡ ἰσχὺς αὐτῶν, τοῦτο δὲ γίνοιτ' ἂν διὰ τὴν ὀξύτητα, οἱ χρήσιμοι πρὸς τὴν ἀλκὴν ἐναλλάξ ἐμπίπτουσιν, ὅπως μὴ ἀμβλύνωνται τριβόμενοι πρὸς ἀλλήλους. οὐδὲν δὲ τῶν ζώων ἐστὶν ἅμα καρχαρόδουν καὶ χαυλιόδουν, διὰ τὸ μηδὲν μάτην ποιεῖν τὴν φύσιν μηδὲ περί-
25 εργον· ἔστι δὲ τῶν μὲν διὰ πληγῆς ἡ βοήθεια, τῶν δὲ διὰ δῆγματος. διόπερ αἱ θήλειαι τῶν ὕων δάκνουσιν· οὐ γὰρ ἔχουσι χαυλιόδοντας.

(Καθόλου δὲ χρεῶν τι λαβεῖν, ὃ καὶ ἐπὶ τούτων καὶ ἐπὶ πολλῶν τῶν ὕστερον λεχθησομένων ἔσται χρήσιμον. τῶν τε γὰρ πρὸς ἀλκὴν τε καὶ βοήθειαν
30 ὀργανικῶν μορίων ἕκαστα ἀποδίδωσιν ἡ φύσις τοῖς δυναμένοις χρησθαι μόνοις ἢ μᾶλλον, μάλιστα δὲ τῷ μάλιστα, οἷον κέντρον, πλῆκτρον, κέρατα, χαυλιόδοντας καὶ εἴ τι τοιοῦτον ἕτερον. ἐπεὶ δὲ τὸ ἄρρεν ἰσχυρότερον καὶ θυμικώτερον, τὰ μὲν μόνα τὰ δὲ μᾶλλον ἔχει τὰ τοιαῦτα τῶν μορίων. ὅσα
35 μὲν γὰρ ἀναγκαῖον καὶ τοῖς θήλεσιν ἔχειν, οἷον τὰ πρὸς τὴν τροφήν, ἔχουσι μὲν ἥττον δ' ἔχουσιν, ὅσα δὲ πρὸς μηδὲν τῶν ἀναγκαίων, οὐκ ἔχουσιν. καὶ

^a See note on 644 a 17.

PARTS OF ANIMALS, III. 1.

front teeth contribute a great deal to the formation of the sounds

As we have said, the teeth of some of the animals have one function only, to break up the food. Of those animals whose teeth serve also as a defence and as weapons, some (like the Swine) have tusks, some have sharp interlocking teeth, and are called "saw-toothed" as a result. The strength of these latter animals lies in their teeth, and sharpness is the means of securing this; so the teeth which are serviceable as weapons are arranged to fit in side by side when the jaws are closed to prevent them from rubbing against each other and becoming blunt. No animal has saw-teeth as well as tusks; for Nature never does anything without purpose or makes anything superfluously. These teeth are used in self-defence by biting; tusks by striking. This explains why sows bite: they have no tusks.

(At this point we should make a generalization, which will help us both in our study of the foregoing cases and of many that are to follow. Nature allots defensive and offensive organs only to those creatures which can make use of them, or allots them "in a greater degree,"^a and "in the greatest degree" to the animal which can use them to the greatest extent. This applies to stings, spurs, horns, tusks, and the rest. Example: Males are stronger than females and more spirited; hence sometimes the male of a species has one of these weapons and the female has none, sometimes the male has it "in a greater degree." Organs which are essential to the female as well as to the male, as for instance organs essential for nutrition, are of course present though "in a less degree"; but those which are in no way essential are not

^a "The more
and the
less."

662 a διὰ τοῦτο τῶν ἐλάφων οἱ μὲν ἄρρενες ἔχουσι
 κέρατα, αἱ δὲ θήλειαι οὐκ ἔχουσιν. διαφέρει δὲ
 καὶ τὰ κέρατα τῶν θηλειῶν βοῶν καὶ τῶν ταύρων·
 ὁμοίως δὲ καὶ ἐν τοῖς προβάτοις. καὶ πληκτρα
 5 τῶν ἀρρένων ἐχόντων αἱ πολλαὶ τῶν θηλειῶν οὐκ
 ἔχουσιν. ὥς δ' αὐτῶς ἔχει τοῦτο καὶ ἐπὶ τῶν
 ἄλλων τῶν τοιούτων.)

Οἱ δ' ἰχθύες πάντες εἰσὶ καρχαρόδοντες, πλὴν
 τοῦ ἐνὸς τοῦ καλουμένου σκάρου· πολλοὶ δ' ἔχουσι
 καὶ ἐν ταῖς γλώτταις ὀδόντας καὶ ἐν τοῖς οὐρανοῖς.
 τούτου δ' αἷτιον ὅτι ἀναγκαῖον ἐν ὑγροῖς οὔσι
 10 παρεισδέχεσθαι τὸ ὑγρὸν ἅμα τῇ τροφῇ, καὶ τοῦτο
 ταχέως ἐκπέμπειν. οὐ γὰρ ἐνδέχεται λεαίνοντας
 διατρίβειν· εἰσρέοι γὰρ ἂν τὸ ὑγρὸν εἰς τὰς κοιλίας.
 διὰ τοῦτο πάντες εἰσὶν ὀξεῖς πρὸς τὴν διαίρεσιν
 μόνον, καὶ¹ πολλοὶ καὶ πολλαχῇ, ἵνα ἀντὶ τοῦ
 λεαίνειν εἰς πολλὰ κερματίζωσι τῷ πλήθει. γαμφοὶ
 15 δὲ διὰ τὸ τὴν ἀλκὴν σχεδὸν ἅπασαν αὐτοῖς διὰ
 τούτων εἶναι.

Ἔχει δὲ καὶ τὴν τοῦ στόματος φύσιν τὰ ζῶα
 τούτων τε τῶν ἔργων ἔνεκα καὶ ἔτι τῆς ἀναπνοῆς,
 ὅσα ἀναπνεῖ τῶν ζώων καὶ καταψύχεται θύραθεν.
 ἡ γὰρ φύσις αὐτὴ καθ' αὐτήν, ὥσπερ εἵπομεν, τοῖς
 20 κοινοῖς πάντων μορίοις εἰς πολλὰ τῶν ἰδίων κατα-
 χρεῖται, οἷον καὶ ἐπὶ τοῦ στόματος ἡ μὲν τροφή
 πάντων κοινόν, ἡ δ' ἀλκὴ τινῶν ἰδίων καὶ ὁ λόγος
 ἐτέρων, ἔτι δὲ τὸ ἀναπνεῖν οὐ πάντων κοινόν. ἡ δὲ

¹ sic P. διαίρεσιν πάλιν καὶ vulg.

^a Probably the parrot-fish.

PARTS OF ANIMALS, III. I.

present. Thus, stags have horns, does have not. Thus, too, cows' horns are different from bulls' horns, and ewes' from rams'. In many species the males have spurs while the females have not. And so with the other organs.)

All fishes are saw-toothed except one species, the *Scarus*.^a Many of them have teeth on their tongues and in the roof of the mouth. This is because as they live in the water they cannot help letting some of it in as they take in their food, and they have to get it out again as quickly as possible. If they failed to do so, and spent time grinding the food small, the water would run down into their gut. So all their teeth are sharp and intended only for cutting up the food. Further, they are numerous and placed all over the mouth; so by reason of their multitude they can reduce the food into tiny pieces, and this takes the place of the grinding process. They are also curved; this is because practically the whole of a fish's defensive power is concentrated in its teeth.

The mouth, too, is present in animals on purpose ^{Mouth} to fulfil these same offices, but it has also a further purpose, at any rate in those animals which breathe and are cooled from without—namely, to effect respiration. As we said earlier, Nature will often quite spontaneously take some part that is common to all animals and press it into service for some specialized purpose. Thus, the mouth is common to all animals, and its normal and universal function has to do with food. but sometimes it has an extra function, peculiar to some species only. in some it is a weapon, in others a means of speech; or more generally, though not universally, it serves for respiration. Nature has

662 a

φύσεις ἅπαντα συνήγαγεν εἰς ἓν, ποιούσα διαφορὰν αὐτοῦ τοῦ μορίου πρὸς τὰς τῆς ἐργασίας διαφοράς.

25 διὸ τὰ μὲν ἐστὶ συστομώτερα, τὰ δὲ μεγαλόστομα. ὅσα μὲν γὰρ τροφῆς καὶ ἀναπνοῆς καὶ λόγου χάριν, συστομώτερα, τῶν δὲ βοηθείας χάριν τὰ μὲν καρχαρόδοντα πάντα ἀνερρωγότα· οὔσης γὰρ αὐτοῖς τῆς ἀλκῆς ἐν τοῖς δῆγμασι χρήσιμον τὸ μεγάλην εἶναι τὴν ἀνάπτυξιν τοῦ στόματος· πλείοσι
30 γὰρ καὶ κατὰ μεῖζον δήξεται, ὅσον περ ἂν ἐπὶ τὸ πλεόν ἀνερρώγη τὸ στόμα. ἔχουσι δὲ καὶ τῶν ἰχθύων οἱ δηκτικοὶ καὶ σαρκοφάγοι τοιοῦτον στόμα, οἱ δὲ μὴ σαρκοφάγοι μύουρον· τοιοῦτον γὰρ αὐτοῖς χρήσιμον, ἐκεῖνο δὲ ἄχρηστον.

Τοῖς δ' ὄρνισιν ἐστὶ τὸ καλούμενον ῥύγχος στόμα·
35 τοῦτο γὰρ ἀντὶ χειλῶν καὶ ὀδόντων ἔχουσιν. δια-
662 b φέρει δὲ τοῦτο κατὰ τὰς χρήσεις καὶ τὰς βοηθείας. τὰ μὲν γὰρ γαμψώνυχχα καλούμενα διὰ τὸ σαρκοφαγεῖν καὶ μηδενὶ τρέφεσθαι καρπῷ γαμψὸν ἔχει τὸ ῥύγχος ἅπαντα· χρήσιμον γὰρ πρὸς τὸ κρατεῖν καὶ βιαστικώτερον τοιοῦτο πεφυκός. ἡ δ' ἀλκή ἐν
5 τούτῳ τε καὶ τοῖς ὄνυξι· διὸ καὶ τοὺς ὄνυχας γαμψοτέρους ἔχουσιν. τῶν δ' ἄλλων ἐκάστω πρὸς τὸν βίον χρήσιμόν ἐστὶ τὸ ῥύγχος, οἷον τοῖς μὲν δρυοκόποις ἰσχυρόν καὶ σκληρόν, καὶ κόραξι καὶ κορακώδεσι, τοῖς δὲ μικροῖς γλαφυρόν πρὸς τὰς συλλογὰς τῶν καρπῶν καὶ τὰς λήψεις τῶν ζω-
10 δαρίων. ὅσα δὲ ποηφάγα καὶ ὅσα παρ' ἑλῆ ζῇ,

PARTS OF ANIMALS, III. 1.

brought all these functions together under one organ, whose formation she varies in the different species to suit its various duties. That is why the animals which use their mouths for feeding, respiration and speaking have rather narrow mouths, while those that use them for self-defence have wide and gaping mouths. All the saw-toothed creatures have these wide mouths, for their method of attack is biting, and therefore they find it an advantage to have a mouth that will open wide ; and the wider it opens the greater the space the bite will enclose, and the greater the number of teeth brought into action. Biting and carnivorous fishes have mouths of this sort ; in the non-carnivorous ones it is on a tapering snout, and this suits their habits, whereas a gaping mouth would be useless.

In birds, the mouth appears in the form of a beak, ^{Beak} which serves them instead of lips and teeth. Various sorts of beak are found, to suit the various uses including protective purposes to which it is put. All of the birds known as " curved-clawed " have a curved beak, because they feed on flesh and take no vegetable food : a beak of this form is useful to them in mastering their prey, as being more adapted for the exertion of force. Their beak, then, is one weapon of offence, and their claws are another ; that is why their claws are exceptionally curved. Every bird has a beak which is serviceable for its particular mode of life. The woodpeckers, for instance, have a strong, hard beak ; so have crows, and other birds that closely resemble them ; small birds, on the other hand, have a finely constructed beak, for picking up seeds and catching minute animals. Birds that feed on herbage and that live by marshes (*e.g.* swimmers and

662 b

καθάπερ τὰ πλωτὰ καὶ στεγανόποδα, τὰ μὲν ἄλλον τρόπον χρήσιμον ἔχει τὸ ῥύγχος, τὰ δὲ πλατύρυγχα αὐτῶν ἐστίν· τοιούτῳ γὰρ ὄντι ῥαδίως δύναται ὀρύσσειν, ὥσπερ καὶ τῶν τετραπόδων τὸ τῆς ὑός· καὶ γὰρ αὕτη ῥιζοφάγος. ἔτι δ' ἔχουσι καὶ τὰ
 15 ῥιζοφάγα τῶν ὀρνέων καὶ τῶν ὁμοιοβίων ἔνια τὰ ἄκρα τοῦ ῥύγχους κεχαραγμένα· ποηφάγοις γὰρ τούτοις οὖσι ποιεῖ ῥαδίως.

Περὶ μὲν οὖν τῶν ἄλλων μορίων τῶν ἐν τῇ κεφαλῇ σχεδὸν εἴρηται, τῶν δ' ἀνθρώπων καλεῖται τὸ μεταξὺ τῆς κεφαλῆς καὶ τοῦ αὐχένος πρόσωπον,
 20 ἀπὸ τῆς πράξεως αὐτῆς ὀνομασθέν, ὡς ἔοικεν· διὰ γὰρ τὸ μόνον ὀρθὸν εἶναι τῶν ζώων μόνον πρόσωθεν ὅπως καὶ τὴν φωνὴν εἰς τὸ πρόσω διαπέμπει.

II. Περὶ δὲ κεράτων λεκτέον· καὶ γὰρ ταῦτα πέφυκε τοῖς ἔχουσιν ἐν τῇ κεφαλῇ. ἔχει δ' οὐδὲν
 25 μὴ ζωοτόκον. καθ' ὁμοιότητα δὲ καὶ μεταφορὰν λέγεται καὶ ἐτέρων τινῶν κέρατα· ἀλλ' οὐδενὶ αὐτῶν τὸ ἔργον τοῦ κέρατος ὑπάρχει. βοηθείας γὰρ καὶ ἀλκῆς χάριν ἔχουσι τὰ ζωοτόκα, ὃ τῶν ἄλλων τῶν λεγομένων ἔχειν κέρας οὐδενὶ συμβέβηκεν· οὐδὲν γὰρ χρῆται τοῖς κέρασιν οὔτ'
 30 ἀμυνόμενον οὔτε πρὸς τὸ κρατεῖν, ἅπερ ἰσχύος ἐστὶν ἔργα. ὅσα μὲν οὖν πολυσχιδῇ τῶν ζώων, οὐδὲν ἔχει κέρας· τούτου δ' αἴτιον ὅτι τὸ μὲν κέρας βοηθείας αἰτιὸν ἐστὶ, τοῖς δὲ πολυσχιδέσιν ὑπάρχουσιν ἕτεραι βοήθειαι· δέδωκε γὰρ ἡ φύσις τοῖς μὲν ὄνυχας τοῖς δ' ὀδόντας μαχητικούς, τοῖς

^a Under this heading all the Mammalia known to Aristotle

PARTS OF ANIMALS, III. I.-II.

web-footed birds) have a beak adapted for their mode of life, a special instance of which is the broad beak, which enables them to dig for roots easily, just as the broad snout of the pig enables it to dig—an example of a root-eating quadruped. These root-eating birds and other birds of similar habits sometimes have sharp points at the end of the beak. This enables them to deal easily with the herbaceous food which they take.

We have now, I think, spoken of practically all the parts that have their place in the head; but in man, the portion of the body between the head and the neck is called the *Prosōpon* (Face), a name derived, no doubt, from the function it performs. Man, the only animal that stands upright, is the only one that looks straight before him (*prosōthen opōpe*) or sends forth his voice straight before him (*prosō, opa*).

II. We still have to speak of Horns: these also, ^{Horns} when present, grow out of the head. Horns are found only in the Vivipara; though some other creatures have what are called horns, owing to their resemblance to real horns. None of these so-called horns, however, performs the function proper to horns. The reason why the Vivipara have horns is for the sake of self-defence and attack, and this is not true of any of these other creatures, since none of them uses its "horns" for such feats of strength either defensively or offensively. The polydactylous animals,^a moreover, have no horns, because they possess other means of defence. Nature has given them claws or teeth to fight with, or some other part capable of

are included, except ruminants, solid-hoofed animals, and Cetacea.

662 b

35 δ' ἄλλο τι μόριον ἱκανὸν ἀμύνειν. τῶν δὲ διχάλων

663 a τὰ μὲν πολλὰ κέρατα ἔχει πρὸς ἀλκὴν, καὶ τῶν
μυνύχων ἓν, τὰ δὲ καὶ πρὸς βοήθειαν, ὅσοις¹ μὴ
δέδωκεν ἡ φύσις ἄλλην ἀλκὴν πρὸς σωτηρίαν, οἷον
ταχυτήτα σώματος, καθάπερ τοῖς ἵπποις βεβοήθη-
κεν, ἢ μέγεθος, ὥσπερ ταῖς καμήλοισι· καὶ γὰρ
5 μεγέθους ὑπερβολὴ τὴν ἀπὸ τῶν ἄλλων ζώων
φθορὰν ἱκανὴν κωλύειν, ὅπερ συμβέβηκε ταῖς καμή-
λοισι, ἔτι δὲ μᾶλλον τοῖς ἐλέφασιν. τὰ δὲ χαυλι-
όδοντα, ὥσπερ καὶ τὸ τῶν ὑῶν γένος, δίχαλον <ὄν>.²

Ὅσοις δ' ἄχρηστος πέφυκεν ἢ τῶν κεράτων
ἐξοχή, τούτοις προστέθεικεν ἑτέραν βοήθειαν ἢ
10 φύσις, οἷον ταῖς μὲν ἐλάφοις τάχος (τὸ γὰρ μέ-
γεθος αὐτῶν καὶ τὸ πολυσχιδὲς μᾶλλον βλάπτει ἢ
ὠφελεῖ), καὶ βουβάλοις δὲ καὶ δορκάσι (πρὸς ἓν
μὲν γὰρ ἀνθιστάμενα τοῖς κέρασιν ἀμύνονται, τὰ δὲ
θηριώδη καὶ μάχιμα ἀποφεύγουσι), τοῖς δὲ βονάσοις
(καὶ γὰρ τούτοις γαμψὰ τὰ κέρατα πέφυκε πρὸς
15 ἄλληλα) τὴν τοῦ περιττώματος ἄφεσιν· τούτῳ γὰρ
ἀμύνεται φοβηθέντα· καὶ ταύτῃ δὲ τῇ προέσει δια-
σώζεται ἕτερα. ἅμα δ' ἱκανὰς καὶ πλείους βοηθείας
οὐ δέδωκεν ἡ φύσις τοῖς αὐτοῖς

Ἔστι δὲ τὰ πλείστα τῶν κερατοφόρων δίχαλα,
λέγεται δὲ καὶ μώνυχον, ὃν καλοῦσιν Ἰνδικὸν ὄνον.
20 Τὰ μὲν οὖν πλείστα, καθάπερ καὶ τὸ σῶμα
διήρηται τῶν ζώων οἷς ποιεῖται τὴν κίνησιν, δεξιὸν
καὶ ἀριστερόν, καὶ κέρατα δύο πέφυκεν ἔχειν διὰ

¹ δὲ post ὅσοις vulg.: del. Platt.

² <ὄν> Ogle.

^a Cf. above, on 648 a 16.

^b The European bison.

^c This is probably the Indian Rhinoceros. This account

rendering adequate defence. Most of the cloven-hoofed animals, and some of the solid-hoofed, have horns, as weapons of offence; some have horns for self-defence, as those animals which have not been given means of safety and self-defence of a different order—the speed, for instance, which Nature has given to horses, or the enormous size which camels have (and elephants even more), which is sufficient to prevent them from being destroyed by other animals. Some, however, have tusks, for instance swine, although they are cloven-hoofed.

In some animals the horns are a useless appendage,^a and to these Nature has given an additional means of defence. Deer have been given speed (because the size of their horns and the numerous branches are more of a nuisance to them than a help). So have the antelopes and the gazelles, which, although they withstand some attackers and defend themselves with their horns, run away from really fierce fighters. The Bonasus,^b whose horns curve inwards to meet each other, protects itself when frightened by the discharge of its excrement. There are other animals that protect themselves in the same way. Nature, however, has not given more than one adequate means of protection to any one animal.

Most of the horned animals are cloven-hoofed, though there is said to be one that is solid-hoofed, the Indian Ass,^c as it is called.

The great majority of horned animals have two horns, just as, in respect of the parts by which its movement is effected, the body is divided into two—the right and the left. And the

of it comes from the *Persica* of Ktesias of Knidos, quoted in Photius's *Bibliotheca*, lxxii. pp. 48 b 19 (Bekker) foll.

663 a

τὴν αὐτὴν αἰτίαν¹. ἔστι δὲ καὶ μονοκέρατα, οἷον ὁ
 τ' ὄρυξ καὶ ὁ Ἰνδικὸς καλούμενος ὄνος. ἔστι δ' ὁ
 μὲν ὄρυξ δίχαλον, ὁ δ' ὄνος μώνυχον. ἔχει δὲ τὰ
 25 μονοκέρατα τὸ κέρας ἐν τῷ μέσῳ τῆς κεφαλῆς.
 οὕτω γὰρ ἐκάτερον τῶν μερῶν μάλιστ' ἂν ἔχοι
 κέρας ἔν· τὸ γὰρ μέσον ὁμοίως κοινὸν ἀμφοτέρων
 τῶν ἐσχάτων. εὐλόγως δ' ἂν δόξειε μονόκερων
 εἶναι τὸ μώνυχον τοῦ διχάλου μᾶλλον· ὅπλῃ γὰρ
 καὶ χηλῇ τὴν αὐτὴν ἔχει κέρατι φύσιν, ὥσθ' ἅμα
 30 καὶ τοῖς αὐτοῖς ἢ σχίσιν γίνεται τῶν ὀπλῶν καὶ
 τῶν κεράτων. ἔτι δ' ἢ σχίσιν καὶ τὸ δίχαλον κατ'
 ἔλλειψιν τῆς φύσεώς ἐστιν, ὥστ' εὐλόγως τοῖς
 μωνύχοις ἐν ταῖς ὀπλαῖς δοῦσα τὴν ὑπεροχὴν
 ἢ φύσιν ἄνωθεν ἀφείλε καὶ μονόκερων ἐποίησεν.

Ὅρθως δὲ καὶ τὸ ἐπὶ τῆς κεφαλῆς ποιῆσαι τὴν
 35 τῶν κεράτων φύσιν, ἀλλὰ μὴ καθάπερ ὁ Αἰσώπου
 Μῶμος διαμέμφεται τὸν ταῦρον ὅτι οὐκ ἐπὶ τοῖς
 663 b ὤμοις ἔχει τὰ κέρατα, ὅθεν τὰς πληγὰς ἐποιεῖτ'
 ἂν ἰσχυροτάτας, ἀλλ' ἐπὶ τοῦ ἀσθενεστάτου μέρους
 τῆς κεφαλῆς. οὐ γὰρ ὁξὺ βλέπων ὁ Μῶμος ταῦτ'
 ἐπετίμησεν. ὥσπερ γὰρ καὶ εἰ ἐτέρωθί που τοῦ
 5 σώματος κέρατα ἐπεφύκει, βάρος ἂν παρεῖχεν ἄλ-
 λως οὐδὲν ὄντα χρήσιμα καὶ ἐμπόδια τῶν ἔργων
 πολλοῖς ἦν, οὕτω καὶ ἐπὶ τῶν ὤμων πεφυκότα. οὐ
 γὰρ μόνον χρὴ σκοπεῖν πόθεν ἰσχυρότεραι αἱ πλη-
 γαί, ἀλλὰ καὶ πόθεν πορρώτεραι· ὥστ' ἐπεὶ χεῖρας
 μὲν οὐκ ἔχουσιν, ἐπὶ δὲ τῶν ποδῶν ἀδύνατον, ἐν δὲ

¹ αὐτὴν αἰτίαν Peck: αἰτίαν ταύτην vulg.

^a See Babrius, *Myth. Aesop.* lix. 8-10.

reason in both cases is the same. There are, however, some animals that have one horn only, *e.g.* the Oryx (whose hoof is cloven) and the "Indian Ass" (whose hoof is solid). These creatures have their horn in the middle of the head: this is the nearest approximation to letting each side have its own horn, because the middle is common equally to both extremes. Now it is quite reasonable that the one horn should go with the solid hoof rather than with the cloven hoof, because hoof is identical in nature with horn, and we should expect to find divided hoofs and divided horns together in the same animal. Again, division of the hoof is really due to deficiency of material, so it is reasonable that as Nature has used more material in the hoofs of the solid-hoofed animals, she has taken something away from the upper parts and made one horn only.

Again, Nature acted aright in placing the horns on the head. Momus in Aesop's fable^a is quite wrong when he finds fault with the bull for having his horns on the head, which is the weakest part of all, instead of on the shoulders, which, he says, would have enabled them to deliver the strongest possible blow. Such a criticism shows Momus's lack of perspicacity. If the horns had been placed on the shoulders, as indeed on any other part of the body, they would have been a dead weight, and would have been no assistance but rather a hindrance to many of the animal's activities. And besides, strength of stroke is not the only point to be considered: width of range is equally important. Where could the horns have been placed to secure this? It would have been impossible to have them on the feet; knees with horns on them would have

663 b

τοῖς γόνασιν ὄντα τὴν κάμψιν ἐκώλυνεν ἄν, ἀναγ-
 10 καῖον ὥσπερ νῦν ἔχουσιν, ἐπὶ τῆς κεφαλῆς ἔχειν.
 ἄμα δὲ καὶ πρὸς τὰς ἄλλας κινήσεις τοῦ σώματος
 ἀνεμπόδιστα πέφυκεν οὕτω μάλιστα.

Ἔστι δὲ τὰ κέρατα δι' ὅλου στερεὰ τοῖς ἐλάφοις
 μόνοις, καὶ ἀποβάλλει μόνον, ἔνεκεν μὲν ὠφελείας
 κουφιζόμενον, ἐξ ἀνάγκης δὲ διὰ τὸ βάρος. τῶν δ'
 15 ἄλλων τὰ κέρατα μέχρι τινὸς κοῖλα, τὰ δ' ἄκρα
 στερεὰ διὰ τὸ πρὸς τὰς πληγὰς τοῦτ' εἶναι χρή-
 σιμον. ὅπως δὲ μηδὲ τὸ κοῖλον ἀσθενές ἢ δ'¹
 πέφυκεν ἐκ τοῦ δέρματος, ἐν τούτῳ² ἐνήρμωσται
 <τὸ>³ στερεὸν ἐκ τῶν ὀστέων· οὕτω γὰρ καὶ τὰ
 κέρατα ἔχοντα πρὸς ἀλκὴν τε χρησιμώτατ' ἐστὶ⁴
 20 καὶ πρὸς τὸν ἄλλον βίον ἀνοχλότατα.

Τίνος μὲν οὖν ἔνεκεν ἢ τῶν κεράτων φύσις,
 εἴρηται, καὶ διὰ τίν' αἰτίαν τὰ μὲν ἔχουσι τοιαῦτα
 τὰ δ' οὐκ ἔχουσιν·

Πῶς δὲ τῆς ἀναγκαίας φύσεως ἐχούσης τοῖς
 ὑπάρχουσιν ἐξ ἀνάγκης ἢ κατὰ τὸν λόγον φύσις
 ἔνεκά του κατακέχρηται, λέγωμεν.

25 Πρῶτον μὲν οὖν τὸ σωματῶδες καὶ γεῶδες πλεῖον
 ὑπάρχει τοῖς μείζοσι τῶν ζώων, κερατοφόρον δὲ
 μικρὸν πάμπαν οὐδὲν ἴσμεν· ἐλάχιστον γὰρ ἐστὶ τῶν
 γνωριζομένων δορκάς. δεῖ δὲ τὴν φύσιν θεωρεῖν
 εἰς τὰ πολλὰ βλέποντα· ἢ γὰρ ἐν τῷ παντὶ ἢ ὥς ἐπὶ
 τὸ πολὺ τὸ κατὰ φύσιν ἐστίν. τὸ δ' ὀστώδες ἐν

¹ δ Peck, cf. *Hist. An.* 500 a 8: οὐ vulg., om. EPY: οὐ
 suprascr. Z.

² τούτῳ Peck: τούτῳ δ' vulg.

³ <τὸ> Peck: cf. *Hist. An.* 500 a 9.

⁴ ἐστὶ Platt: εἶναι vulg.

been unable to bend ; and the bull has no hands ; so they had to be where they are—on the head. And being there, they offer the least possible hindrance to the movements of the body in general.

Deer alone have horns that are solid throughout ; and deer alone shed their horns : this is partly on purpose to get the advantage of the extra lightness, but of course it happens partly through necessity, owing to the weight of the horns. In other animals the horns are hollow except at the tips, and these are solid because solid tips are an advantage when striking. And to prevent undue weakness even in the hollow part, which grows out from the skin, the solid piece which is fitted into it comes up from the bones. In this way the horns are rendered most serviceable for fighting and least hampering during the rest of the time.

This completes our statement of the purpose for which horns exist and the reason why some animals have them and some have not.

We must now describe the character of that “ necessary nature,” owing to which certain things are present *of necessity*, things which have been used by “ rational nature ” to subserve a “ purpose.”^a

To begin with, then : the larger the animal, the greater the quantity of corporeal or earthy matter there is in it. We know no really small horned animal—the smallest known one is the gazelle. (To study Nature we have to consider the majority of cases, for it is either in what is universal or what happens in the majority of cases that Nature’s ways are to be found. Now all the bone in animals’

“ rational nature ” see above 640 b 8-29, 641 a 25 ff., 642 a 1 ff.

663 b

30 τοῖς σώμασι τῶν ζώων γεῶδες ὑπάρχει· διὸ καὶ πλείστον ἐν τοῖς μεγίστοις ὡς ἐπὶ τὸ πολὺ βλέψαντας εἰπεῖν. τὴν γοῦν τοιούτου σώματος περιττωματικὴν ὑπερβολὴν ἐν τοῖς μείζουσι τῶν ζώων ὑπάρχουσιν ἐπὶ βοήθειαν καὶ τὸ συμφέρον καταχρηταὶ ἢ φύσις, καὶ τὴν ρέουσιν ἐξ ἀνάγκης εἰς τὸν

35 ἄνω τόπον τοῖς μὲν εἰς ὀδόντας καὶ χαυλιόδοντας ἀπένειμε, τοῖς δ' εἰς κέρατα. διὸ τῶν κερατοφόρων οὐδέν ἐστιν ἄμφωδον· ἄνω γὰρ οὐκ ἔχει τοὺς

664 a προσθίους ὀδόντας· ἀφελούσα γὰρ ἐντεῦθεν ἢ φύσις τοῖς κέρασι προσέθηκε, καὶ ἢ διδομένη τροφή εἰς τοὺς ὀδόντας τούτους εἰς τὴν τῶν κεράτων αὔξησιν ἀναλίσκεται. τοῦ δὲ τὰς θηλείας ἐλάφους κέρατα μὲν μὴ ἔχειν, περὶ δὲ τοὺς ὀδόντας ὁμοίως τοῖς
5 ἄρρεσιν, αἴτιον τὸ τὴν αὐτὴν εἶναι φύσιν ἀμφοῖν καὶ κερατοφόρον, ἀφήρηται δὲ τὰ κέρατα ταῖς θηλείαις διὰ τὸ χρήσιμα μὲν μὴ εἶναι μηδὲ τοῖς ἄρρεσιν, βλάπτεσθαι δ' ἦσσαν διὰ τὴν ἰσχύν.

Τῶν δ' ἄλλων ζώων ὅσοις μὴ εἰς κέρατα ἀποκρίνεται τὸ τοιοῦτον μόριον τοῦ σώματος, ἐνίοις
10 μὲν τῶν ὀδόντων αὐτῶν ἐπηύξησε τὸ μέγεθος κοινῇ πάντων, ἐνίοις δὲ χαυλιόδοντας ὥσπερ κέρατα ἐκ τῶν γνάθων ἐποίησεν.

Περὶ μὲν οὖν τῶν ἐν τῇ κεφαλῇ μορίων ταύτῃ διωρίσθω.

III. Ὑπὸ δὲ τὴν κεφαλὴν ὁ αὐχὴν πεφυκώς ἐστι τοῖς ἔχουσιν αὐχένα τῶν ζώων. οὐ γὰρ πάντα
15 τοῦτο τὸ μόριον ἔχει, ἀλλὰ μόνον τὰ ἔχοντα ὦν

^a i.e. constituent substance. See on 648 a 2.

PARTS OF ANIMALS, III. II.-III.

bodies consists of earthy matter ; so if we consider the majority of cases, we can say that there is most earthy matter in the biggest animals.) At any rate, in the larger animals there is present a surplus of this corporeal or earthy matter, produced as a residue, and this Nature makes use of and turns to advantage to provide them with means of defence. That portion of it which by necessity courses upwards she allots to form teeth and tusks in some animals, and to form horns in others. And we can see from this why no horned animal has incisor teeth in both jaws, but only in the bottom jaw. Nature has taken away from the teeth to add to the horns ; so that the nourishment which would normally be supplied to the upper teeth is here used to grow the horns. Why is it, then, that female deer, although they have no horns, are no better off for teeth than the male deer ? The answer is : Both of them are, by nature, horned animals ; but the females have lost their horns because they would be not only useless but dangerous. The horns are indeed of no more use to the males, but they are less dangerous because the males are stronger.

Thus in some animals this “ part ”^a of the body is secreted for the formation of horns ; in others, however, it causes a general increase in the size of the teeth, and in others again it produces tusks, which are like horns springing out of the jaws instead of the head.

We have now dealt with the “ parts ” that appertain to the head.

III. The place of the neck, when there is one, is below the head. I say “ when there is one,” because only those animals have this part which also have

Of the
Neck the
Oesophagus

664 a

χάριν ὁ αὐχὴν πέφυκεν· ταῦτα δ' ἐστὶν ὃ τε φάρυγξ
καὶ ὁ καλούμενος οἰσοφάγος

Ὁ μὲν οὖν φάρυγξ τοῦ πνεύματος ἔνεκεν πέφυκεν·
διὰ τούτου γὰρ εἰσάγεται τὸ πνεῦμα τὰ ζῶα καὶ
ἐκπέμπει ἀναπνέοντα καὶ ἐκπνέοντα. διὸ τὰ μὴ
20 ἔχοντα πλεύμονα οὐκ ἔχουσιν οὐδ' αὐχένα, οἷον
τὸ τῶν ἰχθύων γένος. ὁ δ' οἰσοφάγος ἐστὶ δι' οὗ
ἡ τροφή πορεύεται εἰς τὴν κοιλίαν· ὥσθ' ὅσα μὴ
ἔχει αὐχένα, οὐδ' οἰσοφάγον ἐπιδήλως ἔχουσιν.
οὐκ ἀναγκαῖον δ' ἔχειν τὸν οἰσοφάγον τῆς τροφῆς
ἔνεκεν· οὐθέν γὰρ παρασκευάζει πρὸς αὐτήν. ἔτι
25 δὲ μετὰ τὴν τοῦ στόματος θέσιν ἐνδέχεται κεῖσθαι
τὴν κοιλίαν εὐθέως, τὸν δὲ πλεύμονα οὐκ ἐνδέχεται.
δεῖ γὰρ εἶναι τινα κοινὸν οἶον αὐλῶνα, δι' οὗ με-
ριεῖται τὸ πνεῦμα κατὰ τὰς ἀρτηρίας εἰς τὰς
σύριγγας, διμερῇ ὄντα¹. καὶ κάλλιστ' ἂν οὕτως
ἀποτελοῖ τὴν ἀναπνοὴν καὶ ἐκπνοήν. τοῦ δ' ὀρ-
30 γάνου τοῦ περὶ τὴν ἀναπνοὴν ἐξ ἀνάγκης ἔχοντος
μῆκος, ἀναγκαῖον τὸν οἰσοφάγον εἶναι μετὰ τοῦ
στόματος καὶ τῆς κοιλίας. ἐστὶ δ' ὁ μὲν οἰσοφάγος
σαρκώδης, ἔχων νευρώδη τάσιν, νευρώδης μὲν,
ὅπως ἔχῃ διάτασιν εἰσιούσης τῆς τροφῆς, σαρκώδης
35 δέ, ὅπως μαλακὸς ἦ καὶ ἐνδιδῶ καὶ μὴ βλάπτηται
τραχυνόμενος ὑπὸ τῶν κατιόντων.

Ἡ δὲ καλουμένη φάρυγξ καὶ ἀρτηρία συνέστηκεν
664 b ἐκ χονδρώδους σώματος· οὐ γὰρ μόνον ἀναπνοῆς
ἔνεκεν ἐστὶν ἀλλὰ καὶ φωνῆς, δεῖ δὲ τὸ ψοφήσειν
μέλλον λεῖον εἶναι καὶ στερεότητα ἔχειν. κείται δ'
ἐμπροσθεν ἡ ἀρτηρία τοῦ οἰσοφάγου, καίπερ ἐμ-
ποδίζουσα αὐτὸν περὶ τὴν ὑποδοχὴν τῆς τροφῆς·
5 εἴαν γάρ τι παρεισρῶν ἡ ξηρὸν ἢ ὑγρὸν εἰς τὴν ἀρτη-

¹ διμερῇ ὄντα Peck : διμερὲς ὢν vulg.

PARTS OF ANIMALS, III. III.

those parts that the neck subserves—viz. the larynx and the oesophagus, as it is called.

The larynx is present for the sake of the breath : when animals breathe in and out, the breath passes through the larynx. Thus creatures which have no lung (*e.g.* fish) have no neck either. The oesophagus is the passage by which the food makes its way to the stomach ; so those that have no neck have no distinct oesophagus. So far as food is concerned, however, an oesophagus is not necessary, since it exerts no action upon the food ; and there is really no reason why the stomach should not be placed immediately next the mouth. The lung, however, could not be so placed, because some sort of tube must be present, common to both lungs, and divided into two, by which the breath is divided along the bronchial tubes into the air-tubes : this is the best method for securing good breathing, both in and out. This respiratory organ must therefore be of some length ; and this necessitates the presence of an oesophagus, to connect the mouth to the stomach. Now the oesophagus is fleshy, and it can also be extended like a sinew. Being sinewy, it can stretch as the food enters in ; and being fleshy, it is soft, and can yield to the food as it goes down without being damaged by its roughness

What are called the larynx and windpipe are constructed of cartilaginous substance, since the purpose they serve includes speech as well as respiration ; and an instrument that is to produce sound must be smooth and firm. The windpipe is situated in front of the oesophagus, although it causes some hindrance when food is being admitted—as when a piece of food, no matter whether solid or fluid, gets

Larynx and
windpipe.

- ρίαν, πνιγμούς καὶ πόνους καὶ βῆχας χαλεπὰς ἐμποιεῖ ὃ δὴ καὶ θαυμάσειεν ἂν τις τῶν λεγόντων ὥς ταύτῃ τὸ ποτὸν δέχεται τὸ ζῶον· συμβαίνει γὰρ φανερώς τὰ λεχθέντα πᾶσιν οἷς ἂν παραρρυῇ τι τῆς τροφῆς. 10 πολλαχῇ δὲ γελοῖον φαίνεται τὸ λέγειν ὥς ταύτῃ τὸ ποτὸν εἰσδέχεται τὰ ζῶα. πόρος γὰρ οὐδεὶς ἐστὶν εἰς τὴν κοιλίαν ἀπὸ τοῦ πλεύμονος, ὥσπερ ἐκ τοῦ στόματος ὀρώμεν τὸν οἰσοφάγον. ἔτι δ' ἐν τοῖς ἐμέτοις καὶ ναυτίαις οὐκ ἄδηλον πόθεν τὸ ὑγρὸν φαίνεται πορευόμενον. δῆλον δὲ καὶ ὅτι 15 οὐκ εὐθέως εἰς τὴν κύστιν συλλέγεται τὸ ὑγρὸν, ἀλλ' εἰς τὴν κοιλίαν πρότερον· τὰ γὰρ τῆς κοιλίας περιττώματα φαίνεται χρωματίζειν ἢ ἰλὺς τοῦ μέλανος οἴνου· συμβέβηκε δὲ τοῦτο πολλάκις φανερόν καὶ ἐπὶ τῶν εἰς τὴν κοιλίαν τραυμάτων. ἀλλὰ γὰρ ἴσως εὐήθεις τὸ τοὺς εὐήθεις τῶν λόγων λίαν ἐξετάζειν.
- 20 Ἡ δ' ἀρτηρία τῷ διακεῖσθαι, καθάπερ εἵπομεν, ἐν τῷ πρόσθεν ὑπὸ τῆς τροφῆς ἐνοχλεῖται· ἀλλ' ἡ φύσις πρὸς τοῦτο μεμηχάνηται τὴν ἐπιγλωττίδα ταύτην δ' οὐκ ἔχουσιν ἅπαντα τὰ ζωοτοκοῦντα,¹ ἀλλ' ὅσα πλεύμονα ἔχει καὶ τὸ δέρμα τριχωτόν, καὶ 25 μὴ φοιδωτὰ μηδὲ πτερωτὰ πέφυκεν. τούτοις δ' ἀντὶ τῆς ἐπιγλωττίδος συνάγεται καὶ διοίγεται ὁ φάρυγξ ὅνπερ τρόπον ἐκείνοις· ἐπιβάλλει τε καὶ ἀναπτύσσεται, τοῦ <μὲν>² πνεύματος τῇ εἰσόδῳ τε καὶ ἐξόδῳ ἀναπτυσσόμενος, τῆς δὲ τροφῆς εἰς-

¹ ζωοτοκοῦντα] ζῶα τὰ ἔναιμα Ogle.² <μὲν> supplevi et interpunctionem hic correxi.

into the windpipe by mistake, and causes a great deal of choking and distress and violent coughing. This sort of thing occurs and can be observed whenever a piece of food goes the wrong way ; yet they must be mysteries to those who hold that animals take in their drink by way of the windpipe. And there are many counts on which we can show that this is a ridiculous opinion to hold. (a) There is no passage leading from the lung into the stomach, such as the oesophagus, which, as we can see, leads thither from the mouth. And again, (b) there is no doubt where the fluid discharge comes from in cases of vomiting and seasickness. (c) It is plain, too, that the fluid matter which we take does not collect immediately in the bladder, but goes first into the stomach. This is shown by the fact that the dregs of dark wine affect the colour of the residual discharge from the stomach ; and this colouring has often been observed in cases where the stomach has been wounded. Still, perhaps it is silly to be too minute in discussing these silly theories.

The windpipe, as we have said, is situated in front, ^{Epiglottis} and therefore is interfered with by the food. To deal with this difficulty, Nature has contrived the epiglottis. Not all Vivipara^a have this, but only those which have a lung, and a hairy skin, and are not covered with horny scales or feathers. Those that are so covered have, to serve instead of the epiglottis, a larynx which closes and opens, just as the epiglottis does in the others ; it comes down and lifts up again : it lifts up during the entrance and exit of the breath, and subsides while food is being taken, to prevent

^a Ogle changes the text here to read " blooded animals," which brings the statement nearer the truth.

664 b

ιούσης ἐπιπτυσσόμενος, ἵνα μηθὲν παραρρυῇ πρὸς¹
 30 τὴν ἀρτηρίαν. εἰάν δέ τι πλημμεληθῇ παρὰ τὴν
 τοιαύτην κίνησιν καὶ προσφερομένης τῆς τροφῆς
 ἀναπνεύσῃ τις, βῆχας καὶ πνιγμούς ποιεῖ, καθάπερ
 εἴρηται. οὕτω δὲ καλῶς μεμηχάνηται καὶ ἡ ταύτης
 καὶ ἡ τῆς γλώττης κίνησις, ὥστε τῆς τροφῆς ἐν μὲν
 τῷ στόματι λεαινομένης, παρ' αὐτὴν δὲ διουούσης,
 35 τὴν μὲν ὀλιγάκις ὑπὸ τοὺς ὀδόντας πίπτειν, εἰς δὲ
 τὴν ἀρτηρίαν σπάνιον τι παραρρεῖν.

665 a

Οὐκ ἔχει δὲ τὰ λεχθέντα ζῶα τὴν ἐπιγλωττίδα
 διὰ τὸ ξηρὰς εἶναι τὰς σάρκας αὐτῶν καὶ τὸ δέρμα
 σκληρόν, ὥστ' οὐκ ἂν εὐκίνητον ἦν τὸ τοιοῦτον
 μόριον αὐτοῖς ἐκ τοιαύτης σαρκὸς καὶ ἐκ τοιούτου
 δέρματος συνεστηκός, ἀλλ' αὐτῆς τῆς ἀρτηρίας
 5 τῶν ἐσχάτων θᾶσσον ἐγίνετ' ἂν ἡ συναγωγὴ τῆς ἐκ
 τῆς οἰκείας σαρκὸς ἐπιγλωττίδος, ἣν ἔχουσι τὰ
 τριχωτά.

Δι' ἣν μὲν οὖν αἰτίαν τὰ μὲν ἔχει τῶν ζώων τὰ δ'
 οὐκ ἔχει, ταῦτ' εἰρήσθω, καὶ διότι τῆς ἀρτηρίας τὴν
 φαυλότητα τῆς θέσεως ἰάτρευκεν ἡ φύσις, μηχανη-
 σαμένη τὴν καλουμένην ἐπιγλωττίδα. κεῖται δ'
 10 ἔμπροσθεν ἡ φάρυγξ τοῦ οἰσοφάγου ἐξ ἀνάγκης. ἡ
 μὲν γὰρ καρδιά ἐν τοῖς ἔμπροσθεν καὶ ἐν μέσῳ
 κεῖται, ἐν ᾗ τὴν ἀρχὴν φαμεν τῆς ζωῆς καὶ πάσης
 κινήσεώς τε καὶ αἰσθήσεως (ἐπὶ τὸ καλούμενον γὰρ
 ἔμπροσθεν ἡ αἰσθησις καὶ ἡ κίνησις· αὐτῷ γὰρ τῷ
 15 λόγῳ τούτῳ διώρισται τὸ ἔμπροσθεν καὶ ὀπισθεν),
 ὃ δὲ πλεύμων κεῖται οὐ ἡ καρδιά καὶ περὶ ταύτην,
 ἡ δ' ἀναπνοὴ διὰ τε τοῦτον³ καὶ διὰ τὴν ἀρχὴν τὴν
 ἐν τῇ καρδίᾳ ἐνυπάρχουσαν. ἡ δ' ἀναπνοὴ γίνεται
 τοῖς ζώοις διὰ τῆς ἀρτηρίας· ὥστ' ἐπεὶ τὴν καρδίαν

¹ πρὸς PZ. παρὰ vulg.

PARTS OF ANIMALS, III. III.

anything coming in by mistake into the windpipe. If there is any error in this movement, or if you breathe in while you are taking food, coughing and choking results, as I have said. But the movement of the epiglottis and of the tongue has been so neatly contrived that while the food is being masticated in the mouth and is passing over the epiglottis, the tongue seldom gets in the way of the teeth, and hardly ever does any food slip into the windpipe.

I mentioned some animals that have no epiglottis. This is because their flesh is dry and their skin hard ; and thus if they had one, it would not move easily, because it would have to be made out of constituents of this sort. It is quicker to contract the edges of the windpipe itself than it would be to close an epiglottis, if, as in the hairy creatures, it were made out of the same sort of flesh as the rest of their bodies

This will suffice to show why some animals have an epiglottis and some not ; how Nature has contrived it so as to remedy the unsatisfactory position of the windpipe in front of the oesophagus. Still, the windpipe is bound by necessity to be in this position for the following reason. The heart is situated in the middle of the body and in the fore part of it ; and the heart, we hold, contains the source of life and of all movement and sensation. Both of these activities take place in the direction we call forwards : that is the very principle which constitutes the distinction between before and behind. The lung is situated in the region of the heart, and surrounding it. Now breathing takes place for the sake of the lung and the source of life which is set in the heart ; and the breath passes through the windpipe. So, since the

² τοῦτον SUY : τοῦτο vulg

665 a

ἐν τοῖς ἔμπροσθεν πρώτην ἀναγκαῖον κεῖσθαι, καὶ
 20 τὸν φάρυγγα καὶ τὴν ἀρτηρίαν πρότερον ἀναγκαῖον
 κεῖσθαι τοῦ οἰσοφάγου· τὰ μὲν γὰρ πρὸς τὸν
 πλεύμονα τείνει καὶ τὴν καρδίαν, ὃ δ' εἰς τὴν
 κοιλίαν. ὅλως δ' αἰεὶ τὸ βέλτιον καὶ τιμιώτερον,
 ὅπου μὴδὲν μείζον ἕτερον ἐμποδίζει, τοῦ μὲν
 ἄνω καὶ κάτω ἐν τοῖς μᾶλλον ἐστὶν ἄνω, τοῦ δ'
 25 ἔμπροσθεν καὶ ὀπίσθεν ἐν τοῖς ἔμπροσθεν, τοῦ
 δεξιοῦ δὲ καὶ ἀριστεροῦ ἐν τοῖς δεξιοῖς.

Καὶ περὶ μὲν αὐχένος τε καὶ οἰσοφάγου καὶ
 ἀρτηρίας εἴρηται, ἐπόμενον δ' ἐστὶ περὶ σπλάγχχνων
 εἰπεῖν.

IV. Ταῦτα δ' ἐστὶν ἴδια τῶν ἐναίμων, καὶ τοῖς
 30 μὲν ἅπανθ' ὑπάρχει, τοῖς δ' οὐχ ὑπάρχει. τῶν δ'
 ἀναίμων οὐδὲν ἔχει σπλάγχχνον. Δημόκριτος δ'
 ἔοικεν οὐ καλῶς διαλαβεῖν περὶ αὐτῶν, εἴπερ ᾤθη
 διὰ μικρότητα τῶν ἀναίμων ζώων ἄδηλα εἶναι
 ταῦτα. συνισταμένων γὰρ εὐθέως τῶν ἐναίμων καὶ
 πάμπαν ὄντων μικρῶν ἔνδηλα γίνεται καρδία τε καὶ
 35 ἥπαρ φαίνεται γὰρ ἐν μὲν τοῖς ψοῖς ἐνίοτε τριταίοις
 665 b οὔσι στιγμῆς ἔχοντα μέγεθος, πάμμικρα δὲ καὶ ἐν
 τοῖς ἐκβολίμοις τῶν ἐμβρύων ἔτι δ' ὥσπερ τῶν
 ἐκτὸς μορίων οὐ πᾶσι τῶν αὐτῶν χρήσις, ἀλλ'
 ἐκάστοις ἰδίᾳ πεπόρισται πρὸς τε τοὺς βίους καὶ
 τὰς κινήσεις, οὕτω καὶ τὰ ἐντὸς ἄλλα πέφυκεν
 5 ἄλλοις.

Τὰ δὲ σπλάγχχνα τῶν αἵματικῶν ἐστὶν ἴδια, διὸ
 καὶ συνέστηκεν αὐτῶν ἕκαστον ἐξ αἵματικῆς ὕλης.
 δῆλον δ' ἐν τοῖς νεογνοῖς τούτων· αἷματωδέστερα
 γὰρ καὶ μέγιστα κατὰ λόγον διὰ τὸ εἶναι τὸ εἶδος

PARTS OF ANIMALS, III. III.-IV.

heart must of necessity be situated in the front place of all, both the larynx and the windpipe, which lead to the lung and the heart, must of necessity be situated in front of the oesophagus which leads merely to the stomach. Speaking generally, unless some greater object interferes, that which is better and more honourable tends to be above rather than below, in front rather than at the back, and on the right side rather than on the left.

We have now spoken of the neck, the oesophagus, and the windpipe, and our next topic is the viscera.

IV. Only blooded animals have viscera. Some, but not all, have a complete set of them. As no bloodless animals have them, Democritus must have been wrong in his ideas on this point, if he really supposed that the viscera in bloodless creatures are invisible owing to the smallness of the creatures themselves. Against this we can put the fact that the heart and the liver are visible in blooded animals as soon as they are formed at all, that is, when they are quite small; in eggs they are visible, just about the size of a point, sometimes as early as the third day, and very small ones are visible in aborted embryos. Further, just as each animal is equipped with those external parts which are necessary to it for its manner of life and its motion, and no two animals require exactly the same ones, so it is with the internal parts: they vary in the various animals

INTERNAL
PARTS OF
BLOODED
ANIMALS

Viscera, then, are peculiar to the blooded animals, and that is why each one of the viscera is formed of blood-like material. This is clearly to be seen in the new-born offspring of blooded animals; in them the viscera are more blood-like, and at their largest in

665 b

τῆς ὕλης καὶ τὸ πλῆθος ἐμφανέστατον κατὰ τὴν
 10 πρῶτην σύστασιν. καρδία μὲν οὖν ἅπασιν ὑπάρχει
 τοῖς ἐναίμοις· δι' ἣν δ' αἰτίαν, εἴρηται καὶ πρότερον.
 αἷμα μὲν γὰρ ἔχειν τοῖς ἐναίμοις δῆλον ὥς ἀναγ-
 καῖον, ὑγροῦ δ' ὄντος τοῦ αἵματος ἀναγκαῖον ἀγ-
 γεῖον ὑπάρχειν, ἐφ' ὃ δὴ καὶ φαίνεται μεμηχανῆσθαι
 τὰς φλέβας ἢ φύσις· ἀρχὴν δὲ τούτων ἀναγκαῖον
 15 εἶναι μίαν (ὅπου γὰρ ἐνδέχεται, μίαν βέλτιον ἢ
 πολλὰς), ἢ δὲ καρδία τῶν φλεβῶν ἀρχή· φαίνονται
 γὰρ ἐκ ταύτης οὔσαι καὶ οὐ διὰ ταύτης, καὶ ἡ
 φύσις αὐτῆς φλεβώδης ὡς ὁμογενοῦς οὔσης. ἔχει
 δὲ καὶ ἡ θέσις αὐτῆς ἀρχικὴν χώραν· περὶ μέσον
 γάρ, μᾶλλον δ' ἐν τῷ ἄνω ἢ κάτω καὶ ἔμπροσθεν ἢ
 20 ὀπίσθεν· ἐν τοῖς γὰρ τιμιωτέροις τὸ τιμιώτερον
 καθίδρυκεν ἡ φύσις, οὐ μὴ τι κωλύει μεῖζον. ἐμ-
 φανέστατον δὲ τὸ λεχθέν ἐστίν ἐπὶ τῶν ἀνθρώ-
 πων, βούλεται δὲ καὶ ἐν τοῖς ἄλλοις ὁμολόγως ἐν
 μέσῳ κεῖσθαι τοῦ ἀναγκαίου σώματος, τούτου δὲ
 πέρας ἢ τὰ περιττώματα ἀποκρίνεται· τὰ δὲ κῶλα
 25 πέφυκεν ἄλλοις ἄλλως, καὶ οὐκ ἔστι τῶν πρὸς
 τὸ ζῆν ἀναγκαίων, διὸ καὶ ἀφαιρουμένων ζῶσιν·
 δῆλον δ' ὥς οὐδὲ προστιθέμενα φθείρει.

Οἱ δ' ἐν τῇ κεφαλῇ λέγοντες τὴν ἀρχὴν τῶν
 φλεβῶν οὐκ ὀρθῶς ὑπέλαβον. πρῶτον μὲν γὰρ
 πολλὰς ἀρχὰς καὶ διεσπασμένας¹ ποιοῦσιν, εἰτ' ἐν

¹ διεσπαρμένας ESUYZ.

^a The first observer after Aristotle to realize the disparity in the relative sizes of the parts with time was Leonardo da Vinci (A.D. 1452–1518).

PARTS OF ANIMALS, III. IV.

proportion^a : this is because the nature of the material and its bulk are especially obvious at the first stage of a creature's formation. The heart is present in all blooded animals, and the reason for this has been already stated. It is obviously necessary for all blooded creatures to have blood, and as blood is a fluid, there must of necessity be a vessel to hold it, and it is apparently for this purpose that Nature has contrived the blood-vessels. And these blood-vessels must have a source—one source (one is always better than many where it is possible), and this source is the heart. This is certain, because the blood-vessels come out of the heart and do not pass through it ; and again, the heart is homogeneous and in character identical with the blood-vessels. Furthermore, the place in which it is set is the place of primacy and governance. It is in a central position, and rather in the upper part of the body than the lower, and in front rather than at the back ; Nature always gives the more honourable place to the more honourable part, unless something more important prevents it. What I have just said is seen most clearly in the case of man, yet in other animals the heart tends in a similar way to be in the centre of the " necessary body," *i.e.* the portion of it which is terminated by the vent where the residues are discharged. The limbs vary in the various animals, and cannot be reckoned among the parts that are " necessary " for life, because animals can lose them and still remain alive ; and obviously they could have limbs added to them without being killed.

Those who suppose that the source of the blood-vessels is in the head are wrong, because : (1) this involves holding that there are many sources,

665 b

30 τόπῳ ψυχρῷ. δηλοῖ δὲ δύσριγος ὢν, ὃ δὲ περὶ τὴν καρδίαν τοῦναντίον. ὥσπερ δ' ἐλέχθη, διὰ μὲν τῶν ἄλλων σπλάγχνων διέχουσιν αἱ φλέβες, διὰ δὲ τῆς καρδίας οὐ διατείνει φλέψ· ὅθεν καὶ δηλὸν ὅτι μόριον καὶ ἀρχὴ τῶν φλεβῶν ἐστὶν ἡ καρδία. καὶ τοῦτ' εὐλόγως· μέσον γὰρ τὸ τῆς καρδίας ἐστὶ

35 σῶμα πυκνὸν καὶ κοῖλον πεφυκός, ἔτι δὲ πλήρες

666 a αἵματος ὡς τῶν φλεβῶν ἐντεῦθεν ἡργμένων, κοῖλον μὲν πρὸς τὴν ὑποδοχὴν τοῦ αἵματος, πυκνὸν δὲ πρὸς τὸ φυλάσσειν τὴν ἀρχὴν τῆς θερμότητος. ἐν ταύτῃ γὰρ μόνη τῶν σπλάγχνων καὶ τοῦ σώματος
5 αἷμα ἄνευ φλεβῶν ἐστι, τῶν δ' ἄλλων μορίων ἕκαστον ἐν ταῖς φλεψὶν ἔχει τὸ αἷμα. καὶ τοῦτ' εὐλόγως· ἐκ τῆς καρδίας γὰρ ἐποχετεύεται καὶ εἰς τὰς φλέβας, εἰς δὲ τὴν καρδίαν οὐκ ἄλλοθεν· αὕτη γάρ ἐστιν ἀρχὴ καὶ πηγὴ τοῦ αἵματος ἢ ὑποδοχὴ πρώτη. ἐκ τῶν ἀνατομῶν δὲ κατάδηλα μᾶλλον

10 ταῦτα, καὶ ἐκ τῶν γενέσεων· εὐθέως γὰρ ἐστὶν ἔναιμος πρώτη γινομένη τῶν μορίων ἀπάντων. ἔτι δ' αἱ κινήσεις τῶν ἡδέων καὶ τῶν λυπηρῶν καὶ ὅλως πάσης αἰσθήσεως ἐντεῦθεν ἀρχόμεναι φαίνονται καὶ πρὸς ταύτην περαίνουσαι. οὕτω δ' ἔχει καὶ κατὰ τὸν λόγον, ἀρχὴν γὰρ εἶναι δεῖ μίαν, ὅπου
15 ἐνδέχεται· εὐφύεστατος δὲ τῶν τόπων ὁ μέσος, ἐν γὰρ τὸ μέσον καὶ ἐπὶ πᾶν ἐφικτὸν ὁμοίως ἢ παραπλησίως. ἔτι δ' ἐπεὶ οὔτε τῶν ἀναίμων οὐθέν

^a Or "traverse." The connotation of this term seems to vary.

PARTS OF ANIMALS, III. iv.

scattered about ; and (2) it involves placing them in a cold region (its intolerance of cold proves this). The region round the heart, on the other hand, is warm. And (3) as has been said already, the blood-vessels run all through^a the other viscera, whereas none passes through the heart ; which clearly shows that the heart forms part of the blood-vessels and is their source. Which is reasonable enough ; since the centre of the heart is a body of dense and hollow structure, and this is full of blood ; it is hollow to form a receptacle for the blood ; dense to guard the source of heat ; and the store of blood is obviously there because that is the starting-point of the blood-vessels. In none other of the viscera and in no other part of the body is there blood and yet no blood-vessels ; everywhere except in the heart the blood is contained in blood-vessels. And this too is reasonable, as the blood is conveyed by the channels away from the heart into the blood-vessels, whereas none is thus conveyed into the heart from elsewhere : the heart is itself the source and spring of the blood, and the first receptacle of it. All this, however, is more clearly brought out in *Dissections* and *Formative Processes*, where it is shown that the heart is the first of all the parts to be formed and has blood in it straightway. Further, all motions of sensation, including those produced by what is pleasant and painful, undoubtedly begin in the heart and have their final ending there. This is in accord with reason ; since, wherever possible, there must be one source only ; and the best situation for that is the centre, because there is only one centre, and the centre is equally (or nearly equally) accessible from every direction. Again, as every bloodless part, and the

666 a

αἰσθητικὸν οὔτε τὸ αἷμα, δῆλον ὡς τὸ πρῶτον ἔχον
ὡς ἐν ἀγγείῳ δ' ἔχον ἀναγκαῖον εἶναι τὴν ἀρχήν.

Οὐ μόνον δὲ κατὰ τὸν λόγον οὕτως ἔχειν φαίνεται,
20 ἀλλὰ καὶ κατὰ τὴν αἴσθησιν. ἐν γὰρ τοῖς ἐμβρύοις
εὐθέως ἡ καρδιά φαίνεται κινουμένη τῶν μορίων
καθάπερ εἰ ζῶον, ὡς ἀρχὴ τῆς φύσεως τοῖς ἐναίμοις
οὔσα. μαρτύριον δὲ τῶν εἰρημένων καὶ τὸ πᾶσι
τοῖς ἐναίμοις ὑπάρχειν αὐτὴν ἀναγκαῖον γὰρ αὐτοῖς
ἔχειν τὴν ἀρχὴν τοῦ αἵματος ὑπάρχει δὲ καὶ τὸ
25 ἦπαρ πᾶσι τοῖς ἐναίμοις· ἀλλ' οὐθεὶς ἂν ἀξιώσειεν
αὐτὸ ἀρχὴν εἶναι οὔτε τοῦ ὅλου σώματος οὔτε τοῦ
αἵματος· κεῖται γὰρ οὐδαμῶς πρὸς ἀρχοειδῇ θέσιν,
ἔχει δ' ὥσπερ ἀντίζυγον ἐν τοῖς μάλιστ' ἀπηκριβω-
μένοις τὸν σπλῆνα. ἔτι δ' ὑποδοχὴν αἵματος οὐκ
30 ἔχει ἐν ἑαυτῷ καθάπερ ἡ καρδιά, ἀλλ' ὥσπερ τὰ
λοιπὰ ἐν φλεβί. ἔτι δὲ τείνει δι' αὐτοῦ φλέψ, ἐξ
ἐκείνης δ' οὐδεμία· πασῶν γὰρ τῶν φλεβῶν ἐκ τῆς
καρδίας αἱ ἀρχαί. ἐπεὶ οὖν ἀνάγκη μὲν θάτερον
τούτων ἀρχὴν εἶναι, μή ἐστι δὲ τὸ ἦπαρ, ἀνάγκη
τὴν καρδίαν εἶναι καὶ τοῦ αἵματος ἀρχήν. τὸ μὲν
35 γὰρ ζῶον αἰσθήσει ὥρισται, αἰσθητικὸν δὲ πρῶτον
τὸ πρῶτον ἔναιμον, τοιοῦτον δ' ἡ καρδιά· καὶ γὰρ
666 b ἀρχὴ τοῦ αἵματος καὶ ἔναιμον πρῶτον.

• "Ἔστι δ' αὐτῆς τὸ ἄκρον ὁζὺ καὶ στερεώτερον,

^a *Cor primum vivens ultimum moriens*: cf. *De gen. an.* 741 b 15 ff., and Ebstein & al., *Mitt. z. Gesch. der Medizin u. Naturw.*, 1920, 19, 102, 219, 305

^b See above, on 655 b 29.

PARTS OF ANIMALS, III IV.

blood itself as well, is without sensation, it is clear that the part where the blood is present first, which holds the blood as its receptacle, must of necessity be the source.

This reasoning is supported by the evidence of the senses. In embryos, as soon as they are formed, the heart can be seen moving before any of the other parts, just like a living creature^a; and it does this in virtue of its being the source of their nature in all blooded animals. Another piece of evidence to support this is that all blooded creatures have a heart why? because they are bound to have a source for their blood. All blooded creatures, it is true, have a liver too; but no one would care to maintain that the liver is the source either of the blood or of the whole body, because it is nowhere near the place of primacy and governance, and, also, in the most highly finished^b animals it has something to counterbalance it, as it were, viz the spleen. Again, the liver has no receptacle for blood in itself as the heart has. like the rest of the viscera, it keeps its blood in a blood-vessel. Again, a blood-vessel runs all through it, and no blood-vessel takes its origin from it. all blood-vessels have their source at the heart and begin there. We conclude, therefore, that as the source must be one of these two, the heart or the liver, and as it is not the liver, it must of necessity be the heart which is the source of the blood just as it is of the rest. An animal is defined by the fact that it possesses sensation; and the part of the body to have sensation first is the part that has blood in it first—in other words, the heart, which is the source of the blood and the first part to have it.

The apex of the heart is sharp and more solid than

κεῖται δὲ πρὸς τῷ στήθει καὶ ὅλως ἐν τοῖς πρόσθεν τοῦ σώματος πρὸς τὸ μὴ καταψύχεσθαι αὐτό· πᾶσι γὰρ ἄσαρκότερον τὸ στήθος, τὰ δὲ πρᾶν ἡ σαρκωδέστερα, διὸ πολλὴν ἔχει σκέπην τὸ θερμὸν κατὰ τὸν νῶτον. ἔστι δ' ἡ καρδία τοῖς μὲν ἄλλοις ζώοις κατὰ μέσον τοῦ στήθικοῦ τόπου, τοῖς δ' ἀνθρώποις μικρὸν εἰς τὰ εὐώνυμα παρεκκλίνουσα πρὸς τὸ ἀνισοῦν τὴν κατάψυξιν τῶν ἀριστερῶν· μάλιστα γὰρ τῶν ἄλλων ζώων ἄνθρωπος ἔχει κατεψυγμένα τὰ ἀριστερά. ὅτι δὲ καὶ ἐν τοῖς ἰχθύσιν ὁμοίως ἡ καρδία κεῖται, πρότερον εἴρηται, καὶ διότι φαίνεται ἁνομοίως. ἔχει δὲ πρὸς τὴν κεφαλὴν τὸ ὄξύ· ἔστι δ' αὕτη τὸ πρόσθεν, ἐπὶ ταύτην γὰρ ἡ κίνησις.

Ἔχει δὲ καὶ νεύρων πληθὺς ἡ καρδία, καὶ τοῦτ' εὐλόγως· ἀπὸ ταύτης γὰρ αἱ κινήσεις, περαίνονται δὲ διὰ τοῦ ἔλκειν καὶ ἀνιέναι· δεῖ οὖν τοιαύτης ὑπηρεσίας καὶ ἰσχύος. ἡ δὲ καρδία, καθάπερ εἵπομεν καὶ πρότερον, οἷον ζῶόν τι πέφυκεν ἐν τοῖς ἔχουσιν.

Ἔστι δ' ἀνόστεος πάντων ὅσα καὶ ἡμεῖς τεθεάμεθα, πλὴν τῶν ἵππων καὶ γένους τινὸς βοῶν· τούτοις δὲ διὰ τὸ μέγεθος οἷον ἐρείσματος χάριν ὁστοῦν ὑπεστί, καθάπερ καὶ τοῖς ὅλοις σώμασιν.

Κοιλίας δ' ἔχουσιν αἱ μὲν τῶν μεγάλων ζώων τρεῖς, αἱ δὲ τῶν ἐλασσόνων δύο, μίαν δὲ πᾶσαι· δι' ἣν δ' αἰτίαν, εἴρηται· δεῖ γὰρ εἶναι τόπον τινὰ τῆς

^a At *De respir.* 478 b 3. And see the next note.

^b Instead of towards the breast. The meaning of this passage is made clear by *Hist. An.* 507 a 2 ff. In all animals, says Aristotle, the "apex" of the heart points forwards, and in most animals "forwards" is towards the breast. Fishes

PARTS OF ANIMALS, III. IV.

the rest, and it lies towards the breast, and altogether in the fore part of the body so as to prevent it from getting cooled : for in all animals the breast has comparatively little flesh on it, while the back is well supplied and so gives the heat of the body ample protection on that side. In animals other than man the heart is in the centre of the region of the breast ; in man it inclines slightly to the left side so as to counteract the cooling there, for in man the left side is much colder than in other creatures. I have said already that the placing of the heart is the same in fishes as in other animals, though it appears to be different, together with the reasons^a for the apparent difference. In fishes its apex is turned towards the head^b ; but in them the head is “ forwards,” because the head is in the line of direction in which they move

The heart has in it an abundance of sinews, which is reasonable enough, as the motions of the body have their origin there ; and as these are performed by contraction and relaxation, the heart needs the sinews to serve it and to give it strength. We have said already that the heart is like a living creature inside the body that contains it

In all cases that we have examined the heart is boneless, except in horses and a certain kind of ox. In these, owing to its great size, the heart has a bone for a support, just as the whole body is supported by bones.

In the large animals, the heart has three cavities, in the smaller ones, two only ; and in no species has it less than one. The reason for this has been given : there

appear to be an exception to this rule, but only because in them “ forwards ” is towards the head.

666 b

καρδίας καὶ ὑποδοχὴν τοῦ πρώτου αἵματος. (ὅτι
 25 δὲ πρῶτον ἐν τῇ καρδίᾳ γίνεται τὸ αἷμα, πολλάκις
 εἰρήκαμεν.) διὰ δὲ¹ τὸ τὰς ἀρχηγούς φλέβας δύο
 εἶναι, τὴν τε μεγάλην καλουμένην καὶ τὴν ἀορτὴν,
 ἑκατέρας δ'² οὔσης ἀρχῆς τῶν φλεβῶν, καὶ δια-
 φορὰς ἔχουσῶν, περὶ ὧν ὕστερον ἐροῦμεν, βέλτιον
 καὶ τὰς ἀρχὰς αὐτῶν κεχωρίσθαι· τοῦτο δ' ἂν εἴη
 30 διφυοῦς ὄντος τοῦ αἵματος καὶ κεχωρισμένου.
 διόπερ ἐν οἷς ἐνδέχεται, δὴ εἰσὶν ὑποδοχαί. ἐν-
 δέχεται δ' ἐν τοῖς μεγάλοις· τούτων γὰρ ἔχουσι καὶ
 αἱ καρδίαι μέγεθος. ἔτι δὲ βέλτιον τρεῖς εἶναι τὰς
 κοιλίας, ὅπως ἦ μία ἀρχὴ κοινή· τὸ δὲ μέσον καὶ
 περιττὸν ἀρχή· ὥστε μεγέθους δεῖ μείζονος αὐταῖς
 35 αἰεὶ, διόπερ αἱ μέγισται τρεῖς ἔχουσι μόναι.

667 a

Τούτων δὲ πλείστον μὲν αἷμα καὶ θερμότατον
 ἔχουσιν αἱ δεξιαί (διὸ καὶ τῶν μερῶν θερμότερα τὰ
 δεξιά), ἐλάχιστον δὲ καὶ ψυχρότερον αἱ ἀριστεραί,
 μέσον δ' αἱ μέσαι τῷ πλήθει καὶ θερμότητι. καθα-
 ρώτατον δέ· δεῖ γὰρ τὴν ἀρχὴν ὅτι μάλιστ' ἡρεμεῖν,
 5 τοιαύτη δ' ἂν εἴη καθαροῦ τοῦ αἵματος ὄντος, τῷ
 πλήθει δὲ καὶ θερμότητι μέσου

Ἔχουσι δὲ καὶ διάρθρωσίν τινα αἱ καρδίαι παρα-
 πλησίαν ταῖς ράφαῖς. οὐκ εἰσὶ δὲ συναφεῖς ὥς
 τινος ἐκ πλειόνων συνθέτου, ἀλλὰ καθάπερ εἵπομεν,
 διαρθρώσει μᾶλλον. εἰσὶ δὲ τῶν μὲν αἰσθητικῶν
 10 ἀρθρωδέστεραι, τῶν δὲ νωθροτέρων ἀναρθρότεραι,

¹ διὰ δὲ ESUYZ: διὰ vulg.² δ' Peck: γὰρ vulg.

PARTS OF ANIMALS, III. IV.

must be some place in the heart which will be a receptacle for the blood when first formed (As we have stated several times, blood is first formed in the heart) Now there are two chief blood-vessels, the so-called Great Blood-vessel, and the Aorta; each of these is the source of other blood-vessels; and the two differ from each other (this will be discussed later); hence it is better for them to have separate sources. This result can be obtained by having two separate supplies of blood, and thus we find two receptacles wherever this is possible, as in the larger animals which of course have large hearts. But it is better still to have three cavities, and then there is an odd one in the middle which can be a common source for the other two; since, however, this requires the heart to be particularly large, only the very largest hearts have three cavities

Of these cavities it is the right-hand one which contains the most blood and the hottest (that is why the right side of the body is hotter than the left); the left-hand cavity contains least blood, and it is colder. The blood in the middle cavity is intermediate both in amount and heat, although it is the purest of them all; this is because the source must remain as calm as possible, and this is secured when the blood is pure, and intermediate in its amount and heat.

The heart has also a sort of articulation, which resembles the sutures of the skull By this I do not mean to say that the heart is a composite thing, consisting of several parts joined together, but an articulated whole, as I said. This articulation is more distinct in animals whose sensation is keen, and less distinct in the duller ones, such as swine. There are

667 a

καθάπερ αἱ τῶν ὕων. αἱ δὲ διαφοραὶ τῆς καρδίας
κατὰ μέγεθος τε καὶ μικρότητα καὶ σκληρότητα τε
καὶ μαλακότητα τείνουσί πη καὶ πρὸς τὰ ἥθη· τὰ
μὲν γὰρ ἀναίσθητα σκληρὰν ἔχει τὴν καρδίαν καὶ
15 πυκνήν, τὰ δ' αἰσθητικὰ μαλακωτέραν, καὶ τὰ μὲν
μεγάλας ἔχοντα τὰς καρδίας δειλά, τὰ δ' ἐλάσσους
καὶ μέσας θαρραλεώτερα (τὸ γὰρ συμβαῖνον πάθος
ὑπὸ τοῦ φοβεῖσθαι προυπάρχει τούτοις διὰ τὸ μὴ
ἀνάλογον ἔχειν τὸ θερμὸν τῇ καρδίᾳ, μικρὸν δ' ὄν
ἐν μεγάλοις ἀμαυροῦσθαι, καὶ τὸ αἷμα ψυχρότερον
20 εἶναι). μεγάλας δὲ τὰς καρδίας ἔχουσι λαγώς,
ἔλαφος, μῦς, ὕαινα, ὄνος, πάρδαλις,¹ γαλῆ, καὶ
τᾶλλα σχεδὸν πάνθ' ὅσα φανερώς δειλὰ ἢ διὰ
φόβον κακοῦργα.

Παραπλησίως δὲ καὶ ἐπὶ τῶν φλεβῶν καὶ ἐπὶ
τῶν κοιλιῶν ἔχει· ψυχραὶ γὰρ αἱ μεγάλαι φλέβες
25 καὶ κοιλίαι. ὥσπερ γὰρ ἐν μικρῷ καὶ ἐν μεγάλῳ
οἰκῆματι τὸ ἴσον πῦρ ἦσσον ἐν τοῖς μείζουσι θερ-
μαίνει, οὕτω καὶ τούτοις τὸ θερμόν· ἀγγεῖα γὰρ
καὶ ἡ φλέψ καὶ ἡ κοιλία. ἔτι δ' αἱ ἀλλότριαι κινή-
σεις ἕκαστον τῶν θερμῶν καταψύχουσιν, ἐν δὲ ταῖς
εὐρυχωρεστέραις τὸ πνεῦμα πλεῖον καὶ ἐνισχύει
30 μᾶλλον· διὸ τῶν μεγαλοκοιλιῶν οὐδὲν οὐδὲ τῶν
μεγαλοφλέβων πῖόν ἐστι κατὰ σάρκα, ἀλλὰ πάντα
ἢ τὰ πλεῖστα τῶν τοιούτων ἀδηλόφλεβα καὶ μικρο-
κοιλία φαίνεται.

Μόνον δὲ τῶν σπλάγχνων καὶ ὅλως τῶν ἐν τῷ

¹ πάρδαλις] δορκαλὶς Platt.

PARTS OF ANIMALS, III. IV

other differences in the heart ; some hearts are large, some small, some are hard, some soft ; and these tend by some means to influence the creature's temperament Illustrations of this are : animals whose powers of sensation are small have hearts that are hard and dense, those whose sensation is keen have softer ones ; and those with large hearts are cowardly, those with small or moderate-sized ones, courageous (this is because in the former class the affection which is normally produced by fear is present to begin with,^a as their heat is not proportionate to the size of their heart, but is small and therefore hardly noticeable in the enormous space that it occupies ; so that their blood is comparatively cold). The following creatures have large hearts : the hare, the deer, the mouse, the hyena, the ass, the leopard, the marten, and practically all other animals whose cowardice is either outright or else betrayed by their mischievous behaviour.

Similar conditions obtain in the blood-vessels and the cavities of the heart if they are large, they are cold. The effect of the same-sized fire is less in a large room than in a small one ; and the same applies to the heat in these receptacles, the blood-vessels and the cavities Further, extraneous motions have a cooling effect upon hot things ; and the more roomy a receptacle is, the greater the amount of air (or breath) in it and the stronger its effect Thus we find that no animal which has large cavities or large blood-vessels has fat flesh, and conversely, that all (or most) fat animals have indistinguishable blood-vessels and small cavities.

The heart is the only one of the viscera—indeed

^a Cf. 650 b 27. See also 692 a 20.

667 a

σώματι μορίων ἢ καρδία χαλεπὸν πάθος οὐδὲν
 ὑποφέρει, καὶ τοῦτ' εὐλόγως· φθειρομένης γὰρ τῆς
 35 ἀρχῆς οὐκ ἔστιν ἐξ οὗ γένοιτ' ἂν βοήθεια τοῖς
 667 b ἄλλοις ἐκ ταύτης ἡρτημένοις. σημεῖον δὲ τοῦ
 μὴθὲν ἐπιδέχεσθαι πάθος τὴν καρδίαν τὸ ἐν μηδενὶ
 τῶν θυομένων ἱερείων ὤφθαι τοιοῦτον πάθος περὶ
 αὐτὴν ὥσπερ ἐπὶ τῶν ἄλλων σπλάγχχνων. οἳ τε
 γὰρ νεφροὶ πολλάκις φαίνονται λίθων μεστοὶ καὶ
 5 φυμάτων καὶ δοθιήνων καὶ τὸ ἥπαρ, ὡσαύτως δὲ
 καὶ ὁ πλεύμων, μάλιστα δ' ὁ σπλήν. πολλὰ δὲ καὶ
 ἕτερα παθήματα συμβαίνοντα περὶ αὐτὰ φαίνεται,
 ἥκιστα δὲ τοῦ μὲν πλεύμονος περὶ τὴν ἀρτηρίαν,
 τοῦ δ' ἥπατος περὶ τὴν σύναψιν τῇ μεγάλῃ φλεβί,
 10 καὶ τοῦτ' εὐλόγως· ταύτῃ γὰρ μάλιστα κοινωνοῦσι
 τῇ καρδίᾳ. ὅσα δὲ διὰ νόσον καὶ τοιαῦτα πάθη
 φαίνεται τελευτῶντα τῶν ζώων, τούτοις ἀνατεμνο-
 μένοις φαίνεται περὶ τὴν καρδίαν νοσώδη πάθη.

Καὶ περὶ μὲν τῆς καρδίας, ποία τις, καὶ τίνος
 ἔνεκεν καὶ διὰ τίν' αἰτίαν ὑπάρχει τοῖς ἔχουσιν,
 τοσαῦτ' εἰρήσθω.

15 V. Ἐπόμενον δ' ἂν εἴη περὶ τῶν φλεβῶν εἰπεῖν,
 τῆς τε μεγάλης καὶ τῆς ἀορτῆς· αὗται γὰρ ἐκ τῆς
 καρδίας πρῶται δέχονται τὸ αἷμα, αἱ δὲ λοιπαὶ
 τούτων ἀποφυάδες εἰσίν. ὅτι μὲν οὖν τοῦ αἵματος
 χάριν εἰσὶ, πρότερον εἴρηται· τό τε γὰρ ὕγρον ἅπαν
 20 ἀγγεῖον δεῖται, καὶ τὸ φλεβῶν γένος ἀγγεῖον, τὸ δ'

PARTS OF ANIMALS, III. IV—V.

the only part in the whole body—which cannot withstand any serious affection. This is readily understood the other parts depend upon the heart, and when this source itself is ailing, there is no place whence they can obtain succour. A proof that the heart cannot put up with any affection is this : Never has the heart in a sacrificial victim been observed to be affected in the way that the other viscera sometimes are. Very often the kidneys are found to be full of stones, growths, and small abscesses ; so is the liver, and the lung, and especially the spleen. Many other affections are observed in these organs ; but in the lung they occur least often in that portion which is nearest the windpipe, and in the liver in that portion which is nearest its junction with the Great Blood-vessel. This is readily understood those are the places where they are most closely in communication with the heart. Those animals, however, which die as the result of disease, and affections such as I have mentioned, when cut open are seen to have diseased affections of the heart

We have now spoken of the heart : we have said what its nature is, what purpose it serves, and why it is present ; and that will suffice.

V. I suppose that the next subject for us to discuss is the Blood-vessels, that is, the Great Blood-vessel and the Aorta It is these into which the blood goes first after it leaves the heart, and the other blood-vessels are merely branches from these We have already said that these blood-vessels are present for the sake of the blood fluid substances always need a receptacle, and the blood-vessels generally are the receptacles which hold the blood. We may

667 b

αἷμα ἐν ταύταις· διότι δὲ δύο καὶ ἀπὸ μιᾶς ἀρχῆς
καθ' ἅπαν τὸ σῶμα διατείνουσι, λέγωμεν.

Τοῦ μὲν οὖν εἰς μίαν ἀρχὴν συντελεῖν καὶ ἀπὸ
μιᾶς αἷτιον τὸ μίαν ἔχειν πάντα τὴν αἰσθητικὴν
ψυχὴν ἐνεργεία, ὥστε καὶ τὸ μόριον ἐν τῷ ταύτην
ἔχον πρώτως (ἐν μὲν τοῖς ἐναίμοις κατὰ δύναμιν
25 καὶ κατ' ἐνέργειαν, τῶν δ' ἀναίμων ἐνίοις κατ'
ἐνεργείαν μόνον), διὸ καὶ τὴν τοῦ θερμοῦ ἀρχὴν
ἀναγκαῖον ἐν τῷ αὐτῷ τόπῳ εἶναι· αὕτη δ' ἐστὶν
αἰτία καὶ τῷ αἵματι τῆς ὑγρότητος καὶ τῆς θερ-
μότητος. διὰ μὲν οὖν τὸ ἐν ἐνὶ εἶναι μορίῳ τὴν
αἰσθητικὴν ἀρχὴν καὶ τὴν τῆς θερμότητος καὶ ἡ
30 τοῦ αἵματος ἀπὸ μιᾶς ἐστὶν ἀρχῆς, διὰ δὲ τὴν τοῦ
αἵματος ἐνότητα καὶ ἡ τῶν φλεβῶν ἀπὸ μιᾶς.

Δύο δ' εἰσὶ διὰ τὸ τὰ σώματα εἶναι διμερῆ τῶν
ἐναίμων καὶ πορευτικῶν· ἐν πᾶσι γὰρ τούτοις
διώρισται τὸ ἔμπροσθεν καὶ τὸ ὀπίσθεν καὶ τὸ
δεξιὸν καὶ τὸ ἀριστερόν καὶ τὸ ἄνω καὶ τὸ κάτω.
35 ὅσῳ δὲ τιμιώτερον καὶ ἡγεμονικώτερον τὸ ἔμ-
668 a προσθεν τοῦ ὀπίσθεν, τοσούτῳ καὶ ἡ μεγάλη φλέψ
τῆς ἀορτῆς· ἡ μὲν γὰρ ἐν τοῖς ἔμπροσθεν, ἡ δ' ἐν
τοῖς ὀπίσθεν κείται, καὶ τὴν μὲν ἅπαντ' ἔχει τὰ
ἐναίμα φανερώς, τὴν δ' ἐνια μὲν ἀμυδρώς ἐνια δ'
ἀφανῶς.

Τοῦ δ' εἰς τὸ πᾶν διαδεδοσθαι τὸ σῶμα τὰς
5 φλέβας αἷτιον τὸ παντὸς εἶναι τοῦ σώματος ὕλην
τὸ αἷμα, τοῖς δ' ἀναίμοις τὸ ἀνάλογον, ταῦτα δ' ἐν

PARTS OF ANIMALS, III. v.

now go on to explain why there are two of these blood-vessels, why they begin from a single source, and why they extend all over the body.

The reason why finally they both coincide in one source and also begin from one source is this. The sensory Soul is, in all animals, one *actually*; therefore the part which primarily contains this Soul is also one (one *potentially* as well as *actually* in the blooded animals, *actually* only and not *potentially* in some of the bloodless animals), and for this reason the source of heat also must of necessity be in the self-same place. But this concerns the blood, for this source is the cause of the blood's heat and fluidity. Thus we see that because the source of sensation and the source of heat are in one and the same part, the blood must originate from one source too; and because there is this one origin of the blood, the blood-vessels also must originate from one source.

The blood-vessels are, however, two in number, because the bodies of the blooded creatures that move about are bilateral: we can distinguish in them front and back, right and left, upper and lower. And just as the fore part is more honourable and more suited to rule than the back part, so is the Great Blood-vessel pre-eminent over the Aorta. The Great Blood-vessel lies in front, while the Aorta is at the back. All blooded creatures have a Great Blood-vessel, plainly visible; but in some of them the Aorta is indistinct and in others it cannot be detected.

The reason why the blood-vessels are distributed all over the body is that blood (and in bloodless creatures, its counterpart) is the material out of which the whole body is constructed, and blood-vessels (and their counterparts) are the channels in

668 a

φλεβὶ καὶ τῷ ἀνάλογον κείσθαι. πῶς μὲν οὖν
τρέφεται τὰ ζῶα καὶ ἐκ τίνος καὶ τίνα τρόπον
ἀναλαμβάνουσιν ἐκ τῆς κοιλίας ἐν τοῖς περὶ γενέ-
σεως λόγοις μᾶλλον ἀρμόζει σκοπεῖν καὶ λέγειν.

- 10 [Συνισταμένων δὲ τῶν μορίων ἐκ τοῦ αἵματος,
καθάπερ εἵπομεν, εὐλόγως ἢ τῶν φλεβῶν ῥύσις
διὰ παντὸς τοῦ σώματος πέφυκεν· δεῖ γὰρ καὶ τὸ
αἷμα διὰ παντὸς καὶ παρὰ πᾶν εἶναι, εἴπερ τῶν μο-
ρίων ἕκαστον ἐκ τούτου συνέστηκεν.]¹

- "Εοικε δ' ὥσπερ ἐν τε τοῖς κήποις αἱ ὕδραγωγίαι
15 κατασκευάζονται ἀπὸ μιᾶς ἀρχῆς καὶ πηγῆς εἰς
πολλοὺς ὀχετοὺς καὶ ἄλλους ἀεὶ πρὸς τὸ πάντῃ
μεταδιδόναι, καὶ ἐν ταῖς οἰκοδομίαις παρὰ πᾶσαν
τὴν τῶν θεμελίων ὑπογραφὴν λίθοι παραβέβληνται,
διὰ τὸ τὰ μὲν κηπευόμενα φύεσθαι ἐκ τοῦ ὕδατος,
τοὺς δὲ θεμελίους ἐκ τῶν λίθων οἰκοδομεῖσθαι, τὸν
20 αὐτὸν τρόπον καὶ ἡ φύσις τὸ αἷμα διὰ παντὸς
ὠχέτευκε τοῦ σώματος, ἐπεὶ δὲ παντὸς ὕλη πέφυκε
τοῦτο. γίνεται δὲ κατάδηλον ἐν τοῖς μάλιστα κατα-
λελεπτυσμένοις· οὐθὲν γὰρ ἄλλο φαίνεται παρὰ τὰς
φλέβας, καθάπερ ἐπὶ τῶν ἀμπελίνων τε καὶ συκίνων
25 φύλλων καὶ ὅσ' ἄλλα τοιαῦτα· καὶ γὰρ τούτων
αὐαινομένων² φλέβες λείπονται μόνον. τούτων δ'
αἴτιον ὅτι τὸ αἷμα καὶ τὸ ἀνάλογον τούτῳ δυνάμει
σῶμα καὶ σὰρξ ἢ τὸ ἀνάλογόν ἐστιν· καθάπερ οὖν

¹ ll. 10-13, quae praecedentia ll. 1-7 repetunt, secludenda.

² αὐαινομένων attice Bekker.

^a This seems to be an unnecessary repetition of the last sentence but one.

PARTS OF ANIMALS, III. v

which this material is carried. As regards the manner in which animals are nourished, the source of the nourishment, and the processes by which they take it up from the stomach, it is more appropriate to consider these subjects and to discuss them in the treatise on *Generation*.

[But since the parts of the body are composed out of blood, as has been said, it is easy to see why the course of the blood-vessels passes throughout the whole body. The blood must be everywhere in the body and always at hand if every one of the parts is constructed out of it.] ^a

The system of blood-vessels in the body may be compared to those water-courses which are constructed in gardens. they start from one source, or spring, and branch off into numerous channels, and then into still more, and so on progressively, so as to carry a supply to every part of the garden. And again, when a house is being built, supplies of stones are placed all alongside the lines of the foundations. These things are done because (*a*) water is the material out of which the plants in the garden grow, and (*b*) stones are the material out of which the foundations are built. In the same way, Nature has provided for the irrigation of the whole body with blood, because blood is the material out of which it is all made. This becomes evident in cases of severe emaciation, when nothing is to be seen but the blood-vessels: just as the leaves of vines and fig-trees and similar plants, when they wither, leave behind nothing but the veins. The explanation of this is that the blood (or its counterpart) is, potentially, the body (that is, flesh—or its counterpart). Thus, just as in the irrigation system the

668 a

ἐν ταῖς ὀχετείαις αἱ μέγιστα τῶν τάρφρων δια-
 μένουσιν, αἱ δ' ἐλάχισται πρῶται καὶ ταχέως ὑπὸ
 τῆς ἰλϋὸς ἀφανίζονται, πάλιν δ' ἐκλειπούσης
 30 φανεραὶ γίνονται, τὸν αὐτὸν τρόπον καὶ τῶν φλεβῶν
 αἱ μὲν μέγιστα διαμένουσιν, αἱ δ' ἐλάχισται γί-
 νονται σάρκες ἐνεργείᾳ, δυνάμει δ' εἰσὶν οὐδὲν
 ἦσσαν φλέβες. διὸ καὶ σωζομένων τῶν σαρκῶν
 καθ' ὅτι οὖν αἷμα ῥεῖ διαιρουμένων· καίτοι ἄνευ μὲν
 φλεβὸς οὐκ ἔστιν αἷμα, φλέβιον¹ δ' οὐδὲν δῆλον,
 35 ὥσπερ οὐδ' ἐν τοῖς ὀχετοῖς αἱ τάρφροι πρὶν ἢ τὴν
 668 b ἰλὺν ἐξαιρεθῆναι.

Ἐκ μειζόνων δ' εἰς ἐλάσσους αἱ φλέβες αἰεὶ
 προέρχονται ἕως τοῦ γενέσθαι τοὺς πόρους ἐλάσ-
 σους τῆς τοῦ αἵματος παχύτητος· δι' ὧν τῷ μὲν
 αἵματι δίοδος οὐκ ἔστι, τῷ δὲ περιττώματι τῆς
 ὑγρᾶς ἱκμάδος, ὃν καλοῦμεν ἰδρῶτα, καὶ τοῦτο
 5 διαθερμανθέντος τοῦ σώματος καὶ τῶν φλεβίων
 ἀναστομωθέντων. ἤδη δέ τισιν ἰδρῶσαι συνέβη
 αἱματώδει περιττώματι διὰ καχεξίαν, τοῦ μὲν
 σώματος ῥυάδος καὶ μανοῦ γενομένου, τοῦ δ' αἵ-
 ματος ἐξυγρानθέντος δι' ἀπεψίαν, ἀδυνατούσης τῆς
 ἐν τοῖς φλεβίοις θερμότητος πέσσειν δι' ὀλιγότητα.
 10 (εἴρηται γὰρ ὅτι πᾶν τὸ κοινὸν γῆς καὶ ὕδατος
 παχύνεται πεσσομένον, ἢ δὲ τροφή καὶ τὸ αἷμα
 μικτὸν ἐξ ἀμφοῖν.) ἀδυνατεῖ δὲ πέσσειν ἡ θερμότης
 οὐ μόνον διὰ τὴν αὐτῆς ὀλιγότητα ἀλλὰ καὶ διὰ
 πλῆθος καὶ ὑπερβολὴν τῆς εἰσφερομένης τροφῆς·

¹ φλεβίον Bekker.

^a Could Aristotle have seen a case of haematoporphyria?
 252

biggest channels persist whereas the smallest ones quickly get obliterated by the mud, though when the mud abates they reappear ; so in the body the largest blood-vessels persist, while the smallest ones become flesh in actuality, though potentially they are blood-vessels as much as ever before. Accordingly we find that, as long as the flesh is in a sound condition, wherever it is cut, blood will flow ; and although no blood-vessels are visible, they must be there (because we cannot have blood without blood-vessels)—just as the irrigating channels are there right enough, but are not visible until they are cleared of mud.

The blood-vessels get progressively smaller as they go on until their channel is too small for the blood to pass through. But, although the blood cannot get through them, the moist residue which we call sweat can do so, and this happens when the body is thoroughly heated and the blood-vessels open wider at their mouths. In some cases, the sweat consists of a blood-like residue^a : this is due to a bad general condition, in which the body has become loose and flabby, and the blood watery owing to insufficient concoction, which in its turn is due to the weakness and scantiness of the heat in the small blood-vessels. (We have already said that all compounds of earth and water are thickened by concoction, and this, of course, includes food and blood.) The heat may, as I say, be in itself too scanty to be able to cause concoction, or it may be that it is scanty in comparison with the amount of food that enters the body, if

See A. E. Garrod, *Inborn Errors of Metabolism*, Oxford, 1923, pp 136 ff. Also H. Gunther, *Deutsches Archiv f. klin. Medizin*, 1920, 134, pp 257 ff.

668 b

- γίνεται δὲ πρὸς ταύτην ὀλίγη. ἡ δ' ὑπερβολή
 15 δισσή καὶ γὰρ τῷ ποσῷ καὶ τῷ ποιῷ· οὐ γὰρ πᾶν
 ὁμοίως εὐπεπτον. (ρεῖ δὲ μάλιστα τὸ αἷμα κατὰ
 τοὺς εὐρυχωρεστάτους τῶν πόρων· διόπερ ἐκ τῶν
 μυκτήρων καὶ τῶν οὐλῶν καὶ τῆς ἔδρας, ἐνίοτε δὲ
 καὶ ἐκ τοῦ στόματος αἱμορροίδες ἄπονοι γίνονται,
 καὶ οὐχ ὥσπερ ἐκ τῆς ἀρτηρίας μετὰ βίας.)
 20 Διεστῶσαι δ' ἄνωθεν ἥ τε μεγάλη φλέψ καὶ ἡ
 ἄορτή, κάτω δ' ἐναλλάσσουσαι συνέχουσι τὸ σῶμα.
 προιοῦσαι γὰρ σχίζονται κατὰ τὴν διφυΐαν τῶν
 κώλων, καὶ ἡ μὲν ἐκ τοῦ ἔμπροσθεν εἰς τοῦπισθεν
 προέρχεται, ἡ δ' ἐκ τοῦ ὀπισθεν εἰς τοῦμπροσθεν,
 25 καὶ συμβάλλουσιν εἰς ἓν· ὥσπερ γὰρ ἐν τοῖς πλεκο-
 μένοις ἐγγίνεται τὸ συνεχὲς μᾶλλον, οὕτω καὶ διὰ
 τῆς τῶν φλεβῶν ἐναλλάξεως συνδεῖται τῶν σωμά-
 των τὰ πρόσθια τοῖς ὀπισθεν. ὁμοίως δὲ καὶ ἀπὸ
 τῆς καρδίας ἐν τοῖς ἄνω τόποις συμβαίνει. τὸ δὲ
 μετ' ἀκριβείας ὡς ἔχουσιν αἱ φλέβες πρὸς ἀλλήλας,
 30 ἔκ τε τῶν ἀνατομῶν δεῖ θεωρεῖν καὶ ἐκ τῆς ζωικῆς
 ἱστορίας.

Καὶ περὶ μὲν φλεβῶν καὶ καρδίας εἰρήσθω,
 περὶ δὲ τῶν ἄλλων σπλάγχχνων σκεπτέον κατὰ τὴν
 αὐτὴν μέθοδον.

- VI. Πλεύμονα μὲν οὖν ἔχει διὰ τὸ πεζὸν εἶναί τι
 γένος τῶν ζώων. ἀναγκαῖον μὲν γὰρ γίνεσθαι τῷ
 35 θερμῷ κατάψυξιν, ταύτης δὲ δεῖται θύραθεν τὰ
 669 a ἔναιμα τῶν ζώων· θερμότερα γάρ. τὰ δὲ μὴ ἔναιμα

^a The posterior *vena cava*.

^b *Hist. An.*, especially 511 b 11—515 a 26.

PARTS OF ANIMALS, III. v.-vi.

this is excessive ; and this excess may be due either to the quantity of it or (since some substances are less patient of concoction than others) to its quality. (Haemorrhage occurs most where the passages are widest, as from the nostrils, the gums and the fundament, and occasionally from the mouth At these places it is not painful ; when, however, it occurs from the windpipe, it is violent)

The Great Blood-vessel^a and the Aorta, which in the upper part are some distance from each other, lower down change sides, and thus hold the body compact. That is to say, when they reach the place where the legs diverge, they divide into two, and the Great Blood-vessel goes over to the back from the front, and the Aorta to the front from the back ; and thus they unite the body together, for this changing over of the blood-vessels binds together the front and the back of the body just as the crossing of the strands in plaiting or twining makes the material hold together more stoutly A similar thing occurs in the upper part of the body, where the blood-vessels that lead from the heart are interchanged. For an exact description of the relative disposition of the blood-vessels, the treatises on *Anatomy* and the *Researches upon Animals*^b should be consulted.

We have now finished our discussion of the heart and the blood-vessels, and we must go on to consider the remaining viscera on the same lines.

VI. First the Lung. The reason why any group of ^{Lung} animals possesses a lung is because they are land-creatures. It is imperative to have some means for cooling the heat of the body ; and blooded animals are so hot that this cooling must come from outside

καὶ τῷ συμφύτῳ πνεύματι δύναται καταψύχειν.
 ἀνάγκη δὲ καταψύχειν ἔξωθεν ἢ ὕδατι ἢ ἀέρι.
 διόπερ τῶν μὲν ἰχθύων οὐδεὶς ἔχει πλεύμονα, ἀλλ'
 ἀντὶ τούτου βράγχια, καθάπερ εἴρηται ἐν τοῖς περὶ
 5 ἀναπνοῆς· ὕδατι γὰρ ποιεῖται τὴν κατάψυξιν· τὰ
 δ' ἀναπνέοντα τῷ ἀέρι, διόπερ πάντα τὰ ἀνα-
 πνέοντα ἔχει πλεύμονα. ἀναπνέει δὲ τὰ μὲν πεζὰ
 πάντα, ἔνια δὲ καὶ τῶν ἐνύδρων, οἷον φάλαινα καὶ
 δελφίς καὶ τὰ ἀναφυσῶντα κήτη πάντα· πολλὰ γὰρ
 10 τῶν ζώων ἐπαμφοτερίζει τὴν φύσιν, καὶ τῶν τε
 πεζῶν καὶ τὸν ἀέρα δεχομένων διὰ τὴν τοῦ σώματος
 κρᾶσιν ἐν ὑγρῷ διατελεῖ τὸν πλείστον χρόνον, καὶ
 τῶν ἐν τῷ ὑγρῷ μετέχει τοσοῦτον ἔνια τῆς πεζῆς
 φύσεως ὥστ' ἐν τῷ πνεύματι αὐτῶν εἶναι τὸ τέλος
 τοῦ ζῆν.

Τοῦ δ' ἀναπνεῖν ὁ πλεύμων ὄργανόν ἐστι, τὴν μὲν
 15 ἀρχὴν τῆς κινήσεως ἔχων ἀπὸ τῆς καρδίας, ποιῶν
 δ' εὐρυχωρίαν τῇ εἰσόδῳ τοῦ πνεύματος διὰ τὴν
 αὐτοῦ σομφότητα καὶ τὸ μέγεθος αἰρομένου μὲν
 γὰρ εἰσρεῖ τὸ πνεῦμα, συνιόντος δ' ἐξέρχεται πάλιν.
 τὸ δὲ πρὸς τὴν ἄλσιν εἶναι τὸν πλεύμονα τῆς καρ-
 20 δίας οὐκ εἴρηται καλῶς· ἐν ἀνθρώπῳ τε γὰρ συμ-
 βαίνει μόνον ὡς εἰπεῖν τὸ τῆς πηδήσεως διὰ τὸ
 μόνον ἐν ἐλπίδι γίνεσθαι καὶ προσδοκία τοῦ μέλ-
 λοντος, ἀπέχει τ' ἐν τοῖς πλείστοις πολὺν τόπον καὶ
 κεῖται τὴν θέσιν ἀνωτέρω τοῦ πλεύμονος, ὥστε
 μῆδὲν συμβάλλεσθαι τὸν πλεύμονα πρὸς τὴν ἄλσιν
 τῆς καρδίας.

Διαφέρει δ' ὁ πλεύμων πολὺ τοῖς ζώοις. τὰ μὲν

^a See above, on 659 b 17.

^b 476 a 6.

^c See above, on 650 b 19 ff.

^d This view is expressed by Timaeus in Plato's *Timaeus*, 70c.
 256

PARTS OF ANIMALS, III. VI.

them, though the bloodless ones can do their own cooling by means of their innate breath.^a Now external cooling must be effected either by water or by air. This explains why none of the fishes has a lung. They are water-cooled, and instead of a lung they have gills (see the treatise on *Respiration*)^b Animals that breathe, on the other hand, are air-cooled, and so they all have a lung. All land-animals breathe; so do some of the water-animals (e.g. the whale, the dolphin, and all the spouting cetacea). This is not surprising, for many animals are intermediate between the two: some animals that live on land and breathe spend most of their time in the water owing to the blend^c in their bodies; and some of the water-animals are so closely akin to land-animals that the limiting condition of life for them lies in their breath.

Now the organ of breathing is the lung. It has its source of motion in the heart, and it affords a wide space for the breath to come into because it is large and spongy. when the lung rises up, the breath rushes in, and when it contracts the breath goes out again. The theory^d that the lung is provided as a cushion for the throbbings of the heart is not correct. This leaping of the heart is practically not found except in man, and that is because man is the only animal that has hope and expectation of the future. Besides, in most animals the heart is a long way off from the lung and lies well above it, and so the lung cannot be of any assistance in absorbing the throbbings of the heart.^e

There are many differences in the lung. Some

^e In quadrupeds the lung is above the heart, but not in man, owing to the difference of posture.

669 a

25 γὰρ ἔναιμιον ἔχει καὶ μέγαν, τὰ δ' ἐλάττω καὶ
 σομφόν, τὰ μὲν ζωοτόκα διὰ τὴν θερμότητα τῆς
 φύσεως μείζω καὶ πολυαίμιον, τὰ δ' ὥοτόκα ξηρόν
 καὶ μικρόν, δυνάμενον δὲ μεγάλα διίστασθαι ἐν τῷ
 ἐμφυσᾶσθαι, ὥσπερ τὰ τετράποδα μὲν ὥοτόκα δὲ
 30 τῶν πεζῶν, οἷον οἳ τε σαῦροι καὶ αἱ χελῶναι καὶ
 πᾶν τὸ τοιοῦτον γένος, ἔτι δὲ πρὸς τούτοις ἡ τῶν
 πτηνῶν φύσις καὶ καλουμένων ὀρνίθων. πάντων
 γὰρ τούτων σομφὸς ὁ πλεύμων καὶ ὅμοιος ἀφρῶ·
 καὶ γὰρ ὁ ἀφρὸς ἐκ πολλοῦ μικρὸς γίνεται συγχεό-
 μενος, καὶ ὁ τούτων πλεύμων μικρὸς καὶ ὑμενώδης.

35 διὸ καὶ ἄδιψα καὶ ὀλιγόποτα ταῦτα πάντα, καὶ
 δύναται πολὺν ἐν τῷ ὑγρῷ ἀνέχεσθαι χρόνον· ἅτε
 γὰρ ὀλίγον ἔχοντα θερμὸν ἱκανῶς ἐπὶ πολὺν χρόνον

669 b καταψύχεται ὑπ' αὐτῆς τῆς τοῦ πλεύμονος κινή-
 σεως, οὔσης ἀερῶδους καὶ κενῆς.

(Συμβέβηκε δὲ καὶ τὰ μεγέθη τούτων ἐλάττω τῶν
 ζώων ὡς ἐπίπαν εἰπεῖν· τὸ γὰρ θερμὸν αὐξητικόν,
 ἡ δὲ πολυαιμία θερμότητος σημεῖον. ἔτι δ' ὀρθοῖ
 5 τὰ σώματα μᾶλλον, διόπερ ἄνθρωπος μὲν τῶν
 ἄλλων ὀρθότατον, τὰ δὲ ζωοτόκα τῶν ἄλλων τετρα-
 πόδων· οὐδὲν γὰρ ὁμοίως τρωγλοδυτεῖ τῶν ζωο-
 τόκων, οὔτ' ἄπουν οὔτε πέζεῖν.)

“Ὅλως μὲν οὖν ὁ πλεύμων ἐστὶν ἀναπνοῆς χάριν,
 ἄναιμος δὲ καὶ τοιοῦτος γένους τινὸς ἕνεκεν ζώων·
 10 ἀλλ' ἀνώνυμον τὸ κοινὸν ἐπ' αὐτῶν, καὶ οὐχ ὥσπερ

* Cf. 653 a 30 ff.

animals have a large lung, which contains blood ; others a small one and spongy. In the Vivipara it is large and has much blood in it because these creatures have a hot nature : in the Ovipara it is dry and small, but it can expand to a great size when inflated : examples of these are : among land-animals, the oviparous quadrupeds like the lizards, tortoises, and all such creatures, and in addition to these the tribe of winged things, the birds. All these have a spongy lung, which, like froth, runs together and contracts from a large volume into a small one. So it counts as small ; and also it is membranous. As a result, all these creatures are not much subject to thirst, and drink but little ; and also they can bear to remain a long time under the water . this is because their heat is scanty and can therefore be sufficiently cooled over a long period by the mere motion of the lung, which is void and air-like.

(Consequently, one may add, in general these creatures are smaller in size than the majority of animals, as growth is promoted by heat, and a plentiful supply of blood is a sign that heat is present. Furthermore, heat tends to make the body upright,^a which explains why man is the most upright among the animals and the Vivipara the most upright among the quadrupeds. And there are no viviparous creatures, either with or without feet, so fond of creeping into holes as the Ovipara are.)

The lung, then, is present for the sake of the breathing . this is its function always. Sometimes, to serve the purpose of a particular group, it is bloodless, and such as has been described above. There is no common name which is applied to all animals that have lungs. But there ought to be : because

669 b

ὁ ὄρνις ὠνόμασται ἐπὶ τινος γένους. διὸ ὥσπερ τὸ ὄρνιθι εἶναι ἕκ τινός ἐστι, καὶ ἐκείνων ἐν τῇ οὐσίᾳ ὑπάρχει τὸ πλεύμονα ἔχειν.

VII. Δοκεῖ δὲ τῶν σπλάγχχνων τὰ μὲν εἶναι μονοφυῆ, καθάπερ καρδία καὶ πλεύμων, τὰ δὲ
 15 διφυῆ, καθάπερ νεφροί, τὰ δ' ἀπορεῖται ποτέρως ἔχει. φανείη γὰρ ἂν ἐπαμφοτερίζειν τούτοις τὸ ἦπαρ καὶ ὁ σπλήν· καὶ γὰρ ὡς μονοφυῆς ἑκάτερον, καὶ ὡς ἂνθ' ἐνὸς δύο παραπλησίαν ἔχοντα τὴν φύσιν ἔστι δὲ πάντα διφυᾶ. τὸ δ' αἴτιον ἢ τοῦ σώματος διάστασις διφυῆς μὲν οὔσα, πρὸς μίαν δὲ
 20 συντελοῦσα ἀρχήν· τὸ μὲν γὰρ ἄνω καὶ κάτω, τὸ δ' ἔμπροσθεν καὶ ὀπίσθεν, τὸ δὲ δεξιὸν καὶ ἀριστερόν ἐστιν. διόπερ καὶ ὁ ἐγκέφαλος βούλεται διμερῆς εἶναι πᾶσι καὶ τῶν αἰσθητηρίων ἕκαστον. κατὰ τὸν αὐτὸν δὲ λόγον ἢ καρδία ταῖς κοιλίαις. ὁ δὲ πλεύμων ἔν τε τοῖς ὠτόκοις τοσοῦτον διέστηκεν
 25 ὥστε δοκεῖν δύ' ἔχειν αὐτὰ πλεύμονας. οἱ δὲ νεφροὶ καὶ παντὶ δῆλοι· κατὰ δὲ τὸ ἦπαρ καὶ τὸν σπλήνα δικαίως ἂν τις ἀπορήσειεν. τούτου δ' αἴτιον ὅτι ἐν μὲν τοῖς ἐξ ἀνάγκης ἔχουσι σπλήνα δόξειεν ἂν οἶον νόθον εἶναι ἦπαρ ὁ σπλήν, ἐν δὲ τοῖς μὴ ἐξ ἀνάγκης ἔχουσιν, ἀλλὰ πάμμικρον ὥσπερ
 30 σημείου χάριν, ἐναργῶς διμερὲς τὸ ἦπαρ ἐστιν, καὶ τὸ μὲν¹ εἰς τὰ δεξιά, τὸ δ' ἑλάττον εἰς τὰριστερά βούλεται τὴν θέσιν ἔχειν. οὐ μὲν ἄλλα καὶ ἐν τοῖς ὠτόκοις ἦττον μὲν ἢ ἐπὶ τούτων φανερόν, ἐνίοις δὲ [κάκει ὥσπερ ἐν τισι]² ζωτόκοις ἐπιδήλως διέστηκεν, οἶον κατὰ τινας τόπους οἱ δασύποδες δύο

¹ fortasse <μεῖζον>.

² seclusi: ὥσπερ ἐν τισι omi EY.

PARTS OF ANIMALS, III. VI.—VII.

the possession of a lung is one of their essential characteristics, just as there are certain characteristics which are included in the essence of a "bird," the name which is applied to another such class.

VII Some of the viscera are undoubtedly single (e.g. the heart and the lung); others are double (e.g. the kidneys); and some it is difficult to place under either heading. The liver and the spleen apparently are intermediate; they can be considered either as being each a single organ, or else as two organs taking the place of one and having a similar character. In fact, however, all organs are double. And the reason for this is that the structure of the body is double, though its halves are combined under one source. We have upper and lower halves, front and back halves, right and left halves. Thus even the brain as well as each of the sense-organs tends in all animals to be double; so does the heart—it has cavities. In the Ovipara the lung is so much divided that they appear to have two lungs. The kidneys are obviously double; but there is fair room for hesitation about the liver and spleen. This is because in those animals which of necessity have a spleen, the spleen looks rather like a bastard liver, while in those which have a spleen though not of necessity—*i.e.* a very small one, as it were by way of a token—the liver is patently double, and the larger part of it tends to lie towards the right, the smaller towards the left. Still, there are cases among the Ovipara where this division is less distinct than in those just described, while in some Vivipara too the division is unmistakable—*e.g.* in some districts

Why the
viscera
are double

Liver and
spleen.

669 b

35 δοκοῦσιν ἥπατ' ἔχειν, καθάπερ τῶν ἰχθύων ἕτεροί
τέ τινες καὶ οἱ σελαχῳδεῖς.

670 a

Διὰ δὲ τὸ τὴν θέσιν ἔχειν τὸ ἥπαρ ἐν τοῖς δεξιοῖς
μᾶλλον ἢ τοῦ σπληνὸς γέγονε φύσις, ὥστ' ἀναγ-
καῖον μὲν πως, μὴ λῖαν δ' εἶναι πᾶσι τοῖς ζώοις.

Τοῦ μὲν οὖν διφυῆ τὴν φύσιν εἶναι τῶν σπλάγ-
χνων αἴτιον, ὥσπερ εἵπομεν, τὸ δὲ εἶναι τὸ δεξιὸν
5 καὶ τὸ ἀριστερόν· ἐκάτερον γὰρ ζητεῖ τὸ ὅμοιον,
ὥσπερ καὶ αὐτὰ βούλεται παραπλησίαν καὶ διδύμην
ἔχειν τὴν φύσιν, καὶ καθάπερ¹ ἐκεῖνα διδυμα μὲν,
συνήρηται δ' εἰς ἓν, καὶ τῶν σπλάγχχνων ὁμοίως
ἔκαστον.

"Ἔστι δὲ σπλάγχνα τὰ κάτω τοῦ ὑποζώματος
κοινῇ μὲν πάντα τῶν φλεβῶν χάριν, ὅπως οὔσαι
10 μετέωροι μένωσι τῷ τούτων συνδέσμῳ πρὸς τὸ
σῶμα. καθάπερ ἄγκυραι γὰρ βέβληνται πρὸς τὸ
σῶμα διὰ τῶν ἀποτεταμένων μορίων ἀπὸ μὲν τῆς
μεγάλης φλεβὸς πρὸς τὸ ἥπαρ καὶ τὸν σπλῆνα,
τούτων γὰρ τῶν σπλάγχχνων ἢ φύσις οἶον ἦλοι πρὸς
τὸ σῶμα προσλαμβάνουσιν αὐτήν, εἰς μὲν τὰ
15 πλάγια τοῦ σώματος τό θ' ἥπαρ καὶ ὁ σπλῆν τὴν
φλέβα τὴν μεγάλην (ἀπὸ ταύτης γὰρ εἰς αὐτὰ μόνον
διατείνουσι φλέβες), εἰς δὲ τὰ ὀπισθεν οἱ νεφροί.
πρὸς δ' ἐκείνους οὐ μόνον ἀπὸ τῆς μεγάλης
φλεβὸς ἀλλὰ καὶ ἀπὸ τῆς ἀορτῆς τείνει φλέψ εἰς
ἐκάτερον.

Ταῦτα δὴ συμβαίνει διὰ τούτων τῇ συστάσει
20 τῶν ζώων· καὶ τὸ μὲν ἥπαρ καὶ ὁ σπλῆν βοηθεῖ
πρὸς τὴν πέψιν τῆς τροφῆς (ἔναιμα γὰρ ὄντα θερ-

¹ καὶ καθάπερ PZ· καὶ om. vulg.

PARTS OF ANIMALS, III. VII

it appears that hares have a couple of livers ; so do certain fishes, especially the cartilaginous ones ^a

The spleen owes its existence to the liver being placed somewhat over to the right-hand side of the body · this makes the spleen a necessity in a way, though not an urgent one, for all animals.

Thus, the reason why the viscera are double in their formation is, as we have said, that the body is two-sided, having right and left Each of them aims at similarity, just as the sides themselves strive to have a similar nature, and to be as like as twins ; and just as the sides, though dual, are conjoined together into a unity, so also it is with their several viscera.

The viscera which are below the diaphragm are all of them present for the sake of the blood-vessels, in order that the latter may have freedom of carriage and at the same time be attached to the body by means of the viscera, which act as a bond Indeed, there are, as it were, anchor-lines thrown out to the body through the extended parts : *e.g.* from the Great Blood-vessel to the liver and to the spleen, for these viscera act, as it were, like rivets and fasten it to the body ; that is to say, the liver and the spleen fasten the Great Blood-vessel to the sides of the body (since blood-vessels pass to them from it alone), while the kidneys fasten it to the rear parts. And to the kidneys—to each of them—there is a blood-vessel passing not only from the Great Blood-vessel but also from the Aorta.

Such are the advantages resulting to the animal organism from the liver and the spleen. They also assist in the concoction of the food, since they both

^a Sharks, etc.

670 a

μὴν ἔχει τὴν φύσιν), οἱ δὲ νεφροὶ πρὸς τὸ περίττωμα τὸ εἰς τὴν κύστιν ἀποκρινόμενον.

Καρδιά μὲν οὖν καὶ ἡπαρ πᾶσιν ἀναγκαῖα τοῖς ζώοις, ἡ μὲν διὰ τὴν τῆς θερμότητος ἀρχήν (δεῖ γὰρ
 25 εἶναί τινα οἶον ἐστίαν, ἐν ᾗ κέειται τῆς φύσεως τὸ ζωπυροῦν, καὶ τοῦτο εὐφύλακτον, ὥσπερ ἀκρόπολις οὔσα τοῦ σώματος), τὸ δ' ἡπαρ τῆς πέψεως χάριν. πάντα δὲ δεῖται τὰ ἔναιμα δυοῖν τούτοις, διόπερ ἔχει πάντα τὰ ἔναιμα δύο τὰ σπλάγχνα ταῦτα¹. ὅσα
 30 δ' ἀναπνεῖ, καὶ πλεύμονα τρίτον.

Ὁ δὲ σπλὴν κατὰ συμβεβηκὸς ἐξ ἀνάγκης ὑπάρχει τοῖς ἔχουσιν, ὥσπερ καὶ τὰ περιττώματα, τό τ' ἐν τῇ κοιλίᾳ καὶ τὸ περὶ τὴν κύστιν. διόπερ ἐν τισιν ἐκλείπει κατὰ τὸ μέγεθος, ὥσπερ τῶν τε πτερωτῶν ἐνίοις, ὅσα θερμὴν ἔχει τὴν κοιλίαν, οἶον
 670 b περιστερά, ἱέραξ, ἰκτῖνος, καὶ ἐπὶ τῶν φωτόκων δὲ καὶ τετραπόδων ὁμοίως (μικρὸν γὰρ πάμπαν ἔχουσιν), καὶ πολλοῖς τῶν λεπιδωτῶν. ἅπερ καὶ κύστιν οὐκ ἔχει διὰ τὸ τρέπεσθαι τὸ περίττωμα διὰ μανῶν τῶν σαρκῶν εἰς πτερὰ καὶ λεπίδας. ὁ γὰρ
 5 σπλὴν ἀντισπᾶ ἐκ τῆς κοιλίας τὰς ἰκμάδας τὰς περιττενούσας, καὶ δύναται συμπέττειν αἱματώδης ὦν. ἂν δὲ τὸ περίττωμα πλεῖον ᾖ ἢ ὀλιγόθερμος ὁ σπλὴν, νοσακερὰ γίνεται πλήρης² <οὔσα>³ τροφῆς· καὶ διὰ τὴν ἐνταῦθα παλίσροια τῆς ὑγρότητος πολλοῖς αἱ κοιλίαι σκληραὶ γίνονται σπληνιῶσιν, ὥσ-
 10 περ τοῖς λίαν οὐρητικοῖς, διὰ τὸ ἀντιπερισπᾶσθαι

¹ ταῦτα P: ταῦτα μόνον vulg.

² πλήρης EYZ: πλήρη vulg

³ <οὔσα> Peck

PARTS OF ANIMALS, III. VII.

have blood in them and so are hot. The kidneys assist in connexion with the residue which is excreted into the bladder

Thus the heart and the liver are essential to all animals. The heart is essential because there must be a source of heat: there must be, as it were, a hearth, where that which kindles the whole organism shall reside; and this part must be well guarded, since it is the citadel of the body. The liver is essential for the sake of effecting concoction. All blooded creatures must have these two viscera, and that is why these two are always present in them. A third, the lung, is present in those animals that breathe.

Where the spleen is present, it is an incidental ^{Spleen} appendage, on a level with the residues in the stomach and in the bladder; its presence is the result of *necessity*. So in some animals the spleen is deficient in size, as in certain birds which have a hot stomach, *e g.* the pigeon, the hawk, and the kite; the same applies to the oviparous quadrupeds (all of these have an extremely small spleen) and to many of the scaly creatures. These animals just mentioned also lack a bladder, because their flesh is porous enough to enable the residues formed to pass through it and produce feathers and scales. The spleen draws off the residual humours from the stomach and in virtue of its blood-like nature can assist in the concoction of them. If, however, the residue is too bulky or the spleen has too little heat, the stomach gets full of nourishment and becomes diseased. And in many cases, when the spleen is ailing, the stomach becomes hardened owing to the fluid which runs back into it. This happens with

670 b

τὰς ὑγρότητας. οἷς δὲ ὀλίγη περίττωσις γίνεται, καθάπερ τοῖς ὀρνέοις καὶ τοῖς ἰχθύσι, τὰ μὲν οὐ μέγαν ἔχει, τὰ δὲ σημείου χάριν. καὶ ἐν τοῖς τετράποσι δὲ τοῖς ὑποτόκοις μικρὸς καὶ στιφρὸς καὶ νεφρώδης ὁ σπλήν ἐστι διὰ τὸ τὸν πλεύμονα σομφὸν
 15 εἶναι καὶ ὀλιγοποτεῖν καὶ τὸ περιγινόμενον περίττωμα τρέπεσθαι εἰς τὸ σῶμα καὶ τὰς φολίδας, ὥσπερ εἰς τὰ πτερὰ τοῖς ὄρνευσι.

Ἐν δὲ τοῖς κύστιν ἔχουσι καὶ τὸν πλεύμονα ἔναιμον ὑγρὸς ἐστι διὰ τε τὴν εἰρημένην αἰτίαν καὶ διὰ τὸ τὴν φύσιν τὴν τῶν ἀριστερῶν ὅλως ὑγρο-
 20 τέραν εἶναι καὶ ψυχροτέραν. διήρηται γὰρ τῶν ἐναντίων ἕκαστον πρὸς τὴν συγγενῇ συστοιχίαν, οἷον δεξιὸν ἐναντίον ἀριστερῷ καὶ θερμὸν ἐναντίον ψυχρῷ· καὶ σύστοιχα γὰρ ἀλλήλοις εἰσὶ τὸν εἰρημένον τρόπον.

Οἱ δὲ νεφροὶ τοῖς ἔχουσιν οὐκ ἐξ ἀνάγκης ἀλλὰ τοῦ εὖ καὶ καλῶς ἔνεκεν ὑπάρχουσιν· τῆς γὰρ
 25 περιττώσεως χάριν τῆς εἰς τὴν κύστιν ἀθροισμένης εἰσὶ κατὰ τὴν ἰδίαν φύσιν, ἐν ὅσοις πλεῖον ὑπόστημα γίνεται τὸ τοιοῦτον, ὅπως βέλτιον ἀποδιδῶ ἢ κύστις τὸ αὐτῆς ἔργον.

Ἐπεὶ δὲ τῆς αὐτῆς ἔνεκα χρείας τοὺς τε νεφροὺς συμβέβηκεν ἔχειν τὰ ζῶα καὶ τὴν κύστιν, λεκτέον
 30 περὶ κύστεως νῦν, ὑπερβάντας τὸν ἐφεξῆς τῶν μορίων ἀριθμόν· περὶ γὰρ φρενῶν οὐδὲν πω δι-

^a The reference to the "columns" or "double list" is not clear. There was a Pythagorean *συστοιχία*; this and other *συστοιχίαι* are mentioned in Ross's note on his translation of *Met.* 986 a 23.

^b i.e. left and cold are both in the same column; right and hot are both in the other column.

PARTS OF ANIMALS, III. VII.

those who make water excessively : the fluids are drawn back again into the stomach. In animals where the amount of residue produced is small, as in birds and fishes, the spleen is either small or present simply by way of a token. In the oviparous quadrupeds, too, the spleen is small and compact, and like a kidney, because the lung is spongy and the animals drink little, and also because the residue which is produced is applied for the benefit of the body itself and of the scaly plates which cover it, just as in birds it is applied for the benefit of the feathers.

In those animals, however, which possess a bladder, and whose lung contains blood, the spleen is watery. The reason already given partly explains this. Another is that the left side of the body is generally more watery and colder than the right. As we know, the opposites are divided up into two columns,^a so that each is classed with those that are akin to it, *e g.* right is in the opposite column to left, and hot to cold ; and thus some of them stand together in the same column, as I have just indicated.^b

Kidneys are present in some animals, but not as the result of *necessity* ; they are present to serve a *good purpose* ; that is to say, their particular nature enables them to cope with the residue which collects in the bladder, in those cases where this deposit is somewhat abundant, and to help the bladder to perform its function *better*

Since the bladder is present in animals to serve precisely the same purpose as the kidneys, we must now say something about it. This will involve a departure from the serial order in which the parts actually come, for we have said nothing so far about

670 b

ώρισται, τοῦτο δέ τι τῶν περὶ τὰ σπλάγχνα μορίων ἐστίν.

VIII. Κύστιν δ' οὐ πάντ' ἔχει τὰ ζῶα, ἀλλ' ἔοικεν ἡ φύσις βουλομένη ἀποδιδόναι τοῖς ἔχουσι
 671 a τὸν πλεύμονα ἔναιμον μόνον, τούτοις δ' εὐλόγως.
 διὰ γὰρ τὴν ὑπεροχὴν τῆς φύσεως, ἣν ἔχουσιν ἐν τῷ μορίῳ τούτῳ, διψητικά τε ταῦτ' ἐστὶ μάλιστα τῶν ζώων, καὶ δεῖται τροφῆς οὐ μόνον τῆς ξηρᾶς ἀλλὰ καὶ τῆς ὑγρᾶς πλείονος, ὥστ' ἐξ ἀνάγκης καὶ
 5 περίττωμα γίνεσθαι πλεῖον καὶ μὴ τοσοῦτον μόνον ὅσον ὑπὸ τῆς κοιλίας πέττεσθαι καὶ ἐκκρίνεσθαι μετὰ τοῦ ταύτης περιττώματος. ἀνάγκη τοίνυν εἶναι τι δεκτικὸν καὶ τούτου τοῦ περιττώματος. διόπερ ὅσα πλεύμονα ἔχει τοιοῦτον, ἅπαντ' ἔχει κύστιν· ὅσα δὲ μὴ τοιοῦτον, ἀλλ' ἡ ὀλιγόποτά ἐστι
 10 διὰ τὸ πλεύμονα ἔχειν σομφόν, ἡ ὅλως τὸ ὑγρὸν προσφέρεται οὐ ποτοῦ χάριν ἀλλὰ τροφῆς, οἷον τὰ ἔντομα καὶ οἱ ἰχθύες, ἔτι δὲ πτερωτά ἐστὶν ἡ λεπιδωτά ἡ φολιδωτά, ταῦτα δι' ὀλιγότητά τε τῆς τοῦ ὑγροῦ προσφορᾶς καὶ ~~διὰ τὸ πτερεσθαι~~ εἰς ταῦτα τὸ περιγινόμενον τοῦ περιττώματος οὐδὲν
 15 ἔχει τούτων κύστιν, πλὴν αἱ χελῶναι τῶν φολιδωτῶν, καὶ ἐνταῦθ' ἡ φύσις κεκολόβωται μόνον· αἴτιον δ' ὅτι αἱ μὲν θαλάττιαι σαρκώδη καὶ ἔναιμον ἔχουσι τὸν πλεύμονα καὶ ὅμοιον τῷ βοεῖῳ, αἱ δὲ χερσαῖαι μείζω ἢ κατὰ λόγον. ἔτι δὲ διὰ τὸ ὀστρακῶδες
 20 καὶ πυκνὸν εἶναι τὸ περιέχον οὐ διαπνέοντος τοῦ ὑγροῦ διὰ μανῶν τῶν σαρκῶν, οἷον τοῖς ὄρνεσι καὶ τοῖς ὄφεσι καὶ τοῖς ἄλλοις τοῖς φολιδωτοῖς, ὑπό-

PARTS OF ANIMALS, III. VII -VIII.

the diaphragm, though this is one of the parts that are near the viscera.

VIII. The bladder is not present in all animals : Bladder
Nature seems to have intended only those animals which have blood in their lung to have a bladder. And this is quite reasonable, when we remember that such animals have an excess of the natural substance which constitutes the lung, and are therefore more subject to thirst than any others ; *i.e.* they need an unusually large amount of fluid food as well as the ordinary solid food. From this it follows of necessity that the amount of residue produced is unduly large, too large in fact for all of it to be concocted by the stomach and excreted with its own proper residue ; hence it is necessary to have some part that will receive this additional residue. This shows us why all animals which have blood in their lung possess a bladder too. As for those whose lung is spongy and which therefore drink little, or which take fluids not as something to drink but as food (*e.g.* insects and fishes), or which are covered with feathers or scales or scaly plates, not one of these has a bladder, owing to the small amount of fluid which they take and owing to the fact that the surplus residue is applied to form feathers or scales or scaly plates, as the particular case may be. Exceptions to this are the Tortoises : though scaly-plated they have a bladder. In them the natural formation has simply been stunted. The cause of this is that in the sea-varieties the lung is fleshy and contains blood, and is similar to the lung of the ox ; while in the land-varieties it is disproportionately large. And whereas in birds and snakes and the other scaly-plated creatures the moisture exhales through the porous flesh, in these it

671 a

στασις γίνεται τοσαύτη ὥστε δεῖσθαι τὴν φύσιν αὐτῶν ἔχειν τι μόριον δεκτικὸν καὶ ἀγγειῶδες. κύστιν μὲν οὖν ταῦτα μόνον τῶν τοιούτων ἔχει διὰ
 25 ταύτην τὴν αἰτίαν, ἥ μὲν θαλαττία μεγάλην, αἱ δὲ χερσαῖαι μικρὰν πάμπαν.

IX. Ὅμοίως δ' ἔχει καὶ περὶ νεφρῶν. οὐδὲ γὰρ νεφροὺς οὔτε τῶν πτερωτῶν καὶ λεπιδωτῶν οὐδὲν ἔχει οὔτε τῶν φολιδωτῶν, πλὴν αἱ θαλάττιαι χελῶναι καὶ αἱ χερσαῖαι· ἀλλ' ὥς τῆς εἰς τοὺς
 30 νεφροὺς τεταγμένης σαρκὸς οὐκ ἔχουσιν χώραν ἀλλὰ διεσπαρμένης εἰς πολλά, πλατέα νεφροειδῇ ἐν ἐνίοις τῶν ὀρνίθων ἐστίν. ἡ δ' ἐμὺς οὔτε κύστιν οὔτε νεφροὺς ἔχει· διὰ τὴν μαλακότητα γὰρ τοῦ χελωνίου εὐδιάπνου γίνεται τὸ ὑγρόν. ἡ μὲν οὖν ἐμὺς διὰ ταύτην τὴν αἰτίαν οὐκ ἔχει τῶν μορίων οὐδέτερον τοῖς δ' ἄλλοις ζώοις τοῖς ἔχουσιν ἐν-
 35 αιμον, ὥσπερ εἴρηται, τὸν πλεύμονα πᾶσι συμ-
 671 b βέβηκεν ἔχειν νεφρούς. καταχρῆται γὰρ ἡ φύσις ἅμα τῶν τε φλεβῶν χάριν καὶ πρὸς τὴν τοῦ ὑγροῦ περιττώματος ἔκκρισιν· φέρει γὰρ εἰς αὐτοὺς πόρος ἐκ τῆς μεγάλης φλεβός.

Ἐχουσι δ' οἱ νεφροὶ πάντες κοῖλον, ἢ πλεῖον ἢ
 5 ἔλαττον, πλὴν οἱ τῆς φώκης· οὗτοι δ' ὅμοιοι τοῖς βοείοις ὄντες στερεώτατοι πάντων εἰσίν. ὅμοιοι δὲ καὶ οἱ τοῦ ἀνθρώπου τοῖς βοείοις· εἰσὶ γὰρ ὥσπερ συγκεῖμενοι ἐκ πολλῶν νεφρῶν μικρῶν καὶ οὐχ ὁμαλεῖς, ὥσπερ οἱ τῶν προβάτων καὶ τῶν ἄλλων τῶν τετραπόδων. διὸ καὶ τὸ ἀρρώστημα τοῖς

^a Greek, "hemys." This description, which does not fit

cannot do so, because the integument which surrounds them is dense, like a shell ; and so the excretion is produced in such quantities that the Tortoises need some part which shall act as a vessel to receive it. That, then, is why they are the only animals of the kind which have a bladder. In the sea-tortoise it is large, in the land-tortoise quite small.

IX. Much the same may be said of the kidneys as ^{Kidneys} of the bladder. Kidneys are not present in any of the animals that have feathers or scales or scaly plates, except the two sorts of tortoises just mentioned. In some birds, however, there are flat kidney-shaped objects, as if the flesh that was allotted to form the kidneys had found no room for its proper function and had been scattered to form several organs. The Emys^a has neither bladder nor kidneys · this is because it has a soft shell which allows the moisture to transpire freely through it. But, as I said before, all the other animals whose lung contains blood have kidneys. Nature makes use of them for two purposes : (1) to subserve the blood-vessels ; and (2) to excrete the fluid residue (A channel leads into them from the Great Blood-vessel)

There is always a hollow (*lumen*), varying in size, in the kidneys, except in the seal, whose kidneys are more solid than any others and in shape resemble those of the ox. Human kidneys too resemble those of the ox : they are, as it were, made up out of a number of small kidneys,^b and have not an even surface like those of the sheep and other quadrupeds. Thus, when once an ailment attacks the human any animal now known as Emys, seems to be that of some freshwater tortoise.

^b This is not true of the normal adult, but it is true of the foetus.

671 b

10 ἀνθρώποις δυσπαλάλλακτον αὐτῶν ἐστίν, ἂν ἅπαξ νοσήσωσιν· συμβαίνει γὰρ ὥσπερ πολλοὺς νεφροὺς νοσοῦντων χαλεπωτέραν εἶναι τὴν ἴασιν ἢ τῶν ἕνα νοσοῦντων.

Ὅ δ' ἀπὸ τῆς φλεβὸς τείνων πόρος οὐκ εἰς τὸ κοῖλον τῶν νεφρῶν κατατελευτᾷ, ἀλλ' εἰς τὸ σῶμα καταναλίσκεται τῶν νεφρῶν· διόπερ ἐν τοῖς κοίλοις
 15 αὐτῶν οὐκ ἐγγίνεται αἷμα, οὐδὲ πηγνυται τελευτώντων. ἐκ δὲ τοῦ κοίλου τῶν νεφρῶν φέρουσι πόροι ἄναιμοι εἰς τὴν κύστιν δύο νεανικοί, ἐξ ἑκατέρου εἷς, καὶ ἄλλοι ἐκ τῆς ἀορτῆς ἰσχυροὶ καὶ συνεχεῖς. ταῦτα δ' ἔχει τὸν τρόπον τοῦτον ὅπως ἐκ μὲν τῆς φλεβὸς τὸ περίττωμα τῆς ὑγρότητος
 20 βαδίζῃ εἰς τοὺς νεφροὺς, ἐκ δὲ τῶν νεφρῶν ἡ γινομένη ὑπόστασις διηθουμένων τῶν ὑγρῶν διὰ τοῦ σώματος τῶν νεφρῶν εἰς τὸ μέσον συρρέῃ, οὗ τὸ κοῖλον οἱ πλείστοι ἔχουσιν αὐτῶν (διὸ καὶ δυσωδέστατον τοῦτο τῶν σπλάγχων ἐστίν). ἐκ δὲ τοῦ μέσου διὰ τούτων τῶν πόρων εἰς τὴν κύστιν ἤδη
 25 μᾶλλον ὥς περίττωμα ἀποκρίνεται. καθώρμισται δ' ἡ κύστις ἐκ τῶν νεφρῶν· τείνουσι γάρ, ὥσπερ εἴρηται, πόροι ἰσχυροὶ πρὸς αὐτήν.

Οἱ μὲν οὖν νεφροὶ διὰ ταύτας τὰς αἰτίας εἰσὶ, καὶ τὰς δυνάμεις ἔχουσι τὰς εἰρημένας.

Ἐν πᾶσι δὲ τοῖς ἔχουσι νεφροὺς ὁ δεξιὸς ἀνωτέρω τοῦ ἀριστεροῦ ἐστίν· διὰ γὰρ τὸ τὴν κίνησιν εἶναι
 30 ἐκ τῶν δεξιῶν καὶ ἰσχυροτέραν διὰ ταῦτ' εἶναι τὴν

^a The ureters.

kidneys, the trouble is not easily removed, because it is as though the patient had many kidneys diseased and not one only ; and so the cure is more difficult to effect.

The channel which runs from the Great Blood-vessel to the kidneys does not debouch into the hollow part of the kidneys, but the whole of what it supplies is spent upon the body of the kidneys ; thus no blood goes into the hollows, and at death none congeals there From the hollow part of the kidneys two sturdy channels^a lead into the bladder, one from each ; these contain no blood Other channels come from the Aorta to the kidneys ; these are strong, continuous ones. This arrangement is on purpose to enable the residue from the moisture to pass out of the blood-vessel into the kidneys, and so that when the fluid percolates through the body of the kidneys the excretion that results may collect into the middle of the kidneys, where the hollow is in most cases. (This explains, incidentally, why the kidney is the most ill-scented of all the viscera) From the middle of the kidney the fluid is passed off through the aforesaid channels into the bladder ; by which time it has practically taken on the character of excremental residue The bladder is actually moored to the kidneys as has been stated, there are strong channels extending from them to it.

We have now given the causes for which the kidneys exist, as well as their character and functions.

The right kidney is always higher up than the left. The reason for this is that as motion always begins on the right-hand side, the parts that are on that side are stronger than those on the other ; and owing to this

671 b

φύσιν τὴν τῶν δεξιῶν, δεῖ προοδοποιήσασθαι διὰ τὴν κίνησιν πρὸς τὸ ἄνω ταῦτα¹ τὰ μόρια μᾶλλον, ἐπεὶ καὶ τὴν ὀφρὺν τὴν δεξιὰν αἴρουνσι μᾶλλον καὶ ἐπικεκαμμένην ἔχουσι τῆς ἀριστερᾶς μᾶλλον. καὶ
 35 διὰ τὸ ἀνεσπᾶσθαι ἀνώτερον τὸν δεξιὸν νεφρὸν τὸ ἦπαρ ἄπτεται τοῦ δεξιοῦ νεφροῦ ἐν πᾶσιν· ἐν τοῖς
 672 a δεξιοῖς γὰρ τὸ ἦπαρ.

Ἔχουσι δ' οἱ νεφροὶ μάλιστα τῶν σπλάγχχνων πιμελήν, ἐξ ἀνάγκης μὲν διὰ τὸ διηθεῖσθαι τὸ περίττωμα διὰ τῶν νεφρῶν· τὸ γὰρ λειπόμενον αἷμα καθαρὸν ὃν εὐπεπτὸν ἐστὶ, τέλος δ' εὐπεψίας
 5 αἱματικῆς πιμελὴ καὶ στέαρ ἐστίν. (ὥσπερ γὰρ ἐν τοῖς πεπυρωμένοις ξηροῖς, οἷον τῇ τέφρᾳ, ἐγκαταλείπεται τι πῦρ, οὕτω καὶ ἐν τοῖς πεπεμμένοις ὑγροῖς· ἐγκαταλείπεται γάρ τι τῆς εἰργασμένης θερμότητος μόριον. διόπερ τὸ λιπαρὸν κοῦφόν ἐστι καὶ ἐπιπολάζει ἐν τοῖς ὑγροῖς.) ἐν αὐτοῖς μὲν οὖν
 10 οὐ γίνεται τοῖς νεφροῖς διὰ τὸ πυκνὸν εἶναι τὸ σπλάγχχνον, ἔξω δὲ περιστάται πιμελὴ μὲν ἐν τοῖς πιμελώδεσι, στέαρ δ' ἐν τοῖς στεατώδεσιν· ἡ δὲ διαφορὰ τούτων εἴρηται πρότερον ἐν ἑτέροις.

Ἐξ ἀνάγκης μὲν οὖν πιμελώδεις γίνονται διὰ ταύτην τὴν αἰτίαν ἐκ τῶν συμβαινόντων ἐξ ἀνάγκης
 15 τοῖς ἔχουσι νεφρούς, ἔνεκα δὲ σωτηρίας καὶ τοῦ θερμὴν εἶναι τὴν φύσιν τὴν τῶν νεφρῶν. ἔσχατοί τε γὰρ ὄντες ἀλέας δέονται πλείονος· τὸ μὲν γὰρ νῶτον σαρκῶδές ἐστιν, ὅπως ἢ προβολὴ τοῖς περὶ

¹ ταῦτα Peck: πάντα vulg.

^a See Book II. ch. v.

PARTS OF ANIMALS, III. IX

motion they are bound to make their way upwards before the ones on the left. Thus people raise the right eyebrow more than the left, and it is more arched. A result of this drawing up of the right kidney is that in all animals the liver, which is on the right side of the body, is in contact with it.

The kidneys contain more fat than any other of the viscera. This is partly a necessary consequence upon the percolation of the residue through the kidneys : in other words, the blood which gets left behind there is easy of concoction because it is pure, and when blood undergoes complete concoction the final products are lard and suet. (A parallel is to be found in the case of solid substances which have undergone combustion . *e.g.* a certain amount of fire gets left behind in ash. So, in fluid substances which have undergone concoction : some portion of the heat which has been generated remains behind. That is why oily substances are light and come to the top of fluids.) This fat is not formed actually in the kidneys themselves, because they are so dense : it collects outside them. In some it has the form of lard, in others the form of suet, according to the character of the animal. (The difference between the two has been explained already in another connexion.)^a

Fat in
kidneys

This formation of lard, then, about the kidneys is the necessary consequence upon the conditions which necessarily obtain in animals that possess kidneys. But there is another reason for its formation, and that is, in order to safeguard the kidneys themselves and to preserve their natural heat. The kidneys are the outermost of all the viscera, and therefore they need more warmth. Whereas the back is liberally supplied with flesh, which enables it to act as a

672 a

τὴν καρδίαν σπλάγχνοις, ἣ δ' ὁσφὺς ἄσαρκος
 (ἄσαρκοι γὰρ αἱ καμπαὶ πάντων)· ἀντὶ σαρκὸς οὖν
 20 ἡ πιμελή πρόβλημα γίνεται τοῖς νεφροῖς. ἔτι δὲ
 διακρίνουσι καὶ πέττουσι τὴν ὑγρότητα μᾶλλον
 πίονες ὄντες· τὸ γὰρ λιπαρὸν θερμόν, πέττει δ' ἡ
 θερμότης.

Διὰ ταύτας μὲν οὖν τὰς αἰτίας οἱ νεφροὶ πιμελώ-
 δεις εἰσίν, ἐν πᾶσι δὲ τοῖς ζώοις ὁ δεξιὸς ἀπιμελώ-
 τερός ἐστιν. αἷτιον δὲ τὸ τὴν φύσιν ξηρὰν εἶναι
 25 τὴν τῶν δεξιῶν καὶ κινητικωτέραν· ἡ δὲ κίνησις
 ἐναντία· τήκει γὰρ τὸ πῖον μᾶλλον.

Τοῖς μὲν οὖν ἄλλοις ζώοις συμφέρει τε τοὺς
 νεφροὺς ἔχειν πίονας, καὶ πολλάκις ἔχουσιν ὅλους
 περίπλεως· τὸ δὲ πρόβατον ὅταν τοῦτο πάθῃ,
 ἀποθνήσκει. ἀλλ' ἂν καὶ πάνυ πίονες ὦσιν, ὅμως
 30 ἐλλείπει τι, ἂν μὴ κατ' ἀμφοτέρους, ἀλλὰ κατὰ τὸν
 δεξιόν. αἷτιον δὲ τοῦ μόνον ἢ μάλιστα τοῦτο
 συμβαίνειν ἐπὶ τῶν προβάτων, ὅτι τοῖς μὲν πιμε-
 λώδεσιν ὑγρὸν τὸ πῖον, ὥστ' οὐχ ὁμοίως ἐγκατα-
 κλειόμενα τὰ πνεύματα ποιεῖ τὸν πόνον. τοῦ δὲ
 σφακελισμοῦ τοῦτ' αἷτιόν ἐστιν· διὸ καὶ τῶν ἀν-
 35 θρώπων τοῖς πονοῦσι τοὺς νεφροὺς, καίπερ τοῦ πιαί-
 νεσθαι συμφέροντος, ὅμως ἂν λίαν γίνωνται πίονες,
 ὀδύναί θανατηφόροι συμβαίνουνσιν. τῶν δ' ἄλλων
 672 b τοῖς στεατώδεσιν ἥττον πυκνὸν τὸ στέαρ ἢ τοῖς
 προβάτοις. καὶ τῷ πλήθει πολὺ τὰ πρόβατα ὑπερ-
 βάλλει· γίνεται γὰρ περίνεφρα τάχιστα τῶν ζώων
 τὰ πρόβατα πάντων. ἐγκατακλειομένης οὖν τῆς
 ὑγρότητος καὶ τῶν πνευμάτων διὰ τὸν σφακελισμὸν
 276

PARTS OF ANIMALS, III. IX.

protection for the viscera about the heart, the loin, in common with all parts that bend, is not so supplied ; and this fat we have been speaking of serves as a safeguard to the kidneys in place of flesh.. Further, the kidneys are better able to secrete and to concoct the fluid if they are fat, because fat is hot and heat causes concoction.

These are the reasons why the kidneys are fat. In all animals, however, the right kidney has less fat than the left. This is because the right-hand side is dry and solid and more adapted for motion than the left ; and motion is an enemy to fat, because it tends to melt it.

Now it is an advantage to all animals to have fat kidneys, and often they are completely filled with fat. The sheep is an exception : if this happens to a sheep it dies. Even if its kidneys are as fat as can be, there is always some portion which is clear of fat, if not in both kidneys, at any rate in the right one. The reason why this happens solely (or more especially) to sheep is as follows. Some animals have their fat in the form of lard, which is fluid, and thus the wind cannot so easily get shut up within and cause trouble. When this happens, however, it causes rot. Thus, in the case of human beings who suffer from their kidneys, although it is an advantage for them to be fat, yet if they become unduly fat, pains result which prove fatal. As for the animals whose fat is in the form of suet, none has such dense suet as the sheep has ; and moreover, in the sheep the amount of it is much greater ; the fact that they get fat about the kidneys much more quickly than any other animal shows this. So when the moisture and the wind get shut up within, rot is produced, which rapidly kills

672 b

5 ἀναιροῦνται ταχέως· διὰ γὰρ τῆς ἀορτῆς καὶ τῆς
 φλεβὸς εὐθὺς ἀπαντᾷ τὸ πάθος πρὸς τὴν καρδίαν·
 οἱ δὲ πόροι συνεχεῖς ἀπὸ τούτων τῶν φλεβῶν εἰσι
 πρὸς τοὺς νεφρούς.

Περὶ μὲν οὖν τῆς καρδίας καὶ πλεύμονος εἴρηται,
 καὶ περὶ ἥπατος καὶ σπληνὸς καὶ νεφρῶν. X. τυγ-
 10 χάνει δὲ ταῦτα κεχωρισμένα ἀλλήλων τῷ διαζώ-
 ματι τοῦτο δὲ τὸ διάζωμα καλοῦσί τινες φρένας·
 ὁ διορίζει τὸν τε πλεύμονα καὶ τὴν καρδίαν. καλεῖται
 δὲ τοῦτο τὸ διάζωμα ἐν τοῖς ἐναίμοις, ὥσπερ καὶ
 εἴρηται, φρένες. ἔχει δὲ πάντα τὰ ἔναιμα αὐτό,
 καθάπερ καρδίαν καὶ ἥπαρ. τούτου δ' αἷτιον ὅτι
 15 τοῦ διορισμοῦ χάριν ἐστὶ τοῦ τε περὶ τὴν κοιλίαν
 τόπου καὶ τοῦ περὶ τὴν καρδίαν, ὅπως ἢ τῆς
 αἰσθητικῆς ψυχῆς ἀρχὴ ἀπαθῆς ἢ καὶ μὴ ταχὺ
 καταλαμβάνηται διὰ τὴν ἀπὸ τῆς τροφῆς γινομένην
 ἀναθυμίασιν καὶ τὸ πλῆθος τῆς ἐπεισάκτου θερ-
 μότητος. ἐπὶ γὰρ τοῦτο διέλαβεν ἡ φύσις, οἶον
 20 παροικοδόμημα ποιήσασα καὶ φραγμὸν τὰς φρένας,
 καὶ διεῖλε τό τε τιμιώτερον καὶ τὸ ἀτιμότερον ἐν
 ὅσοις ἐνδέχεται διελεῖν τὸ ἄνω καὶ κάτω τὸ μὲν
 γὰρ ἄνω ἐστὶν οὗ ἕνεκεν καὶ βέλτιον, τὸ δὲ κάτω
 τὸ τούτου ἕνεκεν καὶ ἀναγκαῖον, τὸ τῆς τροφῆς
 δεκτικόν.

Ἔστι δὲ τὸ διάζωμα πρὸς μὲν τὰς πλευρὰς
 25 σαρκωδέστερον καὶ ἰσχυρότερον, κατὰ μέσον δ'
 ὑμηνωδέστερον· οὕτω γὰρ πρὸς τὴν ἰσχὺν καὶ τὴν
 τάσιν χρησιμώτερον. διότι δὲ πρὸς τὴν θερμότητα
 τὴν κάτωθεν οἶον παραφυάδες εἰσὶ, σημεῖον ἐκ τῶν
 278

PARTS OF ANIMALS, III. IX.-X.

the sheep off. The disease makes its way directly to the heart through the Aorta and the Great Blood-vessel, since there are continuous passages leading from these to the kidneys.

We have now spoken of the heart and the lung ; and also of the liver, the spleen and the kidneys. X. These two sets of viscera are separated from each other by the diazoma, which some call the *phrenes* (diaphragm). This divides off the heart and the lung. In blooded animals it is called *phrenes*, as I have said. All blooded creatures have one, just as they all have heart and liver. The reason for this is that the diaphragm serves to divide the part round the stomach from the part round the heart, to ensure that the source of the sensory Soul may be unaffected, and not be quickly overwhelmed by the evaporation that comes up from the food when it is eaten or by the excess of heat introduced into the system. For this purpose, then, Nature made the division, and constructed the *phrenes* to be, as it were, a partition-wall and a fence, and thus, in those creatures where it is possible to divide the upper from the lower, she divided off the nobler parts from the less noble ones, for it is the upper which is good and valuable for itself, the end which the lower subserves, while the lower is not valuable for itself, but "necessary," existing to subserve the upper, by acting as a receptacle for the food.

Towards the ribs the diaphragm is fleshier and stronger, while in the middle it is more like a membrane. this makes it more serviceable as regards strength and extensibility. An indication to show why there are, as it were, "suckers," to keep off the heat which comes up from below, is provided by

672 b

συμβαίνοντων· ὅταν γὰρ διὰ τὴν γειννίασιν ἑλκύ-
σωσιν ὑγρότητα θερμὴν καὶ περιπτωματικὴν, εὐθὺς
30 ἐπιδήλως ταραττει τὴν διάνοιαν καὶ τὴν αἴσθησιν,
διὸ καὶ καλοῦνται φρένες ὡς μετέχουσαί τι τοῦ
φρονεῖν. αἱ δὲ μετέχουσι μὲν οὐδέν, ἐγγὺς δ'
οὔσαι τῶν μετεχόντων ἐπίδηλον ποιοῦσι τὴν μετα-
βολὴν τῆς διανοίας. διὸ καὶ λεπταὶ κατὰ μέσον
εἰσίν, οὐ μόνον ἐξ ἀνάγκης, ὅτι σαρκώδεις οὔσας τὰ

35 πρὸς τὰς πλευρὰς ἀναγκαῖον εἶναι σαρκωδεστέρας,
ἀλλ' ἔν' ὅτι ὀλιγίστης μετέχουσιν ἱκμάδος· σαρκώ-

673 a

δεις γὰρ ἂν οὔσαι καὶ εἶχον καὶ εἶλκον μᾶλλον
ἱκμάδα πολλήν. ὅτι δὲ θερμαίνόμεναι ταχέως
ἐπίδηλον ποιοῦσι τὴν αἴσθησιν, σημαίνει καὶ τὸ
περὶ τοὺς γέλωτας συμβαῖνον· γαργαλιζόμενοί τε
γὰρ ταχὺ γελῶσι, διὰ τὸ τὴν κίνησιν ἀφικνεῖσθαι
5 ταχὺ πρὸς τὸν τόπον τοῦτον, θερμαίνόμενον¹ δ'
ἡρέμα ποιεῖν ὁμῶς ἐπίδηλον καὶ κινεῖν τὴν διά-
νοιαν παρὰ τὴν προαίρεσιν. τοῦ δὲ γαργαλίζεσθαι
μόνον ἄνθρωπον αἷτιον ἢ τε λεπτότης τοῦ δέρματος
καὶ τὸ μόνον γελᾶν τῶν ζώων ἄνθρωπον. ὁ δὲ
γαργαλισμὸς γέλως ἐστὶ διὰ κινήσεως² τοιαύτης
10 τοῦ μορίου τοῦ περὶ τὴν μασχάλην.

Συμβαίνειν δέ φασι καὶ περὶ τὰς ἐν τοῖς πολέμοις
πληγὰς εἰς τὸν τόπον τὸν περὶ τὰς φρένας γέλωτα
διὰ τὴν ἐκ τῆς πληγῆς γινομένην θερμότητα. τοῦτο

¹ θερμαίνόμενον Peck: θερμαίνουσι vulg.. -ουσα SZ· -ουσαν
PUY.

² κινήσεως Langkavel.

^a The *Risus Sardonius*· see Allbutt and Rolleston, *A System of Medicine*² (1910), viii. 642.

PARTS OF ANIMALS, III. x.

what actually happens: whenever, owing to their proximity, they draw up the hot residual fluid, this at once causes a recognizable disturbance of the intelligence and of sensation. And that is why they are called *phrenes*. as if they took a part in the act of thinking (*phronein*) This of course they do not do; but their proximity to those organs which do so take part makes the change of condition in the intelligence recognizable. That, too, is why the *phrenes* are thin in the middle; this is not due entirely to necessity (though as they are fleshy to begin with, the parts of them nearest the ribs must of necessity be more fleshy still); there is another reason, which is, to enable them to have as little moisture in them as possible, and if they had been wholly of flesh they would have tended to draw to themselves and to retain a large quantity of moisture. Another indication that it is when heated that they quickly make the sensation recognizable is afforded by what happens when we laugh. When people are tickled, they quickly burst into laughter, and this is because the motion quickly penetrates to this part, and even though it is only gently warmed, still it produces a movement (independently of the will) in the intelligence which is recognizable. The fact that human beings only are susceptible to tickling is due (1) to the fineness of their skin and (2) to their being the only creatures that laugh. Tickling means, simply, laughter produced in the way I have described by a movement applied originally to the part around the armpit.

It is said that when in war men are struck in the part around the diaphragm, they laugh^a: and this is due to the heat which arises owing to the blow.

673 a

γὰρ μάλλον ἔστιν ἀξιοπίστων ἀκοῦσαι λεγόντων ἢ
τὸ περὶ τὴν κεφαλὴν, ὥς ἀποκοπέῖσα φθέγγεται
15 τῶν ἀνθρώπων. λέγουσι γάρ τινες ἐπαγόμενοι καὶ
τὸν Ὅμηρον, ὥς διὰ τοῦτο ποιήσαντος

φθεγγομένη δ' ἄρα τοῦ γε κάρη κονίησιν
ἐμίχθη,

ἀλλ' οὐ φθεγγομένου. περὶ δὲ Ἀρκαδίαν¹ οὕτω
τὸ τοιοῦτον διεπίστευσαν ὥστε καὶ κρίσιν ἐποιή-
σαντο περὶ τινος τῶν ἐγχωρίων. τοῦ γὰρ ἱερέως
20 τοῦ ὅπλοσμίου Διὸς ἀποθανόντος, ὑφ' ὅτου δὲ ἀδή-
λου ὄντος,² ἔφασάν τινες ἀκοῦσαι τῆς κεφαλῆς
ἀποκεκομμένης λεγούσης πολλάκις

ἐπ' ἀνδρὸς ἀνδρα Κερκιδᾶς ἀπέκτεινεν·

διὸ καὶ ζητήσαντες ᾧ ὄνομα ἦν ἐν τῷ τόπῳ
Κερκιδᾶς, ἔκριναν. ἀδύνατον δὲ φθέγγεσθαι κεχω-
ρισμένης τῆς ἀρτηρίας καὶ ἄνευ τῆς ἐκ τοῦ πλεύ-
25 μονος κινήσεως. παρὰ τε τοῖς βαρβάροις, παρ'
οἷς ἀποτέμνουσι ταχέως τὰς κεφαλὰς, οὐδὲν πω
τοιοῦτον συμβέβηκεν. ἔτι δ' ἐπὶ τῶν ἄλλων ζώων
διὰ τίν' αἰτίαν οὐ γίνεται; τὸ μὲν γὰρ τοῦ γέλωτος
πληγείσων τῶν φρενῶν εἰκότως, οὐδὲν γὰρ γελαῖ
τῶν ἄλλων· προιέναι δέ ποι τὸ σῶμα τῆς κεφαλῆς
30 ἀφηρημένης οὐδὲν ἄλογον, ἐπεὶ τὰ γ' ἄναιμα καὶ

¹ ἀρκαδίαν Z, probat J. Schaefer *de Jove apud Cares culto*,
pp. 370 sq. . Καρίαν vulg. καρ . . αν E· καρ P.

² δὲ ἀδήλου ὄντος Peck δὲ δὴ ἀδήλως vulg. : codd. varia

^a *Iliad*, v. 457 and *Od.* xvii. 329 In both places the text of Homer has φθεγγομένου ("As he spake . .").

^b The Berlin text here reads "Caria," but the Oxford ms. Z reads "Arcadia." A cult of Zeus *hoplosmios* is attested only for Methydrion, a town in Arcadia, and the name Kerkidas is found in Arcadia, not in Caria. (See A. B

PARTS OF ANIMALS, III. x.

This may be so ; and those who assert it are more credible than those who tell the tale of how a man's head speaks after it is cut off. Sometimes they cite Homer in support, who (so they say) was referring to this when he wrote

As it spake, his head was mingled with the dust
(not

As he spake, his head was mingled with the dust.)^a

In Arcadia^b this kind of thing was at one time so firmly believed that one of the inhabitants was actually brought into court on the strength of it. The priest of Zeus *hoplosmios* had been killed, but no one knew who had done it. Certain persons, however, affirmed that they had heard the man's head, after it had been cut off, repeating the following line several times

'Twas Kerkidas did slaughter man on man

So they set to work and found someone in the district who bore this name and brought him to trial. Of course, speech is impossible once the windpipe has been severed and no motion is forthcoming from the lung. And among the barbarians, where they cut heads off with expedition, nothing of this sort has taken place so far. Another argument is this. Why does it not occur with other animals? We should not, of course, expect to find them laughing when the diaphragm is wounded, because no animal but man laughs at all ; but it is by no means unreasonable that the body should continue to go forward some distance after the head has been cut off, since bloodless animals actually go on living for some time

Cook, *Zeus*, II. 290, who gives the evidence, and J. Schaefer, *De Jove apud Cares culto*, 1912, pp. 370 f.)

673 a

ζῆ πολὺν χρόνον· δεδήλωται δὲ περὶ τῆς αἰτίας αὐτῶν ἐν ἑτέροις.

673 b

Τίνος μὲν οὖν ἕνεκέν ἐστιν ἕκαστον τῶν σπλάγχχνων, εἴρηται· γέγονε δ' ἐξ ἀνάγκης ἐπὶ τοῖς ἐντὸς πέρασι τῶν φλεβῶν, ἐξιέναι τε γὰρ ἱκμάδα ἀναγκαῖον, καὶ ταύτην αἱματικήν, ἐξ ἧς συνισταμένης καὶ πηγνυμένης γίνεσθαι τὸ σῶμα τῶν σπλάγχχνων· διόπερ αἱματικά, καὶ αὐτοῖς μὲν ὁμοίαν ἔχουσι τὴν τοῦ σώματος φύσιν, τοῖς δ' ἄλλοις ἀνομοίαν.

XI. Πάντα δὲ τὰ σπλάγχχνα ἐν ὑμένι ἐστίν·
 5 προβολῆς τε γὰρ δεῖ πρὸς τὸ ἀπαθῆ εἶναι, καὶ ταύτης ἐλαφράς, ὃ δ' ὑμὴν τὴν φύσιν τοιοῦτος· πυκνὸς μὲν γὰρ ὥστ' ἀποστέγειν, ἄσαρκος δὲ ὥστε μὴ ἔλκειν μηδ' ἔχειν ἱκμάδα, λεπτὸς δ' ὅπως κοῦφος ἢ καὶ μηδὲν ποιῇ βάρος. μέγιστοι δὲ καὶ ἰσχυρότατοι τῶν ὑμένων εἰσὶν οἱ τε περὶ τὴν
 10 καρδίαν καὶ περὶ τὸν ἐγκέφαλον, εὐλόγως· ταῦτα γὰρ δεῖται πλείστης φυλακῆς· ἡ μὲν γὰρ φυλακὴ περὶ τὰ κύρια, ταῦτα δὲ κύρια μάλιστα τῆς ζωῆς.

XII. Ἔχουσι δ' ἓν μὲν τῶν ζώων πάντα τὸν ἀριθμὸν αὐτῶν, ἓν δ' οὐ πάντα· ποῖα δὲ ταῦτα καὶ διὰ τίν' αἰτίαν, εἴρηται πρότερον. καὶ τῶν ἐχόντων
 15 δὲ ταῦτα διαφέρουσιν· οὐ γὰρ ὁμοίως οὔτε τὰς καρδίας ἔχουσι πάντα τὰ ἔχοντα καρδίαν, οὔτε τῶν ἄλλων ὥς εἰπεῖν οὐδέν. τό τε γὰρ ἦπαρ τοῖς μὲν πολυσχιδές ἐστι τοῖς δὲ μονοφυέστερον, πρῶτον

^a e.g. at 667 b 25; cf. 682 a 4, 682 b 3, 25.

PARTS OF ANIMALS, III. x.-xii.

after their heads are removed. The reason for these phenomena has been explained elsewhere ^a

We have now said what is the purpose for which each of the viscera is present. They are produced at the inner ends of the blood-vessels. this is due to necessity, because moisture, *i.e.* moisture of a blood-like nature, must of necessity make its way out there, and as it sets and solidifies it forms the substance of the viscera. That, too, is why they are blood-like in character, and why the substance of all of them is similar, though different from that of the other parts.

XI All the viscera are enclosed in membranes. Membranes.
Some covering is needed to ensure their safety, and it must be a light one. These conditions are fulfilled by a membrane, which is close-textured, thus making a good protection ; does not consist of flesh, and therefore does not draw in moisture or retain it ; is thin, therefore light, and causes no burden The biggest and strongest membranes are those round the heart and the brain, which is natural enough, as it is always the controlling power which has to be protected ; therefore the heart and the brain, which have the supreme controlling power over the life of the body, need the most protection.

XII. Some animals possess a full complement of viscera, some do not. We have already stated what animals have less than the full number, and the reason. But also, the same viscera are different in the various animals that have them For instance, the heart is not identical in all the animals which have a heart ; nor is any other of the viscera. The liver illustrates this · in some it is split into several parts, in some almost undivided. This variation of form is

Variations
in the
viscera

673 b

αὐτῶν τῶν ἐναίμων καὶ ζωοτόκων· ἔτι δὲ μᾶλλον
καὶ πρὸς ταῦτα καὶ πρὸς ἄλληλα διαφέρει τά τε τῶν
20 ἰχθύων καὶ <τῶν>¹ τετραπόδων καὶ ὠοτόκων. τὸ δὲ
τῶν ὀρνίθων μάλιστα προσεμφερές τῳ τῶν ζωο-
τόκων ἐστὶν ἥπατι· καθαρὸν γὰρ καὶ ἔναιμον τὸ
χρῶμα αὐτῶν ἐστὶ καθάπερ κακείνων. αἷτιον δὲ
τὸ τὰ σώματα τούτων εὐπνούστατα εἶναι καὶ μὴ
πολλὴν ἔχειν φαῦλην περίττωσιν. διόπερ ἔνια καὶ
25 οὐκ ἔχει χολὴν τῶν ζωοτόκων· τὸ γὰρ ἥπαρ συμ-
βάλλεται πολὺ μέρος πρὸς εὐκρασίαν τοῦ σώματος
καὶ ὑγίειαν· ἐν μὲν γὰρ τῳ αἵματι μάλιστα τὸ
τούτων τέλος, τὸ δ' ἥπαρ αἵματικώτατον μετὰ τὴν
καρδίαν τῶν σπλάγχχνων. τὰ δὲ τῶν τετραπόδων καὶ
ὠοτόκων καὶ τῶν ἰχθύων ἔνωχρα τῶν πλείστων,
30 ἐνίων δὲ καὶ φαῦλα παντελῶς, ὥσπερ καὶ τὰ σώ-
ματα φαύλης τετύχηκε κράσεως, οἷον φρύνης καὶ
χελώνης καὶ τῶν ἄλλων τῶν τοιούτων.

Σπλήνα δ' ἔχει τὰ μὲν κερατοφόρα καὶ δίχαλα
στρογγύλον, καθάπερ αἶξ καὶ πρόβατον καὶ τῶν
ἄλλων ἕκαστον, εἰ μὴ τι διὰ μέγεθος εὐανξέστερον
674 a ἔχει κατὰ μῆκος, οἷον ὁ τοῦ βοδὸς πέπονθεν· τὰ δὲ
πολυσχιδῆ πάντα μακρόν, οἷον ὕς καὶ ἄνθρωπος καὶ
κύων, τὰ δὲ μώνυχχα μετὰ τούτων καὶ μικτόν· τῇ
μὲν γὰρ πλατὺν ἔχει τῇ δὲ στενόν, οἷον ἵππος καὶ
ὄρεὺς καὶ ὄνος.

5 XIII. Οὐ μόνον δὲ διαφέρει τὰ σπλάγχχνα τῆς
σαρκὸς τῳ ὄγκῳ τοῦ σώματος, ἀλλὰ καὶ τῳ τὴν²
μὲν ἔξω τὰ δ' ἔσω τὴν θέσιν ἔχειν. αἷτιον δ' ὅτι

¹ <τῶν> Peck.² τὴν ESUYZ· τὰ vulg.^a See above, on 650 b 24.

PARTS OF ANIMALS, III. XII.—XIII.

found first of all even among the viviparous blooded animals ; but it is more noticeable among the fishes and oviparous quadrupeds, whose livers differ not only from those of the Vivipara, but also from each other's. In birds, the liver very closely resembles that of the Vivipara : in both, its colour is pure and blood-like. The reason for which is, that their bodies give a very free passage to the breath, which means that they retain very little foul residue ; indeed, some of the Vivipara have no gall-bladder, and this is largely due to the very considerable assistance given by the liver in maintaining a good blend^a and healthiness in the body. This is because the purpose which these viscera serve lies chiefly in the blood, and after the heart the liver contains more blood than any other of the viscera. In most of the oviparous quadrupeds and the fishes the liver is yellowish, and in some of them it is altogether bad-looking, on a par with the bad blend of the rest of their bodies. This happens in the toad, the tortoise, and the like.

As for the spleen . In horned animals that have cloven hoofs it is rounded : *e.g.* in the goat, the sheep, and similar animals ; unless greatness of size has made it grow out at some point lengthways, as in the case of the ox. In all the polydactylous animals the spleen is long, as in the pig, in man, and in the dog. In animals with solid hoofs the spleen is intermediate between the two and has the characteristics of both : in one place it is broad, in another narrow, as exemplified in the horse, the mule, and the ass.

XIII Now the viscera differ from the flesh not only in the bulkiness of their mass, but also in their situation, for the flesh is on the outside of the body, while they are inside. The reason for this is that

674 a

τὴν φύσιν ἔχει κοινωνοῦσαν ταῖς φλεβί, καὶ τὰ μὲν τῶν φλεβῶν χάριν, τὰ δ' οὐκ ἄνευ φλεβῶν ἔστιν.

XIV. Ὑπὸ δὲ τὸ ὑπόζωμα κείται ἡ κοιλία τοῖς
 10 ζώοις, τοῖς μὲν ἔχουσιν οἰσοφάγον ἢ τελευτᾷ τοῦτο τὸ μόριον, τοῖς δὲ μὴ ἔχουσιν εὐθύς πρὸς τῷ στόματι· τῆς δὲ κοιλίας ἐχόμενον τὸ καλούμενον ἔντερον.

Δι' ἣν δ' αἰτίαν ἔχει ταῦτα τὰ μόρια τῶν ζώων ἕκαστον, φανερόν πᾶσιν. καὶ γὰρ δέξασθαι τὴν εἰσελθοῦσαν τροφήν καὶ τὴν ἐξικμασμένην ἀναγ-
 15 καῖον ἐκπέμψαι, καὶ μὴ τὸν αὐτὸν τόπον εἶναι τῆς τ' ἀπέπτου καὶ τοῦ περιπτώματος, εἰναί τέ τινα δεῖ τόπον ἐν ᾧ μεταβάλλει. τὸ μὲν γὰρ τὴν εἰσελθοῦσαν ἔξει μόριον, τὸ δὲ τὸ περίπτωμα τὸ ἄχρηστον· ὥσπερ δὲ χρόνος ἕτερος ἑκατέρου τούτων, ἀναγκαῖον διειληφθαι καὶ τοῖς τόποις. ἀλλὰ περὶ
 20 μὲν τούτων ἐν τοῖς περὶ τὴν γένεσιν καὶ τὴν τροφήν οἰκειότερός ἐστιν ὁ διορισμός· περὶ δὲ τῆς διαφορᾶς τῆς κοιλίας καὶ τῶν συντελῶν μορίων νῦν ἐπισκεπτέον.

Οὔτε γὰρ τοῖς μεγέθεσιν οὔτε τοῖς εἵδεσιν ὁμοίας ἔχουσιν ἀλλήλοις τὰ ζῶα· ἀλλ' ὅσα μὲν ἔστιν αὐτῶν ἀμφώδοντα τῶν ἐναίμων καὶ τῶν ζωοτόκων, μίαν
 25 ἔχει κοιλίαν, οἷον ἄνθρωπος καὶ κύων καὶ λέων καὶ τᾶλλα ὅσα πολυδάκτυλα, καὶ ὅσα μώνυχα, οἷον ἵππος, ὀρεύς, ὄνος, καὶ ὅσα δίχαλα μὲν ἀμφώδοντα δέ, οἷον ὕς, πλήν εἴ τι διὰ μέγεθος τοῦ σώματος

¹ ὑσπλήξ ἢ εἴ ESUY (ἢ om. E): ὑσπλήξ P et corr. Z: πλήν εἴ PZ et corr. U: ὕς, εἰ μὴ Bekkei: ὕς, πλήν εἰ μὴ ed Didot.

^a See *De gen. an.* Bk. II. chh. 6 and 7.

PARTS OF ANIMALS, III. XIII.—XIV.

they have very much in common with the blood-vessels: some of them exist for the sake of the blood-vessels, others do not exist apart from the blood-vessels.

XIV. Below the diaphragm is the Stomach, which is placed where the oesophagus ends (if there is an oesophagus; if not, immediately next to the mouth). Next after the stomach and in contact with it is what is called the Gut.

Stomach
and
Intestines

It must be obvious to everyone why all animals have these parts. It is a necessity for them to have some receptacle for the food they take in, and to expel it again when its moisture has been extracted from it; and there must be two different places for these two things—the unconcocted food and the residue; there must also be another place in which the change from one to the other is effected. Two receptacles, then, one for the incoming food, one for the residue which is no more use—as there is a separate time for these so there must be a separate place. However, it will be more appropriate to go into these matters in our treatise on *Generation and Nutrition*.^a At the present we must consider the variations that are to be found in the stomach and its subsidiary parts

The stomach differs both in size and appearance in different animals. Those of the blooded Vivipara which have front teeth in both jaws have one stomach; e.g. man, the dog, the lion, and the other polydactyls; so also those that have solid hoofs, e.g. the horse, the mule, the ass; and those which although they are cloven-hoofed have front teeth in both jaws, e.g. the pig. These rules apply unless the size of the frame and the character of the food

674 a

καὶ τὴν τῆς τροφῆς δύναμιν, οὕσαν οὐκ εὐπεπτον
 30 ἀλλ' ἀκανθώδη καὶ ξυλικήν, ἔχει πλείους, οἷον
 κάμηλος, ὥσπερ καὶ τὰ κερατοφόρα· τὰ γὰρ
 κερατοφόρα οὐκ ἔστιν ἀμφώδοντα. διὰ τοῦτο δὲ καὶ
 ἡ κάμηλος οὐ τῶν ἀμφωδόντων ἐστίν, ἀκέρατος
 οὖσα, διὰ τὸ ἀναγκαιότερον εἶναι αὐτῇ τὴν κοιλίαν
 ἔχειν τοιαύτην ἢ τοὺς προσθίους ὀδόντας. ὥστ'

674 b

ἐπεὶ ταύτην ὁμοίαν ἔχει τοῖς μὴ ἀμφώδουσι, καὶ τὰ
 περὶ τοὺς ὀδόντας ὁμοίως ἔχει αὐτῇ, ὥς οὐδὲν ὄντας
 προέργου. ἅμα δὲ καὶ ἐπεὶ ἡ τροφή ἀκανθώδης,
 τὴν δὲ γλῶτταν ἀνάγκη σαρκώδη εἶναι, πρὸς
 σκληρότητα τοῦ οὐρανοῦ κατακέχρηται τῷ ἐκ τῶν
 5 ὀδόντων γεῶδει ἢ φύσις. καὶ μηρυκάζει δ' ἡ
 κάμηλος ὥσπερ τὰ κερατοφόρα, διὰ τὸ τὰς κοιλίας
 ὁμοίας ἔχειν τοῖς κερατοφόροις. τούτων δ' ἕκαστον
 πλείους ἔχει κοιλίας, οἷον πρόβατον, βοῦς, αἶξ,
 ἔλαφος, καὶ τᾶλλα τὰ τοιαῦτα τῶν ζώων, ὅπως
 ἐπειδὴ τῆς ἐργασίας ἐλλείπει περὶ τὴν τροφήν ἢ
 10 λειτουργία ἢ τοῦ στόματος διὰ τὴν ἔνδειαν τῶν
 ὀδόντων, ἢ τῶν κοιλιῶν ἑτέρα πρὸς ἑτέρας δέχεται¹
 τὴν τροφήν, ἢ μὲν ἀκατέργαστον, ἢ δὲ κατειργα-
 σμένην μᾶλλον, ἢ δὲ πάμπαν, ἢ δὲ λείαν. διὸ τὰ
 τοιαῦτα τῶν ζώων πλείους ἔχει τόπους καὶ μόρια.
 15 καλοῦνται δὲ ταῦτα κοιλία καὶ κεκρύφαλος καὶ
 ἐχίνος καὶ ἡνυστρον. ὃν δ' ἔχει τρόπον ταῦτα πρὸς

¹ δέχεται Peck: δεχομένη vulg.

PARTS OF ANIMALS, III. XIV

modify them · for instance, if the food is thorny and woody and therefore not easy to concoct, in which case the animal has several stomachs, *e.g.* the camel ; so also have the horned animals, as they have not front teeth in both jaws. Thus also the camel has not the two rows of front teeth either, although it has no horns ; this is because it is more necessary for the camel to have several stomachs than to have all these front teeth. So, as it resembles the animals which lack the upper front teeth in that it has several stomachs, therefore the arrangement of its teeth is that which normally accompanies the multiple stomachs : in other words, it lacks these front teeth, as they would be no use to it. And also, as its food is thorny, and as the tongue has of necessity to be of a fleshy character, Nature has made use of the earthy matter saved from the missing teeth to make the roof of the mouth hard. Again, the camel ruminates as the horned animals do, because it has stomachs that resemble theirs. Every one of the horned animals (such as the sheep, the ox, the goat, the deer, and the like) has several stomachs ; and the purpose of them is this : Since the mouth is deficient in teeth, the service which it performs upon the food is deficient ; and so one stomach after another receives the food, which is quite untreated when it enters the first stomach, more treated in the next, completely treated in the next, and a smooth pulp in the next. And that is why these animals have several such places or parts, the names of which are (1) the paunch (*rumen*), (2) the net or honeycomb-bag (*reticulum*), (3) the manyplies (*omasum*), (4) the reed^a (*abomasum*). For the relation of these to each other

^a Or, true stomach.

674 b

ἄλληλα τῇ θέσει καὶ τοῖς εἶδεσιν, ἔκ τε τῆς ἱστορίας τῆς περὶ τὰ ζῶα δεῖ θεωρεῖν καὶ ἔκ τῶν ἀνατομῶν.

Διὰ τὴν αὐτὴν δ' αἰτίαν καὶ τὸ τῶν ὀρνίθων γένος ἔχει διαφορὰν περὶ τὸ τῆς τροφῆς δεκτικὸν
 20 μόριον. ἐπεὶ γὰρ οὐδὲ ταῦτα ὅλως τὴν τοῦ στόματος ἀποδίδωσι λειτουργίαν (ἀνόδοντα γάρ) καὶ οὐθ' ᾧ διαιρήσει οὐθ' ᾧ λεανεῖ τὴν τροφήν ἔχουσι, διὰ τοῦτο τὰ μὲν πρὸ τῆς κοιλίας ἔχουσι τὸν καλούμενον πρόλοβον ἀντὶ τῆς τοῦ στόματος ἐργασίας, οἱ δὲ τὸν οἰσοφάγον πλατύν, ἢ πρὸ τῆς κοιλίας
 25 αὐτοῦ μέρος τι ὀγκῶδες ἐν ᾧ προθησαυρίζουσι τὴν ἀκατέργαστον τροφήν, ἢ τῆς κοιλίας αὐτῆς τι ἐπανεστηκός, οἱ δ' αὐτὴν τὴν κοιλίαν ἰσχυρὰν καὶ σαρκώδη πρὸς τὸ δύνασθαι πολὺν χρόνον θησαυρίζειν καὶ πέττειν ἀλείαντον οὔσαν τὴν τροφήν· τῇ
 30 δυνάμει γὰρ καὶ τῇ θερμότητι τῆς κοιλίας ἡ φύσις ἀναλαμβάνει τὴν τοῦ στόματος ἔνδειαν. εἰσὶ δὲ τινες οἱ τούτων οὐδὲν ἔχουσιν, ἀλλὰ τὸν πρόλοβον¹ μακρόν, ὅσα μακροσκελῇ καὶ ἔλεια, διὰ τὴν τῆς τροφῆς ὑγρότητα. αἷτιον δ' ὅτι ἡ τροφή πᾶσι τούτοις εὐλέαντος, ὥστε συμβαίνειν διὰ ταῦτα τῶν τοιούτων τὰς κοιλίας εἶναι ὑγράς [διὰ τὴν ἀπεισίαν καὶ τὴν τροφήν].²

675 a Τὸ δὲ τῶν ἰχθύων γένος ἔχει μὲν ὀδόντας, τούτους δὲ καρχαρόδοντας σχεδὸν ὡς εἰπεῖν πάντες³. ὀλίγον γὰρ τί ἐστὶ γένος τὸ μὴ τοιούτον, οἷον ὁ καλούμενος σκάρος, ὃς δὴ καὶ δοκεῖ μηρυκάζειν

¹ πρόλοβον] στόμαχον Ogle, collato Hist. An. 509 a 9.

² secludenda.

³ πάντες Ogle: πάντας vulg.

^a At 507 a 36 ff.

^b The gizzard.

^c Ogle reads "oesophagus."

PARTS OF ANIMALS, III. xiv.

as regards position and appearance, the *Researches upon Animals*^a and the treatises on *Anatomy* should be consulted.

The same reason as has just been described accounts for the difference which presents itself in birds in the part which receives the food. Birds, like the other animals, do not get the full service from the mouth in dealing with the food—since they have no teeth at all, and they have nothing with which to bite up or grind down the food; and so some of them have, before the stomach proper, what is called the crop, to perform the work instead of the mouth; others have a broad oesophagus; or else the oesophagus has a bulge in it just before it reaches the stomach, in which they keep a preliminary store of untreated food; or else some part of the stomach itself sticks out; others have a strong and fleshy stomach^b which is thus able to store the food up for a long period and to concoct it although it has not been ground down; thus Nature makes up for the deficiency of the mouth by means not only of the heat of the stomach but also by its special character. Other birds have none of these devices, but a long crop,^c because their food is moist: these are the long-legged marsh birds. The reason for this is that the food which all of these take is easily ground down, and the result is that the stomachs of birds of this sort are moist [owing to the unconcocted and moist state of the food]

The whole tribe of fishes have teeth, practically all have saw-teeth. There is one small group to which this does not apply, *e.g.* the *Scarus*,^d as it is called, which on this account seems to be the only

^a The parrot-fish; see above, 662 a 7.

675 a

5 εὐλόγως διὰ ταῦτα μόνος· καὶ γὰρ τὰ μὴ ἀμφώ-
 δοντα κερατοφόρα δὲ μηρυκάζει. ὅξεῖς δὲ πάντας¹
 ἔχουσιν, ὥστε διελεῖν μὲν δύνανται, φαύλως δὲ δι-
 ελεῖν· ἐνδιατρίβειν γὰρ οὐχ οἶόν τε χρονίζοντας· διό-
 περ οὐδὲ πλατεῖς ἔχουσιν ὁδόντας, οὐδ' ἐνδέχε-
 ται λεαίνειν· μάτην ἂν οὖν εἶχον. ἔτι δὲ στόμαχον
 10 οἱ μὲν ὅλως οὐκ ἔχουσιν, οἱ δὲ βραχύ·ν. ἀλλὰ πρὸς
 τὴν βοήθειαν τῆς πέψεως οἱ μὲν ὀρνιθώδεις ἔχουσι
 τὰς κοιλίας καὶ σαρκώδεις, οἷον κεστρεῦς, οἱ δὲ
 πολλοὶ παρὰ τὴν κοιλίαν ἀποφυάδας πυκνάς, ἵν'
 ἐν ταύταις ὥσπερ ἐν προλακκίοις θησαυρίζοντες
 συσσήπωσι καὶ πέττωσι τὴν τροφήν. ἔχουσι δ'
 15 ἐναντίως οἱ ἰχθύες τοῖς ὀρνίσι τὰς ἀποφυάδας· οἱ
 μὲν γὰρ ἰχθύες ἄνω πρὸς τῇ κοιλίᾳ, τῶν δ' ὀρνίθων
 οἱ ἔχοντες ἀποφυάδας κάτω πρὸς τῷ τέλει τοῦ
 ἐντέρου. ἔχουσι δ' ἀποφυάδας ἔνια καὶ τῶν ζωο-
 τόκων ἐντερικὰς κάτω διὰ τὴν αὐτὴν αἰτίαν.

Τὸ δὲ τῶν ἰχθύων γένος ἅπαν, διὰ τὸ ἐνδεεστερώς
 20 ἔχειν τὰ περὶ τὴν τῆς τροφῆς ἐργασίαν, ἀλλ'
 ἄπεπτα διαχωρεῖν, λαίμαργον πρὸς τὴν τροφήν
 ἔστι, καὶ τῶν ἄλλων δὲ πάντων ὅσα εὐθυέντερα·
 ταχείας γὰρ γινομένης τῆς διαχωρήσεως, καὶ διὰ
 ταῦτα βραχείας οὔσης τῆς ἀπολαύσεως, ταχείαν
 ἀναγκαῖον γίνεσθαι πάλιν καὶ τὴν ἐπιθυμίαν.

25 Τὰ δ' ἀμφώδοντα ὅτι μὲν μικρὰν ἔχει κοιλίαν
 εἴρηται πρότερον· εἰς διαφορὰς δὲ πίπτουσι δύο
 πᾶσαι σχεδόν· τὰ μὲν γὰρ τῇ τῆς κυνὸς ὁμοίαν

¹ πάντας S: πάντες vulg.

^a Probably some kind of mullet.

^b "Caecal appendages" (Ogle), or "alimentary sacs."

^c The vermiform appendix.

PARTS OF ANIMALS, III. XIV.

fish which ruminates. Other ruminants are the horned animals which have no teeth in the upper jaw. All teeth in fish are sharp ; this enables them to bite up their food, though somewhat unsatisfactorily ; this is because they cannot spend long over the act of mastication ; and for the same reason they have no flat teeth and no means of grinding the food down ; if they had any, the teeth would be useless. Furthermore, some fishes have no oesophagus at all, others have a short one ; but, in order to assist the process of concoction, some of them, like the *Kestreus*,^a have fleshy stomachs, similar to those of birds ; the majority, however, have a large number of appendages^b by the side of the stomach, in which to store up the food as it might be in additional cellars and there putrefy it up and concoct it. The appendages of fishes are, however, quite different from those of birds. In fishes they are fairly high up against the stomach, whereas when present in birds they are down below against the end of the gut. Some of the *Vivipara* also have appendages^c of this latter kind, and their purpose is the same.

The whole race of fishes is gluttonous for food, because their equipment for reducing it is defective, as a result of which most of it passes through unconcocted. All those which have a straight intestine are especially gluttonous, since the food passes through quickly, which means that their enjoyment of it is brief, and therefore in its turn the desire for food must come on again very quickly.

I have already said that in animals with front teeth in both jaws the stomach is small. These stomachs fall into two main classes. Some have a stomach resembling that of the dog, some that of

675 a

ἔχουσι κοιλίαν, τὰ δὲ τῇ τῆς ὕος· ἔστι δ' ἡ μὲν τῆς ὕος μείζων καὶ τινὰς ἔχουσα μετρίας πλάκας πρὸς τὸ χρονιωτέραν γίνεσθαι τὴν πέψιν, ἡ δὲ τῆς κυνὸς
 30 μικρὰ τὸ μέγεθος καὶ οὐ πολὺ τοῦ ἐντέρου ὑπερβάλλουσα καὶ λεία τὰ ἐντός. μετὰ γὰρ τὴν κοιλίαν ἡ τῶν ἐντέρων ἔγκειται φύσις πᾶσι τοῖς ζώοις. ἔχει δὲ διαφορὰς πολλὰς, καθάπερ ἡ κοιλία, καὶ τοῦτο τὸ μόριον. τοῖς μὲν γὰρ ἀπλοῦν ἔστι καὶ ὁμοιον ἀναλυόμενον, τοῖς δ' ἀνόμοιον· ἐνίοις μὲν γὰρ εὐρύ-
 35 τερον τὸ πρὸς τῇ κοιλίᾳ, τὸ δὲ πρὸς τῷ τέλει στενότερον¹ (διόπερ αἱ κύνες μετὰ πόνου προΐενται
 675 b τὴν τοιαύτην περίττωσιν), τοῖς δὲ πλείοσιν ἄνωθεν στενότερον,¹ πρὸς τῷ τέλει δ' εὐρύτερον.

Μείζω δὲ καὶ ἀναδιπλώσεις ἔχοντα πολλὰς τὰ τῶν κερατοφόρων ἐστί, καὶ οἱ ὄγκοι τῆς κοιλίας τούτοις μείζους καὶ τῶν ἐντέρων διὰ τὸ μέγεθος·
 5 πάντα γὰρ ὡς εἰπεῖν μεγάλα τὰ κερατοφόρα διὰ τὴν κατεργασίαν τὴν τῆς τροφῆς. πᾶσι δὲ τοῖς μὴ εὐθυεντέροις προιόν² εὐρύτερον γίνεται τὸ μόριον τοῦτο, καὶ τὸ καλούμενον κόλον ἔχουσι, καὶ τοῦ ἐντέρου τυφλὸν τι καὶ ὀγκῶδες, εἴτ' ἐκ τούτου πάλιν στενότερον³ καὶ εἰλιγμένον. τὸ δὲ μετὰ
 10 τοῦτο εὐθὺ πρὸς τὴν ἔξοδον διατείνει τοῦ περιττώματος, καὶ τοῖς μὲν τοῦτο τὸ μόριον, ὁ καλούμενος ἀρχός, κνισώδης ἐστί, τοῖς δ' ἀπίμελος. πάντα δὲ ταῦτα μεμηχάνηται τῇ φύσει πρὸς τὰς ἀρμοττούσας ἐργασίας περὶ τὴν τροφήν καὶ τοῦ γινομένου περιττώματος. προιόντι γὰρ καὶ καταβαίνοντι τῷ περιττώματι εὐρυχωρία γίνεται, καὶ
 15 πρὸς τὸ μεταβάλλειν ἱσταμένῳ τοῖς εὐχίλοτέροις

¹ στενώτερον bis vulg.² προιόν Peck: προιοῦσιν vulg.³ στενότερον SU: στενώτερον vulg.

PARTS OF ANIMALS, III. xiv.

the pig. The pig's stomach is larger than the dog's, and it has some folds of medium size, so as to prolong the time of concoction. The dog's is small in size—not much bigger indeed than the gut, and its inner surface is smooth. The gut has its place next after the stomach in all animals. Like the stomach, this part too presents many various forms. In some animals it is simple and similar throughout its length, when uncoiled; in others it is not similar throughout. Thus, in some it is wider near the stomach, and narrower towards the end (that is why dogs find difficulty in discharging their excrement); in the majority, however, it is narrower at the top, and wider at the end.

In the horned animals, the intestines are longer and have many convolutions; and their bulk (as well as the bulk of the stomach) is greater, owing to the size of the animal: horned animals being, on the whole, large in size because of the ample treatment which their food receives. Except in those animals where it is straight the intestine gets wider as it proceeds, and they have what is called the colon and the “blind and swollen” part of the gut^a; and then after that point it gets narrower again and convoluted. After this, it goes on in a straight line to the place where the residue is discharged; and in some this part (which is called the anus) is supplied with fat, in others it is devoid of fat. All these parts have been devised by Nature to suit their appropriate functions in treating the food and in dealing with the residue produced. As the residue proceeds on its way and goes downwards, it finds a wider space where it remains in order to undergo transformation; this is what

^a The caecal dilatation.

675 b

τῶν ζώων καὶ πλείονος δεομένοις τροφῆς, διὰ τὸ μέγεθος ἢ τὴν θερμότητα τῶν τόπων. εἴτ' ἐν-
 τεύθην πάλιν, ὥσπερ ἀπὸ τῆς ἄνω κοιλίας δέχεται
 στενότερον¹ ἔντερον, οὕτως ἐκ τοῦ κώλου καὶ τῆς
 εὐρυχωρίας ἐν τῇ κάτω κοιλίᾳ πάλιν εἰς στενό-
 20 τερον¹ ἔρχεται καὶ εἰς τὴν ἕλিকা τὸ περίττωμα
 ἐξικμασμένον πάμπαν, ὅπως ταμιεύηται ἢ φύσις
 καὶ μὴ ἀθρόος ἢ ἡ ἕξοδος τοῦ περιττώματος.

Ὅσα μὲν οὖν εἶναι δεῖ τῶν ζώων σωφρονέστερα
 πρὸς τὴν τῆς τροφῆς ποίησιν εὐρυχωρίας μὲν οὐκ
 ἔχει μεγάλας κατὰ τὴν κάτω κοιλίαν, ἕλικας δ'
 25 ἔχει πλείους καὶ οὐκ εὐθυέντερά ἐστιν. ἡ μὲν γὰρ
 εὐρυχωρία ποιεῖ πλήθους ἐπιθυμίαν, ἡ δ' εὐθύτης
 ταχυτήτα ἐπιθυμίας· διόπερ ὅσα τῶν ζώων ἢ ἀπλᾶς
 ἔχει ἢ εὐρυχώρους τὰς ὑποδοχάς, τὰ μὲν εἰς πλήθος
 γαστρίμαργα τὰ δ' εἰς τάχος ἐστίν.

Ἐπεὶ δ' ἐν τῇ ἄνω μὲν κοιλίᾳ κατὰ τὴν πρώτην
 30 εἴσοδον τῆς τροφῆς νεαρὰν ἀναγκαῖον εἶναι τὴν
 τροφήν, κάτω δὲ προιοῦσαν κοπρώδη καὶ ἐξ-
 ικμασμένην, ἀναγκαῖον εἶναί τι καὶ τὸ μεταξύ,
 ἐν ᾧ μεταβάλλει καὶ οὗτ' ἔτι πρόσφατος οὗτ' ἤδη
 κόπρος. διὰ τοῦτο πάντα τὰ τοιαῦτα ζῶα τὴν
 καλουμένην ἔχει νῆστιν καὶ ἐν τῷ μετὰ τὴν κοιλίαν
 35 ἐντέρῳ τῷ λεπτῷ· τοῦτο γὰρ μεταξὺ τῆς τ' ἄνω, ἐν
 ᾗ τὸ ἀπεπτον, καὶ τῆς κάτω, ἐν ᾗ τὸ ἀχρηστον ἤδη
 περίττωμα. γίνεται δ' ἐν πᾶσι μὲν, δῆλη δ' ἐν τοῖς

¹ στενότερον bis Langkavel.

^a i.e. the "stomach."

^b i.e. the "large intestine."

PARTS OF ANIMALS, III. XIV.

happens in the animals which need and take more food owing either to their size or to the heat of these parts of the body. After this, just as it goes into a narrower part of the intestine after it leaves the upper stomach,^a so also it goes into a narrower channel after the colon or the wide part of the lower stomach,^b and into the spiral coil ; into these the residue passes when its juices have been completely exhausted. In this way Nature is enabled to keep the material in store, and also the residue is prevented from leaving all at the same moment.

In those animals, however, which have to be more controlled in their feeding, there are no great wide spaces in the lower stomach, but their gut is not straight, as it contains many convolutions. Spaciousness in the stomach causes a desire for bulk of food, and straightness in the gut makes the desire come on again quickly. Hence, animals of this sort are gluttonous : those with simple receptacles eat at very short intervals of time, those with spacious ones eat very large quantities.

Since the food in the upper stomach, when it has just entered, must of necessity be fresh, and when it has proceeded further downwards must have lost its juices and be practically dung, the organ which lies between the two must of necessity be something definite, in which the change is effected, where food is no longer fresh and not yet dung. Therefore all animals of this sort have what is called the *jejunum*, which forms part of the small intestine, which is next to the stomach. That is to say, it has its place between the upper stomach, where the unconcocted food is, and the lower stomach, where the now useless residue is. All these animals have the *jejunum*, but

676 a μείζοσι καὶ νηστεύσασιν ἀλλ' οὐκ ἔδηδοκόσιν· τότε γὰρ δῆ¹ οἷον² μεταίχμιον γίνεται τῶν τόπων ἀμφοτέρων, ἔδηδοκότων δὲ μικρὸς ὁ καιρὸς τῆς μεταβολῆς. τοῖς μὲν οὖν θήλεσι³ γίνεται ὅπου ἂν τύχη
 5 τοῦ ἄνω ἐντέρου ἢ νῆστις· οἱ δ' ἄρρενες⁴ ἔχουσι πρὸ τοῦ τυφλοῦ καὶ τῆς κάτω κοιλίας.

XV. Ἐχουσι δὲ τὴν καλουμένην πνετίαν τὰ μὲν πολυκοιλία πάντα, τῶν δὲ μονοκοιλίων δασύπους. ἔχει δὲ τὰ ἔχοντα τῶν πολυκοιλίων τὴν πνετίαν οὐτ' ἐν τῇ μεγάλῃ κοιλίᾳ οὐτ' ἐν τῷ κεκρυφάλῳ οὐτ' ἐν
 10 τῷ τελευταίῳ τῷ ἡνύστρῳ, ἀλλ' ἐν τῷ μεταξὺ τοῦ τελευταίου καὶ [δύο]⁵ τῶν πρώτων, ἐν τῷ καλουμένῳ ἐχίνῳ. ἔχει δὲ ταῦτα πάντα πνετίαν διὰ τὴν παχύτητα τοῦ γάλακτος· τὰ δὲ μονοκοιλία οὐκ ἔχει, λεπτόν γὰρ τὸ γάλα τῶν μονοκοιλίων. διὸ τῶν μὲν κερατοφόρων πῆγνυται, τῶν δ' ἀκεράτων
 15 οὐ πῆγνυται τὸ γάλα. τῷ δὲ δασύποδι γίνεται πνετία διὰ τὸ νέμεσθαι ὁπώδῃ πόαν· ὁ γὰρ τοιοῦτος χυμὸς συνίστησιν ἐν τῇ κοιλίᾳ τὸ γάλα τοῖς ἐμβρύοις. διότι δὲ τῶν πολυκοιλίων ἐν τῷ ἐχίνῳ γίνεται ἢ πνετία, εἴρηται ἐν τοῖς προβλήμασιν.

¹ δῆ Z· ἥδη vulg.

² οἷον PZ, om. vulg

³ θήλεσι] τελείους Z: πλείους Platt.

⁴ ἄρρενες] κύνες Platt.

⁵ [δύο] secludendum.

^a This seems to mean that when the animal is fasting the two receptacles do not bulge, and so the *jejunum* is visible; and though after the animal has fed you might expect to see the *jejunum*, because it should be full of food which is being

PARTS OF ANIMALS, III. XIV.—XV.

it is apparent only in the larger ones, and in them only when they are fasting, not when they have recently been eating, for when they are fasting, there is an interspace between the two receptacles, whereas when they have been eating, the time taken by the change is short ^a In females the *jejunum* can have its place in any part of the upper intestine, in males it is placed immediately before the caecum and the lower stomach.

XV What goes by the name of Rennet is present Rennet in all animals which have a multiple stomach; the hare is the only animal with a single stomach which has it. In the former class the rennet is not in the paunch ^b nor in the *reticulum*, nor in the *abomasum* (the last of the stomachs); but in the stomach between the last one and the first ones, *i.e.* the so-called *omasum* (manyples) ^c All these animals have rennet because their milk is so thick; similarly, the single-bellied animals have no rennet, because their milk is thin. This also explains why the milk of horned animals coagulates, while that of the hornless does not. As for the hare, it has rennet because it feeds on herbs with fig-like juice; and this juice can coagulate the milk in the stomach of sucklings. I have stated in the *Problems* ^d why, in the animals that have many stomachs, the rennet is formed in the manyplies.

transmuted inside it (see above, 675 b 32), it is not visible, because the change is effected so rapidly.

^b Lit "the great stomach."

^c See above, 674 b 14 ff.

^d No such reference can be found.

Δ

676 a

Τὸν αὐτὸν δὲ τρόπον ἔχει τὰ περὶ τὰ σπλάγχνα καὶ τὴν κοιλίαν καὶ τῶν εἰρημένων μορίων ἕκαστον τοῖς τετραπόσι μὲν ὠτόκοις δὲ τῶν ζώων καὶ τοῖς
 25 ἄποσιν, οἷον τοῖς ὄφεσιν. καὶ γὰρ ἡ τῶν ὄφειν φύσις ἐστὶ συγγενὴς τούτοις· ὁμοία γάρ ἐστι σαύρω μακρῶ¹ καὶ ἄποδι. τούτοις δὲ καὶ τοῖς ἰχθύσι πάντα παραπλήσια, πλὴν τὰ μὲν ἔχει πλεύμονα διὰ τὸ πεζεύειν, οἱ δ' οὐκ ἔχουσιν, ἀλλὰ βράγχια ἀντὶ τοῦ πλεύμονος. κύστιν δ' οὐθ' οἱ ἰχθύες ἔχουσιν
 30 οὔτε τούτων οὐδὲν πλὴν χελώνης· τρέπεται γὰρ εἰς τὰς φολίδας τὸ ὑγρὸν ὀλιγοπότων ὄντων διὰ τὴν ἀναιμότητα τοῦ πλεύμονος, καθάπερ τοῖς ὄρνεσιν εἰς τὰ πτερά. καὶ ἐπιλευκαίνει δὲ τὸ περίττωμα πᾶσι καὶ τούτοις, ὥσπερ καὶ τοῖς ὄρνεσιν· διότι² ἐν τοῖς ἔχουσι κύστιν ἐξεληθόντος τοῦ περιττώματος
 35 ὑφίσταται ἀλμυρὶς γεώδης ἐν τοῖς ἀγγείοις· τὸ γὰρ γλυκὺ καὶ πότιμον ἀναλίσκεται διὰ κουφότητα εἰς τὰς σάρκας.

676 b Τῶν δ' ὄφειν οἱ ἔχεις πρὸς τοὺς ἄλλους ἔχουσι τὴν αὐτὴν διαφορὰν ἣν καὶ ἐν τοῖς ἰχθύσι τὰ σελάχη πρὸς τοὺς ἄλλους· ζωοτοκοῦσι γὰρ ἔξω καὶ τὰ σελάχη καὶ οἱ ἔχεις, ἐν αὐτοῖς ὠοτοκήσαντα πρῶτον. μονοκοίλια δὲ πάντα τὰ τοιαῦτά ἐστι,

¹ μακρῶ Y: μακρῶ ἢ vulg.

² διότι Ogle: διόπερ vulg.

BOOK IV

WHAT has been said already on the subject of the viscera, the stomach, and each of the other parts mentioned, applies to the footless creatures (such as the Serpents) as well as to the oviparous quadrupeds. Indeed, the Serpents are akin to these : for a serpent is like a long and footless lizard. A third class in which all these parts are similar is the Fishes : the only difference is that the first two classes are land-creatures and therefore have a lung, whereas fishes have no lung but gills instead. Fishes have no bladder, nor has any of these creatures (except the tortoise) ; the reason is that they drink little because their lung is bloodless ; and the moisture in them is diverted to the horny scales, just as in birds it is diverted to the feathers. And as with birds, the residue ^a of all these creatures is white on the surface, since with the animals that have a bladder, when the residue has been voided an earthy salt deposit settles in the vessels (The sweet and non-briny portion, owing to its lightness, is used up upon the flesh)

The Vipers have the same peculiarity among the Serpents as the Selachia have among the Fishes. Both of them are externally viviparous, though they first produce their ova internally. All these

^a See Introduction, pp. 32 ff.

676 b

5 καθάπερ τᾶλλα τὰ ἀμφώδοντα· καὶ σπλάγχνα δὲ
 πᾶμπαν μικρὰ ἔχει, ὥσπερ τᾶλλα τὰ μὴ ἔχοντα
 κύστιν. οἱ δ' ὄφεις διὰ τὴν τοῦ σώματος μορφήν,
 οὖσαν μακρὰν καὶ στενὴν, καὶ τὰ σχήματα τῶν
 σπλάγχνων ἔχουσι διὰ ταῦτα μακρὰ καὶ τοῖς τῶν
 ἄλλων ζώων ἀνόμοια, διὰ τὸ καθάπερ ἐν τύπῳ τὰ
 10 σχήματ' αὐτῶν πλασθῆναι διὰ τὸν τόπον.

Ἐπίπλοον δὲ καὶ μεσεντέριον καὶ τὰ περὶ τὴν
 τῶν ἐντέρων φύσιν, ἔτι δὲ τὸ διάζωμα καὶ τὴν
 καρδίαν πάντ' ἔχει τὰ ἔναιμα τῶν ζώων, πλεύμονα
 δὲ καὶ ἀρτηρίαν πάντα πλὴν τῶν ἰχθύων. καὶ τὴν
 θέσιν δὲ τῆς ἀρτηρίας καὶ τοῦ οἰσοφάγου πάντα
 15 τὰ ἔχοντα ὁμοίως ἔχει διὰ τὰς εἰρημένας αἰτίας
 πρότερον.

II. Ἐχει δὲ καὶ χολὴν τὰ πολλὰ τῶν ἐναίμων
 ζώων, τὰ μὲν ἐπὶ τῷ ἥπατι, τὰ δ' ἀπηρτημένην ἐπὶ
 τοῖς ἐντέροις, ὡς οὖσαν οὐχ ἥττον ἐκ τῆς κάτω
 κοιλίας τὴν φύσιν αὐτῆς. δῆλον δὲ μάλιστ' ἐπὶ τῶν
 20 ἰχθύων· οὗτοι γὰρ ἔχουσιν τε πάντες, καὶ οἱ πολλοὶ
 πρὸς τοῖς¹ ἐντέροις, ἔνιοι δὲ παρ' ὅλον τὸ ἔντερον
 παρυφασμένην, οἶον ἢ ἄμια· καὶ τῶν ὄψεων οἱ
 πλείστοι τὸν αὐτὸν τρόπον. διόπερ οἱ λέγοντες τὴν
 φύσιν τῆς χολῆς αἰσθήσεώς τινος εἶναι χάριν οὐ
 καλῶς λέγουσιν· φασὶ γὰρ εἶναι διὰ τοῦτο, ὅπως
 25 τῆς ψυχῆς τὸ περὶ τὸ ἥπαρ μόριον δάκνουσα μὲν
 συνιστῇ, λυομένη δ' ἔλεων ποιῇ· τὰ μὲν γὰρ ὅλως

¹ τοῖς PY et corr. U: om. vulg.

^a See 665 a 10 ff.

^b See 650 a 14.

^c This seems to refer to the views expressed in Plato, *Timaeus*, 71 D.

PARTS OF ANIMALS, IV. I.-II.

creatures have one stomach only, as do the other animals that have front teeth in both jaws. And their viscera are quite small, as are those of the other creatures which have no bladder. However, on account of the shape of the serpents' bodies, which is long and narrow, the shape of their viscera too is consequently long, thus differing from those of other animals. This is because the shape of them is fashioned, as though in a mould, on account of the space available for them

All blooded animals have an omentum, a mesentery, and the whole intestinal equipment, also a diaphragm and a heart; and all but the fishes have a lung and a windpipe too. The relative positions of the windpipe and the oesophagus are the same in all of them. The reasons for this have been given already.^a

II The majority of the blooded animals have a gall-bladder in addition. In some it is placed up against the liver; in others it is separate from the liver and placed against the intestines; in both its natural affinity with the lower stomach^b is the same. This is clearest in the fishes, all of which have a gall-bladder, and in most of them it is placed against the intestines, though in some it runs along the whole length of the intestine, like a woven border, as in the *Amia*; a similar arrangement is found in most of the serpents. Hence, those who assert that the gall-bladder is present for the sake of some act of sensation are wrong. They say its purpose is as follows — on the one hand (*a*) to irritate that part of the Soul which is around the liver, and so to congeal it^c; and on the other hand (*b*) by running free to make that part cheerful. This cannot be true; because some

Gall-bladder
and bile

676 b

οὐκ ἔχει χολήν, οἷον ἵππος καὶ ὄρευς καὶ ὄνος καὶ
 ἔλαφος καὶ πρόξ· οὐκ ἔχει δ' οὐδ' ἡ κάμηλος
 ἀποκεκριμένην, ἀλλὰ φλέβια χολώδη μᾶλλον· οὐκ
 ἔχει δ' οὐδ' ἡ φώκη χολήν, οὐδὲ τῶν θαλαττίων
 30 δελφίς. ἐν δὲ τοῖς γένεσι τοῖς αὐτοῖς τὰ μὲν ἔχειν
 φαίνεται τὰ δ' οὐκ ἔχειν, οἷον ἐν τῷ τῶν μυῶν·
 τούτων δ' ἐστὶ καὶ ὁ ἄνθρωπος, ἔνιοι μὲν γὰρ
 φαίνονται ἔχοντες χολήν ἐπὶ τοῦ ἥπατος, ἔνιοι δ'
 οὐκ ἔχοντες· διὸ καὶ γίνεται ἀμφισβήτησις περὶ
 ὅλου τοῦ γένους· οἱ γὰρ ἐντυχόντες ὁποτέρωσιν
 35 ἔχουσι περὶ πάντων ὑπολαμβάνουσιν ὡς ἀπάντων
 ἔχόντων. συμβαίνει δὲ τοιοῦτον καὶ περὶ τὰ πρό-
 βατα καὶ τὰς αἰγας· τὰ μὲν γὰρ πλεῖστα τούτων
 677 a ἔχει χολήν, ἀλλ' ἐνιαχοῦ μὲν τοσαύτην ὥστε δοκεῖν
 τέρας εἶναι τὴν ὑπερβολήν, οἷον ἐν Νάξῳ, ἐνιαχοῦ
 δ' οὐκ ἔχουσιν, οἷον ἐν Χαλκίδι τῆς Εὐβοίας κατὰ
 τινα τόπον τῆς χώρας αὐτῶν. ἔτι δέ, ὥσπερ εἴρη-
 5 ται, ἡ τῶν ἰχθύων ἀπήρτηται πολὺ τοῦ ἥπατος.
 οὐκ ὀρθῶς δ' εἰόκασιν οἱ περὶ Ἀναξαγόραν ὑπο-
 λαμβάνειν ὡς αἰτίαν οὖσαν τῶν ὀξέων νοσημάτων·
 ὑπερβάλλουσιν γὰρ ἀπορραίνειν πρὸς τε τὸν πλεῦ-
 μονα καὶ τὰς φλέβας καὶ τὰ πλευρά· σχεδὸν γὰρ
 οἷς ταῦτα συμβαίνει τὰ πάθη τῶν νόσων, οὐκ
 10 ἔχουσι χολήν, ἐν τε ταῖς ἀνατομαῖς ἂν ἐγίνετο τοῦτο
 φανερόν· ἔτι δὲ τὸ πλῆθος τό τ' ἐν τοῖς ἀρρωστή-
 μασιν ὑπάρχον καὶ τὸ ἀπορραϊνόμενον ἀσύμβλητον.
 ἀλλ' εἰοικεν ἡ χολή, καθάπερ καὶ ἡ κατὰ τὸ ἄλλο

^a This is true of quite a number of species, and as Aristotle says, the gall-bladder is specially variable in mice. In man, its absence is rare; and Aristotle's statement is no doubt derived from his observation of aborted embryos, in which the gall-bladder develops somewhat late.

PARTS OF ANIMALS, IV. II.

animals have no gall-bladder at all, such as the horse, the mule, the ass, the deer, and the roe ; and the camel has no distinct gall-bladder, but what would better be described as consisting of small biliary vessels. There is no gall-bladder in the seal, nor (among sea-animals) in the dolphin. Sometimes in the same group there are some animals which look as if they have one, and some as if they have none^a : This is true of the Mice ; and also of the human species, as in some individuals the gall-bladder is placed against the liver and is obvious ; while in some it is missing. The result of this has been a dispute concerning the group as a whole. Whatever an observer has found to be the condition of the individuals he happens to have seen, that he holds is true of every individual throughout the group. The same has occurred with regard to sheep and goats, most of which have a gall-bladder ; but, whereas in some individuals it is so enormous that its excessive size is portentous (*e.g.* in Naxos), in others it is entirely absent (*e.g.* in a particular district of Chalcis, Euboea). A further point, already mentioned, is that in fishes the gall-bladder is separated from the liver by a good distance. Moreover, it is safe to say that Anaxagoras's school is wrong in holding that the gall-bladder is the cause of acute diseases : they say that when it gets too full it spurts its liquid out into the lung and blood-vessels and sides. This must be wrong, because nearly everyone who suffers from these affections actually has no gall-bladder, and this would be proved if they were dissected. Besides, there is no comparison between the amount of bile which is present in these ailments and that which is emitted from the gall-bladder. Most probably this bile around the

677 a

σῶμα γινομένη περίττωμά τί ἐστίν ἢ σύντηξις, οὕτω καὶ ἡ ἐπὶ τῷ ἥπατι χολή περίττωμα εἶναι καὶ
 15 οὐχ ἔνεκά τινος, ὥσπερ καὶ ἡ ἐν τῇ κοιλίᾳ καὶ ἐν τοῖς ἐντέροις ὑπόστασις. καταχρῆται μὲν οὖν ἐνίοτε ἡ φύσις εἰς τὸ ὠφέλιμον καὶ τοῖς περιττώμασιν, οὐ μὴν διὰ τοῦτο δεῖ ζητεῖν πάντα ἔνεκα τίνος· ἀλλὰ τινῶν ὄντων τοιούτων ἕτερα ἐξ ἀνάγκης συμβαίνει διὰ ταῦτα πολλά.

Ὅσοις μὲν οὖν ἡ τοῦ ἥπατος σύστασις ὑγιεινὴ
 20 ἐστὶ καὶ ἡ τοῦ αἵματος φύσις γλυκεῖα ἢ εἰς τοῦτ' ἀποκρινομένη, ταῦτα μὲν ἡ πάμπαν οὐκ ἴσχει χολήν ἐπὶ τοῦ ἥπατος, ἡ ἔν τισι φλεβίοις, ἡ τὰ μὲν τὰ δ' οὐ. διὸ καὶ τὰ ἥπατα τὰ τῶν ἀχόλων εὐχρῶ καὶ γλυκερά ἐστίν ὥς ἐπίπαν εἰπεῖν, καὶ τῶν ἐχόντων
 25 χολήν τὸ ὑπὸ τῇ χολῇ τοῦ ἥπατος γλυκύτατόν ἐστιν. τῶν δὲ συνισταμένων ἐξ ἡττον καθαροῦ αἵματος τούτου¹ ἐστὶν ἡ χολή τὸ γινόμενον περίττωμα· ἐναντίον τε γὰρ τῇ τροφῇ τὸ περίττωμα βούλεται εἶναι καὶ τῷ γλυκεῖ τὸ πικρόν, καὶ τὸ αἷμα γλυκὺ τὸ ὑγιαῖνον. φανερόν οὖν ὅτι οὐ τινος
 30 ἔνεκα, ἀλλ' ἀποκάθαρμά ἐστιν ἡ χολή. διὸ καὶ χαριέστατα λέγουσι τῶν ἀρχαίων οἱ φάσκοντες αἴτιον εἶναι τοῦ πλείω ζῆν χρόνον τὸ μὴ ἔχειν χολήν, βλέψαντες ἐπὶ τὰ μώνυχα καὶ τὰς ἐλάφους· ταῦτα γὰρ ἀχολά τε καὶ ζῆ πολὺν χρόνον. ἔτι δὲ καὶ τὰ μὴ ἑωραμένα ὑπ' ἐκείνων ὅτι οὐκ ἔχει
 35 χολήν, οἷον δελφὶς καὶ κάμηλος, καὶ ταῦτα τυγχάνει μακρόβια ὄντα. εὐλογον γὰρ τὴν τοῦ ἥπατος

¹ τούτου Peck. τοῦτ' vulg.

PARTS OF ANIMALS, IV. II.

liver, as well as elsewhere in the body, is a mere residue or a waste product ; thus it is not present for any definite purpose, and may be classed with the sediment produced in the stomach and the intestines. I agree that occasionally Nature turns even residues to use and advantage, but that is no reason for trying to discover a purpose in all of them. The truth is that some constituents are present for a definite purpose, and then many others are present *of necessity* in consequence of these.

We may say, then, that in animals whose liver is healthy in its composition, and in which the blood that supplies the liver is sweet, there is either no gall-bladder at all by the liver, or else the bile is in tiny vessels, or else in some these are present and in some not. This is why the livers of gall-bladderless animals are, generally, of a good colour and sweet ; and in those that have a gall-bladder the part of the liver immediately below it is very sweet. In those animals which are formed out of blood which is less pure, the bile is the residue of this ; since " residue " means that which is the opposite of " food," and " bitter " the opposite of " sweet " ; and healthy blood is sweet. So it is evident that bile exists for no definite purpose, but is merely an offscouring. So that was an extremely neat remark which we find made by some of the old authors, when they say that if you have no gall in you your life will be longer. This was a reference to animals with uncloven hoofs and to deer, which have no gall-bladder, and are long-lived. And also, certain other animals are long-lived, such as the dolphin and camel, which, though unobserved by them, have no gall-bladder. After all, the liver is vital and indispensable for all blooded

- 677^a φύσιν, ἐπικάειρον οὖσαν καὶ ἀναγκαίαν πᾶσι τοῖς
 677^b ἐναίμοις ζώοις, αἰτίαν εἶναι, ποιάν τιν' οὖσαν, τοῦ
 ζῆν ἐλάττω ἢ πλείω χρόνον. καὶ τὸ τούτου μὲν τοῦ
 σπλάγχχνου εἶναι περίττωμα τοιοῦτον, τῶν δ' ἄλλων
 μηδενός, κατὰ λόγον ἐστίν. τῇ μὲν γὰρ καρδίᾳ
 τοιοῦτον οὐδένα πλησιάζειν οἷόν τε χυμόν (οὐδέν
 5 γὰρ δέχεται βίαιον πάθος), τῶν δ' ἄλλων οὐδέν
 σπλάγχχνων ἀναγκαῖόν ἐστι τοῖς ζώοις, τὸ δ' ἦπαρ
 μόνον· διόπερ καὶ τοῦτο συμβαίνει περὶ αὐτὸ μόνον.
 ἄτοπόν τε τὸ μὴ πανταχοῦ νομίζειν, ὅπου ἂν τις ἴδῃ
 φλέγμα ἢ τὸ ὑπόστημα τῆς κοιλίας, περίττωμα
 εἶναι, ὁμοίως δὲ δηλὸν ὅτι καὶ χολήν, καὶ μὴ
 10 διαφέρεσθαι τοῖς τόποις.

Καὶ περὶ μὲν χολῆς, διὰ τίν' αἰτίαν τὰ μὲν ἔχει
 τὰ δ' οὐκ ἔχει τῶν ζώων, εἴρηται, III. περὶ δὲ
 μεσεντερίου καὶ ἐπιπλόου λοιπὸν εἰπεῖν· ταῦτα γὰρ
 ἐν τῷ τόπῳ τούτῳ καὶ μετὰ τῶν μορίων ἐστὶ
 τούτων.

- 15 "Ἐστὶ δὲ τὸ μὲν ἐπίπλοον ὑμὴν τοῖς μὲν στέαρ
 ἔχουσι στεατώδης, τοῖς δὲ πιμελὴν πιμελώδης·
 ποῖα δ' ἐστὶν ἑκάτερα τούτων, εἴρηται πρότερον.
 ἡρτῆται¹ δὲ τὸ ἐπίπλοον ὁμοίως τοῖς τε μονοκοιλίοις
 καὶ τοῖς πολυκοιλίοις ἀπὸ μέσης τῆς κοιλίας κατὰ
 τὴν ὑπογεγραμμένην οἷον ραφήν· ἐπέχει δὲ τό τε
 20 λοιπὸν τῆς κοιλίας καὶ τὸ τῶν ἐντέρων πλῆθος
 ὁμοίως τοῖς ἐναίμοις, ἔν τε τοῖς πεζοῖς καὶ τοῖς
 ἐνύδροις ζώοις.

Ἡ μὲν οὖν γένεσις ἐξ ἀνάγκης συμβαίνει τοιαύτη
 τοῦ μορίου τούτου· ξηροῦ γὰρ καὶ ὑγροῦ μίγματος
 θερμαινομένου τὸ ἔσχατον αἰεὶ δερματώδες γίνεται

¹ ἡρκεται SUY.

PARTS OF ANIMALS, IV. II.-III.

animals, and so it is quite reasonable to hold that the condition of it controls the length of its owner's life. And it is equally reasonable to hold that the liver produces a residue such as the bile although none of the other viscera does so. Take the heart : no such humour as bile could possibly come near the heart, because the heart cannot withstand any violent affection. Of the other viscera none is indispensable to an animal, except the liver only, and that is why this phenomenon occurs in connexion with the liver exclusively. And it would be absurd to say that phlegm and the sediment produced by the stomach are residues when found in some places but not in others ; and clearly the same applies to bile : its locality makes no difference.

We have now spoken of the gall-bladder, and we have shown why some animals have it and why some have not. III. It remains to speak of the Mesentery and of the Omentum. These are in the same region and close to the parts we have just described

The Omentum is a membrane, formed of suet ^{Omentum.} or lard according to the animal in which it is (We have already stated which animals contain suet and which lard)^a Whether the animal has one stomach or many, the Omentum is always fastened to the middle of the stomach, on the line marked on it like a seam ; and it covers the rest of the stomach and most of the intestines. This is so in all blooded creatures, land- and water-animals alike.

As for the formation of this part, it is such as it is owing to necessity. When a mixture containing solid substance and fluid is warmed up, the surface of it always becomes skin-like and membranous ; and

^a At 651 a 26 ff.

677 b

καὶ ὑμενώδες, ὃ δὲ τόπος οὗτος τοιαύτης πλήρης
 25 ἐστὶ τροφῆς. ἔτι δὲ διὰ πυκνότητα τοῦ ὑμένος τὸ
 διηθούμενον τῆς αἱματώδους τροφῆς ἀναγκαῖον
 λιπαρὸν εἶναι (τοῦτο γὰρ λεπτότατον) καὶ διὰ τὴν
 θερμότητα τὴν περὶ τὸν τόπον συμπεττόμενον ἀντὶ
 σαρκώδους καὶ αἱματώδους συστάσεως στέαρ γί-
 νεσθαι καὶ πιμελήν. ἡ μὲν οὖν γένεσις τοῦ ἐπι-
 30 πλόου συμβαίνει κατὰ τὸν λόγον τοῦτον, κατα-
 χρῆται δ' ἡ φύσις αὐτῷ πρὸς τὴν εὐπεισίαν τῆς
 τροφῆς, ὅπως ῥᾶον πέττη καὶ θάττον τὰ ζῶα τὴν
 τροφήν τὸ μὲν γὰρ θερμὸν πεπτικόν, τὸ δὲ πῖον
 θερμόν, τὸ δ' ἐπίπλοον πῖον καὶ διὰ τοῦτ' ἀπὸ
 μέσης ἤρτηται¹ τῆς κοιλίας, ὅτι τὸ ἐπέκεινα² μέρος
 35 συμπτέττει τὸ παρακείμενον ἥπαρ. καὶ περὶ μὲν
 τοῦ ἐπιπλόου εἴρηται.

IV Τὸ δὲ καλούμενον μεσεντέριον ἔστι μὲν ὑμήν,
 διατείνει δὲ συνεχὲς ἀπὸ τῆς τῶν ἐντέρων παρα-
 678 α τάσεως εἰς τὴν φλέβα τὴν μεγάλην καὶ τὴν ᾠορτήν,
 πλήρες ὃν φλεβῶν πολλῶν καὶ πυκνῶν, αἱ τείνουσιν
 ἀπὸ τῶν ἐντέρων εἰς τε τὴν μεγάλην φλέβα καὶ τὴν
 ᾠορτήν τὴν μὲν οὖν γένεσιν ἐξ ἀνάγκης οὔσαν
 5 εὐρήσομεν ὁμοίως τοῖς ἄλλοις μορίοις³. διὰ τίνα δ'
 αἰτίαν ὑπάρχει τοῖς ἐναίμοις, φανερόν ἐστιν ἐπι-
 σκοποῦσιν. ἐπεὶ γὰρ ἀναγκαῖον τὰ ζῶα τροφήν
 λαμβάνειν θύραθεν, καὶ πάλιν ἐκ ταύτης γίνεσθαι
 τὴν ἐσχάτην τροφήν, ἐξ ἧς ἤδη διαδίδεται εἰς τὰ
 μόρια (τοῦτο δὲ τοῖς μὲν ἀναίμοις ἀνώνυμον, τοῖς δ'

¹ ἤρκεται EPSUY.² ἐπέκεινα Peck: ἐπ' ἐκέينو vulg.³ <τοιούτους> μορίοις Ogle· [μορίοις] ὑμέσι Platt.

PARTS OF ANIMALS, IV. III.-IV

the place where the Omentum is is full of nutriment of this very sort. Furthermore, owing to the thickness of the membrane, that portion of the blood-like nutriment which percolates through it must of necessity be fatty, because that is the finest in texture; and then owing to the heat in that part it will be concocted and so become suet or lard instead of some fleshy or blood-like substance. This, then, is the rational basis of the formation of the Omentum. Nature, however, turns the Omentum to advantage in the concoction of the food, so as to enable the animal to concoct its food more easily and more quickly; for the Omentum is fat; fat things are hot, and hot things aid concoction. For this reason, too, the Omentum is fastened to the middle of the stomach; since as regards that part of the stomach which is beyond, the liver which is close by it assists it in concoction. So much for the Omentum.

IV. What is called the Mesentery is also a mem-^{Mesentery}brane; and it extends continuously from the line of extension of the intestines as far as the Great Blood-vessel and the Aorta. It is full of blood-vessels, which are many in number and closely packed together; and they extend from the intestines as far as the Great Blood-vessel and the Aorta. We shall find, as with the other parts, that the development and formation of the Mesentery is the result of *necessity*. As for its *purpose* in the blooded animals, that is clear enough to those who consider. Animals must of necessity take in nutriment from without; and, again, out of this the "ultimate nutriment" has to be made; and from this store the supply is distributed directly to the parts of the body. (In blooded animals this is called blood; there is no

678 a

10 ἐναίμοις αἷμα καλεῖται), δεῖ τι εἶναι δι' οὗ εἰς τὰς
 φλέβας ἐκ τῆς κοιλίας οἶον διὰ ῥιζῶν πορεύσεται ἡ
 τροφή. τὰ μὲν οὖν φυτὰ τὰς ῥίζας ἔχει εἰς τὴν γῆν
 (ἐκεῖθεν γὰρ λαμβάνει τὴν τροφήν), τοῖς δὲ ζώοις ἡ
 κοιλία καὶ ἡ τῶν ἐντέρων δύναμις γῆ ἐστίν, ἐξ ἧς
 δεῖ λαμβάνειν τὴν τροφήν· διόπερ ἡ τοῦ μεσεν-
 15 τερίου φύσις ἐστίν, οἶον ῥίζας ἔχουσα τὰς δι' αὐτῆς¹
 φλέβας. οὗ μὲν οὖν ἕνεκα τὸ μεσεντέριον ἐστίν,
 εἴρηται· τίνα δὲ τρόπον λαμβάνει τὴν τροφήν, καὶ
 πῶς εἰσέρχεται διὰ τῶν φλεβῶν ἀπὸ τῆς ἐσχάτης²
 τροφῆς εἰς τὰ μόρια πάντα³ τὸ διαδιδόμενον εἰς τὰς
 φλέβας, ἐν τοῖς περὶ τὴν γένεσιν τῶν ζώων λεχθή-
 20 σεται καὶ τὴν τροφήν.

Τὰ μὲν οὖν ἔναιμα τῶν ζώων πῶς ἔχει μέχρι τῶν
 διωρισμένων μορίων, καὶ διὰ τίνας αἰτίας, εἴρηται·
 περὶ δὲ τῶν εἰς τὴν γένεσιν συντελούντων, οἷς δοκεῖ
 διαφέρειν τὸ θῆλυ τοῦ ἄρρενος, ἐχόμενον μὲν ἐστὶ
 25 καὶ λοιπὸν τῶν εἰρημένων· ἀλλ' ἐπειδὴ περὶ γενέ-
 σεως λεκτέον, ἀρμόττον ἐστὶ καὶ περὶ τούτων ἐν τῇ
 περὶ ἐκείνων θεωρίᾳ διελθεῖν.

V. Τὰ δὲ καλούμενα μαλάκια καὶ μαλακόστρακα
 πολλὴν ἔχει πρὸς ταῦτα διαφοράν· εὐθύς γὰρ τὴν
 τῶν σπλάγχνων ἅπασαν οὐκ ἔχει φύσιν. ὁμοίως δ'
 30 οὐδὲ τῶν ἄλλων ἀναίμων οὐδέν. ἔστι δὲ δύο γένη
 λοιπὰ τῶν ἀναίμων, τὰ τ' ὀστρακόδερμα καὶ τὸ τῶν
 ἐντόμων γένος. ἐξ οὗ γὰρ συνέστηκεν ἡ τῶν
 σπλάγχνων φύσις, οὐδὲν τούτων ἔχει αἷμα, διὰ τὸ

¹ αὐτῆς Peck : αὐτῆς vulg.² ἐσχάτης Peck : εἰσιούσης vulg.³ πάντα Ogle . ταῦτα vulg

PARTS OF ANIMALS, IV. IV.-V.

special name for it in the others.) Now there must be some passage or passages (as it might be roots) through which this nutriment shall pass from the stomach to the blood-vessels. The roots of plants are of course in the ground, because that is the source from which plants get their nutriment. For an animal, the stomach and the intestines correspond to the ground, the place from which the nutriment has to be derived. And the Mesentery exists to contain these vessels, corresponding to roots; they pass through the inside of it. This completes my account of its Final Cause. As for the means by which the nutriment is taken up, and the way in which that portion of the ultimate nutriment which is distributed into the blood-vessels reaches all the parts of the body through them, these points will be dealt with in the treatises on the *Generation of Animals* and on *Nutrition*.

I have now described the blooded animals as far as concerns the parts that have been dealt with, and also the causes that are responsible. It remains, and would follow after this, to speak of the organs of generation, by which male and female are distinguished. But as we shall have to deal with generation itself, it is more appropriate to speak of these organs in our consideration of that subject

V. The animals called Cephalopods and Crustacea are very different from the blooded ones. First of all, they have no visceral apparatus at all. This is true of all the bloodless creatures, in which are included beside Cephalopods and Crustacea two other groups, the Testacea and the Insects. This is because none of them has blood, which is the material out of which

INTERNAL
PARTS OF
BLOODLESS
ANIMALS

ARISTOTLE

678 a

τῆς οὐσίας αὐτῶν εἶναι τι τοιοῦτον πάθος [αὐτῆς]¹.

ὅτι γάρ ἐστι τὰ μὲν ἔναιμα τὰ δ' ἄναιμα, ἐν τῷ
 35 λόγῳ ἐνυπάρξει τῷ ὀρίζοντι τὴν οὐσίαν αὐτῶν. ἔτι
 δ' ὧν ἕνεκεν ἔχουσι τὰ σπλάγχνα τὰ ἔναιμα τῶν
 ζώων, οὐδὲν ὑπάρξει τοῖς τοιούτοις· οὔτε γὰρ

678 b

φλέβας ἔχουσιν οὔτε κύστιν οὔτ' ἀναπνέουσιν, ἀλλὰ
 μόνον ἀναγκαῖον ἔχειν αὐτοῖς τὸ ἀνάλογον τῇ καρ-
 δία· τὸ γὰρ αἰσθητικὸν ψυχῆς καὶ τὸ τῆς ζωῆς
 αἷτιον ἀρχῇ τινι τῶν μορίων καὶ τοῦ σώματος
 ὑπάρχει πᾶσι τοῖς ζώοις. τὰ δὲ πρὸς τὴν τροφήν
 5 μόρια ἔχει καὶ ταῦτα ἐξ ἀνάγκης πάντα οἱ δὲ
 τρόποι διαφέρουσι διὰ τοὺς τόπους ἐν οἷς λαμ-
 βάνουσι τὴν τροφήν.

Ἐχουσι δὲ τὰ μὲν μαλάκια περὶ τὸ καλούμενον
 στόμα δύο ὀδόντας, καὶ ἐν τῷ στόματι ἀντὶ γλώτ-
 τῆς σαρκῶδες τι, ᾧ κρίνουσι τὴν ἐν τοῖς ἐδεστοῖς
 ἡδονήν. ὁμοίως δὲ καὶ τὰ μαλακόστρακα τούτοις
 10 τοὺς πρώτους ὀδόντας ἔχει καὶ τὸ ἀνάλογον τῇ
 γλώττῃ σαρκῶδες ἔτι δὲ καὶ τὰ ὀστρακόδερμα
 πάντα τὸ τοιοῦτον ἔχει μόριον διὰ τὴν αὐτὴν αἰτίαν
 τοῖς ἐναίμοις, πρὸς τὴν τῆς τροφῆς αἰσθησιν.
 ὁμοίως δὲ καὶ τὰ ἔντομα τὰ μὲν τὴν ἐξιοῦσαν ἐπι-
 βοσκίδα τοῦ στόματος, οἷον τό τε τῶν μελιττῶν
 15 γένος καὶ τὸ τῶν μυιῶν, ὥσπερ εἴρηται καὶ πρό-
 τερον· ὅσα δὲ μὴ ἐστὶν ἐμπροσθόκεντρα, ἐν τῷ
 στόματι ἔχει τὸ τοιοῦτον μόριον, οἷον τὸ τῶν
 μυρμήκων γένος καὶ εἴ τι τοιοῦτον ἕτερον. ὀδόντας
 δὲ τὰ μὲν ἔχει τούτων, ἄλλοιοτέρους δέ, καθάπερ

¹ αὐτῆς seclusi.

^a See Introduction, pp. 26 ff.

^b These teeth are the two halves of what might be compared to a beak.

PARTS OF ANIMALS, IV v.

viscera are made ; and the reason for this is that a condition of this sort is part of their being : the fact that some animals are blooded and some bloodless will be found to be included in the *logos*^a which defines their being. Further, we shall see that none of those purposes for whose sake blooded animals have viscera operate in these other creatures : they have no blood-vessels and no bladder, they do not breathe : the only such organ they must have is something analogous to a heart, since the sensitive part of the Soul and the original cause of life is always situated in some place which rules the body and its parts. And of course they are all bound to have parts adapted for dealing with food and nutrition ; but the manner of these varies according to the places where they take their food.

The Cephalopods have two teeth around what is called their mouth^b ; and inside the mouth, instead of a tongue, they have a fleshy object, by means of which they discriminate the savour of things to eat. Likewise, the Crustacea have these front teeth and the fleshy counterpart of the tongue. The Testacea all have this latter part, too, for the same reason that blooded animals have a tongue, viz to perceive the taste of the food they eat. Similarly, too, the Insects have, some of them, a proboscis which comes out from the mouth, as with the Bees and Flies (this has been mentioned earlier^c) ; and the ones which have no sharp protrusion in front have a part such as this inside the mouth, as Ants, and the like. Some of these creatures have teeth, though somewhat different from ordinary teeth (as the Flies,^d and Bees) ;

^c At 661 a 21 ; cf *Hist. An.* 528 b 28.

^d Or " Ants " (translating Meyer's emendation).

678 b

τό τε τῶν μυϊῶν¹ καὶ τὸ τῶν μελιττῶν γένος, τὰ δ'
 20 οὐκ ἔχει, ὅσα ὑγρᾷ χρῆται τῇ τροφῇ· πολλὰ γὰρ
 τῶν ἐντόμων οὐ τροφῆς ἔχει χάριν τοὺς ὀδόντας
 ἀλλ' ἀλκῆς.

Τῶν δ' ὀστρακοδέρμων τὰ μέν, ὥσπερ ἐλέχθη καὶ
 ἐν τοῖς κατ' ἀρχὰς λόγοις, τὴν καλουμένην ἔχει
 γλώτταν ἰσχυράν, οἱ δὲ κόχλοι καὶ ὀδόντας δύο,
 25 καθάπερ τὰ μαλακόστρακα. μετὰ δὲ τὸ στόμα τοῖς
 μαλακίοις ἐστὶ στόμαχος μακρός, τούτου δ' ἐχό-
 μενος πρόλοβος οἷός περ τοῖς ὄρνισιν, εἴτα συνεχῆς
 κοιλία, καὶ ταύτης ἐχόμενον ἔντερον ἀπλοῦν μέχρι
 τῆς ἐξόδου. ταῖς μὲν οὖν σηπiais καὶ τοῖς πολύ-
 ποσιν ὅμοια καὶ τοῖς σχήμασι καὶ τῇ ἀφῇ τὰ περὶ
 30 τὴν κοιλίαν· ταῖς δὲ καλουμέναις τευθίσι δύο μὲν
 ὁμοίως αἱ κοιλιώδεις εἰσὶν ὑποδοχαί, ἥττον δὲ
 προλοβώδης ἢ ἑτέρα, καὶ τοῖς σχήμασιν ἐκείνων
 διαφέρουσι διὰ τὸ καὶ τὸ σῶμα πᾶν ἐκ μαλακω-
 τέρας συνεστάναι σαρκός.

Ταῦτα δ' ἔχει τὰ μόρια τοῦτον τὸν τρόπον διὰ
 τὴν αὐτὴν αἰτίαν ὥσπερ καὶ οἱ ὄρνιθες· οὐδὲ γὰρ
 35 τούτων οὐδὲν ἐνδέχεται λεαίνειν τὴν τροφήν, διόπερ
 ὁ πρόλοβός ἐστι πρὸ τῆς κοιλίας.

Πρὸς βοήθειαν δὲ καὶ σωτηρίαν ἔχει ταῦτα τὸν
 679 a καλούμενον θολὸν ἐν χιτῶνι ὑμενώδει προσπεφυ-
 κότη,² τὴν ἐξοδὸν ἔχοντι καὶ τὸ πέρας ἥπερ ἀφιασι
 τὸ περίττωμα τῆς κοιλίας κατὰ τὸν καλούμενον
 αὐλόν· οὗτος δ' ἐστὶν ἐν τοῖς ὑπτίοις. ἔχει μὲν οὖν
 5 πάντα τὰ μαλάκια τοῦτο τὸ μόριον ἴδιον, μάλιστα
 δ' ἡ σηπία καὶ πλεῖστον· ὅταν γὰρ φοβηθῶσι καὶ

¹ μυϊῶν] μυϊῶν ζῶον EY : μυρμηκῶν Meyer.

² προσπεφυκότη Ogle : προσπεφυκότη vuyl.

PARTS OF ANIMALS, IV. v.

others have no teeth at all : these are the creatures whose food is fluid. Indeed, in many of the insects the purpose of the teeth is not mastication of food at all, but defence.

Of the Testacea, as we stated in the opening treatise,^a some have a very strong tongue (so-called) ; and the Sea-snails actually have two teeth as well, like the Crustacea. In the Cephalopods there is a long gullet next after the mouth, and contiguous to that is a crop like a bird's. Continuous with this is the stomach, then immediately the gut, which is simple and reaches to the vent. In the Sepias and Octopuses these parts round the stomach are similar both in shape and in consistency. The creatures called Calamaries, like the others, have the two gastric receptacles,^b but the first of them is less like a crop ; and they differ in shape from the organs of the previous classes, and that is because their bodies are composed of softer flesh throughout.

These creatures have these parts arranged in this way for the same reason that birds have them : they, like birds, are unable to masticate their food ; hence the crop is placed before the stomach.

The Cephalopods, for the sake of self-defence and self-preservation, have what is called their Ink. This is contained in a membranous bag which is attached to the body, and comes to an end in an outlet where the residue from the stomach is discharged by the so-called funnel. This is on the under side of the body. All the Cephalopods have this peculiar part, but it is most remarkable in the Sepia, as well as the largest in size. When the Sepia is frightened and in terror,

^a At *Hist. An.* 528 b 30 ff.

^b Viz. the crop and the stomach.

679 a

- δείσωσιν, οἷον φράγμα πρὸ τοῦ σώματος ποιοῦνται
 τὴν τοῦ ὑγροῦ μελανίαν καὶ θόλωσιν. αἱ μὲν οὖν
 τευθίδες καὶ πολὺποδες ἔχουσιν ἄνωθεν τὸν θολόν
 ἐπὶ τῇ μύτιδι μᾶλλον, ἢ δὲ σηπία πρὸς τῇ κοιλίᾳ
 10 κάτω· πλείω γὰρ ἔχει διὰ τὸ χρῆσθαι μᾶλλον.
 τοῦτο δ' αὐτῇ συμβαίνει διὰ τὸ πρόσγειον μὲν εἶναι
 τὸν βίον αὐτῆς, μὴ ἔχειν δ' ἄλλην βοήθειαν, ὥσπερ
 ὁ πολὺπους τὰς πλεκτάνας ἔχει χρησίμους καὶ τὴν
 τοῦ χρώματος μεταβολήν, ἣ συμβαίνει αὐτῷ,
 ὥσπερ καὶ ἡ τοῦ θολοῦ πρόεσις, διὰ δειλίαν. ἢ δὲ
 15 τευθὶς πελάγιόν ἐστι τούτων μόνον. πλείω μὲν οὖν
 ἔχει ἢ σηπία παρὰ τοῦτο τὸν θολόν, κάτωθεν δὲ διὰ
 τὸ πλείω· ῥάδιον γὰρ προίεσθαι καὶ πόρρωθεν ἀπὸ
 τοῦ πλείονος. γίνεται δὲ [ὁ θολός],¹ καθάπερ τοῖς
 ὄρνισιν ὑπόστημα τὸ λευκὸν ἐπὶ τοῦ περιπτώματος
 γεῶδες, οὕτω καὶ τούτοις ὁ θολὸς διὰ τὸ μηδὲ ταῦτ'
 20 ἔχειν κύστιν· ἀποκρίνεται γὰρ τὸ γεωδέστατον εἰς
 αὐτόν, καὶ τῇ σηπία πλείστον διὰ τὸ πλείστον ἔχειν
 γεῶδες. σημείον δὲ τὸ σήπιον τοιοῦτον ὄν· τοῦτο
 γὰρ ὁ μὲν πολὺπους οὐκ ἔχει, αἱ δὲ τευθίδες χον-
 δρώδες καὶ λεπτόν. (δι' ἣν δ' αἰτίαν τὰ μὲν οὐκ
 ἔχει τὰ δ' ἔχει, καὶ ποῖόν τι τούτων ἔχει ἐκάτερον,
 εἴρηται.²)
- 25 Ἀναίμων δ' ὄντων καὶ διὰ τοῦτο κατεψυγμένων
 καὶ φοβητικῶν, ὥσπερ ἐνίοις ὅταν δείσωσιν ἢ
 κοιλία ταραττέται, τοῖς δ' ἐκ τῆς κύστεως ῥεῖ
 περίττωσις, καὶ τούτοις τοῦτο συμβαίνει μὲν ἐξ

¹ [ὁ θολός] seclusi · ὁ om. P.² εἴρηται πρότερον P.

^a The *mytis*, which is the same as the *mecon*, is an excretory organ, and corresponds to the liver. See below, 679 b 11.

^b Cf. above, 676 a 32.

PARTS OF ANIMALS, IV. v.

it produces this blackness and muddiness in the water, as it were a shield held in front of the body. Now the Calamaries and Octopuses have this ink-bag in the upper region of the body, quite near the *mytilis*^a; whereas in the *Sepia* it is lower down, against the stomach. this is because it uses it more and so has a larger one. This circumstance is due (1) to its living near the land and (2) to its having no other means of defence—nothing like the *Octopus*, for instance, which has its twining feet, which are useful for this purpose; it can also change its colour, and it does so (just as the *Sepia* emits its ink) when put in fear. Of all these, only the Calamary lives well out at sea and gets protection thereby. Hence, compared with it, the *Sepia* has a larger supply of ink; and because it is larger, it is lower in the body, as it is easy for it to be emitted even to a considerable distance when the supply is great. The ink is earthy in its nature, like the white deposit on the excrement of birds, and it is produced by these creatures for the same reason—they, like birds, have no urinary bladder^b; so the earthiest matter is excreted into this ink, especially in the *Sepia*, for the *Sepia* contains an exceptionally large amount of earthy matter. An indication of this is its bone, which is earthy. The Octopuses do not have this bone, and in the Calamary it is cartilaginous and slight. (We have said why some of these animals have this part and why some have not, and what in each case its character is.)

These animals, as they have no blood, are cold and liable to take fright. While in some other animals fear causes a disturbance of the stomach, and in some the discharge of residue from the bladder, in these creatures its effect is to make them discharge their

679 a

ἀνάγκης ἀφιέναι διὰ δειλίαν, ὥσπερ ἐκ κύστεως τοῖς ἐπουροῦσιν, ἥ δὲ φύσις ἅμα τῷ τοιούτῳ περιτ-
 30 τώματι καταχρῆται πρὸς βοήθειαν καὶ σωτηρίαν αὐτῶν.

Ἔχουσι δὲ καὶ τὰ μαλακόστρακα, τά τε καρα-
 βοειδῇ καὶ οἱ καρκίνοι, δύο μὲν ὀδόντας τοὺς
 πρώτους, καὶ μεταξὺ τὴν σάρκα τὴν γλωσσοειδῇ,
 ὥσπερ εἴρηται καὶ πρότερον, εὐθὺς δ' ἐχόμενον τοῦ
 στόματος στόμαχον μικρὸν κατὰ μέγεθος τῶν
 35 σωμάτων [τὰ μείζω πρὸς τὰ ἐλάττω]¹. τούτου δὲ
 κοιλίαν ἐχομένην, ἐφ' ἧς οἱ τε κάραβοι καὶ ἔνιοι
 τῶν καρκίνων ὀδόντας ἔχουσιν ἑτέρους διὰ τὸ τοὺς
 679 b ἄνω μὴ διαιρεῖν ἱκανῶς, ἀπὸ δὲ τῆς κοιλίας ἔντερον
 ἀπλοῦν κατ' εὐθὺς μέχρι πρὸς τὴν ἕξοδον τοῦ
 περιττώματος.

Ἔχει δὲ καὶ τῶν ὀστρακοδέρμων ἕκαστον ταῦτα
 τὰ μόρια, τὰ μὲν διηρθρωμένα μᾶλλον τὰ δ' ἡττον·
 ἐν δὲ τοῖς μείζουσι διαδηλότερά ἐστιν ἕκαστα τού-
 5 των. οἱ μὲν οὖν κόχλοι καὶ ὀδόντας ἔχουσι σκλη-
 ροὺς καὶ ὀξεῖς, ὥσπερ εἴρηται πρότερον, καὶ τὸ
 μεταξὺ σαρκῶδες ὁμοίως τοῖς μαλακίοις καὶ μαλα-
 κοστράκοις, καὶ τὴν προβοσκίδα, καθάπερ εἴρηται,
 μεταξὺ κέντρου καὶ γλώττης, τοῦ δὲ στόματος
 ἐχόμενον οἶον ὀρνιθῶδη τινὰ πρόλοβον, τούτου δ'
 10 ἐχόμενον στόμαχον· τούτου δ' ἔχεται ἡ κοιλία, ἐν ἣ
 ἡ καλουμένη μήκων, ἀφ' ἧς συνεχές ἐστιν ἔντερον
 ἀπλὴν τὴν ἀρχὴν ἔχον ἀπὸ τῆς μήκωνος· ἐστὶ γὰρ
 ἐν πᾶσι τοῖς ὀστρακηροῖς περίττωμα τοῦτο τὸ
 μάλιστα δοκοῦν εἶναι ἐδώδιμον. ἔχει δ' ὁμοίως τῷ

¹ seclisut Rackham.

PARTS OF ANIMALS, IV. v.

ink ; and though this is an effect due to necessity, like the discharge of urine in the others, yet Nature makes good use of this residue at the same time for the animal's defence and preservation.

The Crustacea as well, that is, both the Crabs and the Caraboids, have the two front teeth, and between the teeth they have the tongue-like flesh, as has already been stated ^a; and immediately next to the mouth they have a gullet which is quite small compared with the animal's size ; and immediately after that the stomach ; and on this the Carabi and some of the Crabs have another set of teeth, since the upper ones do not masticate the food sufficiently. From the stomach a simply formed intestine runs straight to the vent where residues are discharged

These parts are present in every one of the Testacea as well, more distinct in some, less in others. They are more clearly marked in the larger animals. Take the Sea-snails. These have (1) as stated already, the teeth, which are hard and sharp, (2) the fleshy object in between them, similarly to the Crustacea and Cephalopods ; (3) the proboscis, as already mentioned,^b something between a sting and a tongue ; (4) immediately after the mouth is a sort of bird's crop, and (5) after that the gullet ; (6) continuous with that is the stomach, and (7) in the stomach is what is known as the *mecon*^c; and (8) attaching to this is an intestine : this intestine begins directly from the *mecon*. This residue (the *mecon*) appears to be the most tasty piece in all the Testacea. The other creatures that have spiral shells (*e.g.* the

^a At 678 b 10.

^b At 661 a 15 ff.

^c The hepatopancreas or liver ; see above, 679 a 9.

679 b

15 κόχλω καὶ τᾶλλα τὰ στρομβώδη, οἶον πορφύραι καὶ κήρυκες.

"Εστι δὲ γένη καὶ εἶδη πολλὰ τῶν ὀστρακοδέρμων· τὰ μὲν γὰρ στρομβώδη ἐστίν, ὥσπερ τὰ νῦν εἰρημένα, τὰ δὲ δίθυρα, τὰ δὲ μονόθυρα. τρόπον δέ τινα καὶ τὰ στρομβώδη διθύροις ἔοικεν· ἔχει γὰρ ἐπιπτύγματ' ἐπὶ τῷ φανερωῷ τῆς σαρκὸς πάντα τὰ
20 τοιαῦτα ἐκ γενετῆς, οἶον αἷ τε πορφύραι καὶ κήρυκες καὶ οἱ νηρεῖται καὶ πᾶν τὸ τοιοῦτον γένος, πρὸς βοήθειαν· ἥ γὰρ μὴ προβέβληται τὸ ὄστρακον, ῥάδιον ταύτῃ βλάπτεσθαι ὑπὸ τῶν θύραθεν προσπιπτόντων. τὰ μὲν οὖν μονόθυρα διὰ τὸ προσπεφυκέναι σώζεται τῷ πρηνὲς ἔχειν τὸ ὄστρακον,
25 καὶ γίνεται ἄλλοτρίῳ φράγματι τρόπον τινὰ δίθυρον, οἶον αἱ καλούμεναι λεπάδες· τὰ δὲ δίθυρα, οἶον κτένες καὶ μύες, τῷ συνάγειν, τὰ δὲ στρομβώδη τούτῳ τῷ ἐπικαλύμματι, ὥσπερ δίθυρα γινόμενα ἐκ μονοθύρων. ὁ δ' ἐχῖνος μάλιστα πάντων ἀλεωρὰν ἔχει· κύκλῳ γὰρ τὸ ὄστρακον συνηρεφές καὶ κε-
30 χαρακωμένον ταῖς ἀκάνθαις. ἴδιον δ' ἔχει τῶν ὀστρακοδέρμων τοῦτο, καθάπερ εἴρηται πρότερον.

Τῶν δὲ μαλακοστράκων καὶ τῶν ὀστρακοδέρμων συνέστηκεν ἡ φύσις τοῖς μαλακίοις ἀντικειμένως· τοῖς μὲν γὰρ ἔξω τὸ σαρκῶδες, τοῖς δ' ἐντός, ἐκτὸς δὲ τὸ γεῶδες. ὁ δ' ἐχῖνος οὐδὲν ἔχει σαρκῶδες.
35 Πάντα μὲν οὖν ἔχει, καθάπερ εἴρηται, καὶ τᾶλλα τὰ ὀστρακοδέρμα στόμα τε καὶ τὸ γλωττοειδὲς καὶ κοιλίαν καὶ τοῦ περιττώματος τὴν ἔξοδον, διαφέρει

^a The *operculum*.

PARTS OF ANIMALS, IV. v.

Purpuras and the Whelks) are similar to the Sea-snails in structure.

There are very many genera and species of Testacea. Some have spiral shells, like the ones just mentioned ; some are bivalves, some univalves. In a way, the spiral shells resemble the bivalves, as they have, all of them, from birth, a covering^a over the exposed part of their flesh, *e g.* the Purpuras, the Whelks, the Nerites, and the whole tribe of them. This covering serves as a protection , for in any place where the animal has no shell to protect it, it could quite easily be injured by the impact of external objects. The univalves protect themselves thus : they cling to some object, and have their shell on the upper side ; so they become in a way bivalves in virtue of the borrowed protection afforded by the object to which they cling. Example, the Limpets. The bivalves proper (*e g.* Scallops and Mussels) get their protection by closing themselves up ; the spiral-shelled creatures by the covering I mentioned, which, as it were, turns them from univalves into bivalves. The Sea-urchin has a better defence system than any of them . he has a good thick shell all round him, fortified with a palisade of spines . As I stated previously, the Sea-urchin is the only one of the Testacea which possesses this peculiarity.

The natural structure of the Crustacea and of the Testacea is the reverse of that of the Cephalopods. The latter have their fleshy part outside, the former have the earthy part outside and the fleshy inside. The Sea-urchin, however, has no fleshy part at all

All these parts, as described—mouth, tongue-like object, stomach, vent for the residue—are present in the rest of the Testacea too, but they differ in

ARISTOTLE

680 a δὲ τῇ θέσει καὶ τοῖς μεγέθεσιν. ὃν δὲ τρόπον ἔχει
 τούτων ἕκαστον, ἕκ τε τῶν ἱστοριῶν τῶν περὶ τὰ
 ζῶα θεωρεῖσθω καὶ ἐκ τῶν ἀνατομῶν· τὰ μὲν γὰρ
 τῷ λόγῳ τὰ δὲ πρὸς τὴν ὄψιν αὐτῶν σαφηνίζειν δεῖ
 μᾶλλον.

Ἰδίως δ' ἔχουσι τῶν ὀστρακοδέρμων οἱ τ' ἐχῖνοι
 5 καὶ τὸ τῶν καλουμένων τηθύων γένος. ἔχουσι δ' οἱ
 ἐχῖνοι ὀδόντας μὲν πέντε καὶ μεταξὺ τὸ σαρκῶδες,
 ὅπερ ἐπὶ πάντων ἐστὶ τῶν εἰρημένων, ἐχόμενον δὲ
 τούτου στόμαχον, ἀπὸ δὲ τούτου τὴν κοιλίαν εἰς
 πολλὰ διηρημένην, ὥσπερανεὶ πολλὰς τοῦ ζώου
 κοιλίας ἔχοντος. κεχωρισμένοι μὲν γὰρ εἰσι καὶ
 10 πλήρεις περιττώματος, ἐξ ἑνὸς δ' ἡρτῆνται τοῦ
 στομάχου καὶ τελευτῶσι πρὸς μίαν ἕξοδον τὴν τοῦ
 περιττώματος. παρὰ δὲ τὴν κοιλίαν σαρκῶδες μὲν
 οὐδὲν ἔχουσιν, ὥσπερ εἴρηται, τὰ δὲ καλούμενα ὠὰ
 πλείω τὸν ἀριθμὸν ἐν ὑμένι χωρὶς ἕκαστον, καὶ
 κύκλῳ ἀπὸ τοῦ στόματος μέλαν' ἄττα διεσπαρμένα
 15 χύδην, ἀνώνυμα. ὄντων δὲ πλειόνων γενῶν (οὐ γὰρ
 ἓν εἶδος τῶν ἐχίνων πάντων ἐστὶ) πάντες μὲν ἔχουσι
 ταῦτα τὰ μόρια, ἀλλ' οὐκ ἐδώδιμα πάντες τὰ
 καλούμενα ὠὰ, καὶ μικρὰ πάνπαν ἕξω τῶν ἐπι-
 πολαζόντων. ὅλως δὲ τοῦτο καὶ περὶ τᾶλλα συμ-
 20 βέβηκε τὰ ὀστρακόδερμα· καὶ γὰρ αἱ σάρκες οὐχ
 ὁμοίως ἐδώδιμοι πάντων, καὶ τὸ περίττωμα, ἢ
 καλουμένη μήκων, ἐνίων μὲν ἐδώδιμος ἐνίων δ' οὐκ
 ἐδώδιμος. ἐστὶ δὲ τοῖς στρομβώδεσιν ἐν τῇ ἐλίκῃ

^a *Hist. An.* 528 b 10 ff.

^b This seems to imply that diagrams or illustrations accompanied the treatises.

^c These form what is compared to a lantern at *Hist. An.* 531 a 5, hence the name, "lantern of Aristotle."

PARTS OF ANIMALS, IV. v.

their position and size. For the details of these, consult the *Researches upon Animals*^a and the *Dissections*. Some points are better explained by inspection^b than in words.

The Sea-urchin and the genus of Ascidiæ are peculiar among the Testacea. The Sea-urchin has five teeth,^c and between them it has the fleshy substance (the same as in all the above-mentioned creatures); after that, the gullet, after that, the stomach, which is divided into several compartments, so that the animal seems to have several stomachs. But although they are separated from each other and are full of residue, they all spring from the gullet and they all terminate in the residual vent. Apart from the stomach, these creatures contain no fleshy substance, as I have said. They have, however, what are called ova^d; there are several of them and each is in a separate membrane, and scattered at random round the body, beginning from the mouth, are certain black objects,^e which have no name. There are several kinds of Sea-urchin, and in all of them these parts are present. Not all, however, have edible^f ova, and, except in the common^g varieties, they are quite small. There is a similar distinction among the other Testacea: the flesh is not equally edible in all of them, and in some of them the residue (the so-called *mecon*) is edible, in others not. In the spiral shells, the *mecon* is in the spiral, in univalves

^a These are really ovaries (or testes) : gonads.

^e These may be the ambulacral vesicles, but the identification is not certain.

^f See the story of the Spartan in Athenæus iii 41.

^g The word translated "common" may mean "living near the surface."

680 a

τοῦτο, τοῖς δὲ μονοθύροις ἐν τῷ πυθμένι, οἷον ταῖς
 λεπάσι, τοῖς δὲ διθύροις πρὸς τῇ συναφῇ· τὸ δ' ὦν
 25 καλούμενον ἐν τοῖς δεξιοῖς, ἐν δὲ τοῖς ἐπὶ θάτερα ἢ
 ἔξοδος τοῦ περιττώματος τοῖς διθύροις. καλεῖται
 δ' ὦν οὐκ ὀρθῶς ὑπὸ τῶν καλούντων· τοῦτο γάρ
 ἐστὶν οἷον τοῖς ἐναίμοις, ὅταν εὐθηνῶσιν, ἢ πιότης.
 διὸ καὶ γίνεται κατὰ τούτους τοὺς καιροὺς τοῦ
 ἐνιαυτοῦ ἐν οἷς εὐθηνοῦσιν, ἔν τε τῷ ἔαρι καὶ
 μετοπώρῳ ἐν γὰρ τῷ ψύχει καὶ ταῖς ἀλέαις πο-
 30 νοῦσι πάντα τὰ ὀστρακόδερμα, καὶ φέρειν οὐ
 δύνανται τὰς ὑπερβολάς. σημεῖον δὲ τὸ συμβαῖνον
 ἐπὶ τῶν ἐχίνων· εὐθύς τε γὰρ γινόμενοι ἔχουσι καὶ
 ἐν ταῖς πανσελήνοις μᾶλλον, οὐ διὰ τὸ νέμεσθαι
 καθάπερ τινὲς οἰόνται μᾶλλον, ἀλλὰ διὰ τὸ ἀλεεινο-
 τέρας εἶναι τὰς νύκτας διὰ τὸ φῶς τῆς σελήνης.
 35 δύσριγα γὰρ ὄντα διὰ τὸ ἄναιμα εἶναι δέονται ἀλέας.
 διὸ καὶ ἐν τῷ θέρει μᾶλλον πανταχοῦ εὐθηνοῦσιν,
 680 b πλὴν οἱ ἐν τῷ Πυρραίῳ εὐρίπῳ· ἐκεῖνοι δ' οὐχ
 ἥττον τοῦ χειμῶνος· αἴτιον δὲ τὸ νομῆς εὐπορεῖν
 τότε μᾶλλον, ἀπολειπόντων τῶν ἰχθύων τοὺς τό-
 πους κατὰ ταύτην τὴν ὥραν.

Ἔχουσι δ' οἱ ἐχῖνοι πάντες ἴσα τε τῷ ἀριθμῷ τὰ
 5 ὦα καὶ περιττά· πέντε γὰρ ἔχουσιν, τοσούτους δὲ
 καὶ τοὺς ὀδόντας καὶ τὰς κοιλίας. αἴτιον δ' ὅτι τὸ
 ὦν ἐστὶ, καθάπερ εἴρηται πρότερον, οὐκ ὦν ἀλλὰ
 τοῦ ζώου εὐτροφία. γίνεται δὲ τοῦτο ἐπὶ θάτερα

^a This is true of the sea-urchins in the Red Sea, though not of the Mediterranean ones. The former have a cycle corresponding exactly to that of the moon. The five roes, ovaries, or testes are large and swollen during the week preceding each of the summer full moons, and the spawning of the eggs takes place during the few days before and after full moon. For a most interesting discussion of this and kindred matters

PARTS OF ANIMALS, IV v.

(like limpets) it is in the tip ; in bivalves it is near the hinge. In the bivalves the so-called ovum is on the right-hand side, and the residual vent on the left. "Ovum" is a misnomer ; actually it corresponds to fat in blooded creatures when they are in good condition ; and that is why it appears only in spring and autumn, which are the seasons when they are in good condition. In great cold and great heat all the Testacea are hard put to it ; they cannot endure inordinate temperatures. The behaviour of the Sea-urchins is a good illustration of this : they have ova in them as soon as they are born, and at the time of full moon these increase in size ^a ; and this is not, as some think, because the creatures eat more then, but because the nights are warmer owing to the moonlight. These creatures have need of the heat because they are bloodless and therefore adversely affected by cold. That is why they are in better condition during the summer, and this is true of them in all localities except the strait of Pyriha,^b where they flourish equally well in winter, and the reason for this is that in winter they have a more plentiful supply of foodstuff, due to the fish leaving the district at that season.

The Sea-urchins all have the same number of ova—an odd number, five, identical with the number of teeth and stomachs which they have ; this is accounted for by the ovum not being really an ovum (as I said before) but simply a result of good nourishment. The "ovum" is found in the Oysters too, though on see H. M. Fox, *Selene*, especially pp. 35 ff., and id. *Proc. Roy. Soc. B.*, 1923, 95, 523.

^b In Lesbos, leading to the lagoon, one of Aristotle's favourite hunting-grounds : see *Hist. An.* 544 a 21 (sea-urchin), 548 a 9, 603 a 21, 621 b 12.

680 b

- μόνον ἐν τοῖς ὀστέοις, τὸ καλούμενον ὦόν. ταῦτό
 δὲ τοῦτό ἐστι καὶ τὸ ἐν τοῖς ἐχίνοις. ἐπεὶ τοίνυν
 10 ἐστὶ σφαιροειδὴς ὁ ἐχῖνος, καὶ οὐχ ὥσπερ ἐπὶ τῶν
 ἄλλων ὀστέων τοῦ σώματος κύκλος εἷς, ὁ δ' ἐχῖνος
 οὐ τῇ μὲν τοιοῦτος τῇ δ' οὐ, ἀλλὰ πάντῃ ὁμοῖος
 (σφαιροειδὴς γάρ), ἀνάγκη καὶ τὸ ὦόν ὁμοίως ἔχειν.
 οὐ γάρ ἐστιν, ὥσπερ τοῖς ἄλλοις, τὸ κύκλῳ ἀν-
 ὁμοῖον (ἐν μέσῳ γὰρ ἢ κεφαλῇ πᾶσιν αὐτοῖς). τῷ δ'
 15 ἄνω τὸ τοιοῦτον μόριον. ἀλλὰ μὴν οὐδὲ συνεχὲς
 οἶόν τ' εἶναι τὸ ὦόν—οὐδὲ γὰρ τοῖς ἄλλοις—ἀλλ' ἐπὶ
 θάτερα τοῦ κύκλου μόνον ἀνάγκη τοίνυν, ἐπεὶ
 τοῦτο μὲν ἀπάντων κοινόν, ἴδιον δ' ἐκείνου εἶναι
 τὸ σῶμα σφαιροειδές, μὴ εἶναι ἄρτια τὰ ὦά. κατὰ
 διάμετρον γὰρ ἂν ᾦν, διὰ τὸ ὁμοίως δεῖν ἔχειν τὸ
 20 ἔνθεν καὶ ἔνθεν, εἰ ᾦν ἄρτια [καὶ κατὰ διάμετρον]¹.
 οὕτως δ' ἐχόντων ἐπ' ἀμφοτέρα ἂν τοῦ κύκλου
 εἶχον τὸ ὦόν. τοῦτο δ' οὐκ ᾦν οὐδ' ἐπὶ τῶν ἄλλων
 ὀστέων· ἐπὶ θάτερα γὰρ τῆς περιφερείας ἔχουσι τὰ
 ὀστrea καὶ οἱ κτένες τὸ τοιοῦτον μόριον. ἀνάγκη
 τοίνυν τρία ἢ πέντε εἶναι ἢ ἄλλον τιν' ἀριθμὸν
 25 περιττόν. εἰ μὲν οὖν τρία εἶχε, πόρρω λίαν <ἂν>²
 ᾦν, εἰ δὲ πλείω τῶν πέντε, συνεχὲς ἂν τούτων δὲ
 τὸ μὲν οὐ βέλτιον, τὸ δ' οὐκ ἐνδεχόμενον. ἀνάγκη
 ἄρα πέντ' αὐτοὺς ἔχειν τὰ ὦά.

Διὰ τὴν αὐτὴν δ' αἰτίαν καὶ ἡ κοιλία τοιαύτη
 ἔσχισται καὶ τὸ τῶν ὀδόντων τοσοῦτόν ἐστι πλῆθος.
 ἕκαστον γὰρ τῶν ὦων, οἶον σῶμά τι τοῦ ζώου ὄν,
 30 πρὸς τὸν τρόπον τὸν τῆς κοιλίας³ ὁμοῖον ἔχειν

¹ secludenda² <ἂν> Ogle.³ κοιλίας Ogle · ζωῆς vulg

PARTS OF ANIMALS, IV. v.

one side of the body only ; it is the same as that of the Sea-urchin. Now the Sea-urchin is shaped like a sphere, and is not just one flat disk like the Oysters ; which means that it is not different shapes in different directions, but the same in all directions ; and this symmetry is bound to apply also to its ovum—that is, it is not asymmetrically placed ^a round the circumference as it is in the others (owing to the head occupying the centre in all of them) : in the Sea-urchin this part is at the top. Yet even so the ovum cannot be continuous, since no other of the Testacea has it thus ; it is always on one side of the disk only. Hence, since this is a common property of all species of Testacea, and the Sea-urchin is peculiar in having a spherical shape, the result follows of necessity that the Sea-urchins cannot have an even number of ova. If they were even, they would have to be arranged in diametrically opposite positions, because both sides would have to be alike, and then there would be ova on both sides of the circumference ; but this arrangement is not found in any of the other Ostreae ; both Oysters and Scallops have ova on one side only of their circumference. Therefore there must be three, or five, or some other odd number of ova in the Sea-urchin. If there were three, they would be too far apart ; if more than five, they would be quite continuous, the former would not subserve a good purpose, the latter is impossible. Therefore the Sea-urchin must have five ova.

For the same cause the creature's stomach is cloven into five and it has five teeth. Each of the ova, being, as it were, a body belonging to the creature, must conform to the general character of the stomach,

^a That is, on the right side : see above.

680 b

ἀναγκαῖον· ἐντεῦθεν γὰρ ἡ αὔξησης. μιᾶς μὲν γὰρ οὔσης ἢ πόρρω ἂν ἦσαν, ἢ πᾶν ἂν κατέειχε τὸ κύτος, ὥστε καὶ δυσκίνητον εἶναι τὸν ἐχῖνον καὶ μὴ πληροῦσθαι τῆς τροφῆς τὸ ἀγγεῖον· πέντε δ' ὄντων τῶν διαλειμμάτων ἀνάγκη πρὸς ἐκάστῳ οὔσαν
 35 πενταχῇ διηρηθῆσαι. διὰ τὴν αὐτὴν δ' αἰτίαν καὶ τὸ τῶν ὀδόντων ἔστι τοσοῦτον πλήθος· τὸ γὰρ
 681 a ὅμοιον οὕτως ἂν ἡ φύσις εἴη ἀποδεδωκυῖα τοῖς εἰρημένους μορίοις.

Διότι μὲν οὖν περιττὰ καὶ τοσαῦτα τὸν ἀριθμὸν ἔχει ὁ ἐχῖνος τὰ ῥά, εἴρηται· διότι δ' οἱ μὲν ἀμπαν μικρὰ οἱ δὲ μεγάλα, αἴτιον τὸ θερμότερους εἶναι τὴν φύσιν τούτους· πέττειν γὰρ τὸ θερμὸν δύναται
 5 τὴν τροφήν μᾶλλον, διόπερ περιττώματος πλήρεις οἱ ἄβρωτοι μᾶλλον. καὶ παρασκευάζει κινητικωτέρους ἢ τῆς φύσεως θερμότης, ὥστε νέμεσθαι καὶ μὴ μένειν ἐδραίους. σημεῖον δὲ τούτου τὸ ἔχειν τοὺς τοιούτους αἰεὶ τι ἐπὶ τῶν ἀκανθῶν ὥς κινουμένους πυκνά· χρώνται γὰρ ποσὶ ταῖς ἀκάνθαις
 10 Τὰ δὲ τήθηνα μικρὸν τῶν φυτῶν διαφέρει τὴν φύσιν, ὅμως δὲ ζωτικώτερα τῶν σπόγγων· οὗτοι γὰρ ἀμπαν ἔχουσι φυτοῦ δύναμιν. ἡ γὰρ φύσις μεταβαίνει συνεχῶς ἀπὸ τῶν ἀψύχων εἰς τὰ ζῶα διὰ τῶν ζώντων μὲν οὐκ ὄντων δὲ ζώων, οὕτως ὥστε δοκεῖν ἀμπαν μικρὸν διαφέρειν θατέρου
 15 θάτερον τῷ σύνεγγυς ἀλλήλοις. ὁ μὲν οὖν σπόγγος,

^a This is true; but motion is effected mainly by the tube-feet, not noticed by Aristotle (*vide* Ogle)

^b The "sea-squirts."

PARTS OF ANIMALS, IV. v.

because growth has its origin from the stomach. Now if there were only one stomach, either the ova would be too far away from it, or the stomach would entirely fill up the cavity, which would make it difficult for the Sea-urchin to move about and to find sufficient food to replenish itself. But, as it is, there are five ova separated by five intervals, and so there must be five departments of the stomach, one for each interval. For the same reason there are five teeth, since this enables Nature to assign one tooth alike to each ovum and each department of the stomach.

I have now stated why the Sea-urchin has an odd number of ova, and why it has five of them. Now some Sea-urchins have quite small ones, and some large: the reason for this is that the latter have a hotter constitution, and the heat enables them to concoct their food better. This explains why the uneatable ones tend to be full of residue. This natural heat also induces the creatures to move about, and so instead of remaining settled in one place they keep on the move as they feed. An indication of this is that Sea-urchins of this sort always have something sticking on to their spines (which they use as feet),^a which suggests that they are continually moving about.

The Ascidians^b differ very little in their nature from plants, but they are more akin to animals than the Sponges are, which are completely plants. Nature passes in a continuous gradation from lifeless things to animals, and on the way there are living things which are not actually animals, with the result that one class is so close to the next that the difference seems infinitesimal. Now a sponge, as I said just now, is in

681 a

ὥσπερ εἴρηται, καὶ τῷ ζῇν προσπεφυκῶς μόνον, ἀπολυθεὶς δὲ μὴ ζῇν, ὁμοίως ἔχει τοῖς φυτοῖς παντελῶς· τὰ δὲ καλούμενα ὀλοθούρια καὶ οἱ πνεύμονες, ἔτι δὲ καὶ ἕτερα τοιαῦτ' ἐν τῇ θαλάττῃ μικρὸν διαφέρει τούτων τῷ ἀπολελύσθαι· αἰσθησιν
 20 μὲν γὰρ οὐδεμίαν ἔχει, ζῇ δ' ὥσπερ ὄντα φυτὰ ἀπολελυμένα. ἔστι δὲ καὶ ἐν τοῖς ἐπιγείοις φυτοῖς ἓν ἑν ὁμοίως, ἃ καὶ ζῇ καὶ γίνεται τὰ μὲν ἐν ἑτέροις φυτοῖς, τὰ δὲ καὶ ἀπολελυμένα, οἷον καὶ τὸ ἐκ τοῦ Παρνασσοῦ καλούμενον ὑπὸ τινων ἐπίπετρον· τοῦτο γὰρ ζῇ πολὺν χρόνον κρεμάμενον ἄνω ἐπὶ τῶν
 25 παττάλων. ἔστι δ' ὅτε καὶ τὰ τήθηνα, καὶ εἴ τι τοιοῦτον ἕτερον γένος, τῷ μὲν προσπεφυκὸς ζῇν μόνον φυτῷ παραπλήσιον, τῷ δ' ἔχειν τι σαρκῶδες δόξειεν ἂν ἔχειν τιν' αἰσθησιν· ἄδηλον δὲ τοῦτο ποτέρως θετέον.

Ἐχει δὲ τοῦτο τὸ ζῶον δύο πόρους καὶ μίαν
 30 διαίρεσιν, ἣ τε δέχεται τὴν ὑγρότητα τὴν εἰς τροφήν, καὶ ἣ πάλιν διαπέμπει τὴν ὑπολειπομένην ἰκμάδα· περίττωμα γὰρ οὐδὲν ἔστι δῆλον ἔχον, ὥσπερ τὰλλα τὰ ὀστρακόδερμα. διὸ μάλιστα καὶ τοῦτο, καὶ εἴ τι ἄλλο τοιοῦτον τῶν ζώων, φυτικὸν δίκαιον καλεῖν· οὐδὲ γὰρ τῶν φυτῶν οὐδὲν ἔχει
 35 περίττωμα. διὰ μέσου δὲ λεπτὸν διάζωμα, ἐν ᾧ τὸ κύριον ὑπάρχειν εὐλογον τῆς ζωῆς. ἃς δὲ καλοῦσιν οἱ μὲν κνίδας οἱ δ' ἀκαλήφας, ἔστι μὲν οὐκ
 681 b ὀστρακόδερμα, ἀλλ' ἔξω πίπτει τῶν διηρημένων γενῶν, ἐπαμφοτερίζει δὲ τοῦτο καὶ φυτῷ καὶ ζῳῷ

^a Or " sea-cucumbers."

^b The precise reference of this term is not known.

^c Sea-anemones, called by the Greeks " sea-nettles."

PARTS OF ANIMALS, IV. v.

all respects like a plant . it lives only while it is growing on to something, and when it is pulled off it dies. What are called *Holothuria* and the *Sea-lungs*^a and other similar sea-animals differ only slightly from the sponges in being unattached. They have no power of sensation, but they live just as if they were plants unattached to the soil. Even among land-plants such instances exist . living and growing either on other plants or quite unattached : for example, the plant found on *Parnassus*, sometimes called the *Epipetron* (Rockplant) If you hang this up on the pegs^b it will keep alive for a considerable time. Sometimes it is doubtful whether these *Ascidians* and any other such group of creatures ought to be classed as plants or as animals : In so far as they live only by growing on to some other object they approach the status of a plant ; but yet they have some fleshy substance and therefore probably are capable of sensation of a kind

This particular creature (the *Ascidian*) has two orifices and one septum ; by one orifice it takes in fluid matter for food, by the other it discharges the surplus moisture ; so far as can be seen it has no residue like the other *Testacea*. And as no plant ever has any residue this is a strong justification for classing it (and any other such animal) as a plant. Through its middle there runs a thin partition, and it is reasonable to suppose that the governing and vital part of the creature is situated here As for what are called *Knides* or *Acalephæ*,^c they are not *Testacea*, it is true, but fall outside the defined groups. In their nature they incline towards the plants on one side

Those common to the Mediterranean are more virulent in their stinging powers than those of the north.

681 b

τὴν φύσιν. τῷ μὲν γὰρ ἀπολύεσθαι καὶ προσπίπτειν πρὸς τὴν τροφήν ἐνίας αὐτῶν ζωικόν ἐστι,
 5 καὶ τῷ αἰσθάνεσθαι τῶν προσπιπτόντων· ἔτι δὲ τῇ τοῦ σώματος τραχύτητι χρῆται πρὸς τὴν σωτηρίαν· τῷ δ' ἀτελὲς εἶναι καὶ προσφύεσθαι ταχέως ταῖς πέτραις τῷ γένει τῶν φυτῶν παραπλήσιον, καὶ τῷ περίττωμα μηδὲν ἔχειν φανερόν, στόμα δ' ἔχειν. ὅμοιον δὲ τούτῳ καὶ τὸ τῶν ἀστέρων ἐστὶ γένος—
 10 καὶ γὰρ τοῦτο προσπίπτειν ἐκχυμίζει πολλὰ τῶν ὀστρέων—τοῖς τ' ἀπολελυμένοις τῶν εἰρημένων ζώων, οἷον τοῖς τε μαλακίοις καὶ τοῖς μαλακοστράκοις. ὁ δ' αὐτὸς λόγος καὶ περὶ τῶν ὀστρακοδέρμων.

Τὰ μὲν οὖν μόρια τὰ περὶ τὴν τροφήν, ἅπερ ἀναγκαῖον πᾶσιν ὑπάρχειν, ἔχει τὸν προειρημένον
 15 τρόπον, δεῖ δὲ δηλονότι καὶ τῶν τοῖς ἐναίμοις ὑπαρχόντων κατὰ τὸ κύριον τῶν αἰσθήσεων ἔχειν ἀνάλογόν τι μόριον· τοῦτο γὰρ δεῖ πᾶσιν ὑπάρχειν τοῖς ζώοις. ἐστὶ δὲ τοῦτο τοῖς μὲν μαλακίοις ἐν ὑμένι κείμενον ὑγρόν, δι' οὗπερ ὁ στόμαχος τέταται πρὸς τὴν κοιλίαν, προσπέφυκε δὲ πρὸς τὰ πρηνῆ
 20 μᾶλλον, καὶ καλεῖται μύτις ὑπὸ τινων. τοιοῦτον δ' ἕτερον καὶ τοῖς μαλακοστράκοις ἐστί, καὶ καλεῖται κάκεϊνο μύτις. ἐστὶ δ' ὑγρὸν καὶ σωματῶδες ἅμα τοῦτο τὸ μόριον, τείνει δὲ δι' αὐτοῦ, καθάπερ εἴρηται, διὰ μέσου μὲν ὁ στόμαχος· εἰ γὰρ ἦν μεταξὺ τούτου καὶ τοῦ πρανοῦς, οὐκ ἂν ἡδύνατο
 25 λαμβάνειν ὁμοίως διάστασιν εἰσιούσης τῆς τροφῆς διὰ τὴν τοῦ νώτου σκληρότητα. ἐπὶ δὲ τῆς μύτιδος τὸ ἕντερον ἔξωθεν, καὶ ὁ θολὸς πρὸς τῷ ἐντέρῳ,

^a That is, dorsal.

PARTS OF ANIMALS, IV. v.

and the animals on the other. Towards the animals, because some of them detach themselves and fasten upon their food, and are sensible of objects that come up against them ; and also because they make use of the roughness of their body for self-preservation. Towards the plants, because they are incomplete, and quickly attach themselves to rocks ; and further, because they have no residue that can be seen, though they have a mouth. The group of Starfish resembles these creatures ; Starfish too fasten on to their food, and by doing this to oysters suck large numbers of them dry. But Starfish also resemble those unattached creatures of which we spoke, the Cephalopods and the Crustacea. The same may be said of the Testacea.

The parts connected with nutrition are such as I have now described. These parts must be present in all animals. But there is yet another part which every animal must have. These creatures must have some part which is analogous to the parts which in blooded animals are connected with the control of sensation. In the Cephalopods this consists of a fluid contained in a membrane, through which the gullet extends towards the stomach. It is attached to the body rather towards the upper ^a side. Some call it the *mytis*. An organ just like this, also called the *mytis*, is present in the Crustacea. This part is fluid and corporeal at the same time. The gullet, as I said, extends through the middle of it. If the gullet had been placed between the *mytis* and the dorsal side, the gullet would not have been able to distend sufficiently when the food enters, owing to the hardness of the back. The intestine is placed up against the outer surface of the *mytis*, and the ink-bag

681 b

ὅπως ὅτι πλείστον ἀπέχῃ τῆς εἰσόδου καὶ τὸ
 δυσχερὲς ἄποθεν ἢ τοῦ βελτίονος καὶ τῆς ἀρχῆς.
 ὅτι δ' ἐστὶ τὸ ἀνάλογον τῇ καρδίᾳ τοῦτο τὸ μόριον,
 30 δηλοῖ ὁ τόπος (οὗτος γάρ ἐστιν ὁ αὐτός) καὶ ἡ
 γλυκύτης τῆς ὑγρότητος ὥς οὔσα πεπεσμένη καὶ
 αἱματώδης

Ἐν δὲ τοῖς ὀστρακοδέρμοις ἔχει μὲν τὸν αὐτὸν
 τόπον¹ τὸ κύριον τῆς αἰσθήσεως, ἦττον δ' ἐπίδηλον.
 πλὴν δεῖ ζητεῖν αἰεὶ περὶ μεσότητα ταύτην τὴν
 ἀρχήν, ὅσα μὲν μόνιμα, τοῦ δεχομένου μορίου τὴν
 35 τροφήν, καὶ δι' οὗ ποιεῖται τὴν ἀπόκρισιν ἢ
 τὴν σπερματικὴν ἢ τὴν περιττωματικὴν, ὅσα δὲ
 682 a καὶ πορευτικὰ τῶν ζώων, αἰεὶ ἐν² τῷ μέσῳ τῶν
 δεξιῶν καὶ τῶν ἀριστερῶν.

Τοῖς δ' ἐντόμοις τὸ μὲν τῆς τοιαύτης ἀρχῆς
 μόριον, ὥσπερ ἐν τοῖς πρώτοις ἐλέχθη λόγοις,
 μεταξὺ κεφαλῆς καὶ τοῦ περὶ τὴν κοιλίαν ἐστὶ
 κύτους. τοῦτο δὲ τοῖς μὲν πολλοῖς ἐστιν ἓν, τοῖς
 5 δὲ πλείω, καθάπερ τοῖς ἰουλώδεσι καὶ μακροῖς·
 διόπερ διατεμνόμενα ζῇ. βούλεται μὲν γὰρ ἡ φύσις
 ἐν πᾶσι μόνον ἓν ποιεῖν τὸ τοιοῦτον, καὶ δυναμένη
 μὲν ποιεῖ μόνον ἓν, οὐ δυναμένη δὲ πλείω.³ δῆλον
 δ' ἐν ἑτέροις ἑτέρων μᾶλλον.

Τὰ δὲ πρὸς τὴν τροφήν μόρια οὐ πᾶσιν ὁμοίως,
 10 ἀλλὰ διαφορὰν ἔχει πολλήν. ἐντὸς γὰρ τοῦ στό-
 ματος ἐνίοις μὲν ἐστὶ τὸ καλούμενον κέντρον,
 ὥσπερανεὶ σύνθετον καὶ ἔχον γλώττης καὶ χειλῶν

¹ τόπον Rackham: τρόπον vulg.

² ἐν P: om. vulg.

³ sic SUY (δυνάμενα bis S): οὐ δυναμένη δ' ἐνεργείᾳ ποιεῖ
 μόνον ἓν, δυνάμει δὲ πλείω vulg.

PARTS OF ANIMALS, IV v.

up against the intestine ; this is to ensure that it and its unpleasantness are kept as far as possible from the body's entrance and from the sovereign and most noble part. The *mytis* occupies a place which corresponds exactly with that of the heart in blooded creatures : which shows that it is the counterpart of it.^a Another proof of this is that the fluid in it is sweet—that is, it has undergone concoction and is of the nature of blood.

In the Testacea the part which rules sensation occupies the same place but is not so easy to pick out. But this source of control should always be looked for around some middle position in these creatures . in stationary ones, in the midst between the part which receives the food and the part where the seed or the residue is emitted ; and in those which move about, always midway between the right side and the left.

In insects the part where this control is placed, as was said in the first treatise,^b is situated between the head and the cavity where the stomach is. In the majority there is one such part, but in creatures like the Centipede, that is, which are long in the body, there are more than one : so if the creatures are cut up they go on living. Now Nature's desire is to make this part a unity in all creatures, and when she can, she makes it a unity, when she cannot, a plurality. This is clearer in some cases than in others.

The parts connected with nutrition are by no means alike in all insects ; indeed they exhibit great differences. For instance : Some have what is known as a sting inside the mouth—a sort of combination of tongue and lips,—which possesses the

^a The heart of invertebrates escaped the notice of Aristotle.

^b At *Hist. An.* 531 b 34.

682 a

ἅμα δύναμιν· τοῖς δὲ μὴ ἔχουσιν ἔμπροσθεν τὸ
 κέντρον ἐστὶν ἐντὸς τῶν ὀδόντων τοιοῦτον αἰσθη-
 τήριον. τούτου δ' ἐχόμενον πᾶσιν ἔντερον εὐθὺ καὶ
 15 ἀπλοῦν μέχρι τῆς ἐξόδου τοῦ περιττώματος· ἐνίοις
 δὲ τοῦτο ἐλίκην ἔχει. τὰ δὲ κοιλίαν μετὰ τὸ στόμα,
 ἀπὸ δὲ τῆς κοιλίας τὸ ἔντερον εἰλιγμένον, ὅπως
 ὅσα βρωτικώτερα καὶ μεῖζω τὴν φύσιν ὑποδοχὴν
 ἔχη πλείονος τροφῆς. τὸ δὲ τῶν τεττίγων γένος
 ἰδίαν ἔχει μάλιστα τούτων φύσιν· τὸ γὰρ αὐτὸ
 20 μόριον ἔχει στόμα καὶ γλῶτταν συμπεφυκός, δι'
 οὗ καθαπερεὶ διὰ ρίζης δέχεται τὴν τροφήν ἀπὸ
 τῶν ὑγρῶν. πάντα μὲν οὖν ἐστὶν ὀλιγότροφα τὰ
 ἔντομα τῶν ζώων, οὐχ οὕτω διὰ μικρότητα ὥς
 διὰ ψυχρότητα (τὸ γὰρ θερμὸν καὶ δεῖται τροφῆς
 καὶ πέττει τὴν τροφήν ταχέως, τὸ δὲ ψυχρὸν ἄ-
 25 τροφον), μάλιστα δὲ τὸ τῶν τεττίγων γένος· ἱκανὴ
 γὰρ τροφή τῷ σώματι ἢ ἐκ τοῦ πνεύματος ὑπο-
 μένουσα ὑγρότης, καθάπερ τοῖς ἐφημέροις ζώοις
 (γίνεται δὲ ταῦτα περὶ τὸν Πόντον), πλὴν ἐκεῖνα
 μὲν ζῆ μιᾶς ἡμέρας χρόνον, ταῦτα δὲ πλειόνων
 μὲν ἡμερῶν, ὀλίγων δὲ τούτων.

30 Ἐπεὶ δὲ περὶ τῶν ἐντὸς ὑπαρχόντων μορίων τοῖς
 ζώοις εἴρηται, πάλιν περὶ τῶν λοιπῶν τῶν ἐκτὸς
 ἐπανιτέον. ἀρκτέον δ' ἀπὸ τῶν νῦν εἰρημένων,
 ἀλλ' οὐκ ἀφ' ὧν ἀπελίπομεν, ὅπως ἀπὸ τούτων
 διατριβὴν ἐλάττω ἐχόντων ἐπὶ τῶν τελείων καὶ
 ἐναίμων ζώων ὁ λόγος σχολάζῃ μᾶλλον.

35 VI. Τὰ μὲν οὖν ἔντομα τῶν ζώων οὐ πολυμερῆ
 μὲν τὸν ἀριθμὸν ἐστίν, ὅμως δ' ἔχει πρὸς ἄλληλα

PARTS OF ANIMALS, IV. v-vi.

character of both. Some have no sting in front, but have a sense-organ of that sort behind the teeth. After the mouth, in all insects comes the intestine, which is straight and simple right up to the residual vent. (Sometimes, however, it has a spiral in it.) And some there are which have the stomach next after the mouth, while from the stomach runs a twisted intestine; this gives the bigger and more gluttonous insects room for a larger amount of food. Of all these creatures the grasshoppers are the most peculiar. In them the mouth and tongue are united so as to make one single part, and through this they draw up their nourishment from fluid substances as through a root. All insects take but little nourishment; and this is not so much because they are small as because they are cold (Heat needs nourishment and quickly concocts it; cold needs none) This is most marked in the grasshoppers. They find sufficient nourishment in the moisture which the air deposits; so do the one-day creatures which occur around the Black Sea. Still, they live only for the space of a day; whereas the grasshoppers live for several, though not many, days.

Now that we have spoken of the internal parts of animals, we must go back and deal with the remainder of the external parts. We had better begin with the creatures of which we have just been speaking, and not go back to the point where we left the external parts. This will mean that we take first those which need less discussion, and that will give more time for speaking of the "perfect" animals, *i.e.* the blooded ones.

VI. Insects first, then. Though their parts are not numerous, insects differ from one another. They all

EXTERNAL
PARTS OF
BLOODLESS
ANIMALS.

682 a

διαφοράς. πολύποδα μὲν γάρ ἐστι πάντα διὰ τὸ
 682 b πρὸς τὴν βραδυτήτα καὶ κατάψυξιν τῆς φύσεως τὴν
 πολυποδίαν ἀνυτικωτέραν αὐτοῖς ποιεῖν τὴν κίνησιν·
 καὶ μάλιστα πολύποδα τὰ μάλιστα κατεψυγμένα διὰ
 τὸ μῆκος οἶον τὸ τῶν ἰούλων γένος. ἔτι δὲ διὰ τὸ
 5 ἀρχὰς ἔχειν πλείονας αἶ τ' ἐντομαί εἰσι καὶ πολύ-
 ποδα κατὰ ταυτά¹ ἐστίν.

“Ὅσα δ' ἐλάττονας ἔχει πόδας, πτηνὰ ταῦτ' ἐστὶ
 πρὸς τὴν ἔλλειψιν τὴν τῶν ποδῶν. αὐτῶν δὲ τῶν
 πτηνῶν ὧν μὲν ἐστὶν ὁ βίος νομαδικὸς καὶ διὰ τὴν
 τροφήν ἀναγκαῖον ἐκτοπίζειν, τετράπτερά τέ ἐστι
 καὶ τὸν τοῦ σώματος ἔχει κουφὸν ὄγκον, οἶον αἶ τε
 10 μέλιτται καὶ τὰ σύμφυλα ζῶα ταύταις· δύο γὰρ ἐφ'
 ἑκάτερα πτερὰ² ἔχουσιν. ὅσα δὲ μικρὰ τῶν τοιού-
 των, δίπτερα, καθάπερ τὸ τῶν μυιῶν γένος. τὰ δὲ
 βαρέα³ καὶ τοῖς βίοις ἐδραῖα πολύπτερα μὲν ὁμοίως
 ταῖς μελίτταις⁴ ἐστίν, ἔχει δ' ἑλντρα τοῖς πτεροῖς,
 15 οἶον αἶ τε μηλολόνηται καὶ τὰ τοιαῦτα τῶν ἐντόμων,
 ὅπως σώζῃ τὴν τῶν πτερῶν δύναμιν· ἐδραίων γὰρ
 ὄντων εὐδιάφθορα μᾶλλον ἐστὶ τῶν εὐκινήτων,
 διόπερ ἔχει φραγμὸν πρὸ αὐτῶν. καὶ ἄσχιστον δὲ
 τούτων ἐστὶ τὸ πτερὸν καὶ ἄκαυλον· οὐ γάρ ἐστι
 πτερὸν ἄλλ' ὑμὴν δερματικὸς, ὃς διὰ ξηρότητα ἐξ
 20 ἀνάγκης ἀφίσταται τοῦ σώματος αὐτῶν ψυχομένου
 τοῦ σαρκώδους.

“Ἐντομα δ' ἐστὶ διὰ τε τὰς εἰρημένας αἰτίας, καὶ
 ὅπως σώζεται δι' ἀπάθειαν συγκαμπτόμενα· συν-
 ελίττεται γὰρ τὰ μῆκος ἔχοντ' αὐτῶν, τοῦτο δ' οὐκ
 ἂν ἐγίνετ' αὐτοῖς μὴ οὖσιν ἐντόμοις. τὰ δὲ μὴ

¹ ταυτά Peck: ταυτὰ Υ: ταῦτ' vulg.: ταύτας Ogle.

² πτερὰ τοῦ σώματος vulg. . τοῦ σ delevi

³ βαρέα Ogle: βραχέα vulg.

⁴ μελίτταις (οὐκ) Platt.

have numerous feet ; this is in order to make their (a) Insects motion quicker, and to counteract their natural slowness and coldness. Those which are most subject to coldness owing to their length (*e.g.* the Centipedes) have the greatest number of feet. Furthermore, these creatures have several sources of control ; and on that account they have the “insections” in their bodies, and the numerous feet which are placed in precise correspondence.

Those that have fewer feet are winged by way of compensation. Some of these flying insects live a wandering life and have to go abroad in search of food ; so they have a light body and four wings, two on either side ; such are the bees and the kindred tribes. The small ones have only two wings all told—like the flies. Those that are heavy and sedentary in their habits have the larger number of wings like the bees, but they have shards round their wings (*e.g.* the *Melolonthæ*^a and similar insects) to preserve them in their proper condition ; for, as these creatures are sedentary, their wings are more liable to be destroyed than those of the nimbler insects ; and that is why there is this protection round them. An insect's wing is not divided, and it has no shaft. In fact, it is not a wing at all, but a membrane of skin, which being dry detaches itself of necessity from the creature's body as the fleshy part cools off.

I have already stated some reasons why these creatures have “insected” bodies : there is another, viz. it is so that they may curl up and thus escape injury and remain safe. It is the long ones that roll themselves up, and this would be impossible for them if they were not insected. Those that do not roll up

^a Perhaps cockchafers (Ogle).

682 b

ἐλικτὰ αὐτῶν σκληρύνεται μᾶλλον συνιόντα εἰς τὰς
 25 τομάς. δῆλον δὲ τοῦτο γίνεται θιγγανόντων, οἷον
 ἐπὶ τῶν καλουμένων κανθάρων· φοβηθέντα γὰρ
 ἀκινήτιζει, καὶ τὸ σῶμα γίνεται σκληρὸν αὐτῶν.
 ἀναγκαῖον δ' ἐντόμοις αὐτοῖς εἶναι· τοῦτο γὰρ ἐν
 τῇ οὐσίᾳ αὐτῶν ὑπάρχει τὸ πολλὰς ἔχειν ἀρχάς, καὶ
 30 ταύτῃ προσέοικε τοῖς φυτοῖς. ὥσπερ γὰρ τὰ φυτά,
 καὶ ταῦτα διαιρούμενα δύναται ζῆν, πλὴν ταῦτα μὲν
 μέχρι τινός, ἐκείνα δὲ καὶ τέλεια γίνεται τὴν φύσιν
 καὶ δύο ἐξ ἑνός καὶ πλείω τὸν ἀριθμόν.

Ἔχει δ' ἓν τῶν ἐντόμων καὶ κέντρα πρὸς
 βοήθειαν τῶν βλαπτόντων. τὸ μὲν οὖν κέντρον
 35 τοῖς μὲν ἔμπροσθέν ἐστι τοῖς δ' ὀπισθεν, τοῖς μὲν
 ἔμπροσθεν κατὰ τὴν γλῶτταν, τοῖς δ' ὀπισθεν κατὰ
 τὸ οὐραῖον. ὥσπερ γὰρ τοῖς ἐλέφασιν τὸ τῶν
 ὀσμῶν αἰσθητήριον γεγένηται χρήσιμον πρὸς τε
 683 a τὴν ἀλκὴν καὶ τὴν τῆς τροφῆς χρήσιν, οὕτως τῶν
 ἐντόμων ἐνίοις τὸ κατὰ τὴν γλῶτταν τεταγμένον
 αἰσθάνονται τε γὰρ τούτῳ τῆς τροφῆς καὶ ἀναλαμ-
 βάνουσι καὶ προσάγονται αὐτήν. ὅσα δὲ μὴ ἐστὶν
 αὐτῶν ἔμπροσθόκεντρα, ὀδόντας ἔχει τὰ μὲν
 5 ἐδωδῆς χάριν τὰ δὲ τοῦ λαμβάνειν καὶ προσάγεσθαι
 τὴν τροφήν, οἷον οἱ τε μύρμηκες καὶ τὸ τῶν μελιτ-
 τῶν πασῶν γένος. ὅσα δ' ὀπισθόκεντρά ἐστι, διὰ
 τὸ θυμὸν ἔχειν ὄπλον ἔχει τὸ κέντρον. ἔχουσι δὲ
 τὰ μὲν ἐν ἑαυτοῖς τὰ κέντρα, καθάπερ αἱ μέλιτται
 καὶ οἱ σφήκες, διὰ τὸ πτηνὰ εἶναι· λεπτὰ μὲν γὰρ
 10 ὄντα καὶ ἔξω εὐφθάρτα (ἄν)¹ ἦν· εἰ δὲ παχέα ἦν²
 ὥσπερ τοῖς σκορπίοις, βάρους ἂν παρείχεν. τοῖς δὲ

¹ (ἄν) Ogle.² δὲ παχέα ἦν Platt: δ' ἀπείχεν vulg.

increase their hardness by closing up the insections. This is obvious if you touch them—*e g.* the insects called Canthari (dung-beetles) are frightened when touched and become motionless, and their bodies become hard. But also it is *necessary* for them to be insectioned, for it is of their essential being to have numerous sources of control; and herein they resemble plants. Plants can live when they are cut up; so can insects. There is a difference, however, for whereas the period of survival of a divided insect is limited, a plant can attain the perfection of its nature when divided, and so two plants or more come out of one.

Some of the insects have a sting as well, for defence against attackers. In some the sting is in front, by the tongue; in others it is behind at the tail-end. Consider the elephant's trunk: this is its organ of smell; but the elephant uses it for a weapon of defence as well as for the purposes of nutrition. Compare with this the sting of insects: when, as in some of them, it is ranged alongside the tongue, not only do they get their sensation of the food by means of it, but they also pick up the food with it and convey it to the mouth. Those which have no sting in front have teeth; which some of them use for eating, others for picking up the food and conveying it to the mouth, as do the ants and the whole tribe of bees. Those that have a sting at the back are fierce creatures and the sting serves them as a weapon. Sometimes the sting is well inside the body, as in bees and wasps. This is because they are winged, and a delicate sting on the outside of the body would be easily destroyed; on the other hand, a thick one such as scorpions have would weigh them down. Scorpions

683 a

σκορπίοις πεζοῖς οὔσι καὶ κέρκον¹ ἔχουσιν ἀναγκαῖον ἐπὶ ταύτῃ² ἔχειν τὸ κέντρον, ἢ μὴθὲν χρήσιμον εἶναι πρὸς τὴν ἀλκὴν. δίπτερον δ' οὐθέν ἐστιν ὀπισθόκεντρον· διὰ τὸ ἀσθενῇ γὰρ καὶ μικρὰ εἶναι
 15 δίπτερά ἐστιν· ἱκανὰ γὰρ τὰ μικρὰ αἵρεσθαι ὑπὸ τῶν ἐλαττόνων τὸν ἀριθμόν. διὰ ταῦτο δὲ τοῦτο καὶ ἔμπροσθεν ἔχει τὸ κέντρον· ἀσθενῇ γὰρ ὄντα μόλις δύναται τοῖς ὀπισθεν³ τύπτειν. τὰ δὲ πολύπτερα, διὰ τὸ μείζω τὴν φύσιν εἶναι, πλειόνων τετύχηκε πτερῶν καὶ ἰσχύει τοῖς ὀπισθεν μορίοις.
 20 βέλτιον δ' ἐνδεχομένου μὴ ταῦτο ὄργανον ἐπὶ ἀνομοίας ἔχειν χρήσεις, ἀλλὰ τὸ μὲν ἀμυντικὸν ὀξύτατον, τὸ δὲ γλωττικὸν σομφὸν καὶ σπαστικὸν τῆς τροφῆς. ὅπου γὰρ ἐνδέχεται χρῆσθαι δυσὶν ἐπὶ δύο ἔργα καὶ μὴ ἐμποδίζειν πρὸς ἕτερον, οὐδὲν ἢ φύσις εἴωθε ποιεῖν ὥσπερ ἢ χαλκευτικὴ
 25 πρὸς εὐτέλειαν ὀβελισκολύχνιον· ἀλλ' ὅπου μὴ ἐνδέχεται, καταχρήται τῷ αὐτῷ ἐπὶ πλείω ἔργα.
 Τοὺς δὲ πόδας τοὺς προσθίους μείζους ἔνια τούτων ἔχει, ὅπως ἐπειδὴ διὰ τὸ σκληρόφθαλμα εἶναι οὐκ ἀκριβῆ τὴν ὄψιν ἔχουσι, τὰ προσπίπτοντα τοῖς προσθίοις ἀποκαθαίρωσι σκέλεσιν· ὅπερ καὶ φαί-
 30 νονται ποιοῦσαι αἱ τε μυῖαι καὶ τὰ μελιττώδη τῶν ζώων· αἱ γὰρ χαρακίζουν τοῖς προσθίοις σκέλεσιν. τὰ δ' ὀπίσθια μείζω τῶν μέσων διὰ τε τὴν βάδισιν καὶ πρὸς τὸ αἵρεσθαι ῥᾶον ἀπὸ τῆς γῆς ἀναπετ-

¹ κέρκον Ogle: κέντρον vulg.² ταύτῃ Ogle: ταῦτ' vulg.³ ὀπισθεν Ogle: ἔμπροσθεν vulg.

^a The principle of "division of labour" in a living organism, not stated again until 1827 (by Milne Edwards). See Ogle's note.

themselves, being land-creatures and having a tail, are bound to have their sting on their tail ; otherwise it would be no use to them for defence No two-winged insect has a sting at the rear ; these are small weak creatures, and can be supported by a smaller number of wings · that is why they have only two. The same reason explains why they have their sting in the front . owing to their weakness they cannot well deliver a blow with their hind parts. Many-winged creatures, on the other hand, owe their greater number of wings to their own greater size, and so too their hind parts are stronger and bear the sting It is better, when it is possible, that one and the same organ should not be put to dissimilar uses ; that is, there should be an organ of defence which is very sharp, and another organ to act as a tongue, which should be spongy and able to draw up nourishment. And thus, whenever it is possible to employ two organs for two pieces of work without their getting in each other's way, Nature provides and employs two.^a Her habits are not those of the coppersmith who for cheapness' sake makes you a spit-and-lampstand combination Still, where two are impossible, Nature employs the same organ to perform several pieces of work.

Some insects, whose eyesight is not distinct owing to their eyes being made of some hard substance, have specially long forefeet, which enable them to clear away anything that comes down on to the eyes. Flies and bees and the like are obvious examples : they are always crossing their front legs. These creatures' hind legs are longer than their middle ones for two reasons : (1) to assist them in walking, and (2) to lift them more easily off the ground when they

683 a

όμενα. ὅσα δὲ πηδητικὰ αὐτῶν ἔτι μᾶλλον τοῦτο φανερόν, οἷον αἶ τ' ἀκρίδες καὶ τὸ τῶν ψυλλῶν

35 γένος· ὅταν γὰρ κάμψαντ' ἐκτείνῃ πάλιν, ἀναγκαῖον ἀπὸ τῆς γῆς ἦρθαι. οὐκ ἔμπροσθεν δ' ἀλλ'

683 b ὅπισθεν μόνον ἔχουσι τὰ πηδαλιώδη αἱ ἀκρίδες· τὴν γὰρ καμπὴν ἀναγκαῖον εἶσω κεκλάσθαι, τῶν δὲ προσθίων κώλων οὐδέν ἐστι τοιοῦτον ἐξάποδα δὲ τὰ τοιαῦτα πάντ' ἐστὶ σὺν τοῖς ἀλτικοῖς μορίοις.

VII. Τῶν δ' ὀστρακοδέρμων οὐκ ἔστι τὸ σῶμα
5 πολυμερές. τούτου δ' αἷτιον τὸ μόνιμον αὐτῶν εἶναι τὴν φύσιν· πολυμερέστερα γὰρ ἀναγκαῖον εἶναι τῶν ζώων τὰ κινητικὰ διὰ τὸ <πλείους>¹ εἶναι αὐτῶν πράξεις· ὀργάνων γὰρ δεῖται πλειόνων τὰ πλειόνων μετέχοντα κινήσεων. τούτων δὲ τὰ μὲν ἀκίνητα πάνπαν ἐστί, τὰ δὲ μικρᾶς μετέχει κιν-
10 νήσεως· ἀλλ' ἡ φύσις πρὸς σωτηρίαν αὐτοῖς τὴν τῶν ὀστράκων σκληρότητα περιέθηκεν. ἔστι δὲ τὰ μὲν μονόθυρα τὰ δὲ δίθυρα αὐτῶν, τὰ δὲ στρομβώδη, καθάπερ εἴρηται πρότερον· καὶ τούτων τὰ μὲν ἐλίκην ἔχοντα, οἷον κήρυκες, τὰ δὲ σφαιροειδῆ μόνον, καθάπερ τὸ τῶν ἐχίνων γένος. καὶ τῶν
15 διθύρων τὰ μὲν ἐστὶν ἀναπτυκτά, οἷον κτένες καὶ μύες (ἐπὶ θάτερα γὰρ συγκέκλεισται, ὥστε ἀνοίγεσθαι ἐπὶ θάτερα καὶ συγκλείεσθαι), τὰ δ' ἐπ' ἄμφω συμπέφυκεν, οἷον τὸ τῶν σωλήνων γένος. ἅπαντα δὲ τὰ ὀστρακόδερμα, καθάπερ τὰ φυτὰ,
20 κάτω τὴν κεφαλὴν ἔχει. τούτου δ' αἷτιον ὅτι κάτωθεν λαμβάνει τὴν τροφήν, ὥσπερ τὰ φυτὰ ταῖς ρίζαις. συμβαίνει οὖν αὐτοῖς τὰ μὲν κάτω ἄνω ἔχειν, τὰ δ' ἄνω κάτω. ἐν ὑμένι δ' ἐστί, δι'

¹ <πλείους> Peck: <πολλὰς> Platt.

PARTS OF ANIMALS, IV. VI.--VII.

rise in flight. This peculiarity is even more noticeable in the leaping insects, such as locusts and the various sorts of fleas, which first bend their hind legs and then stretch them out again, and this forces them to rise up from the ground. The rudder-shaped legs which locusts have are at the rear only and not in front; this is because the joint must bend inwards,^a and no front limb ever satisfies this condition. All these creatures have six feet, inclusive of the parts used for leaping.

VII. In Testacea the body is not divided into ^{(b) Testacea} several parts, owing to their being of stationary habits, as opposed to creatures which move about: the latter are bound to have more parts to their body because their activities are more numerous, and the more motions of which a species is capable, the more organs it requires. Now some of the Testacea are altogether stationary: others move about but little; and so, to keep them safe, Nature has compassed them about with hard shells. Some of them are (as I said earlier ^b) one-valved, some two-valved; and some conical, either spiral like the Whelks, or spherical like the Sea-urchins. The two-valved shells are divided into (*a*) those which open—*i. e.* which have a joint on one side and can open and shut on the other; *e.g.* the scallops and mussels; (*b*) those which are joined together on both sides, *e.g.* the group of razor-fishes. In all Testacea, just as in plants, the head is down below. The reason for this is that they take up their food from below, as plants take it up by their roots; so they have their nether parts above and their upper parts below. These creatures are enveloped in a membrane, and through this they strain fresh-

^a See note on 693 b 3, p. 433.

^b At 679 b 16.

683 b

οὐ διηθεῖ τὸ πότιμον καὶ λαμβάνει τὴν τροφήν.
ἔχει δὲ κεφαλὴν μὲν πάντα, τὰ δὲ τοῦ σώματος
μόρια παρὰ τὸ τῆς τροφῆς δεκτικὸν ἀνώνυμα
τάλλα.

- 25 VIII. Τὰ δὲ μαλακόστρακα πάντα καὶ πορευτικά,
διὸ ποδῶν ἔχει πλῆθος. ἔστι δὲ γένη μὲν τέτταρα
τὰ μέγιστ' αὐτῶν οἳ τε καλούμενοι κάραβοι καὶ
ἄστακοὶ καὶ καρίδες καὶ καρκίνοι· τούτων δ'
ἐκάστου πλείω ἔδη ἔστι διαφέροντα οὐ μόνον κατὰ
30 τὴν μορφήν ἀλλὰ καὶ κατὰ τὸ μέγεθος πολὺ· τὰ
μὲν γὰρ μεγάλα τὰ δὲ μικρὰ πάμπαν αὐτῶν ἔστιν.
τὰ μὲν οὖν καρκινώδη καὶ караβώδη παρόμοι'
ἔστί τῷ χηλᾶς ἔχειν ἀμφότερα. ταύτας δ' οὐ
πορείας ἔχουσι χάριν, ἀλλὰ πρὸς τὸ λαβεῖν καὶ
κατασχεῖν ἀντὶ χειρῶν. διὸ καὶ κάμπτουσιν ἑναν-
35 τίως ταύτας τοῖς ποσίν· τοὺς μὲν γὰρ ἐπὶ τὸ κοῖλον
τὰς δ' ἐπὶ τὸ περιφερὲς κάμπτουσι καὶ ἐλίσσουσιν·
οὕτω γὰρ χρήσιμα πρὸς τὸ λαβοῦσαι προσφέρεσθαι
684 a τὴν τροφήν.

Διαφέρουσι δ' ἢ οἱ μὲν κάραβοι ἔχουσιν οὐράν,
οἱ δὲ καρκίνοι οὐκ ἔχουσιν οὐράν· τοῖς μὲν γὰρ διὰ
τὸ νευστικοῖς εἶναι χρήσιμος ἢ οὐρά (νέουσιν γὰρ
ἀπερειδόμενοι οἶον πλάταις αὐταῖς), τοῖς δὲ καρ-
5 κίνοις οὐδὲν χρήσιμον διὰ τὸ πρόσγειον εἶναι τὸν
βίον¹ αὐτῶν καὶ εἶναι τρωγλοδύτας ὅσοι δ' αὐτῶν
πελάγιοι εἰσι, διὰ τοῦτο πολὺ ἀργυτέρους ἔχουσι
τοὺς πόδας² πρὸς τὴν πορείαν, οἶον αἱ τε μαῖαι
καὶ οἱ Ἡρακλεωτικοὶ καλούμενοι καρκίνοι, ὅτι
ὀλίγη κινήσει χρώνται, ἀλλ' ἢ σωτηρία αὐτοῖς
10 τῷ ὀστρειώδεϊ εἶναι γίνεται· διὸ αἱ μὲν μαῖαι

¹ τὸ βίον Bekker per typothetae errorem.

² αὐτῶν post πόδας vulg.: om. Y.

PARTS OF ANIMALS, IV. VII.-VIII.

water to drink, which is their way of taking nourishment. All of them possess a head, but except for the part which takes in the food none of the other parts has a special name.

VIII. All the Crustacea can walk on land as well as swim; and hence they all have numerous feet. There are four main groups of Crustacea, called (1) Carabi; (2) Astaci; (3) Carides; and (4) Carcim.^a Each of these contains several species which differ not only in shape, but also in size, and that considerably, for some species are large, others extremely small. The Carcinoid and the Caraboid crustacea resemble each other, in both having claws. These claws are not for the sake of locomotion, but serve instead of hands, for catching and holding; and that is why they bend in an opposite direction to the feet, which bend and twist toward the concave side, while the claws bend toward the convex side. This makes the claws serviceable for catching hold of the food and conveying it to the mouth.

The two groups, Carabi and Carcini, differ in that the former have a tail and the latter have not. The Carabi find a tail useful because they are swimmers. they propel themselves with it as though with oars. A tail would be useless to the Carcini, which spend their lives near the land and creep into holes and crannies. Those that live out at sea and move about but little, and owe their safety to their shelly exterior, have for these reasons feet which are considerably less effective for locomotion: examples of this are the

^a Roughly, these four divisions may be represented by our own groups, thus: (1) lobsters, (2) crayfish; (3) prawns and shrimps; (4) crabs.

684 a

λεπτοσκελεῖς, οἱ δ' Ἑρακλεωτικοὶ μικροσκελεῖς εἰσίν.

Οἱ δὲ πᾶμπαν μικροὶ καρκῖνοι, οἳ ἀλίσκονται ἐν τοῖς μικροῖς ἰχθυοῖς, ἔχουσι τοὺς τελευταίους πλατεῖς πόδας, ἵνα πρὸς τὸ νεῖν αὐτοῖς χρήσιμοι ᾦσιν, ὥσπερ πτερύγια ἢ πλάτας ἔχοντες τοὺς πόδας.

Αἱ δὲ καρίδες τῶν μὲν καρκινοειδῶν διαφέρουσι
 15 τῷ ἔχειν κέρκον, τῶν δὲ караβοειδῶν διὰ τὸ μὴ ἔχειν χηλὰς· ἃς οὐκ ἔχουσι διὰ τὸ πλείους ἔχειν πόδας, ἐνταῦθα γὰρ ἢ ἐκείθεν ἀνήλωται αὐξήσις. πλείους δ' ἔχουσι πόδας, ὅτι νευστικώτερα ἔστιν ἢ πορευτικώτερα.

Τὰ δ' ἐν τοῖς ὑπτίοις μόρια καὶ περὶ τὴν κεφαλὴν τὰ μὲν εἰς τὸ δέξασθαι τὸ ὕδωρ καὶ ἀφεῖναι
 20 ἔχουσι βραγχοειδῆ· πλακωδέστερα δὲ τὰ κάτω αἱ θήλειαι τῶν ἀρρένων καράβων ἔχουσι, καὶ τὰ ἐν τῷ ἐπιπτύγματι δασύτερα αἱ θήλειαι καρκῖνοι τῶν ἀρρένων, διὰ τὸ ἐκτείνειν τὰ ῥα πρὸς αὐτά, ἀλλὰ μὴ ἄποθεν, ὥσπερ οἱ ἰχθύες καὶ τᾶλλα τὰ <ῥα>¹ τίκτοντα· εὐρυχωρέστερα γὰρ ὄντα καὶ μείζω
 25 χώραν ἔχει τοῖς ῥοῖς μᾶλλον. οἱ μὲν οὖν κάραβοι καὶ οἱ καρκῖνοι πάντες τὴν δεξιὰν ἔχουσι χηλὴν μείζω καὶ ἰσχυροτέραν· τοῖς γὰρ δεξιοῖς πάντα πέφυκε τὰ ζῶα δρᾶν μᾶλλον, ἢ δὲ φύσις ἀποδίδωσιν αἰετοῖς χρῆσθαι δυναμένοις ἕκαστον ἢ μόνως ἢ μᾶλλον, οἷον χαυλιόδοντας καὶ ὀδόντας καὶ
 30 κέρατα καὶ πληκτρα καὶ πάντα τὰ τοιαῦτα μόρια, ὅσα πρὸς βοήθειαν καὶ ἀλκὴν ἔστιν.²

Οἱ δ' ἄστακοὶ μόνοι, ὅποτέραν ἂν τύχωσιν ἔχουσι μείζω τῶν χηλῶν, καὶ αἱ θήλειαι καὶ οἱ

¹ <ῥα> Peck: τήκοντα S: κυῖσκοντα PY: ῥοτοκοῦντα Ogle.

² ἔστιν Peck: εἰσιν vulg.

PARTS OF ANIMALS, IV. VIII.

Maiae^a (whose legs are thin) and the crabs called Heracleotic (whose legs are short).

The little tiny crabs, which are found among the catch with small fishes, have their hindmost feet flat, like fins or oars, to make them useful for swimming

The Carides differ from the Carcinoids in having a tail, and from the Caraboids just mentioned in not having claws. Claws are absent because they have more feet. the material for their growth has gone into the feet. And they have more feet because they swim about more or move about more.

As for the parts on the under^b surface around the head, in some animals these are formed like gills so as to let in the water and to discharge it; the lower parts, however, of female crabs are flatter in formation than those of male ones, and also the appendages on the flap are hairier. This is because they deposit their eggs there instead of getting rid of them, as the fishes and the other oviparous animals do. These appendages are wider and larger and so can provide more space for the eggs. In all the Carabi and in all the Carcini the right claw is bigger and stronger than the left. This is because all animals in their activities naturally use the right side more; and Nature always assigns an instrument, either exclusively or in a better form, to those that can use it. This holds good for tusks, teeth, horns, spurs and all such parts which serve animals for assistance and defence.

In Lobsters only, whether male or female, it is a matter of chance which claw is the bigger. The

^a Probably the spiny spider-crab.

^b That is, ventral.

684 a

ἄρρενες. αἴτιον δὲ τοῦ μὲν ἔχειν χηλὰς ὅτι ἐν τῷ

35 γένει εἰσὶ τῷ ἔχοντι χηλὰς· τοῦτο δ' ἀτάκτως

684 b ἔχουσιν ὅτι πεπήρωνται καὶ οὐ χρώνται ἐφ' ὃ πεφύκασιν, ἀλλὰ πορείας χάριν.

Καθ' ἕκαστον δὲ τῶν μορίων, τίς ἢ θέσις αὐτῶν καὶ τίνες διαφοραὶ πρὸς ἄλληλα, τῶν τ' ἄλλων καὶ τίνι διαφέρει τὰ ἄρρενα τῶν θηλειῶν, ἔκ τε τῶν
5 ἀνατομῶν θεωρεῖσθαι καὶ ἐκ τῶν ἱστοριῶν τῶν περὶ τὰ ζῶα.

IX. Τῶν δὲ μαλακίων περὶ μὲν τῶν ἐντὸς εἶρηται πρότερον, ὥσπερ καὶ περὶ τῶν ἄλλων ζώων· ἐκτὸς δ' ἔχει τό τε τοῦ σώματος κύτος, ἀδιόριστον ὄν, καὶ τούτου πόδας ἔμπροσθεν περὶ τὴν κεφαλὴν, ἐντὸς μὲν τῶν ὀφθαλμῶν, περὶ δὲ
10 τὸ στόμα καὶ τοὺς ὀδόντας. τὰ μὲν οὖν ἄλλα ζῶα τὰ ἔχοντα πόδας τὰ μὲν ἔμπροσθεν ἔχει καὶ ὀπισθεν, τὰ δ' ἐκ τοῦ πλαγίου, ὥσπερ τὰ πολύποδα καὶ ἄναιμα τῶν ζώων· τοῦτο δὲ τὸ γένος ἰδίως τούτων πάντας γὰρ ἔχουσι τοὺς πόδας ἐπὶ τὸ καλούμενον ἔμπροσθεν. τούτου δ' αἴτιον ὅτι
15 συνῆκται αὐτῶν τὸ ὀπισθεν πρὸς τὸ ἔμπροσθεν, ὥσπερ τῶν ὀστρακοδέρμων τοῖς στρομβώδεσιν. ὅλως γὰρ τὰ ὀστρακόδερμα ἔχει τῇ μὲν ὁμοίως τοῖς μαλακοστράκοις, τῇ δὲ τοῖς μαλακίοις. ἡ μὲν γὰρ ἔξωθεν τὸ γεῶδες ἐντὸς δὲ τὸ σαρκῶδες, τοῖς μαλακοστράκοις, τὸ δὲ σχῆμα τοῦ σώματος
20 ὃν τρόπον συνέστηκε, τοῖς μαλακίοις, τρόπον μὲν

^a See *Hist. An.* 525 a 30—527 b 31, 541 b 19 ff.

^b At 678 b 24 ff.

^c The theory that the cuttle-fish is comparable to a vertebrate bent double was put forward in a paper read before the Academy of Sciences in 1830, and was the origin of the famous
354

PARTS OF ANIMALS, IV. VIII.—IX.

reason why they have claws is because they belong to a group which has claws; and they have them in this irregular way because they themselves are imperfectly formed and use the claws not for their natural purpose but for locomotion.

For an account of every one of the parts, of their position, and of the differences between them, including the differences between the male and the female, consult the Anatomical treatises and the *Inquiries upon Animals*.^a

IX. With regard to the Cephalopods, their internal parts have already been described, as have those of the other animals.^b The external parts include (1) the trunk of the body, which is undefined, and (2) in front of this, the head, with the feet round it: the feet are not beyond the eyes, but are outside the mouth and the teeth. Other footed animals either have some of their feet in front and some at the back; or else arranged along the sides—as with the bloodless animals that have numerous feet. The Cephalopods, however, have an arrangement of their own. All their feet are on what may be called the front. The reason for this is that their back half is drawn up on to the front half,^c just as in the conical-shelled Testacea. And generally, though in some respects the Testacea resemble the Crustacea, in others they resemble the Cephalopods. In having their earthy material outside and their fleshy material inside, they resemble the Crustacea; but as regarding the formation and construction of their body they resemble the Cephalopods; all of

(d) Cephalopods.

controversy between G. St-Hilaire and Cuvier about unity of type. This controversy excited Goethe more than the revolution of the same year. (Ogle.)

τινα πάντα, μάλιστα δὲ τῶν στρομβωδῶν τὰ
 ἔχοντα τὴν ἐλικήν. ἀμφοτέρων γὰρ τοῦτον ἔχει
 τὸν τρόπον ἢ φύσις¹. et propter hoc ambulant uni-
 formiter <ἀλλ' οὐ>² καθάπερ συμβέβηκεν ἐπὶ τῶν
 τετραπόδων ζώων καὶ τῶν ἀνθρώπων. homo vero
 25 habet os in capite, scilicet in parte superiori corporis,
 ἔπειτα τὸν στόμαχον, ἔπειτα δὲ τὴν κοιλίαν, ἀπὸ δὲ
 ταύτης τὸ ἔντερον μέχρι τῆς διεξόδου τοῦ περιτ-
 τώματος. τοῦτον μὲν οὖν τὸν τρόπον ἔχει τοῖς
 ἐναίμοις ζώοις, καὶ μετὰ τὴν κεφαλὴν ἐστὶν ὁ καλού-
 μενος θώραξ, καὶ τὰ περὶ τοῦτον· τὰ δὲ λοιπὰ μόρια
 30 τούτων τε χάριν καὶ ἔνεκα τῆς κινήσεως προσέθηκεν
 ἢ φύσις, οἷον τὰ τε πρόσθια κῶλα καὶ τὰ ὀπισθεν.
 βούλεται δὲ καὶ τοῖς μαλακοστράκοις καὶ τοῖς
 ἐντόμοις ἢ γ' εὐθυωρία τῶν ἐντοσθιδίων τὸν αὐτὸν
 ἔχειν τρόπον, κατὰ δὲ τὰς ὑπηρεσίας τὰς ἑξωθεν
 κινητικὰς διαφέρει τῶν ἐναίμων. τὰ δὲ μαλάκιά
 τε καὶ <τὰ>³ στρομβώδη τῶν ὀστρακοδέρμων ἔχει

¹ sequitur locus corruptus. quae corrigi possunt sec. vers. arabicam correxi, suppositicia eieci, amissa e versione latina Mich. Scot. suppleni. text. vulg. habet ἢ φύσις ὥσπερ εἴ τις νοήσειεν ἐπ' εὐθείας, καθάπερ συμβέβηκεν ἐπὶ τῶν τετραπόδων ζώων καὶ τῶν ἀνθρώπων, πρῶτον μὲν ἐπὶ ἄκρῳ τῷ ἄνω στόματι τῆς εὐθείας κατὰ τὸ Α, ἔπειτα <κατὰ addunt PY> τὸ Β τὸν στόμαχον, [τὸ δὲ om. PY] Γ τὴν κοιλίαν ἀπὸ δὲ τοῦ ἐντέρου μέχρι τῆς διεξόδου τοῦ περιττώματος, ἢ τὸ Δ τοῦτον μὲν οὖν τὸν τρόπον ἔχει τοῖς ἐναίμοις ζώοις, καὶ περὶ τοῦτό ἐστιν ἢ κεφαλὴ καὶ ὁ θώραξ καλούμενος (καλ. θώραξ SU) τὰ δὲ λοιπὰ, etc. vide et quae p. 432 scripsi.

² <ἀλλ' οὐ> Peck.

³ <τὰ> Peck.

them have this general resemblance, but it is especially marked in those conical Testacea which have a spiral shell. Both these classes have this natural structure,^a and therefore they walk with an even gait, and not as is the case with quadrupeds and man^b *Now man has his mouth placed in his head, viz. in the upper part of the body*, and after that the gullet, then the stomach, and after that the intestine which reaches as far as the vent where the residue is discharged. This is the arrangement in the blooded animals, *i.e.*, after the head comes what is known as the trunk, and the parts adjoining. The remaining parts (*e.g.* the limbs at front and back) have been added by Nature for the sake of those which I have just mentioned and also to make movement possible. Now in the Crustacea too and in the Insects the internal parts tend to be in a straight alignment of this kind; but with regard to the external parts which subserve locomotion their arrangement differs from that of the blooded animals. The Cephalopods and the conical-shelled Testacea have the same

^a The passage which follows has been badly corrupted by references to a diagram which have ousted the text. The words in italics have been translated from the Arabic version, of which Michael Scot's Latin translation is given opposite, in default of the original Greek. See supplementary note on p. 432.

^b This refers to their uneven progression by moving first one side of the body and then the other. The Testacea, however, "have no right and left" (*De incessu an.* 714 b 9), and their movement was evidently an awkward problem for Aristotle. He reserves them until the very end of the *De incessu*, and he has to admit that they move, although they ought not to do so¹ They move *παρὰ φύσιν*. The mechanism of their motion can be detected by the microscope, and is known as ciliary. See also *De incessu*, 706 a 13, 33, *Hist. An.* 528 b 9.

685 a αὐτοῖς μὲν παραπλησίως, τούτοις δ' ἀντεστραμ-
 μένως· κέκαμπται γὰρ ἡ τελευτὴ πρὸς τὴν ἀρχήν,
 ὥσπερ ἂν εἴ τις τὴν εὐθείαν ἐφ' ἧς AB κάμψας
 προσαγάγοι πρὸς τὸ Δ.¹ οὕτως γὰρ κειμένων νῦν
 τῶν ἐντοσθίων περίκειται τοῖς μὲν μαλακίοις τὸ
 5 κύτος, ὃ καλεῖται μόνον ἐπὶ τῶν πολυπόδων κεφαλῇ·
 τοῖς δ' ὀστρακοδέρμοις τὸ τοιοῦτόν ἐστιν ὁ στρόμ-
 βος. διαφέρει δ' οὐδὲν ἄλλο πλὴν ὅτι τοῖς μὲν
 μαλακὸν τὸ πέριξ, τοῖς δὲ σκληρὸν περὶ τὸ σαρκῶδες
 περιέθηκεν ἡ φύσις, ὅπως σώζεται διὰ τὴν δυσκινη-
 σίαν· καὶ διὰ τοῦτο τὸ περίττωμα τοῖς τε μαλακίοις
 10 ἐξέρχεται περὶ τὸ στόμα καὶ τοῖς στρομβώδεσι,
 πλὴν τοῖς μὲν μαλακίοις κάτωθεν, τοῖς δὲ στρομ-
 βώδεσιν ἐκ τοῦ πλαγίου.

Διὰ ταύτην μὲν οὖν τὴν αἰτίαν τοῖς μαλακίοις οἱ
 πόδες τοῦτον ἔχουσι τὸν τρόπον, καὶ ὑπεναντίως
 ἢ τοῖς ἄλλοις. ἔχουσι δ' ἀνομοίως αἱ σηπῖαι καὶ
 15 αἱ τευθίδες τοῖς πολύποσι διὰ τὸ νευστικαὶ μόνον
 εἶναι, τοὺς δὲ καὶ πορευτικούς. αἱ μὲν γὰρ τοὺς
 ἄνωθεν τῶν ὀδόντων <ἔξ μικροῦς>² ἔχουσι, καὶ
 τούτων τοὺς ἐσχάτους δύο μείζους, τοὺς δὲ λοιποὺς
 τῶν ὀκτῶ δύο κάτωθεν μεγίστους πάντων³ ὥσπερ
 γὰρ τοῖς τετράποσι τὰ ὀπίσθια ἰσχυρότερα κῶλα,
 καὶ ταύταις μέγιστοι οἱ κάτωθεν <πόδες>⁴. τὸ γὰρ
 20 φορτίον οὗτοι ἔχουσι καὶ κινουσί μάλιστα. καὶ οἱ
 ἔσχατοι δύο μείζους τῶν μέσων, ὅτι τούτοις συν-

¹ correxi, vulg. habet τὴν εὐθείαν ἐφ' ἧς <τὸ ὅλον φησὶ addit Z> τὸ E κάμψας προσαγάγοι τὸ Δ πρὸς τὸ A

² <ἔξ μικροῦς> Schneideri verss. lat. secutus.

³ πάντων Ogle: τούτων vulg.

⁴ <πόδες> Rackham.

arrangement as one another, but it differs completely from that of the Crustacea, as the tail-end of these creatures is bent right over to meet the front, just as if I were to bend the straight line where it is marked AB over until it met the point D. Such,

A B C D

then, is the disposition of their internal parts. Round them, in Cephalopods, is situated the sac (in the Octopuses and in them only it is called the head) : in the Testacea the corresponding thing is the conical shell. The only difference is that in the one case the surrounding substance is soft, and in the other Nature has surrounded the flesh with something hard, to give them the preservation they need owing to their bad locomotion. As a result of the above-mentioned arrangement, in both sets the residue leaves at a point near the mouth : in the Cephalopods under the mouth, in the conical Testacea at the side of it.

So what we have said explains why the feet of Cephalopods are where they are, quite differently placed from all other animals' feet. Sepias and Calamaries, however, being swimmers merely, differ from the Octopuses, which are walkers as well ; they have six small feet above the teeth, and of these the ones at each end are larger ; the remaining two out of the total eight are down below and largest of all. These creatures have their strongest feet down below, just as quadrupeds have their strongest limbs at the back ; and the reason is that they carry the weight of the body and they chiefly are responsible for locomotion. The two outer feet are larger than the inner ones because they have to help the others

685 a

υπηρετοῦσιν. ὁ δὲ πολύπους τοὺς ἐν μέσῳ τέτταρας
μεγίστους.

Πόδας μὲν οὖν πάντα ἔχουσι ταῦτα ὀκτώ, ἀλλ'
αἱ μὲν σηπίαί καὶ αἱ τευθίδες βραχεῖς, τὰ δὲ
πολυποδώδη μεγάλους. τὸ γὰρ κύτος τοῦ σώματος
25 αἱ μὲν μέγα ἔχουσιν τὰ¹ δὲ μικρόν, ὥστε τοῖς μὲν
ἀφείλεν ἀπὸ τοῦ σώματος, πρὸς δὲ τὸ μῆκος τῶν
ποδῶν προσέθηκεν ἡ φύσις, ταῖς δ' ἀπὸ τῶν
ποδῶν λαβοῦσα τὸ σῶμα ἡῤῥησεν. διόπερ τοῖς
μὲν οὐ μόνον πρὸς τὸ νεῖν χρήσιμοι οἱ πόδες ἀλλὰ
καὶ πρὸς τὸ βαδίζειν, ταῖς δ' ἀχρηστοί· μικροὶ γάρ,
30 τὸ δὲ κύτος μέγα ἔχουσιν. ἐπεὶ δὲ βραχεῖς ἔχουσι
τοὺς πόδας καὶ ἀχρήστους πρὸς τὸ ἀντιλαμβάνεσθαι
καὶ μὴ ἀποσπᾶσθαι² ἀπὸ τῶν πετρῶν, ὅταν κλύδων
ῇ καὶ χειμῶν, καὶ πρὸς τὸ τὰ ἄποθεν προσάγεσθαι,
διὰ ταῦτα προβοσκίδας ἔχουσι δύο μακράς, αἷς
85 ὀρμουσί τε καὶ ἀποσαλεύουσιν ὥσπερ πλοῖον ὅταν
685 b χειμῶν ῇ, καὶ τὰ ἄποθεν θηρεύουσι καὶ προσάγονται
ταύταις αἷ τε σηπίαί καὶ αἱ τευθίδες. οἱ δὲ πολύ-
ποδες οὐκ ἔχουσι τὰς προβοσκίδας διὰ τὸ τοὺς
πόδας αὐτοῖς εἶναι πρὸς ταῦτα χρησίμους. ἐνίοις³
δὲ κοτυληδόνες πρὸς τοῖς ποσὶ καὶ πλεκτάναι
5 πρόσεισι, δύναμιν ἔχουσαι⁴ καὶ σύνθεσιν τοιαύτην
οἷανπερ τὰ πλεγμάτια οἷς οἱ ἰατροὶ οἱ ἀρχαῖοι τοὺς
δακτύλους ἐνέβαλλον· οὕτω καὶ ἐκ τῶν ἰνῶν

¹ τὰ Peck οἱ vulg

² ἀποσπᾶσθαι Bekkai : ἀντισπᾶσθαι codd.

³ ἐνίοις Peck. ὅσοις vulg.

⁴ ἔχουσαι P : ἔχουσι vulg.

^a The use of these tubes (σαῦραι) is described by Hippocrates, *Περὶ ἄρθρων* (Littré iv. 318-320; L C.L. iii. 390): "The 'lizards' woven out of palm-tissue are satisfactory means of

in performing their duty. In the Octopuses, however, the four middle feet are the biggest.

And although all these creatures have eight feet, the Sepia's and the Calamary's are short ones, since their bodies are large in the trunk, and the Octopus's feet are long, because his body is small. Thus in one case the substance which she took from the body Nature has given towards lengthening the feet, and in the other she has taken away from the feet and made the body itself bigger. Hence it results that the Octopuses have feet which will serve them for walking as well as for swimming, whereas the other creatures' feet will not do so, being small, while the body itself is big. And inasmuch as these creatures' feet are short, and useless for holding on tightly to the rock in a storm when there is a strong sea running, or for bringing to the mouth objects that are at a distance, by way of compensation they have two long probosces, with which during a storm they moor themselves up and ride at anchor like a ship; therewith also they hunt distant prey and bring it to their mouths. These things the Sepias and Calamaries do. The Octopuses have no probosces because their feet serve these purposes. Some creatures have suckers and twining tentacles as well as feet: these have the same character and function as well as the same structure as those plaited tubes which the early physicians used for reducing dislocated fingers.^a They are similarly made out of plaited fibres, and their

reduction, if you make extension of the finger both ways, grasping the 'lizard' at one end and the wrist at the other" (*tr.* Withington). The *σαύρα* was thus a tube open at both ends. A similar passage in Diocles *ap.* Apollonius of Kitium, no doubt taken from Hippocrates, refers to "the 'lizards' which children plait" (L.C.L. iii. 453).

[685 b

πεπλεγμένοι εἰσίν· καὶ¹ ἔλκουσι τὰ σαρκία καὶ τὰ ἐνδιδόντα· περιλαμβάνει μὲν γὰρ χαλαρὰ ὄντα· ὅταν δὲ συντείνῃ, πιέζει καὶ ἔχεται τοῦ ἐντὸς θιγγάνοντος παντός.

- 10 Ὡστ' ἐπεὶ ἄλλο οὐκ ἔστιν ᾧ προσάξονται, ἀλλ' ἢ τὰ μὲν τοῖς ποσὶ τὰ δὲ ταῖς προβοσκίσι, ταύτας ἔχουσι πρὸς ἀλκὴν καὶ τὴν ἄλλην βοήθειαν² ἀντὶ χειρῶν.

Τὰ μὲν οὖν ἄλλα δικότυλά ἐστι, γένος δέ τι πολυπόδων μονοκότυλον· αἵτιον δὲ τὸ μῆκος καὶ ἡ λεπτότης τῆς φύσεως αὐτῶν· μονοκότυλον γὰρ ἀναγ-
15 καῖον εἶναι τὸ στενόν· οὐκ οὖν ὡς βέλτιστον ἔχουσιν, ἀλλ' ὡς ἀναγκαῖον διὰ τὸν ἴδιον λόγον τῆς οὐσίας.

Πτερύγιον δ' ἔχουσι ταῦτα πάντα κύκλῳ περὶ τὸ κύτος· τοῦτο δ' ἐπὶ μὲν τῶν ἄλλων συναπτόμενον καὶ συνεχές ἐστι, καὶ ἐπὶ τῶν μεγάλων τευθῶν· αἱ δ' ἐλάττους καὶ καλούμεναι τευθίδες πλατύτερόν
20 τε τοῦτο ἔχουσι καὶ οὐ στενόν, ὥσπερ αἱ σηπίαί καὶ οἱ πολύποδες, καὶ τοῦτ' ἀπὸ μέσου ἡργμένον, καὶ οὐ κύκλῳ διὰ παντός· τοῦτο δ' ἔχουσιν ὅπως νέωσι καὶ πρὸς τὸ διορθοῦν, ὥσπερ τοῖς μὲν πτηνοῖς τὸ ὀρροπύγιον, τοῖς δ' ἰχθύσι τὸ οὐραῖον· ἐλάχιστον δὲ τοῦτο καὶ ἥκιστα ἐπίδηλον τοῖς
125 πολυπόσιν ἐστι διὰ τὸ μικρὸν ἔχειν τὸ κύτος καὶ διορθοῦσθαι τοῖς ποσὶν ἱκανῶς.

Περὶ μὲν οὖν τῶν ἐντόμων καὶ μαλακοστράκων καὶ ὀστρακοδέρμων καὶ μαλακίων εἴρηται, καὶ περὶ τῶν ἐντὸς μορίων καὶ τῶν ἐκτός.

- 30 X. Πάλιν δ' ἐξ ὑπαρχῆς περὶ τῶν ἐναίμων καὶ

¹ καὶ Ogle: αἷς vulg

² ἄλλην χρείαν καὶ βοήθειαν Y, Ogle.

PARTS OF ANIMALS, IV. IX.-X.

action is to draw flesh and yielding substances, as follows. First they encircle the object while they are still relaxed ; then they contract, and by so doing compress and hold fast the whole of whatever is in contact with their inner surface.

So, as these creatures have nothing else with which to convey objects to the mouth except the feet (in some species) and the probosces (in others), they possess these organs in lieu of hands to serve them in self-defence and for the rest of their requirements

All these creatures have two rows of suckers, except a certain kind of Octopus, and these have only one, because owing to their length and slinness they are so narrow that they cannot possibly have another. Thus they have the one row only, not because this arrangement is the *best*, but because it is *necessitated* by the particular and specific character of their being.

All these animals have a fin which forms a circle round the sac. In most of them it is a closed and continuous circle, as it is in the large Calamaries (*teuthi*), while in the smaller ones called *teuthides* it is quite wide (not narrow as in the Sepias and Octopuses), and furthermore it begins at the middle and does not go round the whole way. They have this fin to enable them to swim and to steer their course, and it answers to a bird's tail-feathers and a fish's tail-fin. In the Octopuses this fin is extremely small and insignificant because their body is small and can be steered well enough by means of the feet.

This brings to an end our description of the internal and external parts of the Insects, the Crustacea, the Testacea, and the Cephalopods

X. Now we must go back and begin again with

685 b

ζωοτόκων ἐπισκεπτόν, ἀρξαμένοις ἀπὸ τῶν ὑπο-
λοίπων καὶ πρότερον εἰρημένων μορίων· τούτων δὲ
διορισθέντων περὶ τῶν ἐναίμων καὶ ὠοτόκων τὸν
αὐτὸν τρόπον ἐροῦμεν.

Τὰ μὲν οὖν μόρια τὰ περὶ τὴν κεφαλὴν τῶν ζώων
35 εἴρηται πρότερον, καὶ τὰ περὶ τὸν καλούμενον
αὐχένα καὶ τράχηλον. ἔχει δὲ κεφαλὴν πάντα τὰ
686 a ἐναίμα ζῶα· τῶν δ' ἀναίμων ἐνίοις ἀδιόριστον
τοῦτο τὸ μόριον, οἷον τοῖς καρκίνοις. αὐχένα οὖν
τὰ μὲν ζωοτόκα πάντ' ἔχει, τῶν δ' ὠοτόκων τὰ
μὲν ἔχει τὰ δ' οὐκ ἔχει· ὅσα μὲν γὰρ πνεύμονα
5 ἔχει, καὶ αὐχένα ἔχει, τὰ δὲ μὴ ἀναπνέοντα θύραθεν
οὐκ ἔχει τοῦτο τὸ μόριον.

Ἔστι δ' ἡ μὲν κεφαλὴ μάλιστα τοῦ ἐγκεφάλου
χάριν· ἀνάγκη γὰρ τοῦτο τὸ μόριον ἔχειν τοῖς ἐν-
αίμοις, καὶ ἐν ἀντικειμένῳ τόπῳ τῆς καρδίας,
διὰ τὰς εἰρημένας πρότερον αἰτίας. ἐξέθετο δ' ἡ
10 φύσις ἐν αὐτῇ καὶ τῶν αἰσθήσεων ἐνίας διὰ τὸ
σύμμετρον εἶναι τὴν τοῦ αἵματος κρᾶσιν καὶ ἐπι-
τηδεῖαν πρὸς τε τὴν τοῦ ἐγκεφάλου ἀλέαν καὶ
πρὸς τὴν τῶν αἰσθήσεων ἡσυχίαν καὶ ἀκρίβειαν.
ἔτι δὲ τρίτον μόριον ὑπέθηκε τὸ τὴν τῆς τροφῆς
εἵσοδον δημιουργοῦν· ἐνταῦθα γὰρ ὑπέκειτο συμ-
μέτρως μάλιστα· οὔτε γὰρ ἄνωθεν κεῖσθαι τῆς
15 καρδίας καὶ τῆς ἀρχῆς ἐνεδέχετο τὴν κοιλίαν, οὔτε
κάτωθεν οὔσης ὃν τρόπον ἔχει νῦν ἐνεδέχετο τὴν
εἵσοδον ἔτι κάτω εἶναι τῆς καρδίας· πολὺ γὰρ ἂν¹
τὸ μῆκος ἦν τοῦ σώματος, καὶ πόρρω λίαν τῆς
κινούσης ἀρχῆς καὶ πεττούσης ἢ μὲν οὖν κεφαλῇ
τούτων χάριν ἐστίν, ὃ δ' αὐχὴν τῆς ἀρτηρίας χάριν·

¹ ἂν P, om. vulg.

the blooded viviparous animals. Some of the parts which we have already enumerated still remain to be described, and we will take these first. This done, we will describe similarly the blooded Ovipara.

We have already ^a spoken of the parts around the head, and what is called the neck, and the throat. All blooded animals have a head, but in some of the bloodless ones the head is indistinct (*e g.* in crabs). All Vivipara have a neck, but not all Ovipara : to be precise, only those which breathe in air from without and have a lung.

EXTERNAL
PARTS OF
BLOODED
ANIMALS
(a) Vivipara

The presence of the head is mainly for the sake of the brain. Blooded creatures must have a brain, which (for reasons aforeshown) ^b must be set in some place opposite to the heart. But in addition, Nature has put some of the senses in the head, apart from the rest, because the blend of its blood is so well fitted and so suitable for securing not only warmth for the brain but also quiet and accuracy for the senses. There is yet a third part which Nature has disposed of in the head, viz. the part which manages the intake of food ; it was put here because this was the place where it fitted in best. It would have been impossible to put the stomach above the source and sovereign part, the heart : and it would have been impossible to make the entrance for the food below the heart, even with the stomach below the heart as it actually is, because then the length of the body would be very great, and the stomach would be too far away from the source which provides motion and concoction. These then are the three parts for whose sake the head exists. The neck exists for the sake of the

Head and
neck

^a At 655 b 27—665 a 25.

^b At 652 b 17 ff.

686 a

20 πρόβλημα γάρ ἐστι, καὶ σώζει ταύτην καὶ τὸν οἰσο-
φάγον κύκλω περιέχων. τοῖς μὲν οὖν ἄλλοις ἐστὶ
καμπτὸς καὶ σφονδύλους ἔχων, οἱ δὲ λύκοι καὶ
λέοντες μονόστον τὸν αὐχένα ἔχουσιν. ἔβλεψε
γὰρ ἡ φύσις ὅπως πρὸς τὴν ἰσχὺν χρήσιμον αὐτὸν
ἔχωσι μᾶλλον ἢ πρὸς τὰς ἄλλας βοηθείας.

Ἐχόμενα δὲ τοῦ αὐχένος καὶ τῆς κεφαλῆς τά τε
25 πρόσθια κῶλα τοῖς ζώοις ἐστὶ καὶ θώραξ. ὁ μὲν
οὖν ἄνθρωπος ἀντὶ σκελῶν καὶ ποδῶν τῶν προσθίων
βραχιόνας καὶ τὰς καλουμένας ἔχει χεῖρας. ὀρθὸν
μὲν γάρ ἐστι μόνον τῶν ζώων διὰ τὸ τὴν φύσιν
αὐτοῦ καὶ τὴν οὐσίαν εἶναι θείαν· ἔργον δὲ τοῦ
θειοτάτου τὸ νοεῖν καὶ φρονεῖν· τοῦτο δ' οὐ ῥάδιον

30 πολλοῦ τοῦ ἄνωθεν ἐπικειμένου σώματος τὸ γὰρ
βάρος δυσκίνητον ποιεῖ τὴν διάνοιαν καὶ τὴν
κοινὴν αἴσθησιν. διὸ πλείονος γινομένου τοῦ
βάρους καὶ τοῦ σωματώδους ἀνάγκη ῥέπειν τὰ
σώματα πρὸς τὴν γῆν, ὥστε πρὸς τὴν ἀσφάλειαν
ἀντὶ βραχιόνων καὶ χειρῶν τοὺς προσθίους πόδας

35 ὑπέθηκεν ἡ φύσις τοῖς τετράποσιν. τοὺς μὲν
686 b γὰρ ὀπισθίους δύο πᾶσιν ἀναγκαῖον τοῖς πορευ-
τικοῖς ἔχειν, τὰ δὲ τοιαῦτα τετράποδα ἐγένετο οὐ
δυναμένης φέρειν τὸ βάρος τῆς ψυχῆς. πάντα γάρ
ἐστὶ τὰ ζῶα νανῶδη τὰλλα παρὰ τὸν ἄνθρωπον·
νανῶδες γὰρ ἐστὶν οὐ τὸ μὲν ἄνω μέγα, τὸ δὲ
5 φέρον τὸ βάρος καὶ πεζεῦον μικρόν· ἄνω δ' ἐστὶν
ὁ καλούμενος θώραξ, ἀπὸ τῆς κεφαλῆς μέχρι τῆς

^a For the "general" or "common" sense see *De mem.* 450 a 10, etc.; and cf. *De part. an.* 656 a 28, 665 a 12. The "general" sense is not another sense over and above the ordinary five, but rather the common nature inherent in 366

windpipe : it acts as a shield and keeps the windpipe and the oesophagus safe by completely encircling them. The neck is flexible and has a number of vertebrae in all animals except the wolf and the lion whose neck consists of one bone only. Nature's object was to provide them with a neck that should be useful for its strength rather than for other purposes.

The anterior limbs and the trunk are continuous with the head and neck. Man, instead of forelegs and forefeet, has arms and hands. Man is the only animal that stands upright, and this is because his nature and essence is divine. Now the business of that which is most divine is to think and to be intelligent ; and this would not be easy if there were a great deal of the body at the top weighing it down, for weight hampers the motion of the intellect and of the general sense.^a Thus, when the bodily part of the weight of it become excessive, the body itself must lurch forward towards the ground ; and then, for safety's sake, Nature provided forefeet instead of arms and hands—as has happened in quadrupeds. All animals which walk must have two hind feet, and those I have just mentioned became quadrupeds because their soul could not sustain the weight bearing it down. Compared with man, all the other animals are dwarf-like. By "dwarf-like" I mean to denote that which is big at the top (*i.e.* big in the "trunk," or the portion from the head to the residual vent), and small where the weight is supported and where

Limbs, and
their
relative
sizes

them all ; thus Aristotle (*De somno*) argues that their simultaneous inactivity during sleep is not a mere coincidence but is due to the inactivity of the central perceptive faculty of which they are differentiations. Among the functions of the "general" sense are : discrimination between the objects of two senses, and the perceiving that we perceive.

ἐξόδον τοῦ περιττώματος. τοῖς μὲν οὖν ἀνθρώποις
 τοῦτο πρὸς τὸ κάτω σύμμετρον, καὶ πολλῶ
 ἔλαττόν ἐστι τελειουμένοις· νέοις δ' οὔσι τοῦ-
 ναντίον τὰ μὲν ἄνω μεγάλα, τὸ δὲ κάτω μικρόν·
 10 διὸ καὶ ἔρπουσι, βαδίζειν δ' οὐ δύνανται, τὸ δὲ
 πρῶτον οὐδ' ἔρπουσιν, ἀλλ' ἀκινήτιζουσιν· νάνοι
 γάρ εἰσι τὰ παιδία πάντα. προιοῦσι δὲ τοῖς μὲν
 ἀνθρώποις αὖξεται τὰ κάτωθεν· τοῖς δὲ τετράποσι
 τοῦναντίον τὰ κάτω μέγιστα τὸ πρῶτον, προϊόντα
 δ' αὖξεται ἐπὶ τὸ ἄνω, τοῦτο δ' ἐστὶ τὸ ἀπὸ τῆς
 ἑδρας ἐπὶ τὴν κεφαλὴν κύτος· διὸ καὶ τῷ ὕψει οἱ
 15 πῶλοι τῶν ἵππων οὐδὲν ἢ μικρόν ἐλάττους εἰσὶ,
 καὶ νέοι μὲν ὄντες θιγγάνουσι τῷ ὀπισθεν σκέλει
 τῆς κεφαλῆς, πρεσβύτεροι δ' ὄντες οὐ δύνανται.
 τὰ μὲν οὖν μώνυχα καὶ δίχηλα τοῦτον ἔχει τὸν
 τρόπον, τὰ δὲ πολυδάκτυλα καὶ ἀκέρατα νανώδη
 μὲν ἐστίν, ἥττον δὲ τούτων· διὸ καὶ τὴν αὖξιν
 20 πρὸς τὰ ἄνω τὰ κάτω κατὰ λόγον ποιεῖται τῆς
 ἐλλείψεως.

Ἔστι δὲ καὶ τὸ τῶν ὀρνίθων καὶ τὸ τῶν ἰχθύων
 γένος καὶ πᾶν τὸ ἔναιμον, ὥσπερ εἴρηται, νανώδες.
 διὸ καὶ ἀφρονέστερα πάντα τὰ ζῶα τῶν ἀνθρώπων
 ἐστίν. καὶ γὰρ τῶν ἀνθρώπων, οἷον τὰ τε παιδία
 πρὸς τοὺς ἄνδρας καὶ αὐτῶν τῶν ἐν ἡλικίᾳ οἱ
 25 νανώδεις τὴν φύσιν, ἐὰν καὶ τιν' ἄλλην δύναμιν
 ἔχωσι περιττήν, ἀλλὰ τῷ τὸν νοῦν ἔχειν ἐλ-
 λείπουσιν. αἴτιον δ', ὥσπερ εἴρηται πρότερον, ὅτι
 ἡ τῆς ψυχῆς ἀρχὴ πολλοῖς δὴ¹ δυσκίνητός ἐστι
 καὶ σωματώδης. ἔτι δ' ἐλάττονος γινομένης τῆς

¹ πολλοῖς δὴ Peck: πολλῶ δὴ vulg.: add. καὶ Y, Platt, qui
 et insuper addit (βαρεῖ σώματι καταφερομένη).

locomotion is effected. In man, the size of the trunk is proportionate to the lower portions, and as a man grows up it becomes much smaller in proportion. In infancy the reverse is found : the upper portion is large and the lower is small, and that is why infants cannot walk but crawl about, and at the very beginning cannot even crawl, but remain where they are. In other words, all children are dwarfs. Now, in man, as time proceeds, the lower portion grows : Not so with the quadruped animals : their lower portion is biggest at the beginning, and as time proceeds the top portion grows (*i.e.* the trunk, the portion between the head and the seat). Thus foals are quite or almost as high as horses, and at that age a foal can touch its head with its hind leg, but not when it is older ^a. What has been said holds good of the animals that have solid hoofs or cloven. The polydactylous, hornless animals are indeed dwarf-like too, but not so markedly, and so the growth of their lower portions compared with the upper is proportionate to the smaller deficiency.

The whole groups of birds and fishes are dwarf-like ; indeed, so is every creature with blood in it, as I have said. This is why all animals are less intelligent than man. Even among human beings, children, when compared with adults, and dwarf adults when compared with others, may have some characteristics in which they are superior, but in intelligence, at any rate, they are inferior. And the reason, as afore-said, is that in very many of them the principle of the soul is sluggish and corporeal. And if the heat which

^a These observations are entirely correct. Cf. Ogle's quotation *ad loc.* from T. H. Huxley. See also *Hist. an.* 500 b 26 ff.

686 b

αἰρούσης θερμότητος καὶ τοῦ γεώδους πλείονος, τὰ
 30 τε σώματα ἐλάττονα τῶν ζώων ἐστὶ καὶ πολύποδα,
 τέλος δ' ἄποδα γίνεται καὶ τεταμένα πρὸς τὴν γῆν.
 μικρὸν δ' οὕτω προβαίνοντα καὶ τὴν ἀρχὴν ἔχουσι
 κάτω, καὶ τὸ κατὰ τὴν κεφαλὴν μόριον τέλος
 ἀκίνητόν ἐστι καὶ ἀναίσθητον, καὶ γίνεται φυτόν,
 35 ἔχον τὰ μὲν ἄνω κάτω, τὰ δὲ κάτω ἄνω· αἱ γὰρ
 ρίζαι τοῖς φυτοῖς στόματος καὶ κεφαλῆς ἔχουσι
 687 a δύναμιν, τὸ δὲ σπέρμα τοῦναντίον· ἄνω γὰρ καὶ
 ἐπ' ἄκροις γίνεται τοῖς πτόρθοις.

Δι' ἣν μὲν οὖν αἰτίαν τὰ μὲν δίποδα τὰ δὲ πολύ-
 ποδα τὰ δ' ἄποδα τῶν ζώων ἐστὶ, καὶ διὰ τίν'
 αἰτίαν τὰ μὲν φυτὰ τὰ δὲ ζῶα γέγονεν, εἴρηται,
 5 καὶ διότι μόνον ὀρθόν ἐστι τῶν ζώων ὁ ἄνθρωπος·
 ὀρθῶ δ' ὄντι τὴν φύσιν οὐδεμία χρεία σκελῶν τῶν
 ἐμπροσθίων, ἀλλ' ἀντὶ τούτων βραχίονας καὶ χεῖρας
 ἀποδέδωκεν ἢ φύσις. Ἀναξαγόρας μὲν οὖν φησι
 διὰ τὸ χεῖρας ἔχειν φρονιμώτατον εἶναι τῶν ζώων
 ἄνθρωπον· εὐλογον δὲ διὰ τὸ φρονιμώτατον εἶναι
 10 χεῖρας λαμβάνειν. αἱ μὲν γὰρ χεῖρες ὄργανόν
 εἰσιν, ἡ δὲ φύσις ἀεὶ διανέμει, καθάπερ ἄνθρωπος
 φρόνιμος, ἕκαστον τῷ δυναμένῳ χρῆσθαι (προσ-
 ἕκει γὰρ τῷ ὄντι αὐλητῇ δοῦναι μᾶλλον αὐλοῦς
 ἢ τῷ αὐλοῦς ἔχοντι προσθεῖναι αὐλητικὴν)· τῷ γὰρ
 μείζονι καὶ κυριωτέρῳ προσέθηκε τοῦλαττον, ἀλλ'
 15 οὐ τῷ ἐλάττονι τὸ τιμιώτερον καὶ μείζον. εἰ οὖν
 οὕτως βέλτιον, ἡ δὲ φύσις ἐκ τῶν ἐνδεχομένων

^a With the terminology used in ll. 28-29 cf. Hippocrates, *Περὶ διαίτης*, I. 35.

^b That is, it answers to residue in animals.

raises the organism up wanes still further while the earthy matter waxes,^a then the animals' bodies wane, and they will be many-footed ; and finally they lose their feet altogether and lie full length on the ground. Proceeding a little further in this way, they actually have their principal part down below, and finally the part which answers to a head comes to have neither motion nor sensation ; at this stage the creature becomes a plant, and has its upper parts below and its nether parts aloft ; for in plants the roots have the character and value of mouth and head, whereas the seed counts as the opposite,^b and is produced in the upper part of the plant on the ends of the twigs.

We have now stated why it is that some animals have two feet, some many, some none at all ; why some creatures are plants and some animals ; and why man is the only one of the animals that stands upright. And since man stands upright, he has no need of legs in front ; instead of them Nature has given him arms and hands. Anaxagoras indeed asserts that it is his possession of hands that makes man the most intelligent of the animals ; but surely the reasonable point of view is that it is because he is the most intelligent animal that he has got hands. Hands are an instrument ; and Nature, like a sensible human being, always assigns an organ to the animal that can use it (as it is more in keeping to give flutes to a man who is already a flute-player than to provide a man who possesses flutes with the skill to play them) ; thus Nature has provided that which is less as an addition to that which is greater and superior ; not *vice versa*. We may conclude, then, that, if this is the *better* way, and if Nature always does the *best* she can in the circumstances, it is not true

687 a

ποιεῖ τὸ βέλτιστον, οὐ διὰ τὰς χεῖράς ἐστιν ὁ ἄνθρωπος φρονιμώτατος, ἀλλὰ διὰ τὸ φρονιμώτατον εἶναι τῶν ζώων ἔχει χεῖρας. ὁ γὰρ φρονιμώτατος πλείστοις ἂν ὀργάνοις ἐχρήσατο καλῶς, 20 ἢ δὲ χεὶρ ἔοικεν εἶναι οὐχ ἓν ὄργανον ἀλλὰ πολλά· ἔστι γὰρ ὡς περὶ ὄργανον πρὸ ὀργάνων. τῷ οὖν πλείστας δυναμένῳ δέξασθαι τέχνας τὸ ἐπὶ πλείστον τῶν ὀργάνων χρήσιμον τὴν χεῖρα ἀποδέδωκεν ἡ φύσις.

Ἄλλ' οἱ λέγοντες ὡς συνέστηκεν οὐ καλῶς ὁ ἄνθρωπος ἀλλὰ χεῖριστα τῶν ζώων (ἀνυπόδητόν 25 τε γὰρ αὐτὸν εἶναί φασι καὶ γυμνὸν καὶ οὐκ ἔχοντα ὄπλον πρὸς τὴν ἀλκὴν) οὐκ ὀρθῶς λέγουσιν. τὰ μὲν γὰρ ἄλλα μίαν ἔχει βοήθειαν, καὶ μεταβάλλεσθαι ἀντὶ ταύτης ἑτέραν οὐκ ἔστιν, ἀλλ' ἀναγκαῖον ὡς περ ὑποδεδεμένον αἰεὶ καθεύδειν καὶ πάντα πράττειν, καὶ τὴν περὶ τὸ σῶμα ἀλεώραν μηδέποτε καταθέσθαι, μηδὲ μεταβάλλεσθαι ὃ δὴ 30 ἐτύγχανεν ὄπλον ἔχον¹. τῷ δὲ ἀνθρώπῳ τὰς τε 687 b βοηθείας πολλὰς ἔχειν καὶ ταύτας αἰεὶ ἔξεστι μεταβάλλειν, ἔτι δ' ὄπλον οἶον ἂν βούληται καὶ ὅπου ἂν² βούληται ἔχειν. ἡ γὰρ χεὶρ καὶ ὄνυξ καὶ χηλὴ καὶ κέρασ γίνεται καὶ δόρυ καὶ ξίφος καὶ ἄλλο ὅποιον οὖν ὄπλον καὶ ὄργανον· πάντα γὰρ 5 ἔσται ταῦτα διὰ τὸ πάντα δύνασθαι λαμβάνειν καὶ ἔχειν αὐτήν· εὐ³ δὲ συμμεμηχάνηται⁴ καὶ τὸ εἶδος⁵ τῇ φύσει τῆς χειρός, διαιρετὴ γὰρ καὶ πολυσχιδής·

¹ ἔχον corr. U · ἔχων vulg

² ὅπου ἂν] ὁπόταν Ogle.

³ ἔχειν αὐτήν· εὐ P: ἔχειν· ταύτη vulg.

⁴ συμμεμηχάνηται Ogle: συμμεμηχανῆσθαι vulg.

⁵ εἶδος καὶ vulg.: εἶδος PSUY.

to say that man is the most intelligent animal because he possesses hands, but he has hands because he is the most intelligent animal. We should expect the most intelligent to be able to employ the greatest number of organs or instruments to good purpose ; now the hand would appear to be not one single instrument but many, as it were an instrument that represents many instruments. Thus it is to that animal (*viz.* man) which has the capability for acquiring the greatest number of crafts that Nature has given that instrument (*viz.* the hand) whose range of uses is the most extensive.

Now it must be wrong to say, as some do, that the structure of man is not good, in fact, that it is worse than that of any other animal. Their grounds are : that man is barefoot, unclothed, and void of any weapon of defence. Against this we may say that all the other animals have just one method of defence and cannot change it for another : they are forced to sleep and perform all their actions with their shoes on the whole time, as one might say ; they can never take off this defensive equipment of theirs, nor can they change their weapon, whatever it may be. For man, on the other hand, many means of defence are available, and he can change them at any time, and above all he can choose what weapon he will have and where. Take the hand : this is as good as a talon, or a claw, or a horn, or again, a spear or a sword, or any other weapon or tool : it can be all of these, because it can seize and hold them all. And Nature has admirably contrived the actual shape of the hand so as to fit in with this arrangement. It is not all of one piece, but it branches into several pieces ; which gives the possi-

687 b

ἓν γὰρ ἐν τῷ διαιρετῇ εἶναι καὶ συνθετῇ εἶναι,
 ἐν τούτῳ δ' ἐκεῖνο οὐκ ἔστιν. καὶ χρῆσθαι ἐν¹
 10 καὶ δυοῖν καὶ πολλαχῶς ἔστιν. καὶ αἱ καμπαὶ τῶν
 δακτύλων καλῶς ἔχουσι πρὸς τὰς λήψεις καὶ
 πιέσεις. καὶ ἐκ πλαγίου εἰς, καὶ οὗτος βραχὺς
 καὶ παχὺς ἀλλ' οὐ μακρός· ὥσπερ γὰρ εἰ μὴ ἦν
 χεὶρ ὁλ. ^{καὶ ἴσται} οὐκ ἂν ἦν λήψις, οὕτω καὶ εἰ μὴ ἐκ
 πλαγίου οὐ ^{ἴσται} ἦν. οὗτος γὰρ κάτωθεν ἄνω πιέζει
 15 ὅπερ οἱ ἕτεροι ἀνωθεν κάτω. δεῖ δὲ τοῦτο συμβαί-
 νειν, εἰ μέλλει ἰσχυρῶς ὥσπερ σῖναμμα ἰσχυρὸν
 συνδεῖν, ἵνα ἰσάζῃ εἰς ὧν πολλοῖς. καὶ βραχὺς
 διὰ τε τὴν ἰσχύνα καὶ διότι οὐδὲν ὄφελος εἰ μακρός.
 (καὶ ὁ ἔσχατος δὲ μικρὸς ὀρθῶς, καὶ ὁ μέσος
 μακρός, ὥσπερ κώπη μεσόνεως². μάλιστα γὰρ τὸ
 20 λαμβανόμενον ἀνάγκη περιλαμβάνεσθαι κύκλῳ
 κατὰ τὸ μέσον πρὸς τὰς ἐργασίας.) καὶ διὰ τοῦτο
 καλεῖται μέγας μικρὸς ὧν, ὅτι ἄχρηστοι ὥς
 εἰπεῖν οἱ ἄλλοι ἄνευ τούτου. εἴ δὲ καὶ τὸ τῶν
 ὀνύχων μεμηχάνηται· τὰ μὲν γὰρ ἄλλα ζῶα ἔχει
 καὶ πρὸς χρῆσιν αὐτούς, τοῖς δ' ἀνθρώποις ἐπι-
 25 καλυπτῆρια· σκέπασμα γὰρ τῶν ἀκρωτηρίων εἰσὶν
 Αἱ δὲ καμπαὶ τῶν βραχιόνων ἔχουσι πρὸς τε
 τὴν τῆς τροφῆς προσαγωγὴν καὶ πρὸς τὰς ἄλλας
 χρήσεις ἐναντίως τοῖς τετράποσιν. ἐκείνοις μὲν
 γὰρ ἀναγκαῖον εἶσω κάμπτειν τὰ ἐμπρόσθια κῶλα
 (χρῶνται γὰρ ὥς³ ποσίν) ἢ ἢ χρήσιμα πρὸς τὴν

¹ ἐν] μᾶ Ogle.² μεσόνεως Schneider: μέσον νέως vulg.³ ὥς P, om. vulg.

^a That is, the pieces. Ogle's suggested emendation would be translated "use the hands singly." The two transpositions suggested for this passage by Ogle seem unnecessary.

PARTS OF ANIMALS, IV. x.

bility of its coming together into one solid piece, whereas the reverse order of events would be impossible. Also, it is possible to use them ^a singly, or two at a time, or in various ways. Again, the joints of the fingers are well constructed for taking hold of things and for exerting pressure. One finger is placed sideways : this is short and thick, not long like the others. It would be as impossible to get a hold if this were not placed sideways as if no hand were there at all. It exerts its pressure upwards from below, whereas the others act downwards from above ; and this is essential for a strong tight grip (like that of a strong clamp), so that it may exert a pressure equivalent to that of the other four. It is short, then, first, for strength, but also because it would be no good if it were long. (The end finger also is small—this is as it should be—and the middle one is long like an oar amidships, because any object which is being grasped for active use has to be grasped right around the middle.) And on this account it is called “big” although it is small, because the other fingers are practically useless without it. The nails, too, are a good piece of planning. In man they serve as coverings : a guard, in fact, for the tip of the fingers. In animals they serve for practical use as well.^b

The joints of the arms in man bend in the opposite direction to those of quadrupeds : this is to facilitate the bringing of food to the mouth, and other uses to which they are put. Quadrupeds must be able to bend their fore limbs inwards^c so that they may be serviceable in locomotion, since they use them as

^b That is, as tools.

^c See note on 693 b 3, p. 433.

687 b

30 πορείαν, ἐπεὶ θέλει γε κακείνων τοῖς πολυδακτύλοις
 οὐ μόνον πρὸς τὴν πορείαν χρήσιμ' εἶναι τὰ ἔμ-
 προσθεν σκέλη, ἀλλὰ καὶ ἀντὶ χειρῶν, ὥσπερ καὶ
 φαίνεται χρώμενα· καὶ γὰρ λαμβάνουσι καὶ ἀμύ-
 688 a νονται τοῖς προσθίοις. τὰ δὲ μώνυχα τοῖς ὀπισθίοις·
 οὐ γὰρ ἔχει αὐτοῖς τὰ πρόσθια σκέλη ἀνάλογον τοῖς
 ἀγκῶσι καὶ ταῖς χερσίν. τῶν δὲ πολυδακτύλων
 ἔνια καὶ διὰ τοῦτο καὶ πενταδακτύλους ἔχει τοὺς
 5 προσθίους πόδας, τοὺς δ' ὀπισθεν τετραδακτύλους,
 οἷον λέοντες καὶ λύκοι, ἔτι δὲ κύνες καὶ παρδάλεις·
 ὁ γὰρ πέμπτος ὥσπερ ὁ τῆς χειρὸς γίνεται μέγας
 [πέμπτος].¹ τὰ δὲ μικρὰ τῶν πολυδακτύλων καὶ
 τοὺς ὀπισθίους ἔχει πενταδακτύλους διὰ τὸ
 ἐρπυστικά εἶναι, ὅπως τοῖς ὄνυξι πλείοσιν οὖσιν
 10 ἀντιλαμβανόμενα ῥᾶον ἀνέρπη πρὸς τὸ μετεωρό-
 τερον καὶ ὑπὲρ κεφαλῆς.

Μεταξὺ δὲ τῶν ἀγκῶνων τοῖς ἀνθρώποις, τοῖς
 δ' ἄλλοις τῶν ἐμπροσθίων σκελῶν, τὸ καλούμενον
 στῆθός ἐστι, τοῖς μὲν ἀνθρώποις ἔχον πλάτος εὐ-
 λόγως (οὐ γὰρ κωλύουσιν οἱ ἀγκῶνες ἐκ πλαγίου
 προσκείμενοι τοῦτον εἶναι τὸν τόπον πλατύν), τοῖς
 15 δὲ τετράποσι διὰ τὴν ἐπὶ τὸ πρόσθιον τῶν κώλων
 ἔκτασιν ἐν τῷ πορεύεσθαι καὶ μεταβάλλειν τὸν
 τόπον στενὸν τοῦτ' ἐστὶ τὸ μόριον. καὶ διὰ τοῦτο
 τὰ μὲν τετράποδα τῶν ζώων οὐκ ἔχει μαστοὺς ἐν
 τῷ τόπῳ τούτῳ· τοῖς δ' ἀνθρώποις διὰ τὴν εὐρυ-
 χωρίαν καὶ τὸ σκεπάζεσθαι δεῖν τὰ περὶ τὴν
 20 καρδίαν, διὰ τοῦτο ὑπάρχοντος τοῦ τόπου σαρ-
 κώδους οἱ μαστοὶ διήρθρωνται, σαρκώδεις ὄντες
 τοῖς μὲν ἄρρεσι διὰ τὴν εἰρημένην αἰτίαν, ἐπὶ δὲ

¹ πέμπτος seclusi.

PARTS OF ANIMALS, IV. x.

feet ; though even among quadrupeds the polydactylous ones tend to use the fore limbs not only for locomotion but also instead of hands ; and this can actually be seen happening · they take hold of things and defend themselves with their fore limbs. (Solid-hoofed animals, on the other hand, do this with their hind limbs, as their forelegs have nothing that corresponds to elbows and hands.) This explains why some polydactylous quadrupeds actually have five toes on their forefeet (lions, wolves, dogs and leopards, for instance), although there are only four on their hind feet : the fifth one, like the fifth^a digit on the hand, is a “ big ” one.^b However, the small polydactylous quadrupeds have five toes on their hind feet too, because they are creepers ; and this gives them more nails, and so enables them to get a better hold and creep up more easily to greater heights and above your head.

Between the arms in man (in other animals between the forelegs) is what is known as the breast. In man the breast is broad, and reasonably so, for the arms are placed at the side and so do not in any way prevent this part from being wide. In the quadrupeds, however, it is narrow, because as they walk about and change their position the limbs have to be extended forwards. And on this account, in quadrupeds, the mammae are not on the breast. In man, on the other hand, as the space here is wide, and the parts around the heart need some covering, the breast is fleshy in substance and the mammae are placed on it and are distinct. In the male they are themselves fleshy for the reason just given. In

^a Now generally called the “ first.”

^b And needed when the foot is used as a hand.

688 a

τῶν θηλειῶν παρακέχρηται καὶ πρὸς ἕτερον ἔργον
 ἢ φύσις, ὅπερ φαμέν αὐτὴν πολλάκις ποιεῖν· ἀπο-
 25 τίθεται γὰρ ἐνταῦθα τοῖς γεννωμένοις τροφήν. δύο
 δ' εἰσὶν οἱ μαστοὶ διὰ τὸ δύο τὰ μόρια εἶναι, τό τ'
 ἀριστερόν καὶ τὸ δεξιόν. καὶ σκληρότεροι μὲν,
 διωρισμένοι δὲ διὰ τὸ καὶ τὰς πλευρὰς συνάπτεσθαι
 μὲν ἀλλήλαις¹ κατὰ τὸν τόπον τοῦτον, μὴ ἐπίπονον
 δ' εἶναι τὴν φύσιν αὐτῶν. τοῖς δ' ἄλλοις ζώοις ἐν
 30 μὲν τῷ στήθει μεταξὺ τῶν σκελῶν ἀδύνατόν ἐστιν
 ἔχειν ἢ χαλεπὸν² τοὺς μαστούς (ἐμποδίζοιεν μὲν
 γὰρ ἂν πρὸς τὴν πορείαν), ἔχουσι δ' ἤδη πολλοὺς
 τρόπους.³ τὰ μὲν γὰρ ὀλιγοτόκα καὶ μώνυχα καὶ
 κερατοφόρα ἐν τοῖς μηροῖς ἔχουσι τοὺς μαστούς,
 καὶ τούτους δύο, τὰ δὲ πολυτόκα ἢ πολυσχιδῇ τὰ
 35 μὲν περὶ τὴν γαστέρα πλαγίους καὶ πολλούς, οἷον
 688 b ὧς καὶ κύων, τὰ δὲ δύο μόνους, περὶ μέσσην μέντοι
 γαστέρα, οἷον λέων. τούτου δ' αἴτιον οὐχ ὅτι
 ὀλιγοτόκον, ἐπεὶ τίκτει ποτὲ πλείω δυοῖν, ἀλλ' ὅτι
 οὐ πολυγάλακτον· ἀναλίσκει γὰρ εἰς τὸ σῶμα τὴν
 λαμβανομένην τροφήν, λαμβάνει δὲ σπάνιον διὰ τὸ
 5 σαρκοφάγον εἶναι.

Ὁ δ' ἐλέφας δύο μόνον ἔχει, τούτους δ' ὑπὸ ταῖς
 μασχάλαις τῶν ἐμπροσθίων σκελῶν. αἴτιον δὲ τοῦ
 μὲν δύο ἔχειν ὅτι μονοτόκον ἐστί, τοῦ δὲ μὴ ἐν τοῖς
 μηροῖς ὅτι πολυσχιδὲς (οὐδὲν γὰρ ἔχει πολυσχιδὲς
 ἐν τοῖς μηροῖς), ἄνω δὲ πρὸς ταῖς μασχάλαις,

¹ ἀλλήλας Bekker pei hypothetae errorem.

² ἢ χαλεπὸν P vulg. non habet.

³ fort. τόπους Rackham.

the female, Nature employs them for an additional function (a regular practice of hers, as I maintain), by storing away in them nourishment for the offspring. There are two mammae because the body has two parts, the right and the left. The fact that they are somewhat hard and at the same time two in number is accounted for by the ribs being joined together at this place and by the nature of the mammae not being at all burdensome. In other animals it is either impossible or difficult for the mammae to be situated upon the breast, *i.e.* in between the legs, since they would be a hindrance to walking ; but, excluding that particular position, there are numerous ways in which they are placed. Animals which have small litters, both those that have solid hoofs and those that carry horns, have their mammae by the thighs ; and there are two of them. Animals that have large litters or are polydactylous, either have numerous mammae placed at the sides upon the abdomen—*e.g.* swine and dogs ; or have only two, set in the middle of the abdomen—*e.g.* the lion ^a The reason for this is not that the lion has few cubs at a birth, because sometimes the number exceeds two, but that it is deficient in milk. It uses up all the food it gets upon the upkeep of the body, and as it is a flesh-eater it gets food but rarely.

The elephant has only two mammae (this is because it has its young one at a time), and they are under the axillae of the forelegs and not by the thighs because the elephant is polydactylous and no polydactylous animal has them there. They are high up, near the axillae, because that is the place of the foremost

^a This, like many of Aristotle's statements about the lion, is incorrect.

688 b

- 10 ὅτι πρῶτοι οὗτοι τῶν μαστῶν τοῖς πολλοὺς ἔχουσι
 μαστοὺς, καὶ ἰμῶνται γάλα πλείστον. σημείον
 δὲ τὸ ἐπὶ τῶν ὑῶν συμβαῖνον· τοῖς γὰρ πρῶτοις
 γενομένοις τῶν χοίρων τοὺς πρῶτους παρέχουσι
 μαστοὺς· ὧ οὖν τὸ πρῶτον γινόμενον ἐν μόνον
 ἐστί, τούτῳ τοὺς μαστοὺς ἀναγκαῖον ἔχειν τοὺς
 πρῶτους· πρῶτοι δ' εἰσὶν οἱ ὑπὸ ταῖς μασχάλαις.
- 15 ὁ μὲν οὖν ἐλέφας διὰ ταύτην τὴν αἰτίαν δύο ἔχει
 καὶ ἐν τούτῳ τῷ τόπῳ, τὰ δὲ πολυτόκα περὶ τὴν
 γαστέρα. τούτου δ' αἴτιον ὅτι πλειόνων δεῖ μα-
 στῶν τοῖς πλείω μέλλουσιν ἐκτρέφειν· ἐπεὶ οὖν ἐπὶ
 πλάτος οὐχ οἷόν τε ἀλλ' ἢ δύο μόνους ἔχειν διὰ τὸ
 δύο εἶναι τό τ' ἀριστερόν καὶ τὸ δεξιόν, ἐπὶ μῆκος
- 20 ἀναγκαῖον ἔχειν· ὁ δὲ μεταξὺ τόπος τῶν ἔμπροσθεν
 σκελῶν καὶ τῶν ὀπισθεν ἔχει μῆκος μόνον. τὰ
 δὲ μὴ πολυσχιδῇ ἀλλ' ὀλιγοτόκα ἢ κερατοφόρα ἐν¹
 τοῖς μηροῖς ἔχει τοὺς μαστοὺς, οἷον ἵππος, ὄνος,
 κάμηλος (ταῦτα γὰρ μονοτόκα, καὶ τὰ μὲν μώνυχα,
- 25 τὸ δὲ δίχηλον), ἔτι δ' ἔλαφος καὶ βοῦς καὶ αἰξ καὶ
 τᾶλλα πάντα τὰ τοιαῦτα. αἴτιον δ' ὅτι τούτοις
 ἡ αὔξησις ἐπὶ τὸ ἄνω τοῦ σώματός ἐστιν. ὥσθ'
 ὅπου συλλογὴ καὶ περιουσία γίνεται τοῦ περιτ-
 τώματος καὶ αἵματος (οὗτος δ' ὁ τόπος ἐστὶν ὁ
 κάτω καὶ περὶ τὰς ἐκροάς), ἐνταῦθα ἐποίησεν ἡ
 φύσις τοὺς μαστοὺς· ὅπου γὰρ κίνησις γίνεται τῆς
- 30 τροφῆς, ἐντεῦθεν καὶ λαβεῖν ἐστὶν αὐτοῖς δυνατόν.
 ἄνθρωπος μὲν οὖν καὶ ὁ θῆλυς καὶ ὁ ἄρρην ἔχει
 μαστοὺς, ἐν δὲ τοῖς ἄλλοις ἓν τῶν ἀρρένων οὐκ
 ἔχει, οἷον ἵπποι οἱ μὲν οὐκ ἔχουσιν οἱ δ' ἔχουσιν,
 ὅσοι εἰκότασι τῇ μητρί.

¹ καὶ ἐν vulg.: καὶ del. Ogle.

mammæ in those that have many, and these are the ones that yield the most milk. An illustration of this is the case of the sow : a sow will offer the first of its mammæ to the first ones of the litter. Thus, where the first of an animal's litter amounts to one and no more, such an animal must possess these first mammæ, and " the first mammæ " means those under the axillæ. This explains, then, the number and position of the elephant's mammæ. The animals that have large litters have their mammæ upon the abdomen. Why is this ? They have numerous young to feed, and so they need numerous mammæ. Now as the body has two sides, right and left, the mammæ cannot be more than two deep across the body, and so they have to be disposed lengthwise, and the only place where there is sufficient length for this is between the front and hind legs. Non-polydactylous animals which yet produce few at a birth, or carry horns, have their mammæ by the thighs, as the horse and the ass (both solid-hoofed) and the camel (cloven-hoofed), all of which bear their young singly ; also the deer, the ox, the goat, and all such animals. The reason for which is, that in them the growth of the body proceeds in an upward direction ; so the place where the superfluous residue and blood collects is down below, near the places of efflux, and there Nature has made the mammæ ; for where the food is set in motion, there is the very place where they can get it. In man, both male and female have mammæ, but some males of other animals have none, as *e g* stallions, some of which have none, while others, which resemble their dams, have them.

688 b

Καὶ περὶ μὲν μαστῶν εἴρηται, μετὰ δὲ τὸ στῆθος
 35 ὁ περὶ τὴν κοιλίαν ἐστὶ τόπος, ἀσύγκλειστος ταῖς
 689 a πλευραῖς διὰ τὴν εἰρημένην ἔμπροσθεν αἰτίαν,
 ὅπως μὴ ἐμποδίζωσι μήτε τὴν ἀνοίδησιν τῆς
 τροφῆς, ἣν ἀναγκαῖον συμβαίνειν θερμαινομένης
 αὐτῆς, μήτε τὰς ὑστέρας τὰς περὶ τὴν κύησιν.

Τέλος δὲ τοῦ καλουμένου θώρακός ἐστι τὰ μόρια
 5 τὰ περὶ τὴν τῆς περιττώσεως ἔξοδον, τῆς τε ξηρᾶς
 καὶ τῆς ὑγρᾶς. καταχρῆται δ' ἡ φύσις τῷ αὐτῷ
 μορίῳ ἐπὶ τε τὴν τῆς ὑγρᾶς ἔξοδον περιττώσεως
 καὶ περὶ τὴν ὀχείαν, ὁμοίως ἔν τε τοῖς θήλεσι καὶ
 τοῖς ἄρρεσιν,¹ ἔξω τινῶν ὀλίγων πᾶσι τοῖς ἐναίμοις,
 ἐν δὲ τοῖς ζωοτόκοις πᾶσιν. αἴτιον δ' ὅτι ἡ γονή
 10 ὑγρόν ἐστὶ τι καὶ περίττωμα. (τοῦτο δὲ νῦν μὲν
 ὑποκείσθω, ὕστερον δὲ δειχθήσεται περὶ αὐτοῦ.)
 τὸν αὐτὸν δὲ τρόπον καὶ ἐν τοῖς θήλεσι τὰ τε
 καταμήνια, καὶ ἣ προΐενται τὴν γονήν². διορισθή-
 σεται δὲ καὶ περὶ τούτων ὕστερον, νῦν δ' ὑποκεί-
 σθω μόνον ὅτι περίττωμα καὶ τὰ καταμήνια τοῖς
 15 θήλεσιν· ὑγρὰ δὲ τὴν φύσιν τὰ καταμήνια καὶ ἡ
 γονή, ὥστε³ τῶν ὁμοίων εἰς τὰ αὐτὰ⁴ μόρια τὴν
 ἔκκρισιν εἶναι κατὰ λόγον ἐστίν. ἐντὸς δὲ πῶς
 ἔχει, καὶ πῇ διαφέρουσι τὰ τε περὶ τὸ σπέρμα καὶ
 τὰ περὶ τὴν κύησιν, ἔκ τε τῆς ἱστορίας τῆς περὶ
 τὰ ζῶα φανερόν καὶ τῶν ἀνατομῶν, καὶ ὕστερον
 20 λεχθήσεται ἐν τοῖς περὶ γενέσεως. ὅτι δ' ἔχει καὶ

¹ τοῖς ἄρρεσιν Ogle: τῶν ἀρρένων vulg.

² καὶ εἰ προΐενται τινα γονήν Platt.

³ post ὥστε vulg. habet τῶν αὐτῶν καὶ: Ogle del.

⁴ τὰ αὐτὰ Peck· ταῦτα τὰ vulg

This concludes our remarks on the mammae.

After the breast comes the region around the stomach, which is not enclosed by the ribs for the reason stated earlier,^a viz. to avoid interference (a) with the food when it swells, as it must do when it is heated, and (b) with the womb during pregnancy.

At the end of what is called the trunk are the parts Excretory
organs that have to do with the discharge of the residue, both solid and fluid. Nature employs one and the same part for the discharge of the fluid residue and for copulation in all blooded animals (with a few exceptions), male and female alike, and in all Vivipara without exception. The reason is that the seed is a fluid, and a residue. (This statement may stand for the present: the proof of it will be given later on.^b) The same applies to the catamenia in females, and the part where they emit the seed.^c This also will be dealt with particularly later on. For the present, let the statement stand simply that the catamenia in females (like the seed in males) are a residue. Now both seed and catamenia are fluids, so it is reasonable that things which are alike should be discharged through the same parts. A clear account of the internal structure of these parts, showing the differences between the parts connected with seed and those connected with conception, is given in the *Researches upon Animals*^d and the *Dissections*, and there will be a discussion of them in the book on

^a At 655 a 2.

^b In *De gen. an.* 724 b 21 ff.

^c This seems to agree with what Aristotle says on the subject in the *Hist. An.*, but contradicts what he says in *De gen. an.* Platt's suggested emendation would make the translation read: "and to the seed, if so be they emit any."

^d At 493 a 24-b 6, 497 a 24 ff, book iii, ch. 1.

689 a

τὰ σχήματα τῶν μορίων τούτων πρὸς τὴν ἐργασίαν ἀναγκαίως, οὐκ ἄδηλον. ἔχει δὲ διαφορὰς τὸ τῶν ἀρρένων ὄργανον κατὰ τὰς τοῦ σώματος διαφοράς. οὐ γὰρ ὁμοίως ἅπαντα νευρώδη τὴν φύσιν ἐστίν. ἔτι δὲ μόνον τοῦτο τῶν μορίων ἄνευ νοσερᾶς μετα-
 25 βολῆς αὐξήσιν ἔχει καὶ ταπείνωσιν· τούτων γὰρ τὸ μὲν χρήσιμον πρὸς τὸν συνδυασμόν, τὸ δὲ πρὸς τὴν τοῦ ἄλλου σώματος χρείαν· αἰ γὰρ ὁμοίως ἔχον τᾶλλα¹ ἐνεπόδιζεν ἄν. συνέστηκε δὲ τὴν φύσιν ἐκ τοιούτων τὸ μόριον τοῦτο ὥστε δύνασθαι ταῦτ' ἀμφοτέρωτερον συμβαίνειν· τὸ μὲν γὰρ ἔχει νευρώδες
 30 τὸ δὲ χονδρώδες, διόπερ συνιέναι τε δύναται καὶ ἔκτασιν ἔχειν καὶ πνεύματός ἐστι δεκτικόν. τὰ μὲν οὖν θήλεα τῶν τετραπόδων πάντ' ἐστίν ὀπισθουρητικά διὰ τὸ πρὸς τὴν ὀχείαν οὕτως εἶναι αὐτοῖς χρησίμην τὴν θέσιν, τῶν δ' ἀρρένων ὀλίγα ἐστὶν ὀπισθουρητικά, οἷον λύγξ, λέων, κάμηλος,
 689 b δασύπους· μώνυχον δ' οὐδέν ἐστιν ὀπισθουρητικόν.

Τὰ δ' ὀπισθεν καὶ τὰ περὶ τὰ σκέλη τοῖς ἀνθρώποις ἰδίως ἔχει πρὸς τὰ τετράποδα. κέρκον δ' ἔχει πάντα σχεδόν, οὐ μόνον τὰ ζωοτόκα ἀλλὰ καὶ τὰ ψοτόκα· καὶ γὰρ ἂν μὴ μέγεθος αὐτοῖς ἔχον τύχην²
 5 τοῦτο τὸ μόριον, ἀλλὰ σημείου³ γ' ἔνεκεν ἔχουσί τινα στόλον. ὁ δ' ἄνθρωπος ἄκερκον μὲν ἐστίν, ἰσχία δ' ἔχει, τῶν δὲ τετραπόδων οὐδέν. ἔτι δὲ καὶ τὰ σκέλη ὁ μὲν ἄνθρωπος σαρκώδη καὶ μηρούς καὶ κνήμας,⁴ τὰ δ' ἄλλα πάντ' ἄσαρκα ἔχει, οὐ μόνον τὰ ζωοτόκα ἀλλ' ὅλως ὅσα σκέλη ἔχει τῶν ζώων·
 10 νευρώδη γὰρ ἔχει καὶ ὀστώδη καὶ ἀκανθώδη. τούτων δ' αἰτία μία τίς ἐστίν ὥς εἰπεῖν ἀπάντων,

¹ ἔχον τᾶλλα Peck : ἔχοντα vulg.² τύχη Rackham. ἤ vulg.

Generation.^a Still, it is clear that the actual forms of these parts is determined of necessity by the function they have to perform. The male organ, however, exhibits differences corresponding to those of the body as a whole, for some animals are more sinewy, some less. Further, this organ is the only one which increases and subsides apart from any change due to disease. Its increasing in size is useful for copulation, its contraction for the employment of the rest of the body, since it would be a nuisance to the other parts if it were always extended. And so it is composed of substances which make both conditions possible : it contains both sinew and cartilage ; and so it can contract and expand and admits air into itself. All female quadrupeds discharge the urine backwards, as this arrangement is useful to them for copulation. A few males do this (among them are the lynx, the lion, the camel, and the hare), but no solid-hoofed animal does so.

The rear parts and the parts around the legs are peculiar in man compared with the quadrupeds, nearly all of which (Ovipara as well as Vivipara) have a tail, which even if it is not of any great size, still is present for a token as a sort of stump. Man has no tail, but he has buttocks, which no quadruped possesses.^b In man, the legs, both in thighs and calves, are fleshy : in all other animals (not only Vivipara) the legs are universally fleshless, as they are sinewy, bony and spinous. One might say that there is a single explanation which covers them all, which is, that man is

^a At 716 a 2—721 a 29

^b There seems to be something wrong with this statement, but perhaps when taken in conjunction with the whole of the argument which follows, it may appear less unjustifiable.

³ σημείου Bonitz : μικροῦ vulg.

⁴ κνήμας] πόδας Y.

689 b

διότι μόνον ἐστὶν ὀρθὸν τῶν ζώων ἄνθρωπος. ἔν'
 οὖν φέρη ῥαδίως τᾶν κοῦφα ὄντα, ἀφελούσα τὸ
 σωματῶδες ἀπὸ τῶν ἄνω πρὸς τὰ κάτω τὸ βάρος
 ἢ φύσις προσέθηκεν· διόπερ τὰ ἰσχία σαρκώδη
 15 ἐποίησε καὶ μηροὺς καὶ γαστροκνημίας. ἅμα δὲ
 τὴν τε τῶν ἰσχύων φύσιν καὶ πρὸς τὰς ἀναπαύσεις
 ἀπέδωκε χρήσιμον· τοῖς μὲν γὰρ τετράποσιν ἄκοπον
 τὸ ἐστάναι, καὶ οὐ κάμνουσι τοῦτο ποιοῦντα συν-
 εχῶς (ὥσπερ γὰρ κατακείμενα διατελεῖ ὑπο-
 κειμένων τεττάρων ἐρεισμάτων), τοῖς δ' ἰσχύοις
 20 οὐ ῥάδιον ὀρθῶς ἐστῶσι διαμένειν, ἀλλὰ δεῖται τὸ
 σῶμα ἀναπαύσεως καὶ καθέδρας. ὁ μὲν οὖν ἄν-
 θρωπος ἰσχία τ' ἔχει καὶ τὰ σκέλη σαρκώδη διὰ
 τὴν εἰρημένην αἰτίαν, καὶ διὰ ταῦτα ἄκερκον (ἢ
 τε γὰρ ἐκείσε¹ τροφή πορευομένη εἰς ταῦτα ἀνα-
 λίσκεται, καὶ διὰ τὸ ἔχειν ἰσχία ἀφήρηται ἢ τῆς
 25 οὐρᾶς ἀναγκαίᾳ χρήσις), τὰ δὲ τετράποδα καὶ
 τᾶλλα ζῶα ἐξ ἐναντίας· νανώδεσι γὰρ οὐσι πρὸς τὸ
 ἄνω τὸ βάρος καὶ τὸ σωματῶδες ἐπίκειται πᾶν,
 ἀφηρημένον ἀπὸ τῶν κάτωθεν· διόπερ ἀνίσχια καὶ
 σκληρὰ τὰ σκέλη ἔχουσιν. ὅπως δ' ἐν φυλακῇ καὶ
 σκέπη ἢ τὸ λειτουργοῦν μόριον τὴν ἔξοδον τοῦ
 30 περιττώματος, τὴν καλουμένην οὐρὰν καὶ κέρκον
 αὐτοῖς ἀπέδωκεν ἢ φύσις, ἀφελομένη τῆς εἰς τὰ
 σκέλη γιγνομένης τροφῆς.

(Ὁ δὲ πίθηκος διὰ τὸ τὴν μορφήν ἐπαμφοτερίζειν
 καὶ μηδετέρων τ' εἶναι καὶ ἀμφοτέρων, διὰ τοῦτ'
 οὐτ' οὐρὰν ἔχει οὐτ' ἰσχία, ὡς μὲν δίπους ὢν οὐράν,
 ὡς δὲ τετράπους ἰσχία.)

690 a Τῶν δὲ καλουμένων κέρκων διαφοραί τ' εἰσὶ

¹ ἐκείσε Peck : ἐκεῖ vulg.

the only animal that stands upright. Hence, Nature, so as to make the upper parts light and easy to carry, took off the corporeal matter from the top and transferred the weight down below ; and that is how she came to make the buttocks and the thighs and the calves of the legs fleshy. At the same time, in making the buttocks fleshy, Nature made them useful for resting the body. Quadrupeds find it no trouble to remain standing, and do not get tired if they remain continually on their feet—the time is as good as spent lying down, because they have four supports underneath them. But human beings cannot remain standing upright continually with ease ; the body needs rest ; it must be seated. That, then, is why man has buttocks and fleshy legs, and for the same reason he has no tail . the nourishment gets used up for the benefit of the buttocks and legs before it can get as far as the place for the tail Besides, the possession of buttocks takes away the need and necessity of a tail. But in quadrupeds and other animals it is the opposite : they are dwarf-like, which means that their heavy corporeal substance is in the upper part of them and does not come into the lower parts ; and as a result they have no buttocks and their legs are hard. Yet to ensure that the part which serves them for the discharge of the residue shall be guarded and covered over, Nature has assigned to them tails or scuts by taking off somewhat of the nourishment which would otherwise go into the legs.

(The Ape is, in form, intermediate between the two, man and quadruped, and belongs to neither, or to both, and consequently he has no tail, *qua* biped, and no buttocks, *qua* quadruped.)

There are numerous differences in the various tails,

690 a

πλείους καὶ ἡ φύσις παρακαταχρῆται καὶ ἐπὶ τούτων, οὐ μόνον πρὸς φυλακὴν καὶ σκέπην τῆς ἔδρας, ἀλλὰ καὶ πρὸς ὠφέλειαν καὶ χρῆσιν τοῖς ἔχουσιν.

- 5 Οἱ δὲ πόδες τοῖς μὲν τετράποσι διαφέρουσιν· τὰ μὲν γὰρ μώνυχα αὐτῶν ἐστὶ τὰ δὲ δίχληλα τὰ δὲ πολυσχιδῆ, μώνυχα μὲν ὅσοις διὰ μέγεθος καὶ τὸ πολὺ γεῶδες ἔχειν ἀντὶ κεράτων καὶ ὀδόντων εἰς τὴν τοῦ ὄνυχος φύσιν τὸ τοιοῦτον μόριον ἔλαβεν ἀπόκρισιν, καὶ διὰ πληθους ἀντὶ πλειόνων ὀνύχων
 10 εἰς ὄνυξ ἢ ὀπλή ἐστιν. καὶ ἀστράγαλον δὲ διὰ τοῦτο οὐκ ἔχουσιν ὡς ἐπὶ τὸ πολὺ εἰπεῖν, καὶ διὰ¹ τὸ δυσκινητοτέραν εἶναι τὴν καμπὴν τοῦ ὀπισθεν σκέλους ἀστραγάλου ἐνότος· θάπτον γὰρ ἀνοίγεται καὶ κλείεται τὰ μίαν ἔχοντα γωνίαν ἢ πλείους, ὁ δ' ἀστράγαλος γόμφος ὢν ὥσπερ ἀλλότριον κῶλον
 15 ἐμβέβληται τοῖς δυσί, βάρος μὲν παρέχον, ποιῶν δ' ἀσφαλεστέραν τὴν βάσιν. διὰ γὰρ τοῦτο καὶ ἐν τοῖς ἐμπροσθίοις οὐκ ἔχουσιν ἀστράγαλον τὰ ἔχοντα ἀστράγαλον, ἀλλ' ἐν τοῖς ὀπισθεν, ὅτι δεῖ ἐλαφρὰ εἶναι τὰ ἡγούμενα καὶ εὐκαμπτα, τὸ δ' ἀσφαλές καὶ τὴν τάσιν ἐν τοῖς ὀπισθεν. ἔτι δὲ πρὸς τὸ ἀμύνε-
 20 σθαι ἐμβριθεστέραν ποιεῖ τὴν πληγὴν· τὰ δὲ τοιαῦτα τοῖς ὀπισθεν χρῆται κώλοις, λακτίζοντα τὸ λυποῦν.

Τὰ δὲ δίχληλα ἔχει ἀστράγαλον (κουφότερα γὰρ τὰ ὀπισθεν), καὶ διὰ τὸ ἔχειν ἀστράγαλον καὶ οὐ μώνυχά ἐστιν, ὡς τὸ ἐκλείπον ὁστῶδες ἐκ τοῦ

¹ καὶ διὰ SU Ogle: διὰ vulg.

^a The word used in the Greek is "part." See Introd. p. 28.

^b See Introduction, pp. 38-39.

PARTS OF ANIMALS, IV. x.

which provide another example of Nature's habit of using an organ for secondary purposes, for she employs the tail not only as a guard and covering for the fundament but also in other serviceable ways.

There are differences too in the feet of quadrupeds. Hoofs, etc
Some have a solid hoof, some a cloven hoof; others have a foot that is divided into several parts. Solid hoofs are present in those animals which are large and contain much earthy substance,^a which instead of making horns and teeth forms an abscession^b so as to produce nail, and owing to the abundance of it, it produces not several separate nails but a single one, in other words, a hoof. Because of this, these animals in general have no hucklebone; and also because the presence of a hucklebone makes it rather difficult to bend the hind leg freely, since a limb that has one angle can be bent to and fro more quickly than one that has several. It is a sort of connecting-rod, and therefore practically interpolates another bit of a limb between the two, thereby increasing the weight; but it makes the animal's footing more reliable. This explains why, when hucklebones are present, they are present in the hind limbs only, never in the front. The front limbs have to be light and flexible because they go first, while the hind limbs must be reliable and able to stretch. Further, a hucklebone puts more force into a blow—a useful point in self-defence—and animals which have one use their hind limbs in this way: if anything hurts them they kick out at it.

Cloven-hoofed animals have a hucklebone, as their hind limbs are on the light side; and that is the very reason why they are cloven-hoofed: the bony substance stays in the joint and therefore is deficient in

690 a

ποδὸς ἐν τῇ κάμφει μένον. τὰ δὲ πολυδάκτυλα
 25 οὐκ ἔχει ἀστράγαλον· οὐ γὰρ ἂν ἦν πολυδάκτυλα,
 ἀλλὰ τοσοῦτον ἐσχίζετο τὸ πλάτος ὅσον ἐπέχει
 ὁ ἀστράγαλος. διὸ καὶ τῶν ἐχόντων αὐτὸν τὰ
 πλείω δίχηλα.

‘Ο δ’ ἄνθρωπος πόδας μεγίστους ἔχει τῶν ζώων
 ὥς κατὰ μέγεθος, εὐλόγως· μόνον γὰρ ἔστηκεν
 ὀρθόν, ὥστε τοὺς μέλλοντας δὴ ὄντας ἔξειν πᾶν τὸ
 30 τοῦ σώματος βάρος δεῖ μήκος ἔχειν καὶ πλάτος.
 καὶ τὸ τῶν δακτύλων δὴ μέγεθος ἐναντίως ἔχει ἐπὶ
 τε τῶν ποδῶν καὶ τῶν χειρῶν κατὰ λόγον· τῶν
 μὲν γὰρ τὸ λαμβάνειν ἔργον καὶ πιέζειν, ὥστε δεῖ
 690 b μακροὺς ἔχειν (τῷ γὰρ καμπτομένῳ μέρει περι-
 λαμβάνει ἢ χεῖρ), τῶν δὲ τὸ βεβηκέναι ἀσφαλῶς,
 πρὸς δὲ¹ τοῦτο δεῖ τὸ μόνιον εἶναι μείζον² τὸ
 ἄσχιστον τοῦ ποδὸς τῶν δακτύλων. ἐσχίσθαι δὲ
 βέλτιον ἢ ἄσχιστον εἶναι τὸ ἔσχατον· ἅπαν γὰρ ἂν
 5 συμπαθὲς ἦν ἐνὸς μορίου πονήσαντος, ἐσχισμένῳ³
 δ’ εἰς δακτύλους τοῦτ’ οὐ συμβαίνει ὁμοίως. ἔτι
 δὲ καὶ βραχεῖς ὄντες ἦττον <ἂν> βλάπτουντο.⁴ διὸ
 πολυσχιδεῖς οἱ πόδες τῶν ἀνθρώπων, οὐ μακρο-
 δάκτυλοι δ’ εἰσίν. τὸ δὲ τῶν ὀνύχων γένος διὰ
 τὴν αὐτὴν αἰτίαν καὶ ἐπὶ τῶν χειρῶν ἔχουσιν· δεῖ
 10 γὰρ σκέπεσθαι τὰ ἀκρωτήρια μάλιστα διὰ τὴν
 ἀσθένειαν.

Περὶ μὲν οὖν τῶν ἐναίμων ζώων καὶ ζωοτόκων
 καὶ πεζῶν εἴρηται σχεδὸν περὶ πάντων· XI. τῶν
 δ’ ἐναίμων ζώων ὠοτόκων δὲ τὰ μὲν ἐστὶ τετρά-

¹ πρὸς δὲ Ogle: ὥστε vulg.

² μείζον Platt: νομίζειν vulg.

³ ἐσχισμένῳ Peck: -ον PY: -ων vulg: -ου Ogle

⁴ <ἂν> Platt: βλάπτουντο Y: συμβλάπτουντο vulg

PARTS OF ANIMALS, IV. x.-xi.

the foot. The polydactylous animals have no hucklebone, otherwise they would not be polydactylous, and the divisions of the foot would cover only so much width as the hucklebone itself. So most of the animals which have a hucklebone are cloven-hoofed.

Man of all the animals has the largest feet for his size, and reasonably so, since he is the only one of them that stands upright, and as the feet have to bear the whole weight of the body and there are only two of them, they must be both long and broad. Also the toes are short compared with the fingers, and this too is reasonable. The business of the hands is to take hold and to keep hold of things, and this is done by means of that part of the hands which bends ; therefore the fingers must be long. The business of the feet is to get a firm and reliable footing ; and to secure this the undivided part of the foot must be greater than the toes. And it is better to have the tip of the foot divided than not, for otherwise, if one part were affected the whole foot would suffer as well, whereas this is to some degree avoided by the division of the tip of the foot into toes. Again, short toes are less liable to injury than long ones would be. All this indicates why the human foot has toes and why they are short. There are nails on the toes for the same reason that there are nails on the fingers : the extremities have but little strength and therefore specially need to be protected.

We have now dealt with practically all the blooded animals that are viviparous and live on the land.

XI. We now pass on to another class of blooded animals, the oviparous, some of which have four feet, ^{(b) Ovipara ·}
^{(1) Serpents}
and
391 quadrupeds

690_b

ποδα τὰ δ' ἄποδα. τοιοῦτον δ' ἐν μόνον γένος
 15 ἐστὶν ἄπουν, τὸ τῶν ὄψεων· ἡ δ' αἰτία τῆς ἀποδίας
 αὐτῶν εἴρηται ἐν τοῖς περὶ τῆς πορείας τῶν ζώων
 διωρισμένοις. τὰ δ' ἄλλα παραπλησίαν ἔχει τὴν
 μορφήν τοῖς τετράποσι καὶ ὠτοκόις¹

Ἐχει δὲ τὰ ζῶα ταῦτα κεφαλὴν μὲν καὶ τὰ ἐν
 αὐτῇ μόρια διὰ τὰς αὐτὰς αἰτίας τοῖς ἄλλοις τοῖς
 20 ἐναίμοις ζώοις, καὶ γλῶτταν ἐν τῷ στόματι πλήν
 τοῦ ποταμίου κροκοδείλου· οὗτος δ' οὐκ ἂν δόξειεν
 ἔχειν, ἀλλὰ τὴν χώραν μόνον. αἴτιον δ' ὅτι τρόπον
 μὲν τινα ἅμα χερσαῖος καὶ ἐνυδρός ἐστίν· διὰ μὲν
 οὖν τὸ χερσαῖος εἶναι ἔχει χώραν γλώττης, διὰ δὲ
 τὸ ἐνυδρος ἄγλωττος. οἱ γὰρ ἰχθύες, καθάπερ εἴρη-
 25 ται πρότερον, οἱ μὲν οὐ δοκοῦσιν ἔχειν, ἂν μὴ σφό-
 δρα ἀνακλίνη τις, οἱ δ' ἀδιάρθρωτον ἔχουσιν. αἴτιον
 δ' ὅτι ὀλίγη τούτοις χρεία² τῆς γλώττης διὰ τὸ μὴ
 ἐνδέχεσθαι μασᾶσθαι μηδὲ προγεύεσθαι, ἀλλ' ἐν τῇ
 καταπόσει γίνεσθαι τὴν αἴσθησιν καὶ τὴν ἡδονὴν
 30 πᾶσι τούτοις τῆς τροφῆς. ἡ μὲν γὰρ γλῶττα τῶν
 χυμῶν ποιεῖ τὴν αἴσθησιν, τῶν δὲ ἐδεστῶν ἐν τῇ
 καθόδῳ ἡ ἡδονή· καταπινομένων γὰρ αἰσθάνονται
 τῶν λιπαρῶν καὶ θερμῶν καὶ τῶν ἄλλων τῶν
 τοιούτων. ἔχει μὲν οὖν καὶ τὰ ζωοτόκα ταύτην
 τὴν αἴσθησιν (καὶ σχεδὸν τῶν πλείστων ὄψων καὶ
 691^a ἐδεστῶν ἐν τῇ καταπόσει τῇ τάσει τοῦ οἰσοφάγου
 γίνεται ἡ χάρις· διὸ οὐχ οἱ αὐτοὶ περὶ τὰ πόματα
 καὶ τοὺς χυμοὺς ἀκρατεῖς εἰσι καὶ τὰ ὄψα καὶ τὴν

¹ ὠτοκόις PUY· ζωοτόκοις vulg.

² ἦν τούτοις χρεία S: ἦν χρεία τούτοις vulg: ἦν deleui.

^a At *De inc. an.* 708 a 9 ff, see also *infra*, 696 a 10.

^b At 660 b 13-25.

and some no feet at all. Actually there is only one group that has no feet, the Serpents ; and the reason why they have none has been stated in my treatise on the *Locomotion of Animals*.^a In other respects their conformation is similar to that of the oviparous quadrupeds.

These animals have a head, and the parts that compose it, for the same reasons that other blooded creatures have one, and they have a tongue inside the mouth—all except the river crocodile, which apparently has none, but only a space for it ; and the reason is that in a way he is both a land-animal and a water-animal. In virtue of being a land-animal, he has a space for a tongue ; as a water-animal, he is tongueless. This agrees with our previous statement,^b that some fishes appear to have no tongue unless you pull the mouth very well open, some have one which is not distinctly articulated. The reason for this is that these creatures have not much need for a tongue because they cannot chew their food or even taste it before they eat it : they can perceive the pleasantness of it only while they are swallowing it. This is because the perception of juices is effected by the tongue ; whereas the pleasantness of solid food is perceived while it is passing down the gullet, and thus only food and hot food and the like are perceived while they are being swallowed. Of course the Vivipara as well as these Ovipara have this power of perception (indeed, the enjoyment derived from practically all edible dainties takes place while they are being swallowed and is due to the extension of the oesophagus—on this account intemperate appetite for edible dainties is not found in the same animals as intemperate appetite for drink and juices);

691 a

- ἔδωδὴν), ἀλλὰ τοῖς μὲν ἄλλοις ζώοις καὶ ἡ κατὰ
 5 τὴν γεῦσιν ὑπάρχει αἰσθησις, ἐκείνοις δ' ἄνευ
 ταύτης μόνῃ¹ ἡ ἑτέρα. τῶν δὲ τετραπόδων καὶ
 ὠτοτόκων οἱ σαῦροι, ὥσπερ καὶ οἱ² ὄφεις, δικρόαν
 ἔχουσι τὴν γλῶτταν καὶ ἐπ' ἄκρου τριχώδη πάμπαν,
 καθάπερ εἴρηται πρότερον. ἔχουσι δὲ καὶ αἱ φῶκαι
 δικρόαν τὴν γλῶτταν· διὸ καὶ λίχνα³ πάντα τὰ ζῶα
 ἐστὶ ταῦτα.
- 10 Ἔστι δὲ καὶ καρχαρόδοντα τὰ τετράποδα τῶν
 ὠτοτόκων, ὥσπερ οἱ ἰχθύες. τὰ δ' αἰσθητήρια
 πάντα ὁμοίως ἔχουσι τοῖς ἄλλοις ζώοις, οἷον τῆς
 ὁσφρήσεως μυκτῆρας καὶ ὄψεως ὀφθαλμοὺς καὶ
 ἀκοῆς ὦτα, πλὴν οὐκ ἐπανεστηκότα, καθάπερ οὐδ'
 οἱ ὄρνιθες, ἀλλὰ τὸν πόρον μόνον· αἷτιον δ' ἀμφο-
 15 τέροις ἡ τοῦ δέρματος σκληρότης· τὰ μὲν γὰρ
 περωτὰ αὐτῶν ἐστὶ, ταῦτα δὲ πάντα φολιδωτά,
 ἐστὶ δ' ἡ φολὶς ὁμοιον χώρα λεπίδος, φύσει δὲ
 σκληρότερον. δηλοῖ δ' ἐπὶ τῶν χελωνῶν τοῦτο
 καὶ ἐπὶ τῶν μεγάλων ὄψεων καὶ τῶν ποταμίων
 κροκοδείλων· ἰσχυρότεροι γὰρ γίνονται τῶν ὀστέων
 ὡς οὔσαι τοιαῦται τὴν φύσιν.
- 20 Οὐκ ἔχουσι δὲ τὰ ζῶα ταῦτα τὴν ἄνω βλεφαρίδα,
 ὥσπερ οὐδ' οἱ ὄρνιθες, ἀλλὰ τῇ κάτω μύουσι διὰ
 τὴν αἰτίαν τὴν εἰρημένην ἐπ' ἐκείνων. τῶν μὲν οὖν
 ὀρνίθων ἔνιοι καὶ σκαρδαμύττουσιν ὑμένι ἐκ τῶν
 κανθῶν, ταῦτα δὲ τὰ ζῶα οὐ σκαρδαμύττει· σκληρ-
 25 ὀφθαλμότερα γὰρ ἐστὶ τῶν ὀρνίθων. αἷτιον δ' ὅτι
 ἐκείνοις χρησιμωτέρα ἡ ὀξύωπία⁴ πτηνοῖς οὔσι πρὸς

¹ δ' ἄνευ ταύτης μόνῃ Peck: δ' ἂν ἡ ὥσπερ μόνῃ Y: δ' ὥσπερ ἀνεῖ vulg.

² καὶ οἱ Y: οἱ vulg.

but whereas the rest of the animals have the power of perception by taste as well, the Ovipara are without it and possess the other one only. Among oviparous quadrupeds, lizards (and serpents too) have a two-forked tongue, the tips of which are as fine as hairs. (This has been stated earlier.^a) Seals also have a forked tongue. This forked tongue explains why all these animals are so dainty in their food.

The four-footed Ovipara, like Fishes, have sharp interfitting teeth. Their sense-organs are all similar to those of other animals: nostrils for smell, eyes for sight, and ears for hearing—though their ears do not stand out: they are merely a duct, as in birds; and in both groups the cause is the same, viz. the hardness of their integument. Birds are covered with feathers, and these creatures are all covered with horny scales which correspond in position to the scales of fishes, but are harder in substance. This is clearly illustrated by the tortoises, the great snakes, and the river crocodiles, where the scales are made of the same material as the bones and actually grow stronger than the bones.

These animals, like birds, have no upper eyelid; they close their eyes with the lower lid. The reason which was given^b for birds applies to them too. Some birds can also blink by means of a membrane which comes out of the corner of the eye; but these animals do not do this, since their eyes are harder than birds' eyes. The reason for this is that keen sight is of considerable use to birds in their daily

^a At 660 b 9.

^b At 657 b 6 ff.

³ λίχνα Karsch: ἰσχνά vulg.

⁴ δξυωπία καὶ τὸ πόρρω προιδεῖν UY.

691 a

τὸν βίον, τούτοις δ' ἦττον· τρωγλόδουτα γὰρ πάντα τὰ τοιαῦτά ἐστιν.

Εἰς δύο δὲ διηρημένης τῆς κεφαλῆς, τοῦ τε ἄνω μορίου καὶ τῆς σιαγόνης τῆς κάτω, ἄνθρωπος μὲν¹ καὶ τὰ ζωοτόκα τῶν τετραπόδων καὶ ἄνω καὶ κάτω
 30 κινουῦσι τὰς σιαγόνας καὶ εἰς τὸ πλάγιον, οἱ δ' ἰχθύες καὶ ὄρνιθες καὶ τὰ ὠοτόκα τῶν τετραπόδων εἰς τὸ ἄνω καὶ κάτω μόνον. αἴτιον δ' ὅτι ἡ μὲν
 691 b τοιαύτη κίνησις χρήσιμος εἰς τὸ δακεῖν καὶ διελεῖν, ἢ δ' εἰς τὸ πλάγιον ἐπὶ τὸ λεαίνειν. τοῖς μὲν οὖν ἔχουσι γομφίους χρήσιμος ἢ εἰς τὸ πλάγιον κίνησις, τοῖς δὲ μὴ ἔχουσιν οὐδὲν χρήσιμος, διόπερ ἀφήρηται πάντων τῶν τοιούτων· οὐδὲν γὰρ ποιεῖ περίεργον ἢ
 5 φύσις. τὰ μὲν οὖν ἄλλα πάντα κινεῖ τὴν σιαγόνα τὴν κάτω, ὃ δὲ ποτάμιος κροκόδειλος μόνος τὴν ἄνω. τούτου δ' αἴτιον ὅτι πρὸς τὸ λαβεῖν καὶ κατασχεῖν ἀχρήστους ἔχει τοὺς πόδας· μικροὶ γὰρ εἰσι πάνπαν. πρὸς οὖν ταύτας τὰς χρεῖας ἀντὶ ποδῶν τὸ στόμα ἢ φύσις χρήσιμον αὐτῷ ἐποίησεν. πρὸς δὲ τὸ
 10 κατασχεῖν ἢ λαβεῖν, ὁποτέρωθεν ἂν ᾗ ἢ πληγῇ ἰσχυροτέρα, ταύτη χρησιμωτέρα κινουμένη ἐστίν· ἢ δὲ πληγῇ ἰσχυροτέρα αἰεὶ ἄνωθεν ἢ κάτωθεν· ἐπεὶ οὖν ἀμφοτέρων μὲν διὰ τοῦ στόματος ἢ χρήσις, καὶ τοῦ λαβεῖν καὶ τοῦ δακεῖν, ἀναγκαιοτέρα δ' ἢ τοῦ
 15 κατασχεῖν μήτε χεῖρας ἔχοντι μήτε πόδας εὐφυεῖς, χρησιμώτερον τὴν ἄνωθεν κινεῖν σιαγόνα ἢ τὴν κάτωθεν αὐτοῖς. διὰ τὸ αὐτὸ δὲ καὶ οἱ καρκίνοι τὸ ἄνωθεν τῆς χηλῆς κινουῦσι μόριον, ἀλλ' οὐ τὸ κάτωθεν· ἀντὶ χειρὸς γὰρ ἔχουσι τὰς χηλὰς, ὥστε πρὸς τὸ λαβεῖν ἀλλ' οὐ πρὸς τὸ διελεῖν χρήσιμον

¹ μὲν οὖν vulg. : μὲν Y.

PARTS OF ANIMALS, IV. xi.

life, because they fly about ; but it would be very little good to these creatures, because they all spend their time in holes and corners.

Their head has two divisions : the upper part, and the lower jaw. In man and in the viviparous quadrupeds the lower jaw moves from side to side as well as up and down ; in fishes, however, and birds and these oviparous quadrupeds it moves up and down only. The reason is that this vertical motion is useful for biting and cutting up food, while the sideways motion is useful for grinding the food down. Of course this sideways motion is useful to animals which possess grinder-teeth ; but it is of no use to those which lack grinders, and so not one of them has it. Nature never makes or does anything that is superfluous. All these animals, then, move the lower jaw—with one exception, the river crocodile, which moves the upper jaw, and the reason for this is that his feet are no use for seizing and holding things : they are too small altogether. So Nature has given him a mouth which he can use for these purposes instead of his feet. And when it comes to seizing things and holding them, the most useful direction for a blow to take is that which gives it the greatest strength. Now a blow from above is always stronger than one from below. And to an animal who has no hands and no proper feet, who has to use his mouth for seizing his food as well as for biting it, the power to seize it is the more necessary ; and therefore it is more useful to him to be able to move his upper jaw than his lower one. For the same reason crabs move the upper part of their claws and not the lower : claws are their substitute for hands, so the claws have to be useful for seizing things (not for cutting them

691 h

20 δεῖ εἶναι τὴν χηλὴν· τὸ δὲ διελεῖν καὶ δακεῖν ὁδόν-
των ἔργον ἐστίν. τοῖς μὲν οὖν καρκίνοις καὶ τοῖς
ἄλλοις ὅσοις ἐνδέχεται σχολαίως ποιεῖσθαι τὴν
λήψιν διὰ τὸ μὴ ἐν ὑγρῷ εἶναι τὴν χρήσιν τοῦ
στόματος, διήρηται, καὶ λαμβάνουσι μὲν χερσὶν ἢ
ποσί, διαιροῦσι δὲ τῷ στόματι καὶ δάκνουσιν· τοῖς
25 δὲ κροκοδείλοις ἐπ' ἀμφοτέρα χρήσιμον τὸ στόμα
πεποιήκεν ἢ φύσις, κινουμένων οὕτω τῶν σιαγόνων.
Ἔχουσι δὲ καὶ αὐχένα πάντα τὰ τοιαῦτα διὰ τὸ
πλεύμονα ἔχειν· δέχονται γὰρ τὸ πνεῦμα διὰ τῆς
ἀρτηρίας μῆκος ἐχούσης.

¹ Διὰ δὲ τὸ κεκλῆσθαι τὸ μεταξὺ τῆς κεφαλῆς καὶ
ὥμων μόριον αὐχένα, ὃ ὅφισ τῶν τοιούτων ἡκιστα
30 δόξειεν ἂν ἔχειν ἀλλὰ τὸ ἀνάλογον τῷ αὐχένι, εἴ γε
τοῖς εἰρημένοις ἐσχάτοις δεῖ τοῦτο διορίζειν τὸ
μόριον. ἴδιον δὲ ὑπάρχει τοῖς ὄφεσι πρὸς τὰ
692 a συγγενῇ τῶν ζώων τὸ στρέφειν τὴν κεφαλὴν εἰς
τὰ ὀπισθεν τοῦ λοιποῦ σώματος ἡρεμοῦντος.
αἴτιον δ' ὅτι καθάπερ τὰ ἔντομα ἐλκτόν ἐστιν,
ὥστε εὐκάμπτους ἔχειν καὶ χονδρώδεις τοὺς
σπονδύλους. ἐξ ἀνάγκης μὲν οὖν διὰ ταύτην τὴν
αἰτίαν τοῦτο συμβέβηκεν αὐτοῖς, τοῦ δὲ βελτίονος
5 ἕνεκεν πρὸς φυλακὴν τῶν ὀπισθεν βλαπτόντων·
ἄπουν γὰρ ὃν καὶ μακρὸν ἀφυές ἐστι πρὸς τὴν
στροφὴν καὶ τὴν τήρησιν τῶν ὀπισθεν· οὐδὲν γὰρ
ὄφελος αἶρειν μὲν, στρέφειν δὲ μὴ δύνασθαι τὴν
κεφαλὴν. ἔχει δὲ ταῦτα τὰ ζῶα καὶ τῷ στήθει
ἀνάλογον μόριον. μαστοὺς δ' οὐκ ἔχουσιν οὐτ'
10 ἐνταῦθα οὐτ' ἐν τῷ ἄλλῳ σώματι, ὁμοίως δ' οὐτ'
ὄρνις οὐτ' ἰχθὺς οὐδεὶς. αἴτιον δὲ τὸ μηδὲ γάλα

¹ hinc usque ad 695 a 22 Y codicis lectionem plerumque secutus sum.

up : this, and biting, is the business of the teeth). In crabs, then, and in other creatures which, because their mouth does not come into action while under water, can take their time about seizing their food, the labour is divided : they seize their food with their hands or feet, and cut it up and bite it with the mouth. For the crocodile, however, by making the jaws move as I have described, Nature has constructed a mouth which can be used for both these purposes.

All these animals have also a neck ; this is because they have a lung and there is a long windpipe through which they admit the breath to it.

Since the neck is the name given to the part of the body between the head and the shoulders, the serpent would appear to be the very last of these creatures to possess one : at any rate, if the neck is to be defined by the limits mentioned above, he has merely something analogous to a neck. Compared with kindred animals, serpents have this peculiarity : they can turn their heads backwards while the rest of the body remains still. The reason is that their body (like an insect's) can roll up ; the vertebrae are cartilaginous and flexible. So this ability is a *necessary* result of their structure ; but it serves a *good* purpose too, for it enables them to guard against attacks from the rear, and with their long bodies devoid of feet they are ill adapted for turning themselves round to keep watch over the rear. To be able to raise the head and yet unable to turn it round would be useless. These animals have also a part which is a counterpart to the breast. But they have no mammae either here or elsewhere ; nor have any of the birds or fishes. This is because the mammae are receptacles, vessels,

692 a

τούτων ἔχειν μηδέν· ὁ δὲ μαστὸς ὑποδοχὴ γάλακτός ἐστι καὶ οἶον ἀγγεῖον. γάλα δ' οὐκ ἔχει οὔτε ταῦτα οὔτ' ἄλλο οὐδὲν τῶν μὴ ζωοτοκούντων ἐν αὐτοῖς, 15 διότι ὠοτοκοῦσιν, ἐν δὲ τῷ ὠῷ ἡ τροφή ἐγγίνεται ἢ¹ γαλακτώδης ὑπάρχουσα. σαφέστερον δὲ περὶ αὐτῶν λεχθήσεται ἐν τοῖς περὶ γενέσεως. περὶ δὲ τῆς τῶν σκελῶν² κάμψεως ἐν τοῖς περὶ πορείας πρόσθεν ἐπέσκεπται κοινῇ περὶ πάντων.³

Ἔχουσι δὲ καὶ κέρκον, τὰ μὲν μείζω τὰ δ' 20 ἐλάττω, ὑπὲρ οὗ τὴν αἰτίαν καθόλου πρότερον εἰρήκαμεν.

Ὁ δὲ χαμαιλέον τῶν ὠοτόκων καὶ πεζῶν ὀλιγοσαρκότατός ἐστιν, διὰ τὸ ὀλιγαιμότατος εἶναι. ταῦτό δ' αἴτιον τοῦ τῆς ψυχῆς ἥθους ἐστὶ τοῦ ζώου⁴. πολύμορφον γὰρ γίνεται διὰ τὸν φόβον, ὁ δὲ φόβος κατάψυξις δι' ὀλιγαιμότητά ἐστι καὶ ἔνδειαν θερμότητος.

692 b

Περὶ μὲν οὖν τῶν ἐναίμων ζώων ἀπόδων τε καὶ τετραπόδων, ὅσα μόρια τὰ ἐκτὸς ἔχει καὶ διὰ τίνας αἰτίας, εἴρηται σχεδόν.

XII. Οἱ δ' ὄρνιθες ἀλλήλων μὲν τοῖς μορίοις 5 διαφέρουσι κατὰ τὸ μᾶλλον καὶ ἥττον καὶ ὑπεροχὴν καὶ ἔλλειψιν. οἱ μὲν γὰρ μακροσκελεῖς οἱ δὲ βραχυσκελεῖς εἰσιν αὐτῶν καὶ οἱ μὲν πλατεῖαν ἔχουσι τὴν γλῶτταν οἱ δὲ στενήν· ὁμοίως δὲ καὶ ἐπὶ τῶν ἄλλων μορίων. ἰδίᾳ δὲ μόρια ὀλίγα δια-

¹ ἢ addunt SU : om. vulg.

² καμπύλων σκελῶν Y. σκελῶν P : καμπύλων vulg.

³ περὶ δὲ . . . πάντων fortasse secludenda.

⁴ correxist Peck, cf. 667 a 11 seqq. ; τούτου δ' αἴτιον τὸ ἥθος τοῦ ζώου τὸ τῆς ψυχῆς vulg. : αἴτιον δὲ τὸ τῆς ψυχῆς ἥθος ἐστὶν αὐτοῦ PSU : sed fortasse haec verba secludenda.

as it were, for the milk, and none of these creatures has any milk. Neither has any of the other animals that are not internally viviparous ; the reason is that as they produce eggs the milky nutriment which they contain goes into these eggs. A more detailed account of these matters will be given in the treatise on *Generation*.^a With regard to the way in which they bend their legs, a general account, including all animals, has already been given in the treatise on the *Locomotion of Animals*.^b

These creatures have a tail, some a large one, some a small one. We have already given the reason for this as generally applicable.^c

Among the oviparous land-animals, the chameleon has the least flesh on him ; this is because he has least blood, and the same reason is at the root of the animal's habit of soul—he is subject to fear (to which his many changes in appearance are due), and fear is a process of cooling produced through scantiness of blood and insufficiency of heat.^d

This fairly concludes our account of the external parts of the blooded animals both footless and four-footed, and of the reasons thereof.

XII. We now pass on to Birds. As among them- (11) Birds selves, they differ in their parts in respect of the more and less, and excess and defect^e—*e.g.*, some of them have long legs, some short ones ; some have a broad tongue, some a narrow one ; and similarly with the other parts. Thus, as among themselves

^a At 752 b 16 ff.

^b At 712 a 1 ff. See also below, 693 b 3, and additional note on that passage, p. 433.

^c At 689 b 1 ff.

^d Compare the passages at 650 b 27 and 667 a 11 ff.

^e See 644 a 19, and introductory note on p. 19.

692 b

φέροντα ἔχουσιν ἀλλήλων· πρὸς δὲ τὰ ἄλλα ζῶα
κατὰ τὴν μορφήν τῶν μορίων διαφέρουσιν. πτερω-
10 τοὶ μὲν οὖν ἅπαντές εἰσιν, καὶ τοῦτ' ἴδιον ἔχουσι
τῶν ἄλλων. τὰ γὰρ μόρια τῶν ζώων τὰ μὲν
τριχωτά ἐστι τὰ δὲ λεπιδωτά τὰ δὲ φολιδωτά, οἱ δ'
ὄρνιθες πτερωτοί. τὸ δὲ πτερόν σχιστόν καὶ οὐχ
ὁμοιον τῷ εἶδει τοῖς ὀλοπτέροις· τῶν μὲν γὰρ
ἄσχιστόν ἐστι τῶν δὲ σχιστόν τὸ πτερόν, ἔτι δέ¹ τὸ
15 μὲν ἄκαυλον τὸ δ' ἔχει καυλόν. ἔχουσι δὲ καὶ ἐν
τῇ κεφαλῇ περιττὴν καὶ ἴδιον τὴν τοῦ ῥύγχους
φύσιν πρὸς τὰλλα· τοῖς μὲν γὰρ ἐλέφασιν ὁ μυκτῆρ
ἀντὶ χειρῶν, τῶν δ' ἐντόμων ἐνίοις ἡ γλῶττα ἀντὶ
στόματος, τούτων δὲ τὸ ῥύγχος ὅστινον ὃν ἀντὶ
ὀδόντων καὶ χειλῶν. περὶ δὲ τῶν αἰσθητηρίων
εἴρηται πρότερον.

20 Αὐχένα δ' ἔχει τεταμένον τῇ φύσει, καὶ διὰ τὴν
αὐτὴν αἰτίαν ἤνπερ καὶ τὰλλα ὅσα ἔχει αὐχένα· καὶ
τοῦτον² τὰ μὲν μακρόν τὰ δὲ βραχύν, καὶ σχεδὸν
ἀκόλουθον τοῖς πλείστοις κατὰ τὰ σκέλη τοῦτο τὸ
μόριον, τὰ μὲν γὰρ μακροσκελῇ μακρόν τὰ δὲ
βραχυσκελῇ βραχύν ἔχει τὸν αὐχένα, χωρὶς τῶν
693 a στεγανοπόδων· τὰ μὲν γὰρ εἰ εἶχε βραχύν ἐπὶ
σκέλεσι μακροῖς, οὐκ ἂν ὑπηρετεῖ αὐτοῖς ὁ αὐχὴν
πρὸς τὴν ἀπὸ τῆς γῆς νομήν, τοῖς δ' εἰ μακρὸς
ἦν ἐπὶ βραχέσιν. ἔτι δέ³ τοῖς κρεωφάγοις αὐτῶν
ὑπεναντίον ἂν ἦν τὸ μῆκος πρὸς τὸν βίον· ἀσθενὴς
5 γὰρ ὁ μακρὸς αὐχὴν, τοῖς δ' ὁ βίος ἐκ τοῦ κρατεῖν
ἐστίν. διόπερ οὐδὲν τῶν γαμφωνύχων τὸν αὐχένα
ἔχει μακρόν. τὰ δὲ στεγανόποδα καὶ <τὰ>⁴ διηρη-

¹ ἔτι δὲ Bekker in not.: ἔστι δὲ Υἷ καὶ vulg.

² τοῦτον vulg.: τούτων codd.

they have few parts which differ from one to another. But as compared with other animals, they differ in respect of the form of their parts. One peculiarity of the birds is that they all have feathers, whereas in other animals the parts are covered with hair, or scales, or horny plates. A bird's feather is split, and therefore different in form from the wing of certain insects, which is undivided ; as well as having a shaft, whereas the insects have none. Another peculiarity of birds is the beak, an extraordinary appendage to the head. It is made of bone, and serves them instead of teeth and lips, just as the elephant's trunk takes the place of hands, and the tongue of certain insects replaces a mouth. We have spoken already of the sense-organs.^a

Birds have a neck which sticks up, and for the same reason that other creatures have one. Some have a long neck, some a short one : in most of them it corresponds in length fairly closely to the legs, so that the long-legged birds have a long neck and the short-legged birds a short neck (web-footed birds excepted) What assistance in getting food out of the ground would a short neck be to a bird on long legs, or a long neck to a bird on short legs ? Furthermore, the carnivorous birds would find a long neck a real disadvantage in their daily life. These birds depend for their livelihood on superior strength, and length of neck means lack of strength ; so no bird with curved talons has a long neck. Web-footed birds, however, together with others in the same class whose

^a In Book II. chh. 12 ff.

³ ἔτι δὲ Bekker in not. : ἔτι γε Yb.

⁴ <τὰ> Ogle.

693 a

μένους μὲν ἔχοντα τοὺς πόδας σεσιμωμένους δὲ καὶ ἐν τῷ αὐτῷ γένει ὄντα τοῖς στεγανόποσι τὸν μὲν αὐχένα μακρὸν ἔχουσιν (χρήσιμος γὰρ τοιοῦτος 10 ὢν πρὸς τὴν ἐκ τοῦ ὑγροῦ τροφήν), τὰ δὲ σκέλη βραχέα πρὸς τὴν νεῦσιν.

Διαφέρει δὲ καὶ τὰ ῥύγχη κατὰ τοὺς βίους. τὰ μὲν γὰρ εὐθὺ ἔχει τὰ δὲ γαμφόν· εὐθὺ μὲν ἔχει τὸ ῥύγχος ὅσα τροφῆς χάριν, γαμφὸν δὲ τὰ ὠμοφάγα· ἐπὶ τὸ κρατεῖν γὰρ τὸ τοιοῦτον χρήσιμον, ἀνάγκη δὲ τὴν τροφήν πορίζεσθαι ἀπὸ τῶν ζώων, καὶ τὰ 15 πολλὰ βιαζομένοις. ὅσων δ' ἔλειος ὁ βίος καὶ ποοφάγος, πλατὺ τὸ ῥύγχος ἔχουσιν· πρὸς τε γὰρ τὴν ὄρυξιν χρήσιμον τὸ τοιοῦτον καὶ πρὸς τὴν σπάσιν τῆς τροφῆς καὶ κουράν. ἔνια δὲ τούτων μακρὸν ἔχει τὸ ῥύγχος, καθάπερ καὶ τὸν αὐχένα· τὴν γὰρ τροφήν λαμβάνουσιν ἐκ τοῦ βάθους. καὶ 20 σχεδὸν τὰ πολλὰ τῶν τοιούτων καὶ τῶν στεγανό- πόδων ἢ ἀπλῶς ἢ κατὰ¹ μόριον² θηρεύοντα ζῇ τῶν ἐν τῷ ὑγρῷ ἔνια ζωδαρίων· καὶ γίνεται τοῖς τοιού- τοις ὁ μὲν αὐχὴν καθάπερ ἀλιευταῖς ὁ³ κάλαμος, τὸ δὲ ῥύγχος οἶον ἢ ὄρμια καὶ τὸ ἄγκιστρον.

Τὰ δ' ὕπτια τοῦ σώματος καὶ τὰ πρηνῆ καὶ τὰ 25 τοῦ καλουμένου θώρακος ἐπὶ τῶν τετραπόδων, οὗτος ὁ τόπος ὀλοφυῆς ἐπὶ τῶν ὀρνίθων ἐστίν, καὶ ἔχουσιν ἀπηρτημένas ἀντὶ τῶν βραχιόνων καὶ τῶν 693 b σκελῶν τῶν προσθίων ἴδιον μόριον τὰς πτέρυγας· διόπερ ἀντὶ ὠμοπλάτης ἐπὶ τοῦ νώτου τὰς τελευτὰς τῶν πτερύγων ἔχουσιν.

Σκέλη δὲ δύο, καθάπερ ἄνθρωπος, κεκαμμένα δὲ

¹ κατὰ τὸ vulg. : κατὰ Υ.

² post μόριον habet ταὐτό vulg. : ταυτὰ S · ταῦτα P : τούτοις Ogle.

feet though divided into toes yet are fashioned like a snub-nose^a—these have long necks, because a long neck is useful to them for getting food out of the water. Their feet, on the contrary, are short so that they can swim.

Birds' beaks also differ according to their different habits of life. Some beaks are straight, some curved; straight if they are used simply for feeding, curved if the bird eats raw meat, because a curved beak is useful for overpowering their prey, and such birds have to get their food from animals, most often by force. Those whose life is spent in swamps and are herbivorous have broad beaks, which are useful for digging and pulling up their food and for cropping plants. Some of them, however, have a long beak and a long neck as well; these get their food from some depth. Practically all these birds and the completely or partially web-footed ones live by preying upon certain of the tiny water-animals, and their neck is to these birds what his fishing-rod is to an angler, while their beak is like a line and hook.

The under and the upper sides of the body (*i.e.* of what is called the trunk in quadrupeds) are in birds one uninterrupted whole. Instead of arms and fore-legs they have wings attached to this part (wings are another peculiarity), and hence, instead of having the shoulder-blade on their back they have the ends of the wings there.

Birds, like men, have two legs, which are bent in-

^a According to Ogle, this means that the main stem of the toe corresponds to the ridge of the nose, and the lobes on either side of it to the flattened nostrils.

καθάπερ τὰ τετράποδα εἴσω, καὶ οὐχ ὥσπερ ἄνθρωπος ἔξω· τὰς δὲ πτέρυγας ἐπὶ τὸ περιφερές,
 5 ὥσπερ τὰ πρόσθια σκέλη τῶν τετραπόδων. ἔστι δὲ δίπουν ἐξ ἀνάγκης· τῶν μὲν γὰρ ἐναίμων τὴν οὐσίαν ὁ ὄρνις, ἅμα δὲ καὶ πτερυγωτός· τὰ δ' ἔναιμα οὐ κινεῖται πλείοσιν ἢ τέτταρσι σημείοις. τὰ μὲν οὖν ἀπηρτημένα μόρια τέτταρα, ὥσπερ καὶ τοῖς ἄλλοις τοῖς πεζοῖς καὶ τοῖς πορευτικοῖς, ἔστι καὶ
 10 τοῖς ὄρνισιν· ἀλλὰ τοῖς μὲν βραχιόνες καὶ σκέλη, τοῖς δὲ τετράποσι σκέλη τέτταρα ὑπάρχει, τοῖς δ' ὄρνισιν ἀντὶ τῶν προσθίων σκελῶν ἢ βραχιόνων πτέρυγες τὸ ἴδιόν ἐστιν· κατὰ ταύτας γὰρ τονικοί¹ εἰσι, τῷ δ' ὄρνιθι ἐν τῇ οὐσίᾳ τὸ πτητικόν ἐστιν. ὥστε λείπεται ἐξ ἀνάγκης αὐτοῖς δίποσιν εἶναι.
 15 οὕτω γὰρ τέτταρσι σημείοις κινήσονται μετὰ τῶν πτερύγων.

Στῆθος δ' ἔχουσιν ἅπαντες ὁξὺ καὶ σαρκῶδες, ὁξὺ μὲν πρὸς τὴν πτῆσιν (τὰ γὰρ πλατέα πολὺν ἀέρα ὠθοῦντα δυσκίνητά ἐστι), σαρκῶδες δὲ διότι τὸ ὁξὺ ἀσθενὲς μὴ πολλὴν ἔχον σκέπην.

Ἐπὶ δὲ τὸ στῆθος κοιλία μέχρι πρὸς τὴν ἔξοδον
 20 τοῦ περιττώματος καὶ τὴν τῶν σκελῶν καμπήν, καθάπερ τοῖς τετράποσι καὶ τοῖς ἀνθρώποις. μεταξὺ μὲν οὖν τῶν πτερυγίων καὶ τῶν σκελῶν ταῦτα τὰ μόρια ἐστιν.

Ὁμφαλὸν δ' ἐν μὲν τῇ γενέσει πάντα ἔχει ὅσαπερ

¹ fortasse πτητικοί legendum.

^a For an explanation of Aristotle's terminology on this subject see additional note on p. 433.

^b The chief difficulty in translating this passage is due to the word *τονικοί*, a jargon-adjective in *-ικός*, which seems to have been suggested to Aristotle's mind by the similar adjective

wards as in the quadrupeds, not outwards as in man.^a The wings are bent with the convex side outwards, like the forelegs of quadrupeds. It is inevitable that a bird should have two feet, for (a) it belongs by nature to the blooded creatures and (b) it is winged, and (c) four is the greatest number of motion-points which a blooded creature can have. So there are four parts (or limbs) attached to a bird's body, and this corresponds exactly with the other blooded creatures, viz. those that go upon the ground. The only difference is that whereas the latter have two arms and two legs (or, if they are quadrupeds, four legs), the peculiarity of birds is that they have wings instead of arms (or forelegs). As its very essence includes the power to fly, a bird must have something which it can stretch out, and wings provide this.^b So it follows inevitably that a bird can have only two feet: these with the two wings bring up the number of its motion-points to four.

All birds have a sharp-edged, fleshy breast: sharp-edged, for flying (a wide surface displaces so much air that it impedes its own motion); fleshy, because a sharp-edged thing is weak unless it has a good covering.

Below the breast is the stomach, which extends (as in the quadrupeds and in man) as far as the residual vent and the point where the legs join the body.

Those are the parts, then, which have their situation between the wings and the legs.

Birds, in common with all animals which are pro-

tive πτητικόν in the next line. Literally, the passage reads: "for it is at these [viz. the wings] that birds are stretchable; and flight-ability is included in the essence of a bird."

693 b

ζωοτοκεῖται ἢ ὥοτοκεῖται, τῶν δ' ὀρνίθων αὐξη-
θέντων ἄδηλος. ἡ δ' αἰτία δήλη ἐν τοῖς περὶ τὴν
25 γένεσιν· εἰς γὰρ τὸ ἔντερον ἡ σύμφυσις γίνεται, καὶ
οὐχ ὥσπερ τοῖς ζωοτόκοις τῶν φλεβῶν τι μόριόν
ἐστίν.

Ἔτι τῶν ὀρνίθων οἱ μὲν πτητικοὶ καὶ τὰς πτέ-
694 a ρυγας μεγάλας ἔχουσι καὶ ἰσχυράς, οἷον οἱ γαμφ-
ώνυχες καὶ ὠμοφάγοι· ἀνάγκη γὰρ πτητικούς¹ εἶναι
διὰ τὸν βίον, ὥστε διὰ τοῦτο πλήθος τε ἔχουσι
πτερῶν καὶ τὰς πτέρυγας μεγάλας. ἔστι δ' οὐ μόνον
τὰ γαμφώνυχια ἀλλὰ καὶ ἄλλα γένη ὀρνίθων πτη-
5 τικά, ὅσοις ἡ σωτηρία ἐν τῇ ταχυτῇ τῆς πτήσεως
ἢ ἐκτοπιστικὸς ὁ βίος. ἓνια δ' οὐ πτητικά τῶν
ὀρνίθων ἐστὶν ἀλλὰ βαρέα, ὅσοις ὁ βίος ἐπίγειος καὶ
ἔστι καρποφάγα ἢ πλωτὰ καὶ περὶ ὕδωρ βιο-
τεύουσιν. ἔστι δὲ τὰ μὲν τῶν γαμφωνύχων σώ-
ματα μικρὰ ἀνευ² τῶν πτερύγων, διὰ τὸ εἰς ταύτας³
10 ἀναλίσκεσθαι τὴν τροφήν (καὶ)⁴ εἰς τὰ ὄπλα καὶ
τὴν βοήθειαν· τοῖς δὲ μὴ πτητικοῖς τούναντίον τὰ
σώματα ὀγκώδη, διὸ βαρέα ἐστίν. ἔχουσι δ' ἓνια
τῶν βαρέων βοήθειαν ἀντὶ τῶν πτερύγων τὰ καλού-
μενα πλήκτρα ἐπὶ τοῖς σκέλεσιν. ἅμα δ' οἱ αὐτοὶ
οὐ γίνονται πλήκτρα ἔχοντες καὶ γαμφώνυχες·
15 αἷτιον δ' ὅτι οὐδὲν ἡ φύσις ποιεῖ περίεργον οὐδὲ
μάταιον. ἔστι δὲ τοῖς γαμφωνύχοις καὶ πτητικοῖς

¹ πτητικούς Rackham. πτητικά vulg.

² post ἀνευ habet τῶν πτερῶν καὶ Yb.

³ εἰς ταύτας QSUZm· ἐνταῦθα vulg.

⁴ <καὶ> Ogle.

^a This passage must be supplemented by reference to others (such as *De gen. an.* 753 b 20 ff., and *Hist. An.* 561 b), in which Aristotle speaks of *two* umbilici or umbilical cords—i.e. he recognized the allantois as well as the umbilical vesicle. He

duced alive or out of eggs, have an umbilicus while they are developing, but when they are more fully grown it ceases to be visible. The reason for this is clear from what happens during their development : the umbilical cord grows on to the intestine and unites with it, and does not form a part of the system of blood-vessels, as it does in the Vivipara.^a

The good fliers have big strong wings, *e.g.* the birds which have curved talons and feed on raw meat : these must be good fliers owing to their habits of life, and so they have an abundance of feathers and big wings. But there are other sorts of birds which are good fliers beside these : birds whose safety lies in their speed of flight ; and migrants. Some birds are poor fliers : heavy birds, which spend their time on the ground and feed on fruits ; or birds that live on and around the water. The birds of prey, leaving out of account their wings, have small bodies, because the nutriment is used up to produce the wings and weapons of offence and defensive armour. The poor fliers, on the contrary, have bulky, and therefore heavy, bodies. Some of these instead of wings have as a means of defence " spurs " on their legs. The same bird never possesses both spurs and talons, and the reason is that Nature never makes anything that is superfluous or needless. Spurs are of no use to a states that in the bird's egg, as the embryo grows, the allantois (the " second umbilicus ") collapses first and then the " first umbilicus " (*De gen. an.* 754 a 9). Actually the reverse order is the correct one, but the interval is comparatively short. The umbilical vesicle in mammals, which shrivels very early in the process of development, escaped the notice of Aristotle, who supposed their allantois to be comparable to the umbilical vesicle of reptiles and birds. The umbilical vesicle of mammals was discovered by Needham in 1667. (See Ogle's note *ad loc.*)

694 a

ἄχρηστα τὰ πλήκτρα· χρήσιμα γάρ ἐστιν ἐν ταῖς πεζαῖς μάχαις, διόπερ ὑπάρχει τῶν βαρέων ἐνίοις· τούτοις δ' οὐ μόνον ἄχρηστοι ἀλλὰ καὶ βλαβεροὶ οἱ γαμβροὶ ὄνυχες τῷ ἐμπήγνυσθαι, ὑπεναντίοι πρὸς
 20 τὴν πορείαν ὄντες· διὸ καὶ τὰ γαμβρώνυχια πάντα φαύλως πορεύεται καὶ ἐπὶ ταῖς πέτραις οὐ καθιζάνουσιν· ὑπεναντία γὰρ αὐτοῖς πρὸς ἀμφοτέρα ἢ τῶν ὀνύχων φύσις.

Ἐξ ἀνάγκης δὲ τοῦτο περὶ τὴν γένεσιν συμβέβηκεν. τὸ γὰρ γεῶδες ἐν τῷ σώματι ἐξορμώμενον¹ χρήσιμα μόρια γίνεται πρὸς τὴν ἀλκὴν·
 25 ἄνω μὲν ῥυὲν ῥύγχους ἐποίησε σκληρότητα ἢ μέγεθος, ἂν δὲ κάτω ῥύη, πλήκτρα ἐν τοῖς σκέλεσιν ἢ ἐπὶ τῶν ποδῶν ὀνύχων μέγεθος καὶ ἰσχύν. ἅμα δ' ἄλλοθι καὶ ἄλλοθι ἕκαστα τούτων οὐ ποιεῖ· διασπωμένη γὰρ ἀσθενὴς γίνεται ἢ φύσις τούτου τοῦ περιττώματος. τοῖς δὲ σκελῶν κατα-
 694 b σκευάζει μῆκος· ἐνίοις δ' ἀντὶ τούτων συμπληροῖ τὰ μεταξὺ τῶν ποδῶν· καὶ διὰ τοῦτο ἀναγκαίως οἱ πλωτοὶ τῶν ὀρνίθων οἱ μὲν ἀπλῶς εἰσι στεγανόποδες, οἱ δὲ διηρημένην μὲν ἔχουσι τὴν καθ' ἕκαστα τῶν δακτύλων φύσιν, πρὸς ἑκάστῳ δ'
 5 αὐτῶν προσπέφυκεν οἶον πλάτη καθ' ὅλον συνεχής.

Ἐξ ἀνάγκης μὲν οὖν ταῦτα συμβαίνει διὰ ταύτας τὰς αἰτίας· ὥς δὲ διὰ τὸ βέλτιον ἔχουσι τοιοῦτους τοὺς πόδας τοῦ βίου χάριν, ἵνα ζῶντες ἐν ὑγρῷ καὶ τῶν πτερύγων ἀχρείων οὐσῶν τοὺς πόδας χρησίμους ἔχωσι πρὸς τὴν νεῦσιν. γίνονται γὰρ ὥσπερ

¹ ἐξορμώμενον Peck: καὶ ἐξορμον ἐκ τούτου τὰ Υb: ἔξω ῥυὲν Langkavel; fortasse ἐξορμάται καὶ ἐκ τούτου τὰ.

bird that has talons and can fly well : spurs are useful for fights on the ground, and that is why certain of the heavy birds possess them, while talons would not be merely useless to them but a real disadvantage.^a they would stick in the ground and impede the birds when walking. And in fact all taloned birds do walk badly, and they never perch upon rocks ; in both instances the nature of their claws is the impediment.^a

This state of affairs is the inevitable result of the process of their development. There is earthy substance in the bird's body which courses along and issues out and turns into parts that are useful for weapons of defence. When it courses upwards it produces a good hard beak, or a large one ; if it courses downwards it produces spurs on the legs or makes the claws on the feet large and strong. But it does not produce spurs and large claws simultaneously, for this residual substance would be weakened if it were scattered about. Again, sometimes this substance makes the legs long ; and in some birds, instead of that, it fills in the spaces between the toes. Thus it is inevitable either that water-birds should be web-footed, simply, or (if they have separate toes) that they should have a continuous fan or blade, as it were, running the whole length of each toe and of a piece with it.

From the reasons just stated it is clear that feet of this sort are the result of *necessity*, it is true ; but they conduce to a *good* end and are meant to assist the birds in their daily life, for these birds live in the water, and while their wings are useless to them, these feet are useful and help them to swim. They

^a See above, note on 648 a 16.

694 b

10 αἱ κῶπαι τοῖς πλέουσι καὶ τὰ πτερύγια τοῖς ἰχθύσιν·
διὸ καὶ ἐὰν τῶν μὲν τὰ πτερύγια σφαλῇ, τῶν δὲ τὰ
μεταξὺ τῶν ποδῶν, οὐκέτι νέουσιν.

Ἔνιοι δὲ μακροσκελεῖς τῶν ὀρνίθων εἰσὶν. αἴτιον
δ' ὅτι ὁ βίος τῶν τοιούτων ἔλειος· τὰ δ' ὄργανα
πρὸς τὸ ἔργον ἢ φύσις ποιεῖ, ἀλλ' οὐ τὸ ἔργον πρὸς
15 τὰ ὄργανα. διὰ μὲν οὖν τὸ μὴ πλωτὰ εἶναι οὐ
στεγανόποδὰ ἐστὶ, διὰ δὲ τὸ ἐν ὑπέκοντι εἶναι τὸν
βίον μακροσκελῆ· καὶ μακροδάκτυλα ἔνια αὐτῶν
ἐστὶ, διὰ δὲ τὸ μακροδάκτυλα εἶναι τὰς καμπὰς
ἔχουσι πλείους ἐν τοῖς δακτύλοις οἱ πολλοὶ αὐτῶν.
ἐπεὶ δ' οὐ πτητικὰ μὲν, ἐκ τῆς δ' αὐτῆς ὕλης ἐστὶ
πάντα, ἢ εἰς τὸ οὐροπύγιον αὐτοῖς τροφή εἰς τὰ
20 σκέλη καταναλισκομένη ταῦτα ἠΐξῃσεν. διὸ καὶ ἐν
τῇ πτήσει ἅντ' οὐροπυγίου χρῶνται αὐτοῖς· πέτονται
γὰρ ἀποτείνοντες εἰς τὸ ὀπισθεν· οὕτω γὰρ αὐτοῖς
χρήσιμα τὰ σκέλη, ἄλλως δ' ἐμποδίσειεν ἅν.

Τὰ δὲ βραχυσκελῆ πρὸς τῇ γαστρὶ ἔχοντα πέ-
τονται· τοῖς μὲν γὰρ αὐτῶν οὐκ ἐμποδίζουσιν οἱ
25 πόδες οὕτω, τοῖς δὲ γαμφωνύχοις καὶ πρὸ ἔργου
εἰσὶν εἰς τὴν ἀρπαγὴν.

Τῶν δ' ἐχόντων ὀρνίθων τὸν αὐχένα μακρὸν οἱ
μὲν παχύτερον ἔχοντες πάντες πέτονται ἐκτεταμένῳ
τῷ αὐχένι, οἱ δὲ λεπτότερον¹ ἐπικεκαμμένῳ· σειό-
μενον γὰρ διὰ μῆκος τὸ λεπτὸν εὐθραυστόν ἐστιν.
695 a ἰσχίον δ' ἔχουσι μὲν οἱ ὀρνιθες πάντες ἢ οὐκ ἂν
δόξαιεν ἔχειν, ἀλλὰ δύο μηρούς διὰ τὸ τοῦ ἰσχίου
μῆκος· ὑποτέταται γὰρ μέχρι μέσης τῆς γαστρούς.
αἴτιον δὲ τούτου ὅτι δίπουν ἐστὶ τὸ ζῶον οὐκ

¹ λεπτότερον Peck: λεπτόν καὶ μακρὸν vulg.: [καὶ μακρὸν]
secl. Rackham.

are like oars to a sailor or fins to a fish. A fish that has lost its fins can no longer swim ; nor can a bird whose webs have been destroyed.

Some birds have long legs, owing to their living in marshes ; for Nature makes the organs to suit the work they have to do, not the work to suit the organ. And these birds have no webs in their feet because they are not water birds, and they have long legs because they live on ground that gives under them : some of them even have long toes as well, and in view of that most of them have additional joints in their toes. Furthermore, though these birds are not great fliers, they are composed of the same materials as the rest, and thus the nutriment which in the others goes to produce the tail feathers, in these is used up on the legs and makes them grow longer, and when in flight these birds stretch them out behind and use them in place of the missing tail feathers : placed thus, the legs are useful to them ; otherwise they would get in the way.

Short-legged birds keep their legs up against the belly while they are flying, because if the feet are there they are out of the way ; the taloned birds do it for an additional reason : the feet are convenient for seizing prey.

When a bird has a long neck, this is either thick and is held stretched out during flight ; or it is slender and is bent up during flight, because a slender object tends to shake to and fro owing to its length, and is easily broken. All birds have an ischium, but in such a way that they would not appear to have one ; it is so long that it reaches to the middle of the belly and looks more like a second thigh-bone. The reason for this is that a bird, although a biped, does not stand

695 a

ὀρθὸν <ὄν>,¹ ὥς εἴ γε εἶχεν, ὥσπερ ἐν τοῖς ἀνθρώποις
 5 ἢ τοῖς τετράποσιν, ἀπὸ τῆς ἑδρας βραχὺ τὸ ἰσχίον
 καὶ εὐθύς τὸ σκέλος ἐχόμενον, ἡδυνάτει ἂν ὅλως²
 ἐστάναι. ὁ μὲν γὰρ ἄνθρωπος ὀρθός,³ τοῖς δὲ
 τετράποσι σκέλη πρόσθια ὑπερήρυσται πρὸς τὸ
 βάρος· οἱ δ' ὄρνιθες οὐκ ὀρθοὶ μὲν εἰσιν ὅτι νανώ-
 δεις, σκέλη δ' ἐμπρόσθια οὐκ ἔχουσι, πτέρυγας δὲ
 10 ἀντ' αὐτῶν· ἀλλ' ἀντὶ τούτων ἡ φύσις τὸ ἰσχίον
 μακρὸν ποιήσασα εἰς μέσον προσήρυσεν καὶ ἐν-
 τεῦθεν τὰ σκέλη ὑπέθηκεν, ἵνα ἰσορρόπου ἔνθεν καὶ
 ἔνθεν ὄντος τοῦ βάρους δύνηται πορεύεσθαι καὶ
 μένειν. δι' ἣν μὲν οὖν αἰτίαν οὐκ ὀρθὸν ὃν δίπουν
 ἐστίν, εἴρηται· διότι δ' ἄσαρκα τὰ σκέλη, ἡ αὐτῇ
 15 αἰτία καὶ ἐπὶ τῶν τετραπόδων πάντων· αὕτη δ'
 εἴρηται πρότερον.

Τετραδάκτυλοι δ' εἰσὶ πάντες οἱ ὄρνιθες ὁμοίως
 οἱ στεγανόποδες τοῖς σχιζόποσιν (περὶ γὰρ τοῦ
 στρουθοῦ τοῦ Λιβυκοῦ ὕστερον διοριστέον, ὅτι δί-
 χηλος, ἅμα τοῖς λοιποῖς ὑπεναντιώμασιν οἷς ἔχει
 πρὸς τὸ τῶν ὀρνίθων γένος). τούτων δ' οἱ μὲν
 20 τρεῖς ἐμπροσθεν, ὁ δ' εἰς ὅπισθεν πρὸς ἀσφάλειαν
 ἀντὶ πτέρνης· καὶ ἐπὶ τῶν μακροσκελῶν ἐλλείπει
 τοῦτο κατὰ μέγεθος, οἷον συμβέβηκεν καὶ ἐπὶ τῆς
 κρεκός· πλείους δ' οὐκ ἔχουσι δακτύλους διὰ τὴν
 στενότητα τοῦ σκέλους. τοῖς μὲν οὖν ἄλλοις οὕτως
 ἡ τῶν δακτύλων ἔχει θέσις, ἡ δ' ἰυγξ δύο μόνον
 ἔχει τοὺς ἐμπροσθεν καὶ δύο τοὺς ὀπισθεν⁴. αἴτιον

¹ <ὄν> Rackham, cf. l. 14 infra.

² ὅλως PQUm: ὀρθὸν vulg.

³ ὀρθός Peck: ὀρθόν vulg.

upright ; and if it had an ischium which extended only a short way from the fundament and was followed immediately by the leg (as in man and the quadrupeds), it would be unable to stand up at all. Man can stand upright, and quadrupeds have forelegs to support their forward weight ; birds, however, though they do not stand upright because they are dwarf-like, yet have no forelegs, but wings instead of them.^a By way of compensation, Nature has made the ischium long, reaching to the middle of the body, and has fixed it fast, while beneath it she has placed the legs, so that the weight may be equally distributed on either side and the bird enabled to walk and to stand still. This shows why birds are bipeds although they are unable to stand upright. The reason why their legs are lacking in flesh is the same as for all quadrupeds and has been stated already.^b

All birds, web-footed or not, have four toes on each foot. (The Libyan ostrich will be dealt with later,^c and its cloven hoof and other inconsistencies with the tribe of birds will be discussed.) Of these four toes, three are in front, and the fourth is at the back instead of a heel, for stability. In the long-legged birds this toe is deficient in length, as for instance in the *Crex*. Still, the number of toes does not exceed four, owing to the slenderness of the leg. This arrangement of the toes holds good generally, but the wryneck is an exception, for it has only two toes in front and two at the back. This is because the

^a See above, 693 b 3 ff.

^b See 689 b 10 ff.

^c At the end of the book.

⁴ ἔμπροσθεν . . ὀπισθεν Karsch: ὀπισθεν . . ἔμπροσθεν
vulg.

695 a

25 δ' ὅτι ἡττόν ἐστιν αὐτῆς τὸ σῶμα προπετεὲς ἐπὶ τὸ πρόσθεν ἢ τὸ τῶν ἄλλων.

"Ὀρχεις δ' ἔχουσι μὲν πάντες οἱ ὄρνιθες, ἐντὸς δ' ἔχουσιν· ἢ δ' αἰτία ἐν τοῖς περὶ τὰς γενέσεις λεχθήσεται τῶν ζώων.

695 b

Τὰ μὲν οὖν τῶν ὀρνίθων μόρια τὸν τρόπον ἔχει τοῦτον.

XIII. Τὸ δὲ τῶν ἰχθύων γένος ἔτι μᾶλλον κεκολλώ-
 βωται τῶν ἐκτὸς μορίων. οὔτε γὰρ σκέλη οὔτε
 χεῖρας οὔτε πτέρυγας ἔχουσιν (εἴρηται δὲ περὶ τού-
 5 των ἢ αἰτία πρότερον), ἀλλ' ὅλον ἀπὸ τῆς κεφαλῆς
 τὸ κύτος συνεχές ἐστι μέχρι τῆς οὐράς. ταύτην δ'
 οὐχ ὁμοίαν ἔχουσι πάντες, ἀλλὰ τὰ μὲν παραπλη-
 σίαν,¹ τῶν δὲ πλατέων ἔνια ἀκανθώδη καὶ μακράν·
 ἢ ἐκεῖθεν γὰρ αὐξήσις γίνεται εἰς τὸ πλάτος, οἷόν
 ἐστι νάρκαις καὶ τρυγόσι καὶ εἴ τι τοιοῦτον ἄλλο
 10 σέλαχός ἐστιν. τῶν μὲν οὖν τοιούτων ἀκανθῶδες
 καὶ μακρὸν τὸ οὐραῖον ἐστιν, ἐνίων δὲ σαρκῶδες μὲν
 βραχὺ δὲ διὰ τὴν αὐτὴν αἰτίαν δι' ἣν περ ταῖς
 νάρκαις· διαφέρει γὰρ οὐδέν, ἢ βραχὺ μὲν σαρκω-
 δέστερον δέ, ἢ μακρὸν μὲν ἀσαρκότερον δ' εἶναι.

Ἐπὶ δὲ τῶν βατράχων τὸ ἐναντίον συμβέβηκεν·
 15 διὰ γὰρ τὸ μὴ σαρκῶδες εἶναι τὸ πλάτος αὐτῶν
 τὸ ἐμπρόσθιον, ὅσον ἀφήρηται σαρκῶδες, πρὸς τὸ
 ὀπισθεν αὐτῶν² ἔθηκεν ἢ φύσις καὶ τὴν οὐράν.

Οὐκ ἔχουσι δ' ἀπηρτημένα κῶλα οἱ ἰχθύες διὰ τὸ
 νευστικὴν εἶναι τὴν φύσιν αὐτῶν κατὰ τὸν τῆς
 οὐσίας λόγον, ἐπεὶ οὔτε περίεργον οὐδέν οὔτε μάτην

¹ μὲν ἄλλα π. P: μὲν ἄμη π Platt: μὲν παραπλήσια <τοῖς πτερυγίοις> Ogle.

² αὐτῶν U: αὐτὸ vulg.

^a See *De gen. an.* 714 b 4 ff., 719 b 11.

weight of its body tends forward less than that of other birds

All birds have testicles, but they are inside the body. The reason for this will be stated in the treatise on the different methods of generation among animals.^a

This concludes our description of the parts of Birds. (iii) Fishes :

XIII. In the tribe of Fishes the external parts are still further stunted. Fishes have neither legs, hands, nor wings (the reason has been stated earlier), but the whole trunk has an uninterrupted line from head to tail. Not all fishes' tails are alike ; but the Tail general run of them have similar tails, though some of the flat-fish have a long, spiny one, because the material for the tail's growth goes into the width of the flat body : this happens in the torpedo-fishes, in the Trygons, and any other Selachians of the same sort. These have long, spiny tails. Others have short, fleshy ones, and for the selfsame reason : it comes to the same thing whether the tail is short and has a good deal of flesh or long with little flesh.

In the fishing-frog^b the opposite has taken place. Here, the wide, flat part of the body in front is not fleshy ; Nature has taken the fleshy material away from the front and added an equivalent amount at the back—in the tail.

Fishes have no separate limbs attached to the body. (a) This is because Nature never makes anything that is superfluous or needless, and by their essence and constitution^c fishes are naturally swimmers and so

^b *Lophius piscatorius*, known as the "goosefish" in U.S.A., erroneously included by Aristotle (*De gen. an.* 754 a 25) with the Selachia, though he observed that it differed in many important points

^c *Logos* : see Introduction, pp. 26 f.

695 b

20 ἡ φύσις ποιεῖ. ἐπεὶ δ' ἔναιμά ἐστι κατὰ τὴν οὐσίαν, διὰ μὲν τὸ νευστικὰ εἶναι πτερύγια ἔχει, διὰ δὲ τὸ μὴ πεζεύειν οὐκ ἔχει πόδας· ἡ γὰρ τῶν ποδῶν πρόσθεσις πρὸς τὴν ἐπὶ τῷ πεδίῳ κίνησιν χρήσιμός ἐστιν. ἅμα δὲ πτερύγια τέτταρα καὶ πόδας οὐχ οἷόν τ' ἔχειν, οὐδ' ἄλλο κῶλον τοιοῦτον οὐδέν·
25 ἔναιμα γάρ. οἱ δὲ κορδύλοι βράγχια ἔχοντες πόδας ἔχουσιν· πτερύγια γὰρ οὐκ ἔχουσιν, ἀλλὰ τὴν οὐρὰν μανώδη καὶ πλατεῖαν.

Ἐχουσι δὲ τῶν ἰχθύων ὅσοι μὴ πλατεῖς, καθάπερ βάτος καὶ τρυγών, τέτταρα πτερύγια, δύο μὲν ἐν
696 a τοῖς πρηνέσι, δύο δ' ἐν τοῖς ὑπτίοις· πλείω δὲ τούτων οὐδεῖς, ἄναιμοι γὰρ ἂν ἦσαν. τούτων δὲ τὰ μὲν ἐν τῷ πρηνεῖ σχεδὸν πάντες ἔχουσι, τὰ δ' ἐν τοῖς ὑπτίοις ἔνιοι τῶν μακρῶν καὶ πάχος ἐχόντων
5 οὐκ ἔχουσιν, οἷον ἐγγέλυσ καὶ γόγγρος καὶ κεστρέων τι γένος τὸ ἐν τῇ λίμνῃ τῇ ἐν Σιφαῖς. ὅσα δ' ἐστὶ μακροφύεστερα καὶ ὀφιώδη μᾶλλον, οἷον σμύραινα, οὐδέν ἔχουσι πτερύγιον ἀπλῶς, ἀλλὰ ταῖς καμπαῖς κινεῦνται, χρώμεναι τῷ ὑγρῷ ὥσπερ οἱ ὄφεις τῇ γῇ· τὸν αὐτὸν¹ γὰρ οἱ ὄφεις τρόπον² νέουσιν ὥνπερ
10 ἐπὶ τῆς γῆς ἔρπουσιν. αἰτία δὲ τοῦ μὴ ἔχειν τοὺς ὀφιώδεις τῶν ἰχθύων πτερύγια, ἥπερ καὶ τῶν ὄφειν τοῦ ἁποδας εἶναι. τὸ δ' αἴτιον ἐν τοῖς περὶ πορείας καὶ κινήσεως τῶν ζώων εἴρηται. ἡ γὰρ κακῶς ἂν ἐκινεῖντο, τέτταρσι σημείοις κινούμενα

¹ τὸν αὐτὸν Peck. τοῦτον vulg.

² οἱ ὄφεις τὸν τρόπον Υἱ: τὸν delevi: τὸν τρόπον οἱ ὄφεις vulg.

^a The Cordylus was probably the larval form of some triton or newt, such as *Triton alpestris* or *Salamandra atra*, which retains its gills till it is well grown (D'Arcy Thompson).

^b i.e. pectoral.

^c i.e. ventral.

need no such limbs. But also (*b*) they are essentially blooded creatures, which means that if they have four fins they cannot have any legs or any other limbs of the sort; so they have the fins because they are swimmers and do not have the feet because they are not walkers (when an animal has feet it has them because they are useful for moving about on land). The Cordylus,^a however, has feet in addition to its gills, since it has no fins, but only a scraggy flattened-out tail

Excluding flat-fish (like the Batos and Trygon), fish ^{Fins.} have four fins: two on their under and two on their upper surface, never more, for then they would be bloodless animals. Almost all fishes have the two upper ^b fins, but some of the large, thick-bodied fishes lack the under ^c two—as for instance the eel and the conger, and a sort of Cestreus that is found in the lake at Siphæ.^d Fishes that have even longer bodies than these, and are really more like serpents (as the Smyraena^e), have no fins at all, and move along by bending themselves about: that is, they use the water just as serpents use the ground. And in fact serpents swim in exactly the same way as they creep on the ground. The reason why these serpent-like fishes have no fins and the reason why serpents have no feet are the same, and this has been stated in the treatises on the *Locomotion and Movement of Animals*.^f (*a*) If they had four motion-points, their movement would be poor, because the fins would

^d In Boeotia, on the south coast near Thespiæ; now Tīpha. Aristotle refers to this Cestreus of Siphæ again, *De incessu an.* 708 a 5. Cf. also *Hist. An.* 504 b 33.

^e Probably *Muraena Helena*.

^f See *De incessu an.* 709 b 7; perhaps the other passage which Aristotle has in mind is 690 b 16, in this book.

696 a

(εἴτε γὰρ σύνεγγυς εἶχον τὰ πτερύγια, μόγισ ἂν
 15 ἐκινουῦντο, εἴτε πόρρω, διὰ τὸ πολὺ μεταξύ). εἰ
 δὲ πλείω τὰ κινητικὰ σημεῖα εἶχον, ἄναιμα ἂν ᾗν.
 ἡ δ' αὐτὴ αἰτία καὶ ἐπὶ τῶν δύο μόνον ἐχόν-
 των πτερύγια ἰχθύων· ὁφιώδη γάρ ἐστι καὶ εὐ-
 μηκέστερα, καὶ χρῆται τῇ κάμψει ἀντὶ τῶν δύο
 πτερυγίων διὸ καὶ ἐν τῷ ξηρῷ ἔρπουσι καὶ ζῶσι
 20 πολὺν χρόνον, καὶ τὰ μὲν οὐκ εὐθύ, τὰ δ' οἰκεία
 τῆς πεζῆς ὄντα φύσεως ἦττον ἀσπαρίζει.

Αὐτῶν δὲ τῶν πτερυγίων τὰ ἐν τοῖς πρηνέσιν ἔχει
 τὰ δύο ἔχοντα πτερύγια μόνον, ὅσα μὴ κωλύεται
 διὰ τὸ πλάτος· τὰ δ' ἔχοντα πρὸς τῇ κεφαλῇ ἔχει
 διὰ τὸ μὴ ἔχειν μῆκος ἐν τῷ τόπῳ, ὃ ἀντὶ τούτων
 25 κινήσεται· ἐπὶ γὰρ τὴν οὐρὰν πρόμηκες τὸ τῶν
 τοιούτων ἐστὶν ἰχθύων σῶμα. οἱ δὲ βάτοι καὶ τὰ
 τοιαῦτα ἀντὶ τῶν πτερυγίων τῷ ἐσχάτῳ πλάτει
 νέουσιν. τὰ δ' ἦττον ἔχοντα πλάτος πτερύγια
 ἔχουσιν, οἷον ἡ¹ νάρκη καὶ ὁ βάτραχος, τὰ <μὲν>² ἐν
 τῷ πρηνεὶ κάτω διὰ τὸ πλάτος τῶν ἄνω, τὰ δ' ἐν
 τοῖς ὑπτίοις πρὸς τῇ κεφαλῇ (οὐ γὰρ κωλύει κινεῖ-
 30 σθαι τὸ πλάτος). ἀλλ' ἀντὶ τοῦ ἄνω ἔλαττω ταῦτα
 τῶν ἐν τῷ πρηνεῖ. ἔχει δ' ἡ νάρκη πρὸς τῇ οὐρᾷ
 τὰ δύο πτερύγια· ἀντὶ δὲ τῶν δύο τῷ πλάτει χρῆται
 ὥς δυσὶ πτερυγίοις ἐκατέρῳ τῷ ἡμικυκλίῳ.

Περὶ δὲ τῶν ἐν τῇ κεφαλῇ μορίων καὶ αἰσθητη-
 ρίων εἴρηται πρότερον.

¹ τὰ δ' ἦττον . . . οἷον ἡ P: ἡ δὲ tantum vulg.

² <μὲν> Bekker in not.

either be very close together, or else a long way apart, and in either case would not move easily. (b) On the other hand, if they had more than four motion-points they would be bloodless creatures. The same reason holds good for those fishes that have only two fins. These also are serpent-like and fairly long, and they use their power of bending instead of the two missing fins. And this enables them besides to crawl about and to live a good length of time on dry land; and it is some while before they begin to gasp; indeed, those which are akin to the land-animals are affected even less than the others.

Except for those whose width and flatness prevents it, all fishes that have only two fins have the upper ^a ones; and these fins are by the head, because there is no length of body just there which they could use instead of fins for propulsion—length such as fish of this sort have towards their tail-end. The Batoï and such fishes swim by means of the edge of their flat surface which they use instead of fins. Fish which are not so flat, such as the torpedo-fish and the fishing-frog, possess fins, but they have their upper fins toward their tail-end owing to the flatness of the forepart, and their under fins near the head (since the flatness of the fish does not prevent its motion); but the under ones are smaller than the upper ones, to make up for being placed forward. The torpedo-fish has two of his fins by his tail; and instead of these two he uses the wide piece on each of his semi-circles ^b as though it were a fin.

We have already spoken of the parts in the head and of the sense-organs.

^a *i.e.* pectoral.

^b *Cf. De incessu an.* 709 b 17.

696 a

696 b "Ιδιον δ' ἔχει τὸ τῶν ἰχθύων γένος πρὸς τὰλλα τὰ
 εἶναιμα ζῶα τὴν τῶν βραγχίων φύσιν· δι' ἣν δ'
 αἰτίαν, εἴρηται ἐν τοῖς περὶ ἀναπνοῆς. καὶ ἔχει δὲ
 τὰ ἔχοντα βράγχια τὰ μὲν ἐπικαλύμματα τοῖς
 βραγχίοις, τὰ δὲ σελάχη πάντα¹ ἀκάλυπτα. αἴτιον
 5 δ' ὅτι οἱ μὲν ἀκανθῶδεις εἰσὶ, τὸ δ' ἐπικάλυμμα
 ἀκανθῶδες, τὰ δὲ σελάχη πάντα χονδράκανθα. ἔτι
 δ' ἡ κίνησις τῶν μὲν νωθρά² διὰ τὸ μὴ ἀκανθώδη
 εἶναι μηδὲ νευρώδη, τῶν δ' ἀκανθῶδων ταχεῖα· τοῦ
 δ' ἐπικαλύμματος ταχείαν δεῖ γίνεσθαι τὴν κίνησιν·
 ὥσπερ γὰρ πρὸς ἐκπνοὴν ἡ τῶν βραγχίων ἐστὶ
 10 φύσις. διὰ τοῦτο τοῖς σελαχῶδεσι καὶ αὐτῶν τῶν
 πόρων ἡ συναγωγὴ γίνεται τῶν βραγχίων, καὶ οὐ
 δεῖ ἐπικαλύμματος, ὅπως γίνηται ταχεῖα.

Οἱ μὲν οὖν αὐτῶν ἔχουσι πολλὰ βράγχια οἱ δ'
 ὀλίγα, καὶ οἱ μὲν διπλᾶ οἱ δ' ἀπλᾶ· τὸ δ' ἔσχατον
 ἀπλοῦν οἱ πλείστοι. (τὴν δ' ἀκρίβειαν ἐκ τῶν
 15 ἀνατομῶν περὶ τούτων καὶ ἐν ταῖς ἱστορίαις ταῖς
 περὶ τὰ ζῶα δεῖ θεωρεῖν.) αἴτιον δὲ τοῦ πλήθους
 καὶ τῆς ὀλιγότητος τὸ τοῦ ἐν τῇ καρδίᾳ θερμοῦ
 πλήθους καὶ ὀλιγότης· θάπτω γὰρ καὶ ἰσχυροτέραν
 τὴν κίνησιν δεῖ εἶναι τοῖς πλείω ἔχουσι θερμότητα.
 τὰ δὲ πλείω καὶ διπλᾶ βράγχια τοιαύτην ἔχει τὴν
 20 φύσιν μᾶλλον τῶν ἀπλῶν καὶ ἐλαττόνων. διὸ καὶ
 ἔνια αὐτῶν ἔξω ζῆν δύναται πολὺν χρόνον, τῶν
 ἐχόντων ἐλάττω καὶ ἥττον ἐγκρατῇ τὰ βράγχια,
 οἷον ἐγγέλυσ καὶ ὅσα ὀφιώδη· οὐ γὰρ πολλῆς
 δέονται καταψύξεως.

"Ἐχει δὲ καὶ περὶ τὸ στόμα διαφοράς. τὰ μὲν
 25 γὰρ κατ' ἀντικρὺ ἔχει τὸ στόμα καὶ εἰς τὸ πρόσθεν,

¹ (χονδράκανθα γὰρ) post πάντα vulg., om. P.

² ἡ κίνησις . . νωθρά Y: αἱ κινήσεις . . . νωθραὶ vulg.

PARTS OF ANIMALS, IV. XIII.

The peculiarity which marks off fishes from the ^{Gills.} other blooded animals is the possession of gills. It has been explained in the treatise on *Respiration*^a why they have them. All fishes have coverings over their gills, except the Selachia, none of which have them. This is because their bones are cartilaginous, whereas other fishes' bones are of fish-spine, and this is the substance out of which the coverings are made. And again, the Selachia move sluggishly owing to their lack of fish-spine—and of sinews—while the spinous fishes move quickly, and the movement of the covering must be a quick one, for gills are a medium for expiration of a sort. On this account in the selachian group of fishes the passages of the gills can close up by themselves, and no covering is needed to make sure they close quickly

Now some fish have many gills, some have few ; some have double ones, some single. The last one is nearly always a single one. (For precise details consult the Anatomical treatises and the *Researches upon Animals*.^b) The number of gills depends upon the amount of heat in the heart. The more heat an animal has, the quicker and stronger must be the movement of its gills ; and if the gills are numerous and double they are better adapted for this than if they are few and single. And on this account, some fishes (*e g.* the eels and the serpentine fishes) which need but little cooling, as is shown by their having only a few weakish gills, can live a long time out of water

Fish differ also with regard to the mouth. Some ^{Mouth.} have their mouth right at the tip, straight in front ;

^a At 476 a 1 ff., 480 b 13 ff.

^b At 504 b 28 ff.

696 b

τὰ δ' ἐν τοῖς ὑπτίοις, οἷον οἷ τε δελφῖνες¹ καὶ τὰ
σελαχῶδη διὸ καὶ ὑπτια στρεφόμενα λαμβάνει τὴν
τροφὴν. φαίνεται δ' ἡ φύσις οὐ μόνον σωτηρίας
ἐνεκεν ποιῆσαι τοῦτο τῶν ἄλλων ζώων (ἐν γὰρ τῇ
στρέψει σώζεται τὰλλα βραδυνόντων· πάντα γὰρ
30 τὰ τοιαῦτα ζωοφάγα ἐστίν), ἀλλὰ καὶ πρὸς τὸ μὴ
ἀκολουθεῖν τῇ λαιμαργίᾳ τῇ περὶ τὴν τροφήν· ῥᾶον
γὰρ λαμβάνοντα διεθθίρετ' ἂν διὰ τὴν πλήρωσιν
ταχέως. πρὸς δὲ τούτοις περιφερῇ καὶ λεπτὴν
ἔχοντα τὴν τοῦ ῥύγχους φύσιν οὐχ οἷον τ' εὐ-
διαίρετον ἔχειν.

Ἔτι δὲ καὶ τῶν ἄνω τὸ στόμα ἐχόντων τὰ μὲν
697 a ἀνερρωγὸς ἔχει τὸ στόμα τὰ δὲ μύουρον, ὅσα μὲν
σαρκοφάγα, ἀνερρωγός, ὥσπερ τὰ καρχαρόδοντα,
διὰ τὸ ἐν τῷ στόματι εἶναι τοῖς τοιούτοις τὴν ἰσχύν,
ὅσα δὲ μὴ σαρκοφάγα, μύουρον.

Τὸ δὲ δέρμα οἱ μὲν λεπιδωτὸν ἔχουσιν αὐτῶν (ἡ
5 δὲ λεπίς διὰ λαμπρότητα καὶ λεπτότητα τοῦ σώ-
ματος ἀφίσταται), οἱ δὲ τραχύ, οἷον ῥίνη καὶ βάτος
καὶ τὰ τοιαῦτα· ἐλάχιστα δὲ τὰ λεία. τὰ δὲ σελάχη
ἀλεπίδωτα μὲν τραχέα δ' ἐστὶ διὰ τὸ χονδράκανθα
εἶναι τὸ γὰρ γεῶδες ἐκεῖθεν ἡ φύσις εἰς τὸ δέρμα
κατανήλωκεν.

10 "Ορχεῖς δ' οὐδεὶς ἔχει ἰχθὺς οὗτ' ἐκτὸς οὗτ' ἐντός

¹ δελφῖνες non probant Frantzius, Ogle; similia *Hist. An.*
591 b 26 secludunt Aubert et Wimmer.

^a This statement about dolphins, though repeated at *Hist.*
an. 591 b 26, is incorrect, and as Aristotle was familiar with

PARTS OF ANIMALS, IV. XIII.

others have it underneath (*e.g.* the dolphin^a and the selachians) and that is why they turn on to their backs to get their food. It looks as if Nature made them do this partly to preserve other animals from them, for they all prey on living things, and while they are losing time turning on to their backs the other things get away safely ; but she did it also to prevent them from giving way too much to their gluttonous craving for food, since if they could get it more easily they would presently be destroyed through repletion. Another reason is that their snout is round and small and therefore cannot have much of an opening in it.

There are differences too among those that have their mouth above. With some it is a great wide opening (these are the flesh-eaters, as *e.g.* those with sharp interfitting teeth, whose strength is in their mouth) ; with others (the non-flesh-eaters) it is on a tapering snout.

As for the skin : some have a scaly skin (these ^{Skin} scales are shiny and thin and therefore easily come loose from the body) ; others have a rough skin, *e.g.* the Rhinē and the Batos and such. Those with smooth skins are the fewest. Selachia have skins which are scaleless but rough, owing to their bones being cartilaginous : instead of using the earthy matter on the bones Nature has used it for the skin.

No fish has testicles^b either without or within. Nor ^{Testicles.}

the creature, some editors consider this reference to be an interpolation.

^b By this Aristotle does not mean that fish have no organ for the secretion of sperm, but that they have no organ similar in shape and consistency to those of mammalia, etc. He calls the corresponding organs in fish not testes, but tubes, or roe. In fact, however, his statement is not true of the Selachia, which have compact, oval testes.

697 a

(οὐδ' ἄλλο τι τῶν ἀπόδων οὐδέν, διὸ οὐδ' οἱ ὄφεις), πόρον δὲ τοῦ περιττώματος καὶ τῶν περὶ τὴν γένεσιν τὸν αὐτόν, καθάπερ καὶ τὰλλα ὥτοκα¹ πάντα καὶ² τετράποδα, διὰ τὸ μὴ ἔχειν κύστιν μηδὲ γίνεσθαι περίττωμ' αὐτοῖς ὑγρόν.

15 Τὸ μὲν οὖν τῶν ἰχθύων γένος πρὸς τὰλλα ζῶα ταύτας ἔχει τὰς διαφοράς, οἱ δὲ δελφῖνες καὶ αἱ φάλαιναι καὶ πάντα τὰ τοιαῦτα τῶν κητῶν βράγχια μὲν οὐκ ἔχουσιν, αὐλὸν δὲ διὰ τὸ πνεύμονα ἔχειν· δεχόμενα γὰρ κατὰ τὸ στόμα τὴν θάλατταν ἀφιάσι κατὰ τὸν αὐλόν. ἀνάγκη μὲν γὰρ δέξασθαι τὸ

20 ὑγρόν διὰ τὸ λαμβάνειν τὴν τροφήν ἐν τῷ ὑγρῷ· δεξάμενα δ' ἀφίεναι ἀναγκαῖον. τὰ μὲν οὖν βράγχια ἔστι χρήσιμα τοῖς μὴ ἀναπνεύουσιν δι' ἣν δ' αἰτίαν, εἴρηται ἐν τοῖς περὶ ἀναπνοῆς· ἀδύνατον γὰρ ἅμα τὸ αὐτὸ ἀναπνεῖν καὶ βράγχια ἔχειν· ἀλλὰ πρὸς τὴν ἄφεσιν τοῦ ὕδατος ἔχουσι τὸν αὐλόν. κεῖται δ'

25 αὐτοῖς οὗτος πρὸ τοῦ ἐγκεφάλου· διελάμβανε γὰρ ἂν ἀπὸ τῆς ῥάχεως αὐτόν. αἷτιον δὲ τοῦ πνεύμονα ταῦτ' ἔχειν καὶ ἀναπνεῖν, ὅτι τὰ μεγάλα τῶν ζώων πλείονος δεῖται θερμότητος ἵνα κινῆται· διὸ ὁ πνεύμων ἐγκείται αὐτοῖς θερμότητος ὣν πλήρης αἱματικῆς ἔστι δὲ ταῦτα τρόπον τινὰ <καὶ>³ πεζὰ

30 καὶ ἔνυδρα· τὸν μὲν γὰρ αἶρα δέχεται ὡς πεζὰ, ἄποδα δ' ἔστι καὶ λαμβάνει ἐκ τοῦ ὑγροῦ τὴν

697 b τροφήν ὥσπερ τὰ ἔνυδρα. καὶ αἱ φῶκαι δὲ καὶ αἱ νυκτερίδες διὰ τὸ ἐπαμφοτερίζειν αἱ μὲν τοῖς ἐνύδροις καὶ πεζοῖς, αἱ δὲ τοῖς πτηνοῖς καὶ πεζοῖς, διὰ τοῦτο ἀμφοτέρων τε μετέχουσι καὶ οὐδετέρων.

¹ ζωοτόκα PSUY.

² καὶ <δίποδα καὶ> Ogle

³ <καὶ> Rackham.

PARTS OF ANIMALS, IV. XIII.

have any other footless animals, and this includes the serpents. In fish the passage for the residue and for the generative secretion is one and the same ; and this is so in all other oviparous animals, four-footed ones included. This is because they have no bladder and produce no liquid residue.

Thus we have seen what are the differences to be noticed in fish as a group as compared with other animals. Dolphins and whales and all such Cetacea, however, have no gills, but they have a blowhole because they have a lung. They cannot help letting the sea-water enter the mouth because they feed in the water, and once it has got in they must get it out again, and they do so through the blowhole. Gills, of course, are of service herein to those creatures that do not breathe. The reason for this has been given in my book on *Respiration*^a ; no creature can breathe and at the same time have gills ; instead, these Cetacea have a blowhole for getting rid of the water. It is placed in front of the brain, otherwise it would separate the brain from the spine. The reason why these creatures have a lung and breathe is that large animals need more heat than others to enable them to move ; consequently they have a lung inside them full of heat derived from the blood. They are, in a way, land-animals as well as water-animals. they inhale the air, like land-animals, but they have no feet and they get their food from the water as water-animals do. Similarly, seals and bats are in an intermediate position. Seals are between land-animals and water-animals, bats between land-animals and fliers. thus they belong to both classes or to neither.

Inter-
mediate
creatures
(1) Cetacea

(11) Seals
and bats

^a References given above, see on 696 b 2.

697 b

5 αἷ τε γὰρ φῶκαι ὡς μὲν ἔνυδροι πόδας ἔχουσιν, ὡς
 δὲ πεζαὶ πτερύγια¹ (τοὺς γὰρ ὀπισθεν πόδας ἰχθυ-
 ῶδεις ἔχουσι πάμπαν, ἔτι δὲ τοὺς ὀδόντας πάντας
 καρχαρόδοντας καὶ ὀξεῖς)· καὶ αἱ νυκτερίδες ὡς μὲν
 πτηνὰ ἔχουσι πόδας, ὡς δὲ τετράποδα οὐκ ἔχουσι,
 καὶ οὔτε κέρκον ἔχουσιν οὔτ' οὐροπύγιον, διὰ μὲν
 10 τὸ πτηνὰ εἶναι κέρκον, διὰ δὲ τὸ πεζὰ οὐροπύγιον.
 συμβέβηκε δ' αὐταῖς τοῦτ' ἐξ ἀνάγκης· εἰσὶ γὰρ
 δερμόπτεροι, οὐδὲν δ' ἔχει οὐροπύγιον μὴ σχιζό-
 πτερον· ἐκ τοιούτου γὰρ πτεροῦ γίνεται τὸ οὐρο-
 πύγιον. ἡ δὲ κέρκος καὶ ἐμπόδιος ἂν ἦν ὑπάρχουσα
 ἐν τοῖς πτεροῖς.

Τὸν αὐτὸν δὲ τρόπον καὶ ὁ στρουθὸς ὁ Λιβυκός·
 15 τὰ μὲν γὰρ ὄρνιθος ἔχει, τὰ δὲ ζώου τετράποδος.
 ὡς μὲν γὰρ οὐκ ὦν τετράπους πτερὰ ἔχει, ὡς δ'
 οὐκ ὦν ὄρνις οὔτε πέταται μετεωριζόμενος, καὶ τὰ
 πτερὰ οὐ χρήσιμα πρὸς πτήσιν ἀλλὰ τριχώδη· ἔτι
 δὲ ὡς μὲν τετράπους ὦν βλεφαρίδας ἔχει τὰς
 ἄνωθεν καὶ ψιλὸς ἐστὶ τὰ περὶ τὴν κεφαλὴν καὶ τὰ
 20 ἄνω τοῦ αὐχένος, ὥστε τριχωδεστέρας ἔχειν τὰς
 βλεφαρίδας, ὡς δ' ὄρνις ὦν τὰ κάτωθεν ἐπτέρωται·
 καὶ δίπους μὲν ἐστὶν ὡς ὄρνις, δίχαλος δ' ὡς
 τετράπους· οὐ γὰρ δακτύλους ἔχει ἀλλὰ χηλὰς.
 τούτου δ' αἷτιον ὅτι τὸ μέγεθος οὐκ ὄρνιθος ἔχει
 ἀλλὰ τετράποδος· ἐλάχιστον γὰρ ἀναγκαῖον εἶναι τὸ
 25 μέγεθος ὡς καθόλου εἰπεῖν τὸ τῶν ὀρνίθων· οὐ γὰρ
 ῥάδιον πολὺν ὄγκον κινεῖσθαι σώματος μετέωρον.

¹ πτερύγια Ogle: πτέρυγας vulg.

PARTS OF ANIMALS, IV. XIII.

Seals, if regarded as water-animals, are anomalous in having feet ; if regarded as land-animals, in having fins (their hind feet are altogether like those of fishes—*i. e.* fins ; and all their teeth too are sharp and interlocking) Bats, too, if regarded as birds, are anomalous in having feet^a ; if regarded as quadrupeds, in not having feet^b ; furthermore, they have neither a quadruped's tail (because they are fliers) nor a bird's tail (because they are land-animals). This their lack of a tail like a bird's is a necessary consequence, since they have membranous wings, and no creature has a tail of this sort unless it has barbed feathers : such tails are always made out of barbed feathers. And a tail of the other sort growing among feathers would be a definite impediment.

After the same style is the Libyan ostrich : in ^{(III.) The} some points it resembles a bird, in others a quadruped. ^{Ostrich} As not being a quadruped, it has feathers ; as not being a bird, it cannot rise up and fly, and it has feathers that are like hairs and useless for flight. Again, as being a quadruped, it has upper eyelashes, and it is bald in the head and the upper part of the neck, as a result of which its eyelashes are hairier than they would otherwise be ; as being a bird, it is feathered on its lower parts. Also, as a bird, it has two feet ; but, as a quadruped, it has cloven hoofs (it has hoofs and not toes). The reason is that it has the size not of a bird but of a quadruped. Speaking generally, a bird has to be very small in size, because it is difficult for a body of large bulk to move off the ground.

^a That is, of the sort that birds ought not to have, *viz.* on their wings.

^b That is, of the sort that quadrupeds ought to have.

697 b

Περὶ μὲν οὖν τῶν μορίων, διὰ τίν' αἰτίαν ἕκαστόν
 ἐστὶν ἐν τοῖς ζώοις, εἴρηται περὶ πάντων τῶν ζώων
 καθ' ἕκαστον τούτων δὲ διωρισμένων ἐφεξῆς ἐστι
 30 τὰ περὶ τὰς γενέσεις αὐτῶν διελθεῖν.¹

¹ τούτων . . . διελθεῖν om. Yh, et statim incipiunt librum
de incessu

PARTS OF ANIMALS, IV. XIII.

We have now spoken severally of all the animals : Conclusion. we have described their parts, and stated the reason why each is present in them. Now that this is concluded, the next thing is to describe the various ways in which animals are generated.

ARISTOTLE

ADDITIONAL NOTE ON 684 b 23 ff.

The source of corruption in this passage is the diagram to which it refers. Aristotle's original diagram must have shown a straight line with $AB\Gamma\Delta$ marked along it, representing the trunk of a quadruped. (This is shown by the mention of Δ at the end of the passage, which is guaranteed by the Arabic version, though the Latin replaces it by C.) At some period after the Arabic version was made, someone tried to improve the passage by inserting references to the diagram all through. The result of this is that two important phrases have been either lost or so badly corrupted that restoration is difficult. Perhaps Aristotle's original diagram was not in the text but hung up in the room.

The diagrams given in the ms. Z are obviously later ones contemporary with the interpolated text. One of the mss. (Merton 278) of Michael Scot's Latin version has an entirely different diagram. The Arabic ms. B.M. Add. 7511 has no diagram. The original must have been something like this

$\overline{A \quad B \quad \Gamma \quad \Delta}$

When bent over, the part AB would be brought round and laid alongside Δ .

I am much indebted to Dr. R. Levy for his kindness in reading this passage for me in the Arabic in Brit. Mus. ms. Add. 7511.

PARTS OF ANIMALS

ADDITIONAL NOTE ON 693 b 3

Explanation of Aristotle's terminology for describing the bending of limbs

When Aristotle is speaking about the bending of limbs, *backwards* and *forwards* are relative to the direction in which the whole animal moves ;
inwards and *outwards* are relative to the bulk of the body itself.

Thus, *backwards* means that the angle of the bent joint points backwards ; *inwards* means that the extremity of the limb is brought inwards towards the body, that is, the angle of the bent joint points away from the main bulk of the body. ("Inward" and "outward" bending thus have no connotation of "bandy-legs" and "knock-knees")

Example (1)



All four legs bend *inwards* ;
The forelegs bend *forwards* ;
The hindlegs bend *backwards*.

Example (2)



The leg bends *inwards*, and
backwards.

(See *De incess. an.* 711 a 8 ff., *Hist. An.* 498 a 3 ff.)

MOVEMENT OF ANIMALS

INTRODUCTION

THAT the *De incessu animalium* is a genuine work of Aristotle himself has never been disputed. The *De motu animalium* has been regarded by many critics as a spurious work, though recent opinion has favoured its genuineness. Brandis, Rose and Zeller all condemn it, but its Aristotelian authorship has been upheld by Werner Jaeger (*Hermes*, xlviii. pp. 31 ff.), who makes out a very strong case in its favour, and by the Oxford translator, Mr. A. S. L. Farquharson. Those who deny its authenticity rely mainly on the supposition that there is a reference in 703 a 10-11 to the *De spiritu*. This treatise is generally admitted to be un-Aristotelian, but the reference, as Mr. Farquharson has pointed out, might relate equally well to numerous other passages in the Aristotelian corpus; Michael Ephesius refers it to a treatise Περὶ τροφῆς, not otherwise known. In style, vocabulary and syntax the *De motu animalium* is entirely Aristotelian, and its doctrine corresponds with that set forth in Aristotle's genuine works.

Each treatise has its proper place in the scheme of Aristotle's biological works. Both are theoretical, the *De incessu animalium*, like the *De partibus animalium*, dealing with the material side of living things, and the *De motu animalium*, like the *De generatione animalium*, dealing with their consequential properties.

MOVEMENT & PROGRESSION OF ANIMALS

The chief mss. of the *De motu animalium* are E, Y, P and S.^a Of these E, one of the most famous of Aristotelian mss., is the oldest; Y is closely related to E. P and S are similarly related and form a second group.

Of the *De incessu animalium* the principal mss. are Z, Y, U, S and P.^a Of these Z is the oldest, and Y is closely related to it, while the other three mss. form another group.

A full account of these mss. and their relations to one another will be found in the Introduction (pp. iv. ff.) of W. W. Jaeger's text (Teubner, 1913).

The text used for the present translation is based on that of I. Bekker, all divergences from which are noted and the authority given for the reading adopted. Jaeger's text and *apparatus criticus* have been consulted throughout.

The Commentary of Michael Ephesius (*Commentaria in Aristotelem Graeca*, xxii 2, Hayduck, 1904) has been of some assistance both for the text and for the interpretation, and the Latin version of Nicholas Leonicus (died 1599), printed in the Berlin Aristotle, Vol. III, has been constantly consulted.

The two treatises have been translated into French by J. Barthélemy-Saint-Hilaire, and into English by Mr. A. S. L. Farquharson in the Oxford translation (1912). This translation with its ample explanatory notes constitutes much the most serious attempt that has been made to interpret these two treatises, and anyone who follows in Mr. Farquharson's footsteps must necessarily be heavily indebted to him.

E. S. F.

^a For the meanings of these symbols see p. 439.

ANALYSIS OF CONTENTS

CHAP. I. The origin of all movement must itself be unmoved. So if there is to be animal movement, something in the animal must be at rest. Hence joints are necessary.

II. There must also be a resisting medium external to the moving animal. Illustration from the rowing of a boat.

III The nature of the "prime mover." The fable of Atlas.

IV. The "prime mover" is of necessity outside the universe. The movement of manimate things must originate from animate things.

V. Alteration, growth, generation and corruption as forms of motion

VI. How does the soul move the body ? Animal movement lies in the sphere of action Its limitation in comparison with eternal movement.

VII. Animal movement the result of the syllogism of action, not of the speculative syllogism. Animal movement compared with that of automatic toys.

VIII. The psychology of animal movement and the organic changes which accompany it. The cause of movement must be situated in a definite origin.

IX. The two sides of the body are similar and can move simultaneously : both are moved by the soul.

X. The motive power is "innate spirit." Comparison between the animal organism and a well-ordered civic community.

XI Involuntary and non-voluntary movements. Conclusion.

ABBREVIATIONS USED IN THE APPARATUS
CRITICUS

E= Codex Parisinus Regius 1853.

Y= Codex Vaticanus 261.

P= Codex Vaticanus 1339.

S= Codex Laurentianus 81. 1.

Leon.= Latin translation of Nicolaus Leonicus

Mich.= Greek commentary of Michael Ephesius.

ΠΕΡΙ ΖΩΙΩΝ ΚΙΝΗΣΕΩΣ

698 a I. Περὶ δὲ κινήσεως τῆς τῶν ζώων, ὅσα μὲν αὐτῶν περὶ ἕκαστον ὑπάρχει γένος, καὶ τίνες διαφοραί, καὶ τίνες αἰτίαι τῶν καθ' ἕκαστον συμβεβηκότων αὐτοῖς, ἐπέσκεπται περὶ ἀπάντων ἐν ἑτέροις· ὅλως δὲ περὶ τῆς κοινῆς αἰτίας τοῦ κινεῖσθαι κίνησιν ὅποιανοῦν (τὰ μὲν γὰρ πτήσει κινεῖται τὰ δὲ νεύσει τὰ δὲ πορεία τῶν ζώων, τὰ δὲ κατ' ἄλλους τρόπους τοιούτους) ἐπισκεπτέον νῦν.

Ὅτι μὲν οὖν ἀρχὴ τῶν ἄλλων κινήσεων τὸ αὐτὸ ἑαυτὸ κινοῦν, τούτου¹ δὲ τὸ ἀκίνητον, καὶ ὅτι τὸ πρῶτον κινοῦν ἀναγκαῖον ἀκίνητον εἶναι, διώρισται πρότερον, ὅτεπερ καὶ περὶ κινήσεως αἰδίου, πρότερον ἔστιν ἢ οὐκ ἔστι, καὶ εἰ ἔστι, τίς ἔστιν. δεῖ δὲ τοῦτο μὴ μόνον τῷ λόγῳ καθόλου λαβεῖν, ἀλλὰ καὶ ἐπὶ τῶν καθ' ἕκαστα καὶ τῶν αἰσθητῶν, δι' ἅπερ καὶ τοὺς καθόλου ζητοῦμεν λόγους, καὶ ἐφ' ὧν ἐφαρμόττειν οἰόμεθα¹⁵ δεῖν αὐτούς. φανερόν γὰρ καὶ ἐπὶ τούτων ὅτι ἀδύνατον κινεῖσθαι μηδενὸς ἡρεμοῦντος, πρῶτον μὲν ἐν αὐτοῖς τοῖς ζώοις. δεῖ γάρ, ἂν κινήται τι τῶν μορίων, ἡρεμεῖν τι· καὶ διὰ τοῦτο αἱ καμπαὶ

¹ τούτου ΕΡΥ: τοῦτο S.

ON THE MOVEMENT OF ANIMALS

I. We have inquired elsewhere ^a into the details of the movement of the various kinds of animals, the differences between these movements, and the causes of the characteristics which each exhibit ; we must now inquire generally into the common cause of animal movement of whatever kind—for some animals move by flight, some by swimming, some by walking, and others by other such methods.

Now that the origin of all the other movements is that which moves itself, and that the origin of this is the immovable, and that the prime mover must necessarily be immovable, has already been determined when we were investigating ^b whether or not eternal movement exists, and if it does exist what it is. And this we must apprehend not merely in theory as a general principle but also in its individual manifestations and in the objects of sense-perception, on the basis of which we search for general theories and with which we hold that these theories ought to agree. For it is clear also in the objects of sense-perception that movement is impossible if there is nothing in a state of rest, and above all in the animals themselves. For if any one of their parts moves, another part must necessarily be at rest ; and

^a In the *De partibus animalium*.

^b *Physics* viii. 258 b 4-9.

698^a

τοῖς ζώοις εἰσίν. ὥσπερ γὰρ κέντρῳ χρῶνται
 ταῖς καμπαῖς, καὶ γίνεται τὸ ὅλον μέρος, ἐν ᾧ ἡ
 20 καμπή, καὶ ἐν καὶ δύο, καὶ εὐθὺ καὶ κεκαμμένον,
 μεταβάλλον δυνάμει καὶ ἐνεργείᾳ διὰ τὴν καμπήν.
 καμπτομένου δὲ καὶ κινουμένου τὸ μὲν κινεῖται
 σημεῖον τὸ δὲ μένει τῶν ἐν ταῖς καμπαῖς, ὥσπερ
 ἂν εἰ τῆς διαμέτρου ἡ μὲν Α καὶ ἡ Δ μένοι, ἡ δὲ
 Β κινοῖτο, καὶ γίνοιτο ἡ ΑΓ. ἀλλ' ἐνταῦθα μὲν
 25 δοκεῖ πάντα τρόπον ἀδιαίρετον εἶναι τὸ κέντρον
 (καὶ γὰρ τὸ κινεῖσθαι, ὡς φασί, πλάττουσιν ἐπ'
 αὐτῶν· οὐ γὰρ κινεῖσθαι¹ τῶν μαθηματικῶν
 οὐδέν), τὰ δ' ἐν ταῖς καμπαῖς δυνάμει καὶ ἐνεργείᾳ
 698^b γίνεται ὅτε μὲν ἐν ὅτε δὲ διαιρετά. ἀλλ' οὖν
 αἰὲ ἡ ἀρχὴ ἡ πρὸς ὅ, ἡ² ἀρχή, ἡρεμεῖ κινουμένου
 τοῦ μορίου τοῦ κάτωθεν, οἷον τοῦ μὲν βραχίονος
 κινουμένου τὸ ὠλέκρανον, ὅλου δὲ τοῦ κώλου ὁ
 ὦμος, καὶ τῆς μὲν κνήμης τὸ γόνυ, ὅλου δὲ τοῦ
 5 σκέλους τὸ ἰσχίον. ὅτι μὲν οὖν καὶ ἐν αὐτῷ
 ἕκαστόν τι δεῖ ἔχειν ἡρεμοῦν, ὅθεν ἡ ἀρχὴ
 τοῦ κινουμένου ἔσται, καὶ πρὸς ὃ ἀπεριεδόμενον

¹ κινεῖσθαι ESY κινεῖται P.

² ἡ πρὸς ὅ, ἡ Jaeger. ἡ πρὸς δ ἡ EY: ἡ πρώτη ἡ S: ἡ πρόσω
 (om altero ἀρχή) P.


^a *e.g.* the arm as an arm is one, but is divided into two at the elbow

^b The term ἀρχή, which occurs frequently in this treatise, is difficult to render in English by a single word. It is sometimes used generally of the "origin" of movement (*e.g.* 701 b33), but more often of a localized "origin" of movement,

MOVEMENT OF ANIMALS, I.

it is on this account that animals have joints. For they use their joints as a centre, and the whole part in which the joint is situated is both one and two,^a both straight and bent, changing potentially and actually because of the joint. And when the part is being bent and moved, one of the points in the joint moves and one remains at rest, just as would happen if A and D in the diameter of a circle were to remain still while B moved, and the radius AC were formed. (In geometrical figures, however, the centre is considered to be

in every respect indivisible—for movement, too, in such figures is a figment, so they say, since in mathematics nothing actually moves,—whereas the centres in the joints are, potentially and actually, sometimes one and sometimes divided.) Be that as it may, the origin^b



to which the movement can be traced, *qua* origin, is always at rest while the part below it is in motion—the elbow-joint, for instance, when the forearm is in motion, the shoulder when the whole arm is moved, the knee when the shin is moved, and the hip when the whole leg is moved. It is obvious, then, that every animal too must have in itself something that is at rest, in order to provide that which is moved with the origin of its movement, supported

whether, as here, in a single member, or at the centre of the body, viz. the heart (701 b 25, 29), where a further idea of “ruling” seems to be implied (*e.g.* 702 a 37). It is also used sometimes in the literal sense of “beginning,” and this and the meaning of “origin” of motion may occur in the same passage and cause confusion (*e.g.* 702 a 36–b 2).

698 b

καὶ ὅλον ἀθρόον κινηθήσεται καὶ κατὰ μέρος, φανερόν.

- II. Ἀλλὰ πᾶσα ἡ ἐν αὐτῷ ἡρεμία ὅμως ἄκυρος, ἂν μή τι ἔξωθεν ἢ ἀπλῶς ἡρεμοῦν καὶ ἀκίνητον.
- 10 ἄξιον δ' ἐπιστήσαντας ἐπισκέψασθαι περὶ τοῦ λεχθέντος· ἔχει γὰρ τὴν θεωρίαν οὐ μόνον ὅσον ἐπὶ τὰ ζῶα συντείνουσιν, ἀλλὰ καὶ πρὸς τὴν τοῦ παντὸς κίνησιν καὶ φοράν. ὥσπερ γὰρ καὶ ἐν αὐτῷ δεῖ τι ἀκίνητον εἶναι, εἰ μέλλει κινεῖσθαι, οὕτως ἔτι μᾶλλον ἔξω δεῖ τι εἶναι τοῦ ζώου
- 15 ἀκίνητον, πρὸς ὃ ἀπεριεχόμενον κινεῖται τὸ κινούμενον. εἰ γὰρ ὑποδώσει αἰεὶ, οἷον τοῖς μυσὶ¹ τοῖς ἐν τῇ γῇ² ἢ τοῖς ἐν τῇ ἁμμῷ πορευομένοις, οὐ πρόεισιν, οὐδ' ἔσται οὔτε πορεία, εἰ μὴ ἡ γῆ μένοι, οὔτε πτήσις ἢ νεῦσις, εἰ μὴ ὁ ἀήρ ἢ ἡ θάλαττα ἀντερείδοι. ἀνάγκη δὲ τοῦτο ἕτερον εἶναι τοῦ κινουμένου, καὶ ὅλον ὅλου, καὶ μόριον μηδὲν εἶναι
- 20 τοῦ κινουμένου τὸ οὕτως ἀκίνητον· εἰ δὲ μή, οὐ κινηθήσεται. μαρτύριον δὲ τούτου τὸ ἀπορούμενον, διὰ τί ποτε τὸ πλοῖον ἔξωθεν μέν, ἂν τις ὠθῇ τῷ κοντῷ τὸν ἰστὸν ἢ τι ἄλλο προσβάλλων μόριον, κινεῖ ῥαδίως, ἂν δ' ἐν αὐτῷ τις ὦν τῷ πλοίῳ τοῦτο πειρᾶται πράττειν, οὐκ ἂν κινήσειεν
- 25 οὔτ' ἂν ὁ Τιτυὸς οὔθ' ὁ Βορέας πνέων ἔσωθεν ἐκ τοῦ πλοίου, εἰ τύχοι πνέων τὸν τρόπον τοῦτον ὄν-

¹ μυσὶν libri : ἐμύσι coni. Diels.

² γῇ libri· ζειᾷ coni. Fairquharson.

^a It is doubtful whether the ms. reading will bear this interpretation, and ἐν τῇ γῇ is probably corrupt. It is more
444

MOVEMENT OF ANIMALS, I.-II.

upon which it will move both as an integral whole and in its several parts.

II. Any quality of rest, however, in an animal is of no effect unless there is something outside it which is absolutely at rest and immovable. And it is worth while to stop and consider this dictum ; for the reflection which it involves applies not merely to animals, but also to the motion and progression of the universe. For just as in the animal there must be something which is immovable if it is to have any motion, so *a fortiori* there must be something which is immovable outside the animal, supported upon which that which is moved moves. For if that which supports the animal is to be always giving way (as it does when mice walk upon loose soil ^a and when persons walk on sand), there will be no progress, that is, no walking, unless the ground were to remain still, and no flying or swimming unless the air or sea were to offer resistance. And that which offers resistance must be other than that which is moved, the whole other than the whole, and that which is thus immovable must form no part of that which is moved ; otherwise the latter will not move. This contention is supported by the problem . Why can a man easily move a boat from outside if he thrusts it along with a pole by pushing against the mast or some other part of the boat, but if he tries to do this when he is in the boat itself, Tityus could not move it nor Boreas by blowing from inside it, if he really blew as the artists

than likely that the comparison is with a mouse trying to walk upon a heap of corn. Farquharson emends *ἐν τῇ γῇ* to *ἐν τῇ ζεῖᾳ*, which would bear this meaning. (The form *ζεῖη*, cp. *Petrie Pap* II. p. 69 (3rd cent. B.C.), would be nearer to the *ms.* reading.) Diels' suggestion of *ἐμύσιν* for *μύσιν* is ingenious, but does not give the required sense.

698 b

περ οἱ γραφεῖς ποιοῦσιν· ἐξ αὐτοῦ γὰρ τὸ πνεῦμα
 699 a ἀφιέντα γράφουσιν. ἐάν τε γὰρ ἡρέμα ῥιπτῇ τὸ
 πνεῦμά τις ἐάν τ' ἰσχυρῶς οὕτως ὥστ' ἄνεμον
 ποιεῖν τὸν μέγιστον, ἐάν τε ἄλλο τι ἢ τὸ ῥιπτού-
 μενον ἢ ὠθούμενον, ἀνάγκη πρῶτον μὲν πρὸς
 ἡρεμοῦν τι τῶν αὐτοῦ μορίων ἀπερειδόμενον ὠθεῖν,
 5 εἶτα πάλιν τοῦτο τὸ μόριον, ἢ αὐτὸ ἢ οὐ τυγχάνει
 μόριον ὄν, πρὸς τῶν ἔξωθέν τι ἀποστηριζόμενον
 μένειν. ὁ δὲ τὸ πλοῖον ὠθῶν ἐν τῷ πλοίῳ αὐτὸς
 ὢν καὶ ἀποστηριζόμενος πρὸς τὸ πλοῖον εὐλόγως
 οὐ κινεῖ τὸ πλοῖον διὰ τὸ ἀναγκαῖον εἶναι πρὸς ὃ
 ἀποστηρίζεται μένειν· συμβαίνει δ' αὐτῷ τὸ αὐτὸ
 10 ὃ τε κινεῖ καὶ πρὸς ὃ ἀποστηρίζεται. ἔξωθεν δ'
 ὠθῶν ἢ ἔλκων κινεῖ· οὐθὲν γὰρ μέρος ἢ γῆ τοῦ
 πλοίου.

III. Ἀπορήσειε δ' ἂν τις, ἄρ' εἴ τι κινεῖ τὸν
 ὅλον οὐρανόν, εἶναί τε δεῖ ἀκίνητον τοῦτο καὶ¹
 μηθὲν εἶναι τοῦ οὐρανοῦ μόριον μηδ' ἐν τῷ
 οὐρανῷ. εἴτε γὰρ αὐτὸ κινούμενον κινεῖ αὐτόν,
 15 ἀνάγκη τινὸς ἀκινήτου θιγγάνον κινεῖν, καὶ τοῦτο
 μηδὲν εἶναι μόριον τοῦ κινουντος· εἴτ' εὐθὺς ἀκινήτὸν
 ἐστι τὸ κινεῖν, ὁμοίως οὐδὲν ἔσται² τοῦ κινου-
 μένου μόριον. καὶ τοῦτό γ' ὀρθῶς λέγουσιν οἱ
 λέγοντες ὅτι κύκλῳ φερομένης τῆς σφαίρας οὐδ'
 ὅτιοῦν μένει μόριον· ἢ γὰρ ἂν ὅλην ἀναγκαῖον ἦν
 20 μένειν, ἢ διασπᾶσθαι τὸ συνεχές αὐτῆς. ἀλλ'
 ὅτι τοὺς πόλους οἴονται τινα δύνάμιν ἔχειν, οὐθὲν

¹ τοῦτο καὶ scripsi: καὶ τοῦτο libri.

² ἔσται Jaeger (cum Leon.): ἔσεσθαι libri.

^a Just as Odysseus' companions while seated in the ship open the bags containing the winds, and the ship is blown out of its course (Homer, *Od.* x. 46 ff.)

paint him^a; for they make him emit the breath from his own lips. For whether one emits the breath gently or so strongly as to create the greatest gale (and the same is true if that which is thrown or pushed is something other than breath), it is necessary, first, that one should be supported upon one of one's own members, which is at rest, when one pushes, and secondly, that either this member itself or that of which it forms part, should remain still, resting upon something which is external to it. Now the man who tries to push the boat while he himself is in it and leaning upon it, naturally does not move the boat, because it is essential that that against which he is leaning should remain still; but in this case that which he is trying to move and that against which he is leaning, is identical. If, on the other hand, he pushes or drags the boat from outside, he can move it; for the ground is no part of the boat.

III. The difficulty may be raised, whether, if something moves the whole heaven, this motive power must be unmoved and be no part of the heaven nor in the heaven. For if it is moved itself and moves the heaven, it can only move it by being itself in contact with something that is immovable, and this can be no part of that which causes the movement; or else, if that which causes the movement is from the first immovable, it will be equally no part of that which is moved. And on this point at any rate they are quite right who say that, when the sphere is moved in a circle, no part of it whatsoever remains still; for either the whole of it must remain still, or its continuity must be rent asunder. They are not right, however, in holding that the poles possess a kind of force,

699 a

ἔχοντας μέγεθος ἀλλ' ὄντας ἔσχατα καὶ στιγμὰς,
οὐ καλῶς. πρὸς γὰρ τῷ μηδεμίαν οὐσίαν εἶναι
τῶν τοιούτων μηδενός, καὶ κινεῖσθαι τὴν μίαν
κίνησιν ὑπὸ δυοῖν ἀδύνατον· τοὺς δὲ πόλους δύο
25 ποιοῦσιν. ὅτι μὲν οὖν ἔχει τι καὶ πρὸς τὴν ὅλην
φύσιν οὕτως ὥσπερ ἡ γῆ πρὸς τὰ ζῶα καὶ τὰ
κινούμενα δι' αὐτῶν, ἐκ τῶν τοιούτων ἂν τις
διαπορήσειεν. οἱ δὲ μυθικῶς τὸν "Ἀτλαντα
ποιοῦντες ἐπὶ τῆς γῆς ἔχοντα τοὺς πόδας δόξαιεν
ἂν ἀπὸ διανοίας εἰρηκέναι τὸν μῦθον, ὥς τοῦτον
ὥσπερ διάμετρον ὄντα καὶ στρέφοντα τὸν οὐρανὸν
30 περὶ τοὺς πόλους· τοῦτο δ' ἂν συμβαίνοι κατὰ
λόγον διὰ τὸ τὴν γῆν μένειν. ἀλλὰ τοῖς ταῦτα
λέγουσιν ἀναγκαῖον φάναι μηδὲν εἶναι μόνιον
αὐτὴν τοῦ παντός. πρὸς δὲ τούτοις δεῖ τὴν ἰσχὺν
ἰσάζειν τοῦ κινουντος καὶ τὴν τοῦ μένοντος. ἔστι
γάρ τι πληθὺς ἰσχύος καὶ δυνάμεως καθ' ἣν μένει
35 τὸ μένον, ὥσπερ καὶ καθ' ἣν κινεῖ τὸ κινούν· καὶ
ἔστι τις ἀναλογία ἐξ ἀνάγκης, ὥσπερ τῶν ἐναντίων
κινήσεων, οὕτω καὶ τῶν ἡρεμιῶν. καὶ αἱ μὲν
699 b ἴσαι ἀπαθείς ὑπ' ἀλλήλων, κρατοῦνται δὲ κατὰ
τὴν ὑπεροχὴν. διόπερ εἴτ' "Ἄτλας εἴτε τι τοιοῦτόν
ἔστιν ἕτερον τὸ κινούν τῶν ἐντός, οὐδὲν μᾶλλον
ἀντερείδειν δεῖ τῆς μονῆς ἣν ἡ γῆ τυγχάνει μένουσα·
ἢ κινήθησεται ἡ γῆ ἀπὸ τοῦ μέσου καὶ ἐκ τοῦ
5 αὐτῆς τόπου. ὥς γὰρ τὸ ὠθοῦν ὠθεῖ, οὕτω τὸ
ὠθούμενον ὠθεῖται, καὶ ὁμοίως κατ' ἰσχύν. κινεῖ

^a i.e. their limbs. We should, however, perhaps read δι' αὐτῶν "the things which move of themselves": Leon. renders "ea quae per se moventur."

MOVEMENT OF ANIMALS, III.

since they have no magnitude and are only extremities and points. For besides the fact that nothing of this kind has any substance, it is also impossible for a single movement to be started by a dual agency ; and they represent the poles as two. From these considerations one may hazard the suggestion that there is something which stands in the same relation to Nature as a whole as the earth stands to the animals and the things which are moved through them.^a

Now those who in the fable represent Atlas as having his feet planted upon the earth would seem to have shown sense in the story which they tell, since they make him as it were a radius, twisting the heaven about the poles ; it would be a logical account, since the earth remains still. But those who hold this view must declare that the earth is no part of the universe ; and, further, the force of that which causes the motion and the force of that which remains still must be equal. For there must be a certain amount of force and strength in virtue of which that which remains still remains still, just as there is a force in virtue of which that which causes motion causes motion ; and there is of necessity a similar proportion between absences of motion as there is between opposite motions, and equal forces are unaffected by one another, but are overmastered by a superiority. Therefore Atlas, or whatever else it is of like kind within that causes motion, must not exert any pressure which is too strong for the equilibrium of the earth ; or else the earth will be moved away from the centre and her proper place. For as that which pushes pushes, so that which is pushed is pushed, and in exact proportion to the force exerted ; but it creates

699^b δὲ τὸ ἡρεμοῦν πρῶτον, ὥστε μᾶλλον καὶ πλείων
 ἢ ἰσχύς ἢ ὁμοία καὶ ἴση τῆς ἡρεμίας. ὡσαύτως
 δὲ καὶ τῆς¹ τοῦ κινουμένου μέν, μὴ κινούντος δέ.
 τοσαύτην οὖν δεήσει τὴν δύναμιν εἶναι τῆς γῆς
 ἐν τῷ ἡρεμεῖν ὅσην ὃ τε πᾶς οὐρανὸς ἔχει καὶ
 10 τὸ κινεῖν αὐτόν. εἰ δὲ τοῦτο ἀδύνατον, ἀδύνατον
 καὶ τὸ κινεῖσθαι τὸν οὐρανὸν ὑπὸ τινος τοιούτου
 τῶν ἐντός.

IV. Ἔστι δέ τις ἀπορία περὶ τὰς κινήσεις τῶν
 τοῦ οὐρανοῦ μορίων, ἦν ὡς οὔσαν οἰκείαν τοῖς
 εἰρημένοις ἐπισκέψαιτ' ἂν τις. ἐὰν γάρ τις ὑπερ-
 βάλλῃ τῇ δυνάμει τῆς κινήσεως τὴν τῆς γῆς
 15 ἡρεμίαν, δῆλον ὅτι κινήσει αὐτὴν ἀπὸ τοῦ μέσου.
 καὶ ἢ ἰσχύς δ' ἀφ' ἧς αὕτη ἢ δύναμις, ὅτι οὐκ
 ἄπειρος, φανερόν· οὐδὲ γὰρ ἡ γῆ ἄπειρος, ὥστ'
 οὐδὲ τὸ βάρος αὐτῆς. ἐπεὶ δὲ τὸ ἀδύνατον λέγεται
 πλεοναχῶς (οὐ γὰρ ὡσαύτως τὴν τε φωνὴν ἀδύνατόν
 φάμεν εἶναι ὁραθῆναι καὶ τοὺς ἐπὶ τῆς σελήνης
 20 ὑφ' ἡμῶν· τὸ μὲν γὰρ ἐξ ἀνάγκης, τὸ δὲ πεφυκὸς
 ὁρᾶσθαι οὐκ ὀφθῆσεται), τὸν δ' οὐρανὸν ἄφθαρτον
 εἶναι καὶ ἀδιάλυτον οἰόμεθα μὲν ἐξ ἀνάγκης εἶναι,
 συμβαίνει δὲ κατὰ τοῦτον τὸν λόγον οὐκ ἐξ ἀνάγκης·
 πέφυκε γὰρ καὶ ἐνδέχεται εἶναι κίνησιν μείζω
 καὶ ἀφ' ἧς ἡρεμεῖ ἡ γῆ καὶ ἀφ' ἧς κινεῖνται τὸ
 25 πῦρ καὶ τὸ ἄνω σῶμα. εἰ μὲν οὖν εἰσὶν αἱ ὑπερ-
 έχουσαι κινήσεις, διαλυθήσεται ταῦτα ὑπ' ἀλλήλων.

¹ τῆς PS : ἡ Y : αἱ E.

^a i.e. its central position in the universe.

^b i.e. the region between the air and the moon (*Meteor.*
 340 b 6 ff.).

motion in that which is first at rest, so that the force exerted is greater than the immobility rather than similar and equal to it, and likewise greater than the force of that which is moved but does not create movement. Therefore the power of the earth in its immobility will necessarily be as great as that possessed by the whole heaven and that which sets it in motion. If, however, this is impossible, the movement of the heaven by any such force within it is also impossible.

IV. A problem also arises about the movements of the parts of the heaven, which might well be discussed, since it is closely connected with what has been said above. If one were to overmaster the immobility of the earth by the power of motion, one will obviously move it away from the centre.^a Moreover it is clear that the force from which this power is derived is not infinite; for the earth is not infinite, and so its weight is not infinite either. Now the word "impossible" is used in several senses (we are using it in different senses when we say that it is impossible to see a sound, and when we say that it is impossible for us to see the men in the moon; for the former is of necessity invisible, the latter are of such a nature as to be seen but will never be seen by us), but we hold that the heaven is of necessity impossible to destroy and dissolve, whereas according to our present argument it is not necessarily so; for it is within the nature of things and the bounds of possibility that a motive force should exist greater both than that which causes the earth to be at rest and than that which causes the fire and upper body^b to move. If, therefore, the overpowering motive forces exist, these will be dissolved by one another; but if they

699 b

εἰ δὲ μὴ εἰσὶ μὲν, ἐνδέχεται δ' εἶναι (ἄπειρον γὰρ οὐκ ἐνδέχεται διὰ τὸ μηδὲν σῶμα ἐνδέχεσθαι ἄπειρον εἶναι), ἐνδέχοιτ' ἂν διαλυθῆναι τὸν οὐρανόν. τί γὰρ κωλύει τοῦτο συμβῆναι, εἴπερ μὴ ἀδύνατον; ³⁰ οὐκ ἀδύνατον δέ, εἰ μὴ τάντικείμενον ἀναγκαῖον. ἀλλὰ περὶ μὲν τῆς ἀπορίας ταύτης ἕτερος ἔστω λόγος.

Ἄρα δὲ δεῖ ἀκίνητόν τι εἶναι καὶ ἡρεμοῦν ἔξω τοῦ κινουμένου, μηδὲν ὃν ἐκείνου μόριον, ἢ οὐ; καὶ τοῦτο πότερον καὶ ἐπὶ τοῦ παντός οὕτως ὑπάρχειν ἀναγκαῖον; ἴσως γὰρ ἂν δόξειεν ἄτοπον ³⁵ εἶναι, εἰ ἡ ἀρχὴ τῆς κινήσεως ἐντός. διὸ δόξειεν ἂν τοῖς οὕτως ὑπολαμβάνουσιν εὖ εἰρησθαι Ὀμήρω·

ἀλλ' οὐκ ἂν ἐρύσαιτ' ἐξ οὐρανόθεν πεδίονδε
700 a Ζῆν' ὕπατον πάντων, οὐδ' εἰ μάλα πολλὰ κάμοιτε·
πάντες δ' ἐξάπτεσθε θεοὶ πᾶσαί τε θείαιαι.

τὸ γὰρ ὅλως ἀκίνητον ὑπ' οὐδενὸς ἐνδέχεται κινήθῃναι. ὅθεν λύεται καὶ ἡ πάλαι λεχθεῖσα ἀπορία, πότερον ἐνδέχεται ἢ οὐκ ἐνδέχεται δια- ⁵ λυθῆναι τὴν τοῦ οὐρανοῦ σύστασιν, εἰ ἐξ ἀκίνητου ἥρτηται ἀρχῆς.

Ἐπὶ δὲ τῶν ζώων οὐ μόνον τὸ οὕτως ἀκίνητον δεῖ ὑπάρχειν, ἀλλὰ καὶ ἐν αὐτοῖς τοῖς κινουμένοις

^a ἄπειρον] sc. κίνησιν. The argument is as follows: these overpowering motive forces might exist and be dissolved by one another, because if they can be dissolved, they are not infinite, and the reason why they are not infinite is that they act upon what is finite, and the infinite cannot act on the finite (*De caelo*, 274 b 23 ff.).

^b It is discussed in the *Physics* and *De caelo*.

MOVEMENT OF ANIMALS, IV.

do not really exist, but there is a possibility of their existing (for an infinite motive force ^a is impossible because an infinite body is also impossible), it would be possible for the heaven to be dissolved. For what is there to prevent this happening if it is not impossible? And it is not impossible, unless the opposite proposition is inevitable. But let us leave the discussion of this question for another occasion.^b

Must there, then, or must there not, be something immovable and at rest outside that which is moved and forming no part of it? And must this be true also of the universe? For it would perhaps seem strange if the origin of motion were inside. And so to those who hold this view Homer's words would seem appropriate:

Nay, ye could never pull down to the earth from the
summit of heaven,
Zeus, the highest of all, no, not if ye toiled to the utmost.
Come, ye gods and ye goddesses all, set your hands to
the hawsers.^c

For that which is entirely immovable cannot be moved by anything. And it is here that we must look for the solution of the problem stated some time ago, namely, whether it is possible or impossible for the composition of the heaven to be dissolved, seeing that it depends upon an origin which is immovable.

Now in the animals there must exist not only that which is immovable in this sense,^d but there must also be something immovable in the actual things which move from place to place and which themselves

^c *Iliad* viii. 20-22. The lines are quoted in the wrong order and the *textus receptus* reads μήστωρ for πάντων.

^d i.e. something immovable and at rest which is outside that which is moved and forms no part of it (cf. 699 b 32).

700 a

κατὰ τόπον ὅσα κινεῖ αὐτὰ αὐτά. δεῖ γὰρ αὐτοῦ
 τὸ μὲν ἡρεμεῖν τὸ δὲ κινεῖσθαι, πρὸς ὃ ἀπεριε-
 10 μενον τὸ κινούμενον κινήσεται, οἷον ἂν τι κινή-
 τῶν μορίων· ἀπεριεῖδεται γὰρ θάτερον ὥς πρὸς
 μένον θάτερον. περὶ δὲ τῶν ἀψύχων ὅσα κινεῖται
 ἀπορήσειεν ἂν τις, πότερον ἅπαντ' ἔχει ἐν ἑαυτοῖς
 καὶ τὸ ἡρεμοῦν καὶ τὸ κινεῖν, καὶ πρὸς τῶν
 ἔξω τι ἡρεμοῦντων ἀπεριεῖδεσθαι ἀνάγκη καὶ
 ταῦτα, ἢ ἀδύνατον, οἷον πῦρ ἢ γῆν ἢ τῶν ἀψύχων
 15 τι, ἀλλ'¹ ὑφ' ὧν ταῦτα κινεῖται πρώτων. πάντα
 γὰρ ὑπ' ἄλλου κινεῖται τὰ ἄψυχα, ἀρχὴ δὲ πάντων
 τῶν οὕτως κινουμένων τὰ αὐτὰ αὐτὰ κινεῖντα.
 τῶν δὲ τοιούτων περὶ μὲν τῶν ζώων εἴρηται· τὰ
 γὰρ τοιαῦτα πάντα ἀνάγκη καὶ ἐν αὐτοῖς ἔχειν
 τὸ ἡρεμοῦν, καὶ ἔξω πρὸς ὃ ἀπερείσεται. εἰ δέ
 20 τι ἐστὶν ἀνωτέρω καὶ πρώτως κινεῖν, ἀδηλον,
 καὶ ἄλλος λόγος περὶ τῆς τοιαύτης ἀρχῆς. τὰ
 δὲ ζῶα ὅσα κινεῖται, πάντα πρὸς τὰ ἔξω ἀπερ-
 ειδόμενα κινεῖται, καὶ ἀναπνέοντα καὶ ἐκπνέοντα.
 οὐδὲν γὰρ διαφέρει μέγα ῥῖψαι βάρος ἢ μικρόν,
 ὅπερ ποιοῦσιν οἱ πτύοντες καὶ βήττοντες καὶ οἱ
 25 εἰσπνέοντες καὶ ἐκπνέοντες.

V. Πότερον δ' ἐν τῷ αὐτὸ κινεῖντι κατὰ τόπον
 μόνῳ δεῖ τι μένειν, ἢ καὶ ἐν τῷ ἀλλοιουμένῳ αὐτῷ
 ὑφ' αὐτοῦ καὶ αὐξανομένῳ; περὶ δὲ γενέσεως
 τῆς ἐξ ἀρχῆς καὶ φθορᾶς ἄλλος λόγος· εἰ γάρ ἐστιν

¹ ἀλλ' Jaeger: ἀλλὰ P: ἀλλ' ESY.

MOVEMENT OF ANIMALS, IV.-V.

move themselves. For while one part of the animal must be in motion, another part must be at rest, supported upon which that will be moved which is moved, if, for example, it moves one of its parts ; for one part rests on another part in virtue of the fact that the latter is at rest.

But regarding inanimate things which are moved, one might raise the question whether they all possess in themselves both that which is at rest and that which creates movement, and whether they too must be supported by something external which is at rest. Or is this impossible—for example, in the case of fire or earth or any inanimate thing—but motion is due to the primary causes by which these are moved ? For all inanimate things are moved by something else, and the origin of all the things that are thus moved is the things that move themselves. Among things of this class we have already dealt with animals ; for all such things must necessarily have within themselves that which is at rest and something outside them on which they are to support themselves. But whether there is something higher and primary which moves them is uncertain, and the question of such an origin of movement is a matter for separate discussion. But animals which move all do so supported upon things outside themselves, as also when they draw their breath in and out. For it makes no difference whether they propel a great or a small weight, as those do who spit and cough, and breathe in and out.

V. But is it only in that which moves itself in respect of place that something must remain at rest, or is this also true of that in which alteration is caused by its own agency and in that which grows ? The question of original coming into being and

700 a

ἤνπερ φαμέν πρώτη κίνησις, γενέσεως καὶ φθορᾶς
 30 αὕτη αἰτία ἂν εἴη, καὶ τῶν ἄλλων δὲ κινήσεων ἴσως
 πασῶν. ὥσπερ δ' ἐν τῷ ὄλῳ, καὶ ἐν τῷ ζῳῳ
 κίνησις πρώτη αὕτη, ὅταν τελεωθῇ. ὥστε καὶ
 αὐξήσεως, εἴ ποτε γίνεται, αὐτὸ αὐτῷ αἴτιον καὶ
 ἀλλοιώσεως, εἰ δὲ μή, οὐκ ἀνάγκη αἱ δὲ πρῶται
 αὐξήσεις καὶ ἀλλοιώσεις ὑπ' ἄλλου γίνονται καὶ
 35 δι' ἐτέρων· γενέσεως δὲ καὶ φθορᾶς οὐδαμῶς οἷόν
 700 b τε αὐτὸ αἴτιον εἶναι αὐτῷ οὐδέν. προυπάρχειν
 γὰρ δεῖ τὸ κινεῖν τοῦ κινουμένου καὶ τὸ γεννῶν
 τοῦ γεννωμένου· αὐτὸ δ' αὐτοῦ πρότερον οὐδέν
 ἐστίν.

VI. Περὶ μὲν οὖν ψυχῆς, εἴτε κινεῖται ἢ μή,
 5 καὶ εἰ κινεῖται, πῶς κινεῖται, πρότερον εἴρηται ἐν
 τοῖς διωρισμένοις περὶ αὐτῆς. ἐπεὶ δὲ τὰ ἄψυχα
 πάντα κινεῖται ὑφ' ἐτέρου, περὶ δὲ¹ τοῦ πρώτου
 κινουμένου καὶ ἀεὶ κινουμένου, τίνα τρόπον κινεῖται,
 καὶ πῶς κινεῖ τὸ πρῶτον κινεῖν, διώριστα πρότερον
 ἐν τοῖς περὶ τῆς πρώτης φιλοσοφίας, λοιπὸν δ'
 10 ἐστὶ θεωρῆσαι πῶς ἡ ψυχὴ κινεῖ τὸ σῶμα, καὶ
 τίς ἀρχὴ τῆς τοῦ ζώου κινήσεως. τῶν γὰρ ἄλλων
 παρὰ τὴν τοῦ ὄλου κίνησιν τὰ ἔμψυχα αἴτια τῆς
 κινήσεως, ὅσα μὴ κινεῖται ὑπ' ἀλλήλων διὰ τὸ
 προσκόπτειν ἀλλήλοις. διὸ καὶ πέρας ἔχουσιν
 αὐτῶν πᾶσαι αἱ κινήσεις· καὶ γὰρ καὶ αἱ τῶν
 15 ἐμψύχων. πάντα γὰρ τὰ ζῶα καὶ κινεῖ καὶ
 κινεῖται ἕνεκά τινος, ὥστε τοῦτ' ἐστὶν αὐτοῖς
 πάσης τῆς κινήσεως πέρας, τὸ οὐ ἕνεκα. ὁρῶμεν

¹ δὲ ES: μὲν Y.

^a τουτέστιν . . οὐκ ἀνάγκη εἶναι τι τῶν ἀλλοιουμένων καὶ
 αὐξανομένων ὑφ' αὐτῶν ἡρεμοῦν (Mich.).

^b i.e. the *Metaphysics*.

MOVEMENT OF ANIMALS, v.—vi.

corruption is a different one ; for if there is, as we assert, a primary movement, this would be the cause of coming into being and wasting away, and perhaps of all the other movements as well. And as in the universe, so in the animal, this is primary motion, when the animal comes to perfection ; so that it is itself the cause of its own growth, if this ever takes place, and of any alteration which occurs ; otherwise it is not necessary that something should remain at rest ^a. But the first growth and alteration occur through another's agency and by other means, and nothing can in any way be itself the cause of its own coming into being and wasting away ; for that which moves must be prior to that which is moved, and that which begets to that which is begotten, and nothing is prior to itself.

VI. Now whether soul is moved or not, and if it is moved, how it is moved, has already been discussed in our treatise *On Soul*. But since all inanimate things are moved by something else—and how that which is primarily and eternally moved is moved, and how the prime mover moves it, has been already set forth in our work on *First Philosophy* ^b—it remains to inquire how the soul moves the body and what is the origin of movement in an animal. For, if we exclude the movement of the universe, animate things are the cause of movement in everything else, except in things which are moved by one another through coming into collision with one another. Therefore all their movements have a limit ; for the movements of animate things have a limit. For all animals move and are moved with some object, and so this, namely their object, is the limit of all their movement. Now we see that the

700 b

δὲ τὰ κινουῦντα τὸ ζῶον διάνοιαν καὶ φαντασίαν
καὶ προαίρεσιν καὶ βούλησιν καὶ ἐπιθυμίαν. ταῦτα
δὲ πάντα ἀνάγεται εἰς νοῦν καὶ ὄρεξιν. καὶ γὰρ
20 ἡ φαντασία καὶ ἡ αἰσθησις τὴν αὐτὴν τῷ νῷ χώραν
ἔχουσιν· κριτικὰ γὰρ πάντα, διαφέρουσι δὲ κατὰ
τὰς εἰρημένας ἐν ἄλλοις διαφοράς. βούλησις δὲ
καὶ θυμὸς καὶ ἐπιθυμία πάντα ὄρεξις, ἡ δὲ προ-
αίρεσις κοινὸν διανοίας καὶ ὀρέξεως· ὥστε κινεῖ
πρῶτον τὸ ὀρεκτὸν καὶ τὸ διανοητόν. οὐ πᾶν
25 δὲ τὸ διανοητόν, ἀλλὰ τὸ τῶν πρακτῶν τέλος.
διὸ τὸ τοιοῦτόν ἐστι τῶν ἀγαθῶν τὸ κινεῦν, ἀλλ'
οὐ πᾶν τὸ καλόν· ἥ γὰρ ἔνεκα τούτου ἄλλο, καὶ
ἥ τέλος ἐστὶ τῶν ἄλλου τινὸς ἔνεκα ὄντων, ταύτη
κινεῖ. δεῖ δὲ τιθέναι καὶ τὸ φαινόμενον ἀγαθὸν
ἀγαθοῦ χώραν ἔχειν, καὶ τὸ ἡδύ· φαινόμενον γάρ
30 ἐστὶν ἀγαθόν. ὥστε δῆλον ὅτι ἐστὶ μὲν ἡ ὁμοίως
κινεῖται τὸ αἰὲ κινούμενον ὑπὸ τοῦ αἰὲ κινούντος
καὶ τῶν ζώων ἕκαστον, ἐστὶ δ' ἡ ἄλλως, διὸ καὶ
τὰ μὲν αἰὲ κινεῖται, ἡ δὲ τῶν ζώων κίνησις ἔχει
πέρας. τὸ δὲ αἰδὶον καλόν, καὶ τὸ ἀληθῶς καὶ
πρώτως ἀγαθὸν καὶ μὴ ποτὲ μὲν ποτὲ δὲ μή,
35 θειότερον καὶ τιμιώτερον ἢ ὥστ' εἶναι πρότερόν¹ τι².
Τὸ μὲν οὖν πρῶτον οὐ κινούμενον κινεῖ, ἡ δ'
701 a ὄρεξις καὶ τὸ ὀρεκτικὸν κινούμενον κινεῖ. τὸ δὲ
τελευταῖον τῶν κινουμένων οὐκ ἀνάγκη κινεῖν
οὐδέν. φανερόν δ' ἐκ τούτων καὶ ὅτι εὐλόγως

¹ πρότερον ESY: πρὸς ἕτερον P.² τι add. Jaeger.

MOVEMENT OF ANIMALS, VI.

things which move the animal are intellect, imagination, purpose, wish and appetite. Now all these can be referred to mind and desire. For imagination and sensation cover the same ground as the mind (since they all exercise judgement) though they differ in certain aspects as has been defined elsewhere^a. But will, temper, and appetite are all forms of desire, while purpose partakes both of intellect and of desire. So the objects of desire and intellect first set up movement—not, however, every object of intellect, but only the end in the sphere of action. So amongst good things it is the good in the sphere of action that sets up movement, and not any and every good; for it sets up movement only in so far as it is the motive of something else or the end of something which has something else as its object. And we must lay down the principle that the apparent good can take the place of a real good, and so can the pleasant, for it is an apparent good. So that it is clear that in one respect that which is eternally moved by the eternal mover, and the individual animal, are moved in a similar manner, but that in another respect they are moved differently; and so, while other things move eternally, animal movement has a limit. Now the eternally beautiful and that which is truly and primarily good, and not at one moment good and at another not good, is too divine and precious to have anything prior to it.

The prime mover, then, moves without itself being moved, but desire and the desiderative faculty set up movement while being themselves moved. But it is not necessary that the last of a series of things which are moved should move anything; and from this it is clear that it is only reasonable that pro-

701 a

ἢ φορὰ τελευταία τῶν γινομένων ἐν τοῖς κινου-
 μένοις¹. κινεῖται γὰρ καὶ πορεύεται τὸ ζῶον ὁρέξει
 5 ἢ προαιρέσει, ἀλλοιωθέντος τινὸς κατὰ τὴν αἰ-
 σθησιν ἢ τὴν φαντασίαν.

VII. Πῶς δὲ νοῶν ὅτε μὲν πράττει ὅτε δ' οὐ
 πράττει, καὶ κινεῖται, ὅτε δ' οὐ κινεῖται; ἔοικε
 παραπλησίως συμβαίνειν καὶ περὶ τῶν ἀκινήτων
 διανοουμένοις καὶ συλλογιζομένοις. ἀλλ' ἐκεῖ μὲν
 10 θεώρημα τὸ τέλος (ὅταν γὰρ τὰς δύο προτάσεις
 νοήσῃ, τὸ συμπέρασμα ἐνόησε καὶ συνέθηκεν),
 ἐνταῦθα δ' ἐκ τῶν δύο προτάσεων τὸ συμπέρασμα
 γίνεται ἢ πρᾶξις, οἷον ὅταν νοήσῃ ὅτι παντὶ βα-
 διστέον ἀνθρώπῳ, αὐτὸς δ' ἄνθρωπος, βαδίζει
 εὐθέως, ἂν δ' ὅτι οὐδενὶ βαδιστέον νῦν ἀνθρώπῳ,
 15 αὐτὸς δ' ἄνθρωπος, εὐθὺς ἡρεμεῖ· καὶ ταῦτα ἄμφω
 πράττει, ἂν μὴ τι κωλύῃ ἢ ἀναγκάζῃ ποιητέον
 μοι ἀγαθόν, οἰκία δ' ἀγαθόν· ποιεῖ οἰκίαν εὐθύς.
 σκεπάσματος δέομαι, ἱμάτιον δὲ σκέπασμα· ἱματίου
 δέομαι. οὐδ' δέομαι, ποιητέον· ἱματίου δέομαι·
 20 ἱμάτιον ποιητέον. καὶ τὸ συμπέρασμα, τὸ ἱμάτιον
 ποιητέον, πρᾶξις ἔστιν. πράττει δ' ἀπ' ἀρχῆς.
 εἰ ἱμάτιον ἔσται, ἀνάγκη τόδε πρῶτον, εἰ δὲ τόδε,
 τόδε· καὶ τοῦτο πράττει εὐθύς. ὅτι μὲν οὖν ἢ
 πρᾶξις τὸ συμπέρασμα, φανερόν· αἱ δὲ προτάσεις
 αἱ ποιητικαὶ διὰ δύο εἰδῶν γίνονται, διὰ τε τοῦ
 25 ἀγαθοῦ καὶ διὰ τοῦ δυνατοῦ

ᾧ Ὡσπερ δὲ τῶν ἐρωτῶντων ἔνιοι, οὕτω τὴν ἑτέραν

¹ κινουμένοις Jaeger: γινομένοις libri.

^a i.e. the objects of science; cf. *An. Post.* 71 b 18 ff.

MOVEMENT OF ANIMALS, VI.-VII.

gression should be the last thing to happen in things that are moved, since the animal is moved and walks from desire or purpose, when some alteration has been caused as the result of sensation or imagination.

VII. But why is it that thought sometimes results in action and sometimes does not, sometimes in movement and sometimes not? Apparently the same kind of thing happens as when one thinks and forms an inference about immovable objects.^a But in the latter case, the end is speculation (for when you have conceived the two premisses, you immediately conceive and infer the conclusion); but in the former case the conclusion drawn from the two premisses becomes the action. For example, when you conceive that every man ought to walk and you yourself are a man, you immediately walk; or if you conceive that on a particular occasion no man ought to walk, and you yourself are a man, you immediately remain at rest. In both instances action follows unless there is some hindrance or compulsion. Again, I ought to create a good, and a house is a good, I immediately create a house. Again, I need a covering, and a cloak is a covering, I need a cloak. What I need I ought to make; I need a cloak, I ought to make a cloak. And the conclusion "I ought to make a cloak" is an action. The action results from the beginning of the train of thought. If there is to be a cloak, such and such a thing is necessary, if this thing then something else; and one immediately acts accordingly. That the action is the conclusion is quite clear; but the premisses which lead to the doing of something are of two kinds, through the good and through the possible.

And as those sometimes do who are eliciting con-

701 a

πρότασιν τὴν δῆλην οὐδ' ἡ διάνοια ἐφιστάσα σκοπεῖ
οὐδέν· οἷον εἰ τὸ βαδίζειν ἀγαθὸν ἀνθρώπῳ, ὅτι
αὐτὸς ἄνθρωπος, οὐκ ἐνδιατρίβει. διὸ καὶ ὅσα μὴ
λογισάμενοι πράττομεν, ταχὺ πράττομεν. ὅταν γὰρ
ἐνεργήσῃ ἡ τῇ αἰσθήσει πρὸς τὸ οὐ ἔνεκα ἡ τῇ
30 φαντασίᾳ ἡ τῷ νῷ, οὐ ὁρέγεται, εὐθύς ποιεῖ· ἀντ'
ἐρωτήσεως γὰρ ἡ νοήσεως ἡ τῆς ὁρέξεως γίνεται ἐν-
έργεια. ποτέον μοι, ἡ ἐπιθυμία λέγει· τοδὶ δὲ ποτόν,
ἡ αἰσθησις εἶπεν ἡ φαντασία ἡ ὁ νοῦς· εὐθύς πίνει.
οὕτως μὲν οὖν ἐπὶ τὸ κινεῖσθαι καὶ πράττειν τὰ
ζῶα ὁρμῶσι, τῆς μὲν ἐσχάτης αἰτίας τοῦ κινεῖσθαι
35 ὁρέξεως οὔσης, ταύτης δὲ γινομένης ἡ δι' αἰσθήσεως
ἡ διὰ φαντασίας καὶ νοήσεως. τῶν δ' ὁρεγομένων
πράττειν τὰ μὲν δι' ἐπιθυμίαν ἡ θυμὸν τὰ δὲ δι'
701 b ὄρεξιν ἡ βούλησιν τὰ μὲν ποιοῦσι, τὰ δὲ πράττουσιν.

Ὡςπερ δὲ τὰ αὐτόματα κινεῖται μικρᾶς κινήσεως
γινομένης, λυομένων τῶν στρεβλῶν καὶ κρουουσῶν¹
ἀλλήλας [τὰς στρέβλας],² καὶ τὸ ἀμάξιον, ὅπερ
5 <τό>³ ὀχούμενον αὐτὸ κινεῖ εἰς εὐθύ, καὶ πάλιν
κύκλῳ κινεῖται τῷ ἀνίσους ἔχειν τοὺς τροχοὺς
(ὁ γὰρ ἐλάττων ὥςπερ κέντρον γίνεται, καθάπερ
ἐν τοῖς κυλίνδροις), οὕτω καὶ τὰ ζῶα κινεῖται.
ἔχει γὰρ ὄργανα τοιαῦτα τὴν τε τῶν νεύρων
φύσιν καὶ τὴν τῶν ὀστέων, τὰ μὲν ὡς ἐκεῖ τὰ

¹ κρουουσῶν scripsi (Leon. renders *laxatis seque mutuo impellentibus vertebribus*): κρουόντων libri.

² τὰς στρέβλας seclusi.

³ τὸ addidi.

^a For this technical use of ἐρωτᾶν cf. *An. Prior.* 24 a 24.

^b By the removal of the pegs (ξύλα), cf. below, 701 b 9, 10.

^c The context seems to show that the toy-carriage was on an axle which coupled two wheels of unequal diameter. There is, however, no evidence for the existence of such toy-carriages in antiquity.

MOVEMENT OF ANIMALS, VII.

clusions by questioning,^a so here the mind does not stop and consider at all one of the two premisses, namely, the obvious one; for example, if walking is good for a man, one does not waste time over the premiss "I am myself a man." Hence such things as we do without calculation, we do quickly. For when a man acts for the object which he has in view from either perception or imagination or thought, he immediately does what he desires; the carrying out of his desire takes the place of inquiry or thought. My appetite says, I must drink; this is drink, says sensation or imagination or thought, and one immediately drinks. It is in this manner that animals are impelled to move and act, the final cause of their movement being desire; and this comes into being through either sensation or imagination and thought. And things which desire to act, at one time create something, and at another act, by reason either of appetite or of passion, or else through desire or wish.

The movement of animals resembles that of
•marionettes which move as the result of a small movement, when the strings are released ^b and strike one another; or a toy-carriage which the child that is riding upon it himself sets in motion in a straight direction, and which afterwards moves in a circle because its wheels are unequal, for the smaller wheel acts as a centre,^c as happens also in the cylinders.^d Animals have similar parts in their organs, namely, the growth of their sinews and bones, the latter corresponding to the pegs in the marionettes and the

^a The marionettes seem to have been worked by means of cylinders round which weighted strings were wound, the cylinders being set in motion by the removal of pegs.

701 b

ξύλα καὶ ὁ σίδηρος, τὰ δὲ νεῦρα ὡς αἱ στρέβλαι·
 10 ὦν λυομένων καὶ ἀνιεμένων κινοῦνται. ἐν μὲν
 οὖν τοῖς αὐτομάτοις καὶ τοῖς ἀμαξίοις οὐκ ἔστιν
 ἀλλοίωσις, ἐπεὶ εἰ ἐγίνοντο ἐλάττους οἱ ἐντὸς
 τροχοὶ καὶ πάλιν μείζους, καὶ κύκλῳ τὸ αὐτὸ
 ἐκινεῖτο· ἐν δὲ τῷ ζῳῷ δύναται τὸ αὐτὸ καὶ
 15 μεῖζον καὶ ἑλαττον γίνεσθαι καὶ τὰ σχήματα μετα-
 βάλλειν, αὐξανομένων τῶν μορίων διὰ θερμότητα
 καὶ πάλιν συστέλλομένων διὰ ψύξιν καὶ ἀλλοιου-
 μένων. ἀλλοιοῦσι δ' αἱ φαντασίαι καὶ αἱ αἰσθήσεις
 καὶ αἱ ἔννοιαι. αἱ μὲν γὰρ αἰσθήσεις εὐθὺς ὑπ-
 ἀρχουσιν ἀλλοιώσεις τινὲς οὔσαι, ἡ δὲ φαντασία καὶ
 ἡ νόησις τὴν τῶν πραγμάτων ἔχουσι δύναμιν· τρό-
 20 πον γάρ τινα τὸ εἶδος τὸ νοούμενον τὸ τοῦ θερμοῦ
 ἢ ψυχροῦ ἢ ἡδέος ἢ φοβεροῦ τοιοῦτον τυγχάνει
 ὃν οἶόν περ καὶ τῶν πραγμάτων ἕκαστον, διὸ καὶ
 φρίττουσι καὶ φοβοῦνται νοήσαντες μόνον. ταῦτα
 δὲ πάντα πάθη καὶ ἀλλοιώσεις εἰσὶν. ἀλλοιου-
 μένων δ' ἐν τῷ σώματι τὰ μὲν μείζω τὰ δ' ἐλάττω
 25 γίνεται. ὅτι δὲ μικρὰ μεταβολὴ γινομένη ἐν ἀρχῇ
 μεγάλας καὶ πολλὰς ποιεῖ διαφορὰς ἀποθεν, οὐκ
 ἄδηλον· οἶον τοῦ οἴακος ἀκαριαῖόν τι μεθισταμένου
 πολλὴ ἢ τῆς πρώρας γίνεται μετάστασις. ἔτι δὲ
 κατὰ θερμότητα ἢ ψύξιν ἢ κατ' ἄλλο τι τοιοῦτον
 πάθος ὅταν γένηται ἀλλοίωσις περὶ τὴν καρδίαν,
 30 καὶ ἐν ταύτῃ κατὰ μέγεθος ἐν ἀναισθητῷ μορίῳ,
 πολλὴν ποιεῖ τοῦ σώματος διαφορὰν ἐρυθήμασι
 καὶ ὠχρότησι καὶ φρίκαις καὶ τρόμοις καὶ τοῖς
 τούτων ἐναντίοις.

VIII. Ἀρχὴ μὲν οὖν, ὥσπερ εἴρηται, τῆς

* The reference is probably to some part of the toy-carriage.

iron,^a while the sinews correspond to the strings, the setting free and loosening of which causes the movement. In the marionettes and the toy-carriages no alteration takes place, though, if the inner wheels were to become smaller and then again larger, the same circular movement would take place. In the animal, however, the same part can become both greater and smaller and change its form, the members increasing through heat and contracting again through cold and thus altering. Alteration is caused by imagination and sensations and thoughts. For sensations are from the first a kind of alteration, and imagination and thought have the effect of the objects which they present; for in a way the idea conceived—of hot or cold or pleasant or terrible—is really of the same kind as an object possessing one of these qualities, and so we shudder and feel fear simply by conceiving an idea; and all these affections are alterations, and when an alteration takes place in the body some parts become larger, others smaller. Now it is clear that a small change taking place in an origin of movement^b causes great and numerous changes at a distance; just as, if the rudder of a boat is moved to an infinitesimal extent, the change resulting in the position of the bows is considerable. Furthermore, when, owing to heat or cold or a similar affection, an alteration is caused in the region of the heart—and even in an imperceptibly small part of it—it gives rise to a considerable change in the body, causing blushing or pallor or shuddering or trembling or the opposites of these.

VIII. The origin, then, of movement, as has already

^b *i.e.* here, the heart, *cf.* below, 701 b 30; see also note on 698 b 1.

701 b

κινήσεως τὸ ἐν τῷ πρακτῷ διωκτὸν καὶ φευκτόν·
ἐξ ἀνάγκης δ' ἀκολουθεῖ τῇ νοήσει καὶ τῇ φαντασίᾳ

35 αὐτῶν θερμότης καὶ ψύξις. τὸ μὲν γὰρ λυπηρὸν
φευκτόν, τὸ δ' ἡδὺ διωκτόν (ἀλλὰ λανθάνει περὶ
τὰ μικρὰ τοῦτο συμβαῖνον), ἔστι δὲ τὰ λυπηρὰ

702 a καὶ ἡδέα πάντα σχεδὸν μετὰ ψύξεώς τινος καὶ
θερμότητος. τοῦτο δὲ δῆλον ἐκ τῶν παθημάτων.

θάρρη γὰρ καὶ φόβοι καὶ ἀφροδισιασμοὶ καὶ τᾶλλα
τὰ σωματικὰ λυπηρὰ καὶ ἡδέα τὰ μὲν κατὰ μόριον
μετὰ θερμότητος ἢ ψύξεώς ἐστι, τὰ δὲ καθ' ὅλον

5 τὸ σῶμα· μνήμαι δὲ καὶ ἐλπίδες, οἷον εἰδώλοις
χρῶμεναι τοῖς τοιούτοις, ὅτε μὲν ἦττον ὅτε δὲ
μᾶλλον αἰτίαι τῶν αὐτῶν εἰσίν. ὥστ' εὐλόγως
ἦδη δημιουργεῖται τὰ ἐντὸς καὶ τὰ περὶ τὰς ἀρχὰς
τῶν ὀργανικῶν μορίων μεταβάλλοντα ἐκ πεπηγότων

10 ὑγρὰ καὶ ἐξ ὑγρῶν πεπηγότα καὶ μαλακὰ καὶ
σκληρὰ ἐξ ἀλλήλων. τούτων δὲ συμβαινόντων
τὸν τρόπον τοῦτον, καὶ ἔτι τοῦ παθητικοῦ καὶ
ποιητικοῦ τοιαύτην ἐχόντων τὴν φύσιν οἶαν πολ-
λαχοῦ εἰρήκαμεν, ὁπόταν συμβῇ ὥστ' εἶναι τὸ
μὲν ποιητικὸν τὸ δὲ παθητικόν, καὶ μηδὲν ἀπολίπη

15 αὐτῶν ἐκάτερον τῶν ἐν τῷ λόγῳ, εὐθὺς τὸ μὲν
ποιεῖ τὸ δὲ πάσχει. διὰ τοῦτο δ' αἶμα ὥς εἰπεῖν
νοεῖ ὅτι πορευτέον καὶ πορεύεται, ἂν μή τι ἐμ-
ποδίζῃ ἕτερον. τὰ μὲν γὰρ ὀργανικὰ μέρη παρα-
σκευάζει ἐπιτηδεύως τὰ πάθη, ἢ δ' ὄρεξις τὰ
πάθη, τὴν δ' ὄρεξιν ἢ φαντασία· αὕτη δὲ γίνεται
ἢ διὰ νοήσεως ἢ δι' αἰσθήσεως. αἶμα δὲ καὶ ταχὺ

20 διὰ τὸ <τὸ>¹ ποιητικὸν καὶ παθητικὸν τῶν πρὸς
ἄλληλα εἶναι τὴν φύσιν.

¹ τὸ add. Bonitz.

been said, is the object of pursuit or avoidance in the sphere of action, and heat and cold necessarily follow the thought and imagination of these objects. For what is painful is avoided, and what is pleasant is pursued. We do not, it is true, notice the effect of this in the minute parts of the body ; but practically anything painful or pleasant is accompanied by some degree of chilling or heating. This is clear from the effects produced. Reckless daring, terrors, sexual emotions and the other bodily affections, both painful and pleasant, are accompanied by heating or chilling, either local or throughout the body. Recollections too and anticipations, employing, as it were, the images of such feelings, are to a greater or less degree the cause of the same effects. So it is with good reason that the inner portions of the body and those which are situated near the origins of the motion of the organic parts are created as they are, changing as they do from solid to liquid and from liquid to solid and from soft to hard and *vice versa*.

- Since, then, these processes occur in this way, and since, moreover, the passive and the active principles have the nature which we have frequently ascribed to them, whenever it so happens that the one is active and the other passive and neither fails to fulfil its definition, immediately the one acts and the other is acted upon. So a man thinks he ought to go, and goes, practically at the same time, unless something else hinders him. For the affections fittingly prepare the organic parts, the desire prepares the affections, and the imagination prepares the desire, while the imagination is due to thought or sensation. The process is simultaneous and quick, because the active and the passive are by nature closely interrelated.

702 a

Τὸ δὲ κινεῖν πρῶτον τὸ ζῶον ἀνάγκη εἶναι ἐν τινι ἀρχῇ. ἡ δὲ καμπὴ ὅτι μὲν ἐστὶ τοῦ μὲν ἀρχῇ τοῦ δὲ τελευτῇ, εἴρηται. διὸ καὶ ἔστι μὲν ὡς ἐνί, ἔστι δ' ὡς δυσὶ χρήται ἡ φύσις αὐτῇ. ὅταν γὰρ κινήται
 25 ἐντεῦθεν, ἀνάγκη τὸ μὲν ἡρεμεῖν τῶν σημείων τῶν ἐσχάτων, τὸ δὲ κινεῖσθαι· ὅτι γὰρ πρὸς ἡρεμοῦν δεῖ ἀπερείδεσθαι τὸ κινεῖν, εἴρηται πρότερον. κινεῖται μὲν οὖν καὶ οὐ κινεῖ τὸ ἐσχατον τοῦ βραχίονος, τῆς δ' ἐν τῷ ὠλεκράνῳ κάμψεως τὸ μὲν κινεῖται τὸ ἐν αὐτῷ τῷ ὅλῳ κινουμένῳ, ἀνάγκη δ' εἶναι τι καὶ ἀκίνητον,
 30 ὃ δὴ φάμεν δυνάμει μὲν ἐν εἶναι σημεῖον, ἐνεργείᾳ δὲ γίνεσθαι δύο· ὥστ' εἰ τὸ ζῶον ἦν βραχίον, ἐνταῦθ' ἂν πού ἦν ἡ ἀρχὴ τῆς ψυχῆς ἢ κινουσα. ἐπεὶ δ' ἐνδέχεται καὶ πρὸς τὴν χεῖρα ἔχειν τι οὕτως τῶν αἰσφύχων, οἷον εἰ κινοίῃ τὴν βακτηρίαν ἐν τῇ χειρί, φανερόν ὅτι οὐκ ἂν εἴη ἐν οὐδετέρῳ
 35 ἢ ψυχῇ τῶν ἐσχάτων, οὐτ' ἐν τῷ ἐσχατῷ τοῦ κινουμένου οὐτ' ἐν τῇ ἐτέρᾳ ἀρχῇ. καὶ γὰρ τὸ
 702 b ξύλον ἔχει καὶ ἀρχὴν καὶ τέλος πρὸς τὴν χεῖρα. ὥστε διὰ γε τοῦτο, εἰ μὴ ἐν τῇ βακτηρίᾳ ἢ κινουσα ἀπὸ τῆς ψυχῆς ἀρχὴ ἔνεστιν, οὐδ' ἐν τῇ χειρί· ὁμοίως γὰρ ἔχει καὶ τὸ ἄκρον τῆς χειρὸς πρὸς τὸν καρπόν, καὶ τοῦτο τὸ μέρος πρὸς τὸ ὠλέκρανον.
 5 οὐδὲν γὰρ διαφέρει τὰ προσπεφυκότα τῶν μῆ·

^a i.e. the same relation as the forearm has to the elbow.

^b i.e. the end of the stick where it meets the hand.

^c i.e. the origin of the movement of the hand which is situated in the wrist.

^d It is impossible to find a word in English which covers the double meaning given to ἀρχή here and in the previous line (see note on 698 b 1). The sentence καὶ γὰρ τὸ ξύλον . . . χεῖρα explains why the ἀρχὴ κινήσεως of the hand is called ἡ ἐτέρα ἀρχή, viz. that there is another ἀρχή (in the sense of "beginning") in the stick, namely, the point nearest the hand.

MOVEMENT OF ANIMALS, viii.

Now that which first causes movement in the animal must be situated in a definite beginning. Now it has already been stated that the joint is the beginning of one thing and the end of another ; wherefore nature employs it sometimes as one and sometimes as two. For when movement is being originated from it, one of its extreme points must be at rest, while the other must move ; for we have already said that what causes movement must be supported on something which is at rest. The extremity, therefore, of the forearm is moved and does not cause movement, but in the elbow-joint one part, namely that which is situated in the actual whole which is in motion, is moved, but there must also be something which is unmoved ; and this is what we mean when we say that a point is potentially one but becomes actually two. So if the forearm were a living creature, it is somewhere near this point that the origin of movement set in motion by the soul would be situated. Since, however, it is possible for an inanimate object to bear this same relation to the hand,^a for instance if one moves a stick in one's hand, it is clear that the soul could not be situated in either of the extremities, neither in the extremity of that which is moved ^b nor in the other origin of movement ($\acute{\alpha}\rho\chi\eta$)^c ; for the stick has an end and a beginning ($\acute{\alpha}\rho\chi\eta$)^d in relation to the hand. So, for this reason, if the origin of movement set up by the soul is not situated in the stick, it is not situated in the hand either ; for the extremity of the hand ^e bears the same relation to the wrist as the latter does to the elbow. For there is no difference between what is attached by growth and what is not

^a i.e. the point where the hand joins the stick.

702 b

γίνεται γὰρ ὥσπερ ἀφαιρετὸν μέρος ἢ βακτηρία.
 ἀνάγκη ἄρα ἐν μηδεμιᾷ εἶναι ἀρχῇ, ἣ ἐστὶν ἄλλου
 τελευτή, μηδὲ εἴ τι ἐστὶν ἕτερον ἐκείνου ἐξωτέρω,
 οἷον τοῦ μὲν τῆς βακτηρίας ἐσχάτου ἐν τῇ χειρὶ
 ἢ ἀρχῇ, τούτου δ' ἐν καρπῷ. εἰ δὲ μηδ' ἐν τῇ
 10 χειρὶ, ὅτι ἀνωτέρω ἔτι, ἢ ἀρχῇ οὐδ' ἐνταῦθα· ἔτι
 γὰρ τοῦ ὠλεκράνου μένοντος κινεῖται ἅπαν τὸ
 κάτω συνεχές.

IX. Ἐπεὶ δ' ὁμοίως ἔχει ἀπὸ τῶν ἀριστερῶν
 καὶ ἀπὸ τῶν δεξιῶν, καὶ ἅμα τὰναντία κινεῖται,
 ὥστε μὴ εἶναι τῷ ἡρεμεῖν τὸ δεξιὸν κινεῖσθαι τὸ
 ἀριστερὸν μηδ' αὖ τῷ τοῦτο ἐκείνο, αἰεὶ δ' ἐν τῷ
 15 ἀνωτέρω ἀμφοτέρων ἢ ἀρχῇ, ἀνάγκη ἐν τῷ μέσῳ
 εἶναι τὴν ἀρχὴν τῆς ψυχῆς τῆς κινούσης· ἀμφοτέρων
 γὰρ τῶν ἄκρων τὸ μέσον ἐσχάτον. ὁμοίως δ' ἔχει
 πρὸς τὰς κινήσεις τοῦτο καὶ τὰς ἀπὸ τοῦ ἄνω καὶ
 κάτω, οἷον τὰς ἀπὸ τῆς κεφαλῆς καὶ τὰς ἀπὸ τῆς
 20 ῥάχεως τοῖς ἔχουσι ῥάχιν. καὶ εὐλόγως δὲ τοῦτο
 συμβέβηκεν· καὶ γὰρ τὸ αἰσθητικὸν ἐνταῦθα εἶναι
 φάμεν, ὥστ' ἀλλοιούμενου διὰ τὴν αἴσθησιν τοῦ
 τόπου τοῦ περὶ τὴν ἀρχὴν καὶ μεταβάλλοντος τὰ
 ἐχόμενα συμμεταβάλλει ἐκτεινόμενά τε καὶ συναγόμενα
 τὰ μόρια, ὥστ' ἐξ ἀνάγκης διὰ ταῦτα γίνεσθαι
 25 τὴν κίνησιν τοῖς ζώοις. τὸ δὲ μέσον τοῦ σώματος

¹ καὶ scripsi: πρὸς libri.

^a This is simply a restatement of the doctrine of 702 b 1-4. The true ἀρχή is not situated in the extremity of the stick nearest to the hand (which is an ἀρχή as being the place where the stick begins in relation to the hand), nor yet in any other member, such as the wrist, which is still farther away from the stick and is an ἀρχή as being the origin of motion in the hand. The wrist, elbow, and shoulder are all of them

so attached ; for the stick becomes a kind of detached member. The origin of movement, therefore, cannot be situated in any origin which is the termination of something else, nor in any other part which is farther from it ; for example, the origin of movement of the extremity of the stick is in the hand, but the origin of the movement of the hand is in the wrist.^a And so if the origin of movement is not in the hand, because it is still higher up,^b neither is it in this higher position ; for, again, if the elbow is at rest, the continuous part below it can be set in motion as a whole.

IX. Now since there is similarity in the left and the right sides of the body, and the opposite parts can be moved simultaneously, so that it is impossible for the right side to move just because the left is at rest or *vice versa*, and the origin of movement must be in that which lies above both sides, it necessarily follows that the origin of movement in the moving soul must be between them ; for the middle is the limit of both extremes. And it stands in the same relation to the movements above as to those below, to those, for example, which proceed from the head and to those which proceed from the spine in animals which have a spine. And there is good reason for this ; for we say that the organ of sensation is also situated in the centre of the body ; and so if the region round about the origin of movement is altered by sense-perception and undergoes change, the parts which are attached to it change with it by extension or contraction, so that in this way movement necessarily takes place in animals. And the central part of the

ἀρχαί in relation to the parts below them, but the true *ἀρχή* is situated in the soul, which lies in the centre of the body.

^a i.e. the wrist.

702 b


μέρος δυνάμει μὲν ἔν, ἐνεργείᾳ δ' ἀνάγκη γίνεσθαι πλείω· καὶ γὰρ ἅμα κινεῖται τὰ κῶλα ἀπὸ τῆς ἀρχῆς, καὶ θατέρου ἡρεμοῦντος θάτερον κινεῖται. λέγω δ' οἷον ἐπὶ τῆς ΑΒΓ τὸ Β κινεῖται, κινεῖ δὲ τὸ Α. ἀλλὰ μὴν δεῖ γέ τι ἡρεμεῖν, εἰ μέλλει
 30 τὸ μὲν κινεῖσθαι τὸ δὲ κινεῖν. ἐν ἄρα δυνάμει ὃν τὸ Α ἐνεργείᾳ δύο ἔσται, ὥστ' ἀνάγκη μὴ στιγμὴν ἀλλὰ μέγεθος τι εἶναι. ἀλλὰ μὴν ἐνδέχεται τὸ Γ ἅμα τῷ Β κινεῖσθαι, ὥστ' ἀνάγκη ἀμφοτέρας τὰς ἀρχὰς τὰς ἐν τῷ Α κινουμένας κινεῖν. δεῖ τι ἄρα εἶναι παρὰ ταύτας ἕτερον τὸ κινεῖν καὶ μὴ κινού-
 85 μενον. ἀπερείδονται μὲν γὰρ ἂν τὰ ἄκρα καὶ αἱ ἀρχαὶ αἱ ἐν τῷ Α πρὸς ἀλλήλας κινουμένων, ὥσπερ
 703 a ἂν εἴ τινες τὰ νῶτα ἀντερείδοντες κινεῖν τὰ σκέλη. ἀλλὰ τὸ κινεῖν ἅμφω ἀναγκαῖον εἶναι. τοῦτο δ' ἐστὶν ἡ ψυχὴ, ἕτερον μὲν οὔσα τοῦ μεγέθους τοῦ τοιούτου, ἐν τούτῳ δ' οὔσα.

Χ. Κατὰ μὲν οὖν τὸν λόγον τὸν λέγοντα τὴν
 5 αἰτίαν τῆς κινήσεως ἐστὶν ἡ ὄρεξις τὸ μέσον, ὃ κινεῖ κινούμενον· ἐν δὲ τοῖς ἐμψύχοις σώμασι δεῖ τι εἶναι σῶμα τοιούτον. τὸ μὲν οὖν κινούμενον μὲν μὴ πεφυκὸς δὲ κινεῖν δύναται πᾶσχειν κατ' ἄλλοτριαν δύναμιν· τὸ δὲ κινεῖν ἀναγκαῖον ἔχειν
 10 τινὰ δύναμιν καὶ ἰσχύν. πάντα δὲ φαίνεται τὰ ζῶα καὶ ἔχοντα πνεῦμα σύμφυτον καὶ ἰσχύοντα τούτῳ. (τίς μὲν οὖν ἡ σωτηρία τοῦ συμφύτου πνεύματος, εἴρηται ἐν ἄλλοις.) τοῦτο δὲ πρὸς τὴν ἀρχὴν τὴν ψυχικὴν ἔοικεν ὁμοίως ἔχειν ὥσπερ

^a See Introd. p. 436.

MOVEMENT OF ANIMALS, IX.-X.

body is potentially one, but actually must necessarily become more than one ; for the limbs are set in motion simultaneously from the origin of movement, and when one is at rest the other is in motion. For example, in ABC, B is moved and A moves it ; there must, however, be something at rest



if one thing is to be moved and another is to move it. So A, though potentially one, will be actually two, so that it must be not a point but a magnitude. Again, C may be moved simultaneously with B, so that both the origins in A must cause movement by being moved ; there must, therefore, be something other than these origins which causes movement without being itself moved. Otherwise, when movement took place, the extremities, or origins, in A would rest upon one another, like men standing back to back and moving their limbs. There must be something which moves them both, namely the soul, other than such a magnitude as we have described but situated in it.

X. In accordance with the definition which defines the cause of motion, desire is the central origin, which moves by being itself moved ; but in animate bodies there must be some bodily substance which has these characteristics. That, then, which is moved but does not possess the natural quality of setting up movement may be affected by a power external to it, and that which causes movement must possess some power and strength. Now all animals clearly both possess an innate spirit and exercise their strength in virtue of it. (What it is that conserves the innate spirit has been explained elsewhere.^a) This spirit seems to bear the same relation to the origin in the

703^a

- τὸ ἐν ταῖς καμπαῖς σημεῖον, τὸ κινοῦν καὶ κινούμενον, πρὸς τὸ ἀκίνητον. ἐπεὶ δ' ἡ ἀρχὴ τοῖς μὲν ἐν τῇ καρδίᾳ τοῖς δ' ἐν τῷ ἀνάλογον, διὰ τοῦτο καὶ τὸ πνεῦμα τὸ σύμφυτον ἐνταῦθα φαίνεται ὄν.
- 15 πότερον μὲν οὖν ταυτόν ἐστι τὸ πνεῦμα ἀεὶ ἢ γίνεται ἀεὶ ἕτερον, ἔστω ἄλλος λόγος (ὁ αὐτὸς γάρ ἐστι καὶ περὶ τῶν ἄλλων μορίων). φαίνεται δ' εὐφύως ἔχον πρὸς τὸ κινήτικόν εἶναι καὶ παρέχειν ἰσχύν. τὰ δ' ἔργα τῆς κινήσεως ὥσις καὶ ἑλξίς,
- 20 ὥστε δεῖ τὸ ὄργανον αὐξάνεσθαι τε δύνασθαι καὶ συστέλλεσθαι. τοιαύτη δ' ἐστὶν ἡ τοῦ πνεύματος φύσις· καὶ γὰρ ἀβίαστος συστελλομένη, καὶ βιαστική καὶ ὠστική διὰ τὴν αὐτὴν αἰτίαν, καὶ ἔχει καὶ βάρος πρὸς τὰ πυρώδη καὶ κουφότητα πρὸς τὰ ἐναντία. δεῖ δὲ τὸ μέλλον κινεῖν μὴ
- 25 ἀλλοιωσει τοιοῦτον εἶναι· κρατεῖ γὰρ κατὰ τὴν ὑπεροχὴν τὰ φυσικὰ σώματα ἀλλήλων, τὸ μὲν κουφὸν κάτω ὑπὸ τοῦ βαρυτέρου ἀπονικώμενον, τὸ δὲ βαρὺ ἄνω ὑπὸ τοῦ κουφοτέρου.
- Ἦμι μὲν οὖν κινεῖ κινουμένω μορίῳ ἡ ψυχὴ, εἴρηται, καὶ δι' ἣν αἰτίαν· ὑποληπτέον δὲ συνεστάναι τὸ
- 30 ζῶον ὥσπερ πόλιν εὐνομουμένην. ἔν τε γὰρ τῇ πόλει ὅταν ἅπαξ συστήῃ¹ ἡ τάξις, οὐδὲν δεῖ κεχωρισμένου μονάρχου, ὃν δεῖ παρῆναι παρ' ἑκάστον τῶν γινομένων, ἀλλ' αὐτὸς ἕκαστος ποιεῖ τὰ αὐτοῦ ὡς τέτακται, καὶ γίνεται τότε μετὰ τότε διὰ

¹ συστήῃ P: στήῃ ESY.

^a For this meaning of ἀβίαστος cf. Plato, *Tim* 61 A. The action of the πνεῦμα is represented as resembling that of the breath in the lungs; when the breath contracts it lacks force and the lungs collapse, when it expands it thrusts outwards and exercises force.

^b Namely, expansion.

MOVEMENT OF ANIMALS, x.

soul as the point in the joints, which moves and is moved, bears to that which is unmoved. Now since the origin is in some animals situated in the heart, in others in what corresponds to the heart, it is therefore clear that the innate spirit also is situated there. Whether the spirit is always the same or is always changing must be discussed elsewhere (for the same question arises about the other parts of the body); at any rate it is clearly well adapted by nature to be a motive power and to exercise strength. Now the functions of movement are thrusting and pulling, so that the organ of movement must be able to increase and contract. And the nature of spirit has these qualities; for when it contracts it is without force,^a and one and the same cause ^b gives it force and enables it to thrust, and it possesses weight as compared with the fiery element, and lightness as compared with the contrary elements.^c Now that which is to create movement without causing alteration must be of this kind; for the natural bodies ^d overcome one another according as one of them prevails, the light being conquered and borne down by the heavier and the heavy borne up by the lighter.

We have now stated what is the part by the movement of which the soul creates movement and for what reason. The constitution of an animal must be regarded as resembling that of a well-governed city-state. For when order is once established in a city there is no need of a special ruler with arbitrary powers to be present at every activity, but each individual performs his own task as he is ordered, and one act succeeds another because of custom. And in the

^c The contrary of fire is water, *cf. De gen. et corrupt.* 331 a 1.

^d *i.e.* the elements.

703^a

τὸ ἔθος· ἔν τε τοῖς ζώοις τὸ αὐτὸ τοῦτο διὰ τὴν
 35 φύσιν γίνεται καὶ τῷ πεφυκέναι ἕκαστον οὕτω
 συστάντων ποιεῖν τὸ αὐτοῦ ἔργον, ὥστε μηδὲν
 δεῖν ἐν ἐκάστω εἶναι ψυχὴν, ἀλλ' ἐν τινι ἀρχῇ τοῦ
 703^b σώματος οὔσης τὰλλα ζῆν μὲν τῷ προσπεφυκέναι,
 ποιεῖν δὲ τὸ ἔργον τὸ αὐτῶν διὰ τὴν φύσιν.

XI. Πῶς μὲν οὖν κινεῖται τὰς ἐκουσίας κινήσεις
 τὰ ζῶα, καὶ διὰ τίνας αἰτίας, εἴρηται· κινεῖται δέ
 5 τινες καὶ ἀκουσίους ἔνια τῶν μερῶν, τὰς δὲ
 πλείστας οὐχ ἐκουσίους. λέγω δ' ἀκουσίους μὲν
 οἷον τὴν τῆς καρδίας τε καὶ τὴν τοῦ αἰδοίου (πολλάκις
 γὰρ φανέντος τινός, οὐ μέντοι κελεύσαντος τοῦ
 νοῦ κινουῖνται), οὐχ ἐκουσίους δ' οἷον ὕπνον καὶ
 ἐγρήγορσιν καὶ ἀναπνοήν, καὶ ὅσαι ἄλλαι τοιαῦταί
 10 εἰσιν. οὐθενὸς γὰρ τούτων κυρία ἀπλῶς ἐστὶν
 οὐθ' ἡ φαντασία οὐθ' ἡ ὄρεξις, ἀλλ' ἐπειδὴ ἀνάγκη
 ἀλλοιοῦσθαι τὰ ζῶα φυσικὴν ἀλλοίωσιν, ἀλλοιου-
 μένων δὲ τῶν μορίων τὰ μὲν αὔξεσθαι τὰ δὲ φθίνειν,
 ὥστ' ἤδη κινεῖσθαι καὶ μεταβάλλειν τὰς πεφυκυίας.
 ἔχεσθαι μεταβολὰς ἀλλήλων (αἰτίαι δὲ τῶν
 15 κινήσεων θερμότητές τε καὶ ψύξεις, αἶ τε θύραθεν
 καὶ αἶ ἐντὸς ὑπάρχουσαι φυσικαί), καὶ αἶ παρὰ
 τὸν λόγον δὴ γινόμεναι κινήσεις τῶν ῥηθέντων
 μορίων ἀλλοιώσεως συμπεσούσης γίνονται. ἡ γὰρ
 νόησις καὶ ἡ φαντασία, ὥσπερ εἴρηται πρότερον, τὰ
 ποιητικὰ τῶν παθημάτων προσφέρουσιν· τὰ γὰρ εἶδη
 20 τῶν ποιητικῶν προσφέρουσιν. μάλιστα δὲ τῶν
 μορίων ταῦτα ποιεῖ ἐπιδήλως διὰ τὸ ὥσπερ ζῶον
 κεχωρισμένον ἐκάτερον εἶναι τῶν μορίων [· τούτου

^a See note on 698 b 1.^b Viz. the heart and the privy member.^c 701 b 18 ff.

MOVEMENT OF ANIMALS, x.-xi.

animals the same process goes on because of nature, and because each part of them, since they are so constituted, is naturally suited to perform its own function; so that there is no need of soul in each part, but since it is situated in a central origin of authority over the body,^a the other parts live by their structural attachment to it and perform their own functions in the course of nature.

XI. We have now discussed the manner of the voluntary movements of animals, and the cause of them. Some of their parts, however, undergo certain involuntary movements, though most of these are really non-voluntary. By involuntary I mean such movements as those of the heart and of the privy member, which are often moved by the presentation of some image and not at the bidding of reason. By non-voluntary I mean sleeping and waking and respiration and the like. For neither imagination nor desire is strictly speaking responsible for any of these movements; but, since animals must necessarily undergo physical alteration, and, when their parts undergo alteration, some increase and others decrease, and so their bodies immediately move and undergo the natural sequence of changes (the causes of their movements being the natural heatings and chillings, both external and internal), the movements too of the above-mentioned parts^b which occur contrary to reason are due to the occurrence of a change. For thought and imagination, as has already been said,^c induce the states which cause the affections; for they present the images of the things which cause them. Now these parts act in this way much more conspicuously than any others, because each is as it were a separate vital organism[, the reason being that

703 b

δ' αἴτιον ὅτι ἔχουσιν ὑγρότητα [ζωτικὴν].¹ ἡ μὲν οὖν καρδία φανερόν δι' ἣν αἰτίαν· τὰς γὰρ² ἀρχὰς ἔχει τῶν αἰσθήσεων· τὸ δὲ μόριον τὸ γεννητικὸν ὅτι
 25 τοιοῦτόν ἐστι, σημείον· καὶ γὰρ ἐξέρχεται ἐξ αὐτοῦ ὥσπερ ζῶόν τι ἡ τοῦ σπέρματος δύναμις. αἱ δὲ κινήσεις τῇ τε ἀρχῇ ἀπὸ τῶν μορίων καὶ τοῖς μορίοις ἀπὸ τῆς ἀρχῆς εὐλόγως συμβαίνουσι, καὶ πρὸς ἀλλήλας οὕτως ἀφικνοῦνται. δεῖ γὰρ νοῆσαι τὸ Α ἀρχήν. αἱ οὖν κινήσεις καθ' ἕκαστον
 30 στοιχείον τῶν ἐπιγεγραμμένων ἐπὶ τὴν ἀρχὴν ἀφικνοῦνται, καὶ ἀπὸ τῆς ἀρχῆς κινουμένης καὶ μεταβαλλούσης, ἐπειδὴ πολλὰ δυνάμει ἐστίν, ἡ μὲν τοῦ Β ἀρχὴ ἐπὶ τὸ Β, ἡ δὲ τοῦ Γ ἐπὶ τὸ Γ, ἡ δ' ἀμφοῖν ἐπ' ἄμφω. ἀπὸ δὲ τοῦ Β ἐπὶ τὸ Γ τῷ³ ἀπὸ μὲν τοῦ
 35 Β ἐπὶ τὸ Α ἐλθεῖν ὡς ἐπ' ἀρχήν, ἀπὸ δὲ τοῦ Α ἐπὶ τὸ Γ ὡς ἀπ' ἀρχῆς. ὅτι δὲ ὅτε μὲν ταῦτα⁴ νοησάντων γίνεται ἡ κίνησις ἡ παρὰ τὸν λόγον ἐν τοῖς
 704 a μορίοις, ὅτε δ' οὐ, αἴτιον τὸ ὅτε μὲν ὑπάρχειν τὴν παθητικὴν ὕλην ὅτε δὲ μὴ τοσαύτην ἢ τοιαύτην.

Περὶ μὲν οὖν τῶν μορίων ἐκάστου τῶν ζώων,
 704 b καὶ περὶ ψυχῆς, ἔτι δὲ περὶ αἰσθήσεως καὶ ὕπνου καὶ μνήμης καὶ τῆς κοινῆς κινήσεως, εἰρήκαμεν τὰς αἰτίας· λοιπὸν δὲ περὶ γενέσεως εἰπέειν.

¹ τούτου . . . ζωτικὴν ut interpolamentum del. Jaeger.

² γὰρ om. EY.

³ τῷ EP: τῷ δὲ Y: τὸ δὲ S.

⁴ ταῦτα Jaeger: τὰ αὐτὰ P: ταῦτα ESY.

^a These words are probably an interpolated gloss; they

MOVEMENT OF ANIMALS, XI.

each contains vital moisture] ^a The reason for this as regards the heart is plain, for it contains the origins of the senses. That the generative organ is of the same nature is shown by the fact that the seminal force comes forth from it, being as it were a living thing. Now it is only in accordance with reason that movements are set up both in the central origin by the parts and in the parts by the central origin, and thus reach one another. Let A be the central origin; the movements at each letter in the diagram drawn above ^b reach the central origin, and from the central origin, when it is moved or undergoes change (for it is potentially many), the origin of movement in B goes to B, and the origin of movement is C to C, and of both to both; but from B to C it travels by going from B to A as to a central origin, and from A to C as from a central origin. Movement, however, contrary to reason, sometimes takes place and sometimes does not take place in the organs as the result of the same thoughts, the reason being that the matter which is liable to be affected is sometimes present and sometimes not present in the proper quantity and quality.

We have now dealt with the reasons for the parts of each animal, the soul, and also sense-perception, sleep, memory, and general movement. It remains to deal with the generation of animals.

are unnecessary in view of the following sentences and contradictory in doctrine to them.

^b See figure on p. 473.

PROGRESSION OF ANIMALS

ANALYSIS OF CONTENTS

CHAP. I. Introduction. Problems which arise about animal locomotion. Different number of limbs and different modes of bending them found in different animals.

II. Assumption of generally-accepted principles and definitions.

III. Animal movement requires (1) a resisting surface against which the limbs can press, (2) a distinction of active and passive parts in the animal.

IV. The dimensions of living bodies. Superior and inferior determined by function and not by position. Plants and animals compared. Distinction of front and back, right and left. The right, as the source of movement, superior to the left. Man the most highly differentiated of the animals.

V. Biped, quadruped, polypod and footless animals distinguished. Quadruped inferior to biped. Man the highest form of biped, being the most "natural."

VI. All movement in the animal must originate in a common centre, equidistant from the centres of movement in the limbs.

VII. Red-blooded animals move at four points: such animals are a continuous whole, while bloodless animals and polypods are composed of a number of separate entities. Even limbless red-blooded animals move at four points.

VIII. Reason for the absence of limbs in snakes. Limbs necessarily even in number.

IX. Flexion necessary to movement, even in limbless animals. Its mechanism explained. Illustrations from leaping, flying, and swimming animals.

X. Movement of birds. Use of the tail to guide flight.

PROGRESSION OF ANIMALS

XI. Man, the only erect animal, compared with the birds. Winged human beings an impossible invention of the artists. •

XII. Differences of flexion in the limbs of man and of the quadrupeds explained.

XIII. The different modes of flexion enumerated and illustrated by diagrams.

XIV. "Diagonal" movement of the legs of quadrupeds. Movement of crabs.

XV. Birds and quadrupeds compared. The structure of the legs of birds. Oblique attachment of wings and fins. The structure of oviparous quadrupeds.

XVI. Movement of bloodless animals. The peculiar movement of the crab.

XVII. Crabs, lobsters, flat-fish, and web-footed birds.

XVIII. Why birds have feet, while fishes have not. Fins and wings compared.

XIX. The movement of testaceans. Conclusion.

ABBREVIATIONS USED IN THE APPARATUS CRITICUS

Z=Codex Oxoniensis Collegii Corporis Christi W.A. 27.

U=Codex Vaticanus 260.

S=Codex Laurentianus 81 1.

P=Codex Vaticanus 1339.

Y=Codex Vaticanus 261.

Leon.=Latin translation of Nicolaus Leonicus.

Mich.=Greek commentary of Michael Ephesius.

ΠΕΡΙ ΠΟΡΕΙΑΣ ΖΩΙΩΝ

704 a

Ι. Περὶ δὲ τῶν χρησίμων μορίων τοῖς ζώοις
5 πρὸς τὴν κίνησιν τὴν κατὰ τόπον ἐπισκεπτέον διὰ
τίν' αἰτίαν τοιοῦτόν ἐστιν ἕκαστον αὐτῶν καὶ τίνος
ἐνεκεν ὑπάρχει αὐτοῖς, ἔτι δὲ περὶ τῶν διαφορῶν
τῶν τε πρὸς ἄλληλα τοῖς τοῦ αὐτοῦ καὶ ἐνὸς ζώου
μορίοις, καὶ πρὸς τὰ τῶν ἄλλων τῶν τῷ γένει δια-
φόρων. πρῶτον δὲ λάβωμεν περὶ ὧν ἐπι-
σκεπτέον.

10 "Ἐστι δὲ πρῶτον μὲν πόσοις ἐλαχίστοις τὰ ζῶα
κινεῖται σημείοις, ἔπειτα διὰ τί τὰ μὲν ἔναιμα,
τέτταρσι τὰ δ' ἄναιμα πλείοσι, καὶ καθόλου δὲ διὰ
τίν' αἰτίαν τὰ μὲν ἄποδα τὰ δὲ δίποδα τὰ δὲ
τετράποδα τὰ δὲ πολύποδα τῶν ζώων ἐστὶ, καὶ
διὰ τί πάντ' ἄρτίους ἔχει τοὺς πόδας, ὅσαπερ ἔχει
15 πόδας αὐτῶν· ὅλως δ' οἷς κινεῖται σημείοις, ἄρτια
ταῦτ' ἐστίν.

"Ἐτι δὲ διὰ τίν' αἰτίαν ἄνθρωπος μὲν καὶ ὄρνις
δίπους, οἱ δ' ἰχθύες ἄποδες εἰσιν· καὶ τὰς κάμπεις
ὃ τε ἄνθρωπος καὶ ὁ ὄρνις δίποδες ὄντες ἐναντίας
ἔχουσι τῶν σκελῶν. ὁ μὲν γὰρ ἄνθρωπος ἐπὶ
20 τὴν περιφέρειαν κάμπτει τὸ σκέλος, ὁ δ' ὄρνις
ἐπὶ τὸ κοῖλον. καὶ ὁ ἄνθρωπος αὐτὸς αὐτῷ

PROGRESSION OF ANIMALS

I. We must next discuss the parts which are useful to animals for their movement from place to place, and consider why each part is of the nature which it is, and why they possess them, and further the differences in the various parts of one and the same animal and in those of animals of different species compared with one another. We must first decide what questions we have to discuss.

One question is, what is the smallest number of points at which animals move ; the next is, why red-blooded animals move at four points, while bloodless animals move at more than four ; and, in general, why some animals are without feet, others biped, others quadrupeds, and others polypods, and why all that have feet at all have an even number of feet ; and, in general, why the points at which movement is made are even in number.

We must further consider why a man and a bird are bipeds, while fishes are without feet ; and why a man and a bird, being both bipeds, have opposite bendings of the legs. For a man bends his legs in a convex direction, a bird in a concave direction ; and a man

704a

ἐναντίως τὰ σκέλη καὶ τοὺς βραχίονας· τοὺς μὲν γὰρ ἐπὶ τὸ κοῖλον, τὰ δὲ γόνατα ἐπὶ τὴν περιφέρειαν κάμπτει. καὶ τὰ τετράποδά τὰ ζωοτόκα τοῖς τ' ἀνθρώποις ἐναντίως κάμπτει καὶ αὐτὰ αὐτοῖς· τὰ μὲν γὰρ πρόσθια σκέλη ἐπὶ τὸ κυρτὸν

704b

τῆς περιφερείας κάμπτει, τὰ δ' ὀπίσθια ἐπὶ τὸ
 5 κοῖλον. ἔτι δὲ τῶν τετραπόδων ὅσα μὴ ζωοτοκεῖ
 ἄλλ' ὠοτοκεῖ, ἰδίως καὶ εἰς τὸ πλάγιον κάμπτει.
 πρὸς δὲ τούτοις διὰ τίν' αἰτίαν τὰ τετράποδα
 κινεῖται κατὰ διάμετρον. περὶ δὴ πάντων τούτων,
 καὶ ὅσα ἄλλα συγγενῇ τούτοις, τὰς αἰτίας θεωρη-
 τέον. ὅτι μὲν γὰρ οὕτω ταῦτα συμβαίνει, δῆλον ἐκ
 10 τῆς ἱστορίας τῆς φυσικῆς, διότι δέ, νῦν σκεπτέον.

II Ἀρχὴ δὲ τῆς σκέψεως ὑποθεμένοις οἷς
 εἰώθαμεν χρῆσθαι πολλάκις πρὸς τὴν μέθοδον
 τὴν φυσικὴν, λαβόντες τὰ τοῦτον ἔχοντα τὸν
 τρόπον ἐν πᾶσι τοῖς τῆς φύσεως ἔργοις. τούτων
 15 δ' ἐν μὲν ἐστὶν ὅτι ἡ φύσις οὐθέν ποιεῖ μάτην,
 ἄλλ' αἰεὶ ἐκ τῶν ἐνδεχομένων τῇ οὐσίᾳ περὶ ἕκαστον
 γένος ζῶον τὸ ἄριστον· διόπερ εἰ βέλτιον ᾧδὶ,
 οὕτως καὶ ἔχει κατὰ φύσιν. ἔτι τὰς διαστάσεις
 τοῦ μεγέθους, πόσαι καὶ ποῖαι ποίοις ὑπάρχουσι,
 δεῖ λαβεῖν. εἰσὶ γὰρ διαστάσεις μὲν ἕξ, συζυγίαι
 20 δὲ τρεῖς, μία μὲν τὸ ἄνω καὶ τὸ κάτω, δευτέρα δὲ
 τὸ ἔμπροσθεν καὶ τὸ ὀπίσθεν, τρίτη δὲ τὸ δεξιὸν
 καὶ τὸ ἀριστερόν. πρὸς δὲ τούτοις ὅτι τῶν κινήσεων
 τῶν κατὰ τόπον ἀρχαὶ ᾧσις καὶ ἑλξίς. καθ'
 αὐτὰς μὲν οὖν αὐται, κατὰ συμβεβηκὸς δὲ κινεῖ-

^a i.e. the front right foot with the left back foot, and the left front with the right back. ^b The *Historia Animalium*.

^c Leon. renders *eodem . . . modo* which seems to imply that he was translating τὸν αὐτὸν ἔχοντα τρόπον.

PROGRESSION OF ANIMALS, I.-II.

himself bends his legs and his arms in opposite directions, the arms concavely and the knees convexly. And viviparous quadrupeds bend their limbs in the opposite way to a man's and in opposite ways to one another; for they bend their front legs convexly and their back legs concavely. Further, quadrupeds which are not viviparous but oviparous have the peculiarity of bending their legs sideways. A further question is why do quadrupeds move their legs diagonally ^a

We must examine the reasons of all these and similar facts; that they are facts is clear from our *Natural History*,^b and we have now to examine their causes.

II. We must begin our inquiry by assuming the principles which we are frequently accustomed to employ in natural investigation, namely, by accepting as true what occurs in accordance with these principles ^c in all the works of nature. One of these principles is that nature never creates anything without a purpose, but always what is best in view of the possibilities allowed by the essence of each kind of animal; therefore, if it is better to do a thing in a particular manner, it is also in accordance with nature. Further, we must accept the dimensions of magnitude in the size and quality in which they are present in various objects. For there are six dimensions grouped in three pairs, the first being the superior and the inferior, the second the front and the back, and the third the right and the left. We must further postulate that the origins of movement from place to place are thrusting and pulling. These are movements *per se*; that which is carried by

704b

ται τὸ φερόμενον ὑπ' ἄλλου· οὐ γὰρ αὐτὸ δοκεῖ
705a κινεῖν αὐτὸ ἀλλ' ὑπ' ἄλλου κινεῖσθαι τὸ ὑπὸ τινος
φερόμενον.

III. Τούτων δὲ διωρισμένων λέγωμεν τὰ τούτων
ἐφεξῆς. τῶν δὴ ζώων ὅσα μεταβάλλει κατὰ
τόπον, τὰ μὲν ἀθρώω παντὶ τῷ σώματι μεταβάλλει,
5 καθάπερ τὰ ἀλλόμενα, τὰ δὲ κατὰ μέρος,¹ καθάπερ
τῶν πορευομένων ἕκαστον. ἐν ἀμφοτέραις δὲ ταῖς
μεταβολαῖς ταύταις αἰεὶ μεταβάλλει τὸ κινούμενον
ἀποστηριζόμενον πρὸς τὸ ὑποκείμενον αὐτῷ.
διόπερ ἐάν τε ὑποφέρηται τοῦτο θάττον ἢ ὥστ'
10 ἔχειν ἀπερείσασθαι τὸ ποιούμενον ἐπ' αὐτοῦ τὴν
κίνησιν, ἐάν θ' ὅλως μηδεμίαν ἔχῃ τοῖς κινουμένοις
ἀντέρεισιν, οὐθὲν ἐπ' αὐτοῦ δύναται κινεῖν ἑαυτό.
καὶ γὰρ τὸ ἀλλόμενον καὶ πρὸς αὐτὸ² ἀπεριεδόμε-
νον τὸ ἄνω καὶ πρὸς τὸ ὑπὸ τοὺς πόδας ποιεῖται
τὴν ἄλσιν· ἔχει γάρ τινα ἀντέρεισιν πρὸς ἄλληλα
15 τὰ μόρια ἐν ταῖς καμπαῖς, καὶ ὅλως τὸ πιέζον
πρὸς τὸ πιεζόμενον. διὸ καὶ οἱ πένταθλοι ἄλλονται
πλείον ἔχοντες τοὺς ἀλτῆρας ἢ μὴ ἔχοντες, καὶ
οἱ θέοντες θάττον θέουσι παρασεύοντες τὰς χεῖρας·
γίνεται γὰρ τις ἀπέρεσις ἐν τῇ διατάσει πρὸς τὰς
χεῖρας καὶ τοὺς καρπούς. αἰεὶ δὲ τὸ κινούμενον
20 δυσὶν ἐλαχίστοις χρώμενον ὀργανικοῖς μέρεσι
ποιεῖται τὴν μεταβολήν, τῷ μὲν ὥσπερανεὶ θλίβοντι,
τῷ δὲ θλιβομένῳ. τὸ μὲν γὰρ μένον θλίβεται διὰ

¹ κατὰ μέρος Z: μέρει S: τοῖς μορίοις cet.

² αὐτὸ PUY: αὐτὸ S: ἑαυτοῦ Z.

^a Special weights (ἀλτῆρες) or sometimes stones were held in the hands and thrown backwards by jumpers while in the air to add to their impetus; cf. Norman Gardiner, *Greek* 488

PROGRESSION OF ANIMALS, II.-III.

something else is only moved accidentally, for what is carried by something else is regarded not as moving itself but as being moved by something else.

III. These points having been decided, let us proceed to the considerations which follow from them. Of the animals, then, which change their local position, some do so with their whole body at the same time, for instance those which jump; others move part by part, for example those that walk. In both these changes the animal that moves makes its change of position by pressing against that which is beneath it; and so, if the latter slips away too quickly to allow that which is setting itself in motion upon it to press against it, or if it offers no resistance at all to that which is moving, the animal cannot move itself at all upon it. For that which jumps performs that movement by pressing both on its own upper part and on that which is beneath its feet; for the parts in a way lean upon one another at their joints, and, in general, that which presses leans on that which is pressed. Hence athletes jump farther if they have the weights in their hands than if they have not,^a and runners run faster if they swing their arms ^b; for in the extension of the arms there is a kind of leaning upon the hands and wrists. Now that which moves always makes its change of place by the employment of at least two organic parts, one as it were compressing and the other being compressed. For the part which remains still is compressed by

Athletic Sports and Festivals, pp. 298 ff., who proves by experiment the truth of the statement made in the present passage.

^b On the importance attached by the Greeks to arm-action in running, especially in short races, cf. N. Gardiner, *op. cit.* p. 282.

705 a τὸ φέρειν, τὸ δ' αἰρόμενον τείνεται τῷ φέροντι
τὸ φορτίον. διόπερ ἄμερές οὐδὲν οὕτω κινηθῆναι
δυνατόν· οὐ γὰρ ἔχει τὴν τοῦ πεισομένου καὶ τοῦ
25 ποιήσοντος ἐν αὐτῷ¹ διάληψιν.

IV. Ἐπεὶ δ' εἰσὶν αἱ διαστάσεις τὸν ἀριθμὸν
ἕξ, αἷς ὀρίζεσθαι πέφυκε τὰ ζῶα,² τό τε ἄνω καὶ
κάτω καὶ τὸ ἔμπροσθεν καὶ ὀπίσθεν, ἔτι δὲ δεξιὸν
καὶ ἀριστερόν, τὸ μὲν ἄνω καὶ κάτω μόριον πάντ'
ἔχει τὰ ζῶντα. οὐ μόνον γὰρ ἐν τοῖς ζώοις ἐστὶ
τὸ ἄνω καὶ κάτω, ἀλλὰ καὶ ἐν τοῖς φυτοῖς. δι-
30 εἴληπται δ' ἔργῳ, καὶ οὐ θέσει μόνον τῇ πρὸς τε
τὴν γῆν καὶ τὸν οὐρανόν. ὅθεν μὲν γὰρ ἡ τῆς τροφῆς
διάδοσις καὶ ἡ αὐξήσις ἐκάστοις, ἄνω τοῦτ' ἐστίν·
705 b πρὸς δ' ἔσχατον αὕτη περαίνει, τοῦτο κάτω.
τὸ μὲν γὰρ ἀρχή τις, τὸ δὲ πέρας· ἀρχὴ δὲ τὸ ἄνω.
καίτοι δόξειεν ἂν τοῖς φυτοῖς οἰκείον εἶναι τὸ κάτω
μᾶλλον· οὐχ ὁμοίως γὰρ ἔχει τῇ θέσει τὸ ἄνω καὶ
κάτω τούτοις καὶ τοῖς ζώοις. ἔχει δὲ πρὸς μὲν
5 τὸ ὅλον οὐχ ὁμοίως, κατὰ δὲ τὸ ἔργον ὁμοίως,
αἱ γὰρ ρίζαι εἰσὶ τὸ ἄνω τοῖς φυτοῖς· ἐκεῖθεν γὰρ
ἡ τροφή διαδίδεται τοῖς φυομένοις, καὶ λαμβάνει
ταύταις αὐτήν, καθάπερ τὰ ζῶα τοῖς στόμασιν.

Ὅσα δὲ μὴ μόνον ζῇ ἀλλὰ καὶ ζῶά ἐστι, τοῖς
τοιούτοις ὑπάρχει τό τε ἔμπροσθεν καὶ τὸ ὀπίσθεν.
10 αἰσθησιν γὰρ ἔχει ταῦτα πάντα, ὀρίζεται δὲ κατὰ
ταύτην τό τε ἔμπροσθεν καὶ τὸ ὀπίσθεν· ἐφ' ὃ
μὲν γὰρ ἡ αἰσθησις πέφυκε καὶ ὅθεν ἐστὶν ἐκάστοις,

¹ αὐτῷ Jaeger: αὐτῷ libri.

² ζῶα Y: ζῶντα ceteri.

^a Cf. above, 704 b 19 ff.

^b Cf. *De caelo*, 294 b 17.

^c More literally "personal."

^a Cf. *De vit. long. et brev.* 467 b 2; *Phys.* 199 a 28.

PROGRESSION OF ANIMALS, III.-IV.

having to carry the weight, and the part which is raised is extended by that which carries the weight. And so nothing that is without parts can move in this manner; for it does not contain in itself the distinction between what is to be passive and what is to be active.

IV. Now the dimensions by which animals are naturally bounded are six in number, namely, superior and inferior, front and back, and also right and left.^a Now all living things have a superior and an inferior part; for the superior and the inferior is found not only in the animals but also in plants.^b The distinction is one of function and not merely of position in relation to the earth and heavens. For the part from which is derived the distribution of nutriment and the growth in any particular thing is the superior; the part to which the growth extends and in which it finally ends is the inferior. The one is a kind of origin, the other a termination; and it is the superior which is an origin. It might, however, seem that in plants the inferior is the more essential^c part; for the superior and the inferior are not in the same position in them as in the animals. Though in relation to the universe they have not the same position, they are similarly situated as regards function. For in plants the roots are the superior part^d; for it is from them that the nutriment is distributed to the parts that grow, and it is from their roots that plants receive it, as do animals from their mouths.

Things which not only live but are also animals have both a front and a back. For all animals have sense-perception, and it is on account of sense-perception that the front and the back are distinguished; for the parts in which the sense-perception is implanted

705 b ἔμπροσθεν ταῦτ' ἐστί, τὰ δ' ἀντικείμενα τούτοις ὀπίσθεν.

- “Ὅσα δὲ τῶν ζώων μὴ μόνον αἰσθήσεως κοινωνεῖ,
 15 ἀλλὰ δύναται ποιεῖσθαι τὴν κατὰ τόπον μεταβολὴν αὐτὰ δι' αὐτῶν, ἐν τούτοις δὴ¹ διώρισται πρὸς τοῖς λεχθείσι τό τ' ἀριστερόν καὶ τὸ δεξιόν, ὁμοίως τοῖς πρότερον εἰρημένοις ἔργω τινὶ καὶ οὐ θέσει διωρισμένον ἑκάτερον αὐτῶν· ὅθεν μὲν γὰρ ἐστὶ τοῦ σώματος ἡ τῆς κατὰ τόπον μεταβολῆς ἀρχή
 20 φύσει, τοῦτο μὲν δεξιὸν ἑκάστω, τὸ δ' ἀντικείμενον καὶ τούτῳ πεφυκὸς ἀκολουθεῖν ἀριστερόν. τοῦτο δὲ διήρθρωται μᾶλλον ἑτέροις ἑτέρων. ὅσα μὲν γὰρ ὀργανικοῖς μέρεσι χρώμενα (λέγω δ' οἶον ποσὶν ἢ πτέρυξιν ἢ τινὶ ἄλλῳ τοιούτῳ) τὴν εἰρημένην μεταβολὴν ποιεῖται, περὶ μὲν τὰ τοιαῦτα
 25 μᾶλλον διήρθρωται τὸ λεχθέν· ὅσα δὲ μὴ τοιούτοις μορίοις, αὐτῷ δὲ τῷ σώματι διαλήψεις ποιούμενα, προέρχεται, καθάπερ ἔνια τῶν ἀπόδων, οἶον οἷ τε ὄφεις καὶ τὸ τῶν καμπῶν γένος, καὶ πρὸς τούτοις ἃ καλοῦσι γῆς ἔντερα, ὑπάρχει μὲν καὶ ἐν τούτοις τὸ λεχθέν, οὐ μὴν διασεσάφηται γ' ὁμοίως.
 30 “Ὅτι δ' ἐκ τῶν δεξιῶν ἡ ἀρχὴ τῆς κινήσεως ἐστὶ, σημεῖον καὶ τὸ φέρειν τὰ φορτία πάντας ἐπὶ τοῖς ἀριστεροῖς· οὕτως γὰρ ἐνδέχεται κινεῖσθαι τὸ φέρον, λελυμένου τοῦ κινήσοντος. (διὸ καὶ ἀσκωλιάζουσι ῥᾶον ἐπὶ τοῖς ἀριστεροῖς· κινεῖν γὰρ πέφυκε τὸ
 706 a δεξιόν, κινεῖσθαι δὲ τὸ ἀριστερόν.) ὥστε καὶ τὸ φορτίον οὐκ ἐπὶ τῷ κινήσοντι ἀλλ' ἐπὶ τῷ κινήσο-

¹ δὴ Jaeger: δὲ libri.

^a Viz. superior and inferior.

^b i.e. from place to place.

PROGRESSION OF ANIMALS, IV.

and whence every kind of creature derives it are at the front, and the opposite parts to these are at the back.

Those animals which not only partake of sense-perception but can also of themselves make the change from place to place, in addition to the distinctions already mentioned,^a have a further distinction of left and right, these being each, like the above, distinctions of function and not of position. For the part of the body where the origin of change from place to place naturally arises is the right in each kind of animal, while the part which is opposed to this and naturally follows its lead is the left.

There is a greater differentiation between right and left in some animals than in others. All animals which make the above-mentioned change^b by the use of instrumental parts—for example, feet or wings or the like—show a greater differentiation between right and left in such parts; those, on the other hand, that progress not by means of such parts but by moving the body itself in sections—like some of the footless animals, such as snakes and the caterpillars, and also earthworms—possess, it is true, this differentiation, but it is not nearly so clearly defined.

That the origin of movement is from the right side is shown by the fact that men always carry burdens on the left shoulder; for then it is possible for that which bears the weight to be set in motion, that which is to initiate the movement being free. (For this reason, too, it is easier to hop on the left leg; for it is natural to the right leg to initiate movement, and to the left to be set in motion.) The burden, therefore, must rest not on the part which is to initiate movement, but on that which is to be set in

706 a

μένῳ δεῖ ἐπικεῖσθαι· ἐὰν δ' ἐπὶ τῷ κινεῖν καὶ τῇ
 ἀρχῇ τῆς κινήσεως ἐπιτεθῇ, ἥτοι ὅλως ρὺ κινήσεται
 5 ἢ χαλεπώτερον. σημείον δ' ὅτι ἀπὸ τῶν δεξιῶν
 ἢ ἀρχὴ τῆς κινήσεως καὶ αἱ προβολαί· πάντες
 γὰρ τὰ ἀριστερὰ προβάλλονται, καὶ ἐστῶτες προ-
 βεβλήκασι¹ τὰ ἀριστερὰ μᾶλλον, ἂν μὴ ἀπὸ τύχης
 συμβῇ. οὐ γὰρ τῷ προβεβηκότι κινεῖνται, ἀλλὰ
 τῷ ἀποβεβηκότι· καὶ ἀμύνονται τοῖς δεξιοῖς.
 10 διὰ ταύτην δὲ τὴν αἰτίαν καὶ τὰ δεξιὰ ταῦτά ἐστι
 πάντων. ὅθεν μὲν γὰρ ἢ ἀρχὴ τῆς κινήσεως, τὸ
 αὐτὸ πᾶσι καὶ ἐν τῷ αὐτῷ τὴν θέσιν ἔχει κατὰ φύσιν·
 δεξιὸν δ' ἐστὶν ὅθεν ἢ ἀρχὴ τῆς κινήσεως ἐστίν.
 καὶ διὰ τοῦτο τὰ στρομβώδη τῶν ὀστρακοδέρμων
 δεξιὰ πάντ' ἐστίν. οὐ γὰρ ἐπὶ τὴν ἐλίκην κινεῖται,
 15 ἀλλ' ἐπὶ τὸ καταντικρὺ πάντα προέρχεται, οἷον
 πορφύραι καὶ κήρυκες. κινουμένων οὖν πάντων
 ἀπὸ τῶν δεξιῶν, κακείνων ἐπὶ ταῦτα κινουμένων·
 ἑαυτοῖς, ἀνάγκη πάντα δεξιὰ εἶναι ὁμοίως. ἀπο-
 λελυμένα δ' ἔχουσι τὰ ἀριστερὰ τῶν ζώων μά-
 λιστα ἄνθρωποι διὰ τὸ κατὰ φύσιν ἔχειν μάλιστα
 20 τῶν ζώων· φύσει δὲ βέλτιόν τε τὸ δεξιὸν τοῦ
 ἀριστεροῦ καὶ κεχωρισμένον. διὸ καὶ τὰ δεξιὰ
 ἐν τοῖς ἀνθρώποις μάλιστα δεξιὰ ἐστίν. διωρισμέ-
 νων δὲ τῶν δεξιῶν εὐλόγως τὰ ἀριστερὰ ἀκινή-
 τότερά ἐστι, καὶ ἀπολελυμένα μάλιστα ἐν τούτοις.
 καὶ αἱ ἄλλαι δ' ἀρχαὶ μάλιστα κατὰ φύσιν δι-
 25 ωρισμένα ἐν τῷ ἀνθρώπῳ ὑπάρχουσι, τό τ' ἄνω
 καὶ τὸ ἔμπροσθεν.

¹ προβεβλήκασι PSU: προβεβήκασι YZ.

^a i.e. in the sense that man is right-handed.

PROGRESSION OF ANIMALS, IV.

motion; and if it be placed on that which causes and is the origin of movement, it will either not be moved at all or with greater difficulty. The manner in which we step out also shows that the origin of movement is in the right side; for all men put the left foot foremost, and, when standing, preferably place the left foot in front, unless they do otherwise accidentally. For they are moved, not by the foot which they put in front, but by that with which they step off; also they defend themselves with their right limbs. Therefore the right is the same in all; for that from which the origin of movement is derived is the same in all and has its position by nature in the same place, and it is from the right that the origin of movement is derived. For this reason, too, the stromboid testaceans all have their shells on the right; for they all move not in the direction of the spiral but in the opposite direction, the purple-fish, for example, and the trumpet-shell. Since, then, movement in all animals starts from the right, and the right moves in the same direction as the animal itself, they must all alike be right-sided^a. Now man more than any other animal has his left limbs detached, because of all animals he is most in accordance with nature, and the right is naturally better than the left and separated from it. Therefore the right is most right-sided in man. And since the right is differentiated, it is only reasonable that the left is less easily set in motion and most detached in man. Moreover the other principles,^b the superior and the front, are in man most in accord with nature and most differentiated.

^b The ἀρχαί here are the διασπάσεις of 704 b 19, 705 a 26, from the point of view of function rather than position.

706 a

V. Οἷς μὲν οὖν τὸ ἄνω καὶ τὸ ἔμπροσθεν δι-
 ώρισται, καθάπερ τοῖς ἀνθρώποις καὶ τοῖς ὄρνεσι,
 ταῦτα μὲν δίποδα (τῶν δὲ τεττάρων τὰ δύο σημεῖα
 τοῖς μὲν πτέρυγες τοῖς δὲ χεῖρες καὶ βραχίονές
 30 εἰσιν). ὅσα δ' ἐπὶ τὸ αὐτὸ τὸ πρόσθεν ἔχει καὶ
 τὸ ἄνω, τετράποδα καὶ πολύποδα καὶ ἄποδα.
 καλῶ γὰρ πόδα μέρος ἐπὶ σημείῳ πεζῶ κινητικῶ
 κατὰ τόπον· καὶ γὰρ τὸ ὄνομα εἰκόασιν εἰληφέναι
 ἀπὸ τοῦ πέδου οἱ πόδες. ἕνια δ' ἐπὶ τὸ αὐτὸ
 ἔχει τὸ πρόσθιον καὶ τὸ ὀπίσθιον, οἷον τὰ τε
 706 b μαλάκια καὶ τὰ στρομβώδη τῶν ὀστρακοδέρμων·
 εἴρηται δὲ περὶ αὐτῶν πρότερον ἐν ἑτέροις.

Τριῶν δ' ὄντων τόπων, τοῦ ἄνω καὶ μέσον
 καὶ κάτω, τὰ μὲν δίποδα τὸ ἄνω πρὸς τὸ τοῦ
 ὅλου ἄνω ἔχει, τὰ δὲ πολύποδα ἢ ἄποδα πρὸς
 5 τὸ μέσον, τὰ δὲ φυτὰ πρὸς τὸ κάτω. αἴτιον δ'
 ὅτι τὰ μὲν ἀκίνητα, πρὸς τὴν τροφήν δὲ τὸ ἄνω,
 ἢ δὲ τροφή ἐκ τῆς γῆς. τὰ δὲ τετράποδα ἐπὶ
 τὸ μέσον, καὶ τὰ πολύποδα καὶ ἄποδα, διὰ τὸ
 μὴ ὀρθὰ εἶναι. τὰ δὲ δίποδα πρὸς τὸ ἄνω διὰ
 10 τὸ ὀρθὰ εἶναι, μάλιστα δ' ὁ ἄνθρωπος· μάλιστα
 γὰρ κατὰ φύσιν ἐστὶ δίπους. εὐλόγως δὲ καὶ αἱ
 ἀρχαὶ εἰσιν ἀπὸ τούτων τῶν μορίων· ἢ μὲν γὰρ
 ἀρχὴ τίμιον, τὸ δ' ἄνω τοῦ κάτω καὶ τὸ πρόσθεν
 τοῦ ὀπίσθεν καὶ τὸ δεξιὸν τοῦ ἀριστεροῦ τιμιώτερον.
 καλῶς δ' ἔχει καὶ τὸ ἀνάπαλιν λέγειν περὶ αὐτῶν,

^a The whole of man is "front," and his "front" is divided into superior and inferior; in a quadruped only that part is "front" which is superior in man

^b *P.A.* 684 b 14 ff.; *H.A.* 523 b 21 ff.

^c Ἀρχή has here the double meaning of "starting-point" and "centre of authority"; see note on *De mot. anim.* 698 b 1.

PROGRESSION OF ANIMALS, v.

V. Animals in which the superior and the front are differentiated, man, for example, and the birds, are bipeds (two of the four points being wings in birds, and hands and arms in man). But the animals in which the superior and the front are in the same position ^a are four-footed (quadrupeds), many-footed (polypods), and footless. By "foot" I mean the part that is at a point which has connexion with the ground and gives movement from place to place; for the feet (πόδες) seem to have derived their name from the ground (πέδον). Some animals have their front and their back in the same position, for example the molluscs and the stromboid testaceans; with these we have already dealt elsewhere.^b

Now since there are three regions, the superior, the middle, and the inferior, bipeds have their superior part in a position corresponding to the superior region of the universe, polypods and footless animals in a position corresponding to the middle region, and plants in a position corresponding to the inferior region. The reason is that plants lack movement, and the superior part is situated with a view to nutriment, and their nutriment comes from the earth. Quadrupeds, polypods, and footless animals have their superior part in a position corresponding to the middle region because they are not erect; bipeds have it in a position corresponding to the superior region because they are erect, especially man, the biped most in accordance with nature. And it is only reasonable that the origins ^c should come from these parts; for the origin is honourable, and the superior is more honourable than the inferior, and the front than the back, and the right than the left. It is also true if we reverse the proposition and assert

706 b

¹⁵ ὥς διὰ τὸ τὰς ἀρχὰς ἐν τούτοις εἶναι ταῦτα τιμιώτερα τῶν ἀντικειμένων μορίων ἐστίν.

VI. Ὅτι μὲν οὖν ἐκ τῶν δεξιῶν ἢ τῆς κινήσεως ἐστὶν ἀρχή, φανερόν ἐκ τῶν εἰρημένων. ἐπεὶ δ' ἀνάγκη παντὸς συνεχοῦς, οὗ τὸ μὲν κινεῖται τὸ δ' ἡρεμεῖ, ὅλου δυναμένου κινεῖσθαι ἐστώτος
²⁰ θατέρου, ἢ ἄμφω κινεῖται ἐναντίας κινήσεις, εἰναί τι κοινὸν καθ' ὃ συνεχῇ ταῦτ' ἐστὶν ἀλλήλοις, κἀνταυθ' ὑπάρχειν τὴν ἀρχὴν τῆς ἐκατέρου τῶν μερῶν κινήσεως (ὁμοίως δὲ καὶ τῆς στάσεως), δῆλον ὅτι,¹ καθ' ὅσας τῶν λεχθεισῶν ἀντιθέσεων ἰδία κινήσεις ὑπάρχει τῶν ἀντικειμένων μερῶν
²⁵ ἐκατέρω, πάντα ταῦτα κοινὴν ἀρχὴν ἔχει κατὰ² τὴν τῶν εἰρημένων μερῶν σύμφυσιν, λέγω δὲ τῶν τε δεξιῶν καὶ ἀριστερῶν καὶ τῶν ἄνω καὶ κάτω καὶ τῶν ἔμπροσθεν καὶ τῶν ὀπίσθεν. κατὰ μὲν οὖν τὸ ἔμπροσθεν καὶ τὸ ὀπίσθεν διάληψις οὐκ ἐστὶ τοιαύτη περὶ τὸ κινεῖν ἑαυτό, διὰ τὸ μηθενὶ
³⁰ φυσικὴν ὑπάρχειν κίνησιν εἰς τὸ ὀπίσθεν, μηδέ διορισμὸν ἔχειν τὸ κινούμενον καθ' ὃν τὴν ἐφ' ἐκάτερα τούτων μεταβολὴν ποιεῖται· κατὰ δὲ τὸ δεξιὸν γε καὶ ἀριστερόν καὶ τὸ ἄνω καὶ τὸ κάτω ἐστίν. διὸ τῶν ζώων ὅσα μέρεσιν ὀργανικοῖς
^{707 a} χρώμενα προέρχεται, τῇ μὲν τοῦ ἔμπροσθεν καὶ ὀπίσθεν διαφορᾷ οὐκ ἔχει διωρισμένα ταῦτα, ταῖς δὲ λοιπαῖς, ἀμφοτέραις μὲν, προτέρᾳ δὲ τῇ κατὰ τὸ δεξιὸν καὶ ἀριστερόν διοριζούσῃ, διὰ τὸ τὴν

¹ δῆλον ὅτι (Leon. *manifestum est quod*, etc.): δηλονότι libri.

² κατὰ P Leon.: om. ceteri

^a i.e. the three pairs of "dimensions" (704 b 19).

PROGRESSION OF ANIMALS, v.-vi.

that, because the origins are situated in these parts, they are therefore more honourable than the opposite parts.

VI. It is clear, then, from what has been said that the origin of movement is on the right. Now in anything continuous of which part is in motion and part at rest (the whole being able to move while one part stands still), there must be, at the point where both parts move in opposite movements, something common to both which makes these parts continuous with one another (and at this point must be situated the origin of the movement of each of these parts, and likewise also of their immobility): it is evident, therefore, that in respect of whichever of the above-mentioned contraries^a the individual movement of each of the opposite parts takes place, there is in all these cases a common origin of movement by reason of the interconnexion of the said parts, namely, of the right and the left, the superior and the inferior, the front and the back. The differentiation according to front and back is not one which applies to that which moves itself, because nothing possesses a natural movement backwards nor has the moving animal^{*} any distinction in accordance with which it can make a change from place to place in each of these two directions^b; but there is a differentiation of right and left, superior and inferior. All animals, therefore, which progress by the employment of instrumental parts have these parts differentiated, not by the distinction between front and back, but by the other two pairs, first, by the distinction of right and left (for this must immediately exist where there are

^a In other words an animal cannot divide itself into two parts, one of which goes forwards and the other backwards.

707^a μὲν ἐν τοῖς δυσὶν εὐθέως ἀναγκαῖον εἶναι ὑπ-
 5 ἀρχειν, τὴν δ' ἐν τοῖς τέτταρσι πρώτοις.

Ἐπεὶ οὖν τό τε ἄνω καὶ κάτω καὶ τὸ δεξιὸν καὶ
 ἀριστερόν τῇ αὐτῇ ἀρχῇ καὶ κοινῇ συνήρτηται πρὸς
 αὐτά (λέγω δὲ ταύτην τὴν τῆς κινήσεως κυρίαν), δεῖ
 δ' ἐν ἅπαντι τῷ μέλλοντι κατὰ τρόπον ποιεῖσθαι
 τὴν ἀφ' ἐκάστου κίνησιν ὠρίσθαι πως καὶ τετά-
 10 χθαι ταῖς ἀποστάσεσι ταῖς πρὸς τὰς ῥηθείας
 ἀρχάς, τὰς τε ἀντιστοίχους καὶ τὰς συστοίχους
 τῶν ἐν τοῖς μέρεσι τούτοις, τὸ τῶν λεχθεῖσων
 κινήσεων ἀπασῶν αἴτιον (αὕτη δ' ἐστὶν ἀφ' ἧς
 ἀρχῆς κοινῆς τῶν ἐν τῷ ζῳῷ ἢ τε τοῦ δεξιοῦ καὶ
 ἀριστεροῦ κινήσεις ἐστίν, ὁμοίως δὲ καὶ ἡ τοῦ ἄνω
 15 καὶ κάτω), ταύτην δ'¹ ἔχειν ἐκάστω ἢ παραπλησίως
 ἔχει² πρὸς ἐκάστην τῶν ἐν τοῖς ῥηθείσι μέρεσιν
 ἀρχῶν, VII. δηλὸν οὖν ὥς ἡ μόνοις ἢ μάλιστα
 τούτοις ὑπάρχει τῶν ζῳῶν ἢ κατὰ τόπον κινήσεως,
 ἃ δυσὶν ἢ τέτταρσι ποιεῖται σημείοις τὴν κατὰ
 τόπον μεταβολήν. ὥστ' ἐπεὶ σχεδὸν τοῖς ἐναίμοις
 20 τοῦτο μάλιστα συμβέβηκε, φανερόν ὅτι πλείοσι
 τε σημείοις τεττάρων οὐθὲν οἶόν τε κινεῖσθαι τῶν
 ἐναίμων ζῳῶν, καὶ εἴ τι τέτταρσι σημείοις κινεῖσθαι
 πέφυκε μόνον, ἀναγκαῖον τοῦτ' εἶναι ἑναιμον.

Ὁμολογεῖ δὲ τοῖς λεχθεῖσι καὶ τὰ συμβαίνοντα
 περὶ τὰ ζῳα. τῶν μὲν γὰρ ἐναίμων οὐδὲν εἰς
 25 πλείω διαιρούμενον δύναται ζῆν οὐθένα χρόνον

¹ δ' PUZ: om. SY.

² ἔχει Z: om. cet.

^a i.e. the distinction of superior and inferior.

^b Namely, the soul situated in the heart (Mich.).

^c The legs move in pairs, either the front and back legs on the same side together, or the front leg on one side with the back leg on the other (cf. 704b 7).

PROGRESSION OF ANIMALS, VI.-VII.

two things), and, secondly, by the distinction which must arise as soon as there are four things.^a

Since, then, the superior and the inferior, and the right and the left are connected with one another by the same common origin (and by this I mean that which controls their movement ^b), and since in anything which is to carry out the movement of each part properly the cause of all the said movements must be somehow defined and arranged at the right distance in relation to the said origins, namely, those in the limbs, which are in pairs opposite or diagonal to one another,^c (and the cause of their movement is the common origin from which the movement of left and right and likewise of superior and inferior in the animal's limbs is derived), and since this origin must in each animal be at a point where it is in more or less the same relation to each of the origins in the said parts,^d (VII.) it is, therefore, clear that movement from place to place belongs either solely or chiefly to those animals which make their change of place by means of two or four points. And so, since this condition occurs almost exclusively in red-blooded animals, it is clear that no red-blooded animal can move by means of more than four points, and if an animal is so constituted by nature as to move by means of four points only, it must necessarily be red-blooded.

What actually occurs in animals is also in agreement with the above statement. For no red-blooded animal can live for any time worth mentioning if it be

^a There are two kinds of ἀρχαί in, e.g., a quadruped, (a) those in each of the four legs and (b) the central ἀρχή in the heart; the former must each be approximately equidistant from the latter.

707^a ὥς εἰπεῖν, τῆς τε κατὰ τόπον κινήσεως, καθ' ἣν
 ἐκινεῖτο συνεχές ὄν καὶ μὴ διηρημένον, οὐ δύναται
 κοινωνεῖν· τῶν δ' ἀναίμων τε καὶ πολυπόδων ἔνια
 διαιρούμενα δύναται ζῆν πολὺν χρόνον ἐκάστω
 τῶν μερῶν, καὶ κινεῖσθαι τὴν αὐτὴν ἥνπερ καὶ
 30 πρὶν διαιρεθῆναι κίνησιν, οἷον αἱ τε καλούμεναι
 σκολόπενδραι καὶ ἄλλα τῶν ἐντόμων καὶ προμηκῶν·
 πάντων γὰρ τούτων καὶ τὸ ὀπισθεν μέρος ἐπὶ
 707^b ταῦτ' οὖν ποιεῖται τὴν πορείαν τῷ ἔμπροσθεν. αἴτιον
 δὲ τοῦ διαιρούμενα ζῆν ὅτι, καθάπερ ἂν εἴ τι
 συνεχές ἐκ πολλῶν εἴη ζώων συγκείμενον, οὕτως
 ἕκαστον αὐτῶν συνέστηκεν. φανερόν δὲ τοῦτο ἐκ
 τῶν πρότερον εἰρημένων, διότι τοῦτον ἔχει τὸν
 5 τρόπον.

Δυσὶ γὰρ ἡ τέτταρσι σημείοις πέφυκε κινεῖσθαι
 τὰ μάλιστα συνεστηκότα κατὰ φύσιν, ὁμοίως δὲ
 καὶ ὅσα τῶν ἐναίμων ἀποδὰ ἐστίν. καὶ γὰρ ταῦτα
 κινεῖται τέτταρσι σημείοις, δι' ὧν τὴν κίνησιν
 ποιεῖται. δυσὶ γὰρ χρώμενα προέρχεται καμ-
 10 παῖς· τὸ γὰρ δεξιὸν καὶ ἀριστερόν καὶ τὸ πρόσθιον
 καὶ ὀπίσθιον ἐν τῷ πλάτει ἐστὶν ἐν ἐκατέρᾳ τῇ
 καμπῇ αὐτοῖς, ἐν μὲν τῷ πρὸς τὴν κεφαλὴν
 μέρος τὸ πρόσθιον σημεῖον δεξιὸν τε καὶ ἀρι-
 στερόν, ἐν δὲ τῷ πρὸς τὴν οὐρὰν τὰ ὀπίσθια
 σημεία. δοκεῖ δὲ δυοῖν σημείοις κινεῖσθαι, τῇ τ'
 ἔμπροσθεν ἀφῇ καὶ τῇ ὕστερον. αἴτιον δ' ὅτι
 15 στενὸν κατὰ πλάτος ἐστίν, ἐπεὶ καὶ ἐν τούτοις τὸ
 δεξιὸν ἡγείται, καὶ ἀνταποδίδωσι κατὰ τὸ ὀπισθεν,
 ὥσπερ ἐν τοῖς τετράποσιν. τῶν δὲ κάμψεων
 αἴτιον τὸ μῆκος· ὥσπερ γὰρ οἱ μακροὶ τῶν ἀν-
 θρώπων λорδοὶ βαδίζουσι, καὶ τοῦ δεξιοῦ ὤμου

^a Centipedes.

PROGRESSION OF ANIMALS, VII.

divided into several parts, and can no longer partake of the motion from place to place whereby it moved while it was still continuous and undivided. On the other hand, some of the bloodless animals and poly-pods can, when they are divided, live in each of these parts for a considerable time and move with the same motion as before they were divided, the so-called scolopendrae,^a for example, and other elongated insects ; for the hinder part of all these continues to progress in the same direction as the fore-part. The reason why they live when they are divided is that each of them consists as it were of a continuous body made up of many animals. And the reason why they are of this kind is clear from what has been said above.

Animals which are constituted most in accordance with nature naturally move by means of two or four points, and likewise also those among the red-blooded animals which are footless ; for they too move at four points and so effect locomotion. For they progress by means of two bends ; for in each of their bends there is a right and a left, a front and a back in their breadth—a front point on the right and another on the left in the part towards the head, and the two hinder^c points in the part towards the tail. They appear to move at two points only, namely, the points of contact with the ground in front and behind. The reason for this is that they are narrow in breadth ; for in these animals too, as in the quadrupeds, the right leads the way and sets up a corresponding movement behind. The reason of their bendings is their length ; for just as tall men walk with their backs hollowed^b and, while their right shoulder leads the

^b λορδός is the opposite of κυφός, hunchbacked (Hippocr. *Fract.* 763).

707^b

εἰς τὸ πρόσθεν ἡγουμένου τὸ ἀριστερὸν ἰσχύιον εἰς
 20 τοῦπισθεν μᾶλλον ἀποκλίνει, καὶ τὸ μέσον κοῖλον
 γίνεται καὶ λορδόν, οὕτω δεῖ νοεῖν καὶ τοὺς ὄφεις
 κινουμένους ἐπὶ τῇ γῇ λορδοῦς. σημεῖον δ' ὅτι
 ὁμοίως κινοῦνται τοῖς τετράποσιν· ἐν μέρει γὰρ
 μεταβάλλουσι τὸ κοῖλον καὶ τὸ κυρτόν. ὅταν
 γὰρ πάλιν τὸ ἀριστερὸν τῶν προσθίων ἡγήσεται,
 25 ἐξ ἐναντίας πάλιν τὸ κοῖλον γίνεται· τὸ γὰρ δεξιὸν
 ἐντὸς πάλιν γίνεται. σημεῖον δεξιὸν πρόσθιον
 ἐφ' οὗ Α, ἀριστερὸν ἐφ' οὗ Β, ὀπίσθιον δεξιὸν ἐφ'
 οὗ Γ, ἀριστερὸν ἐφ' οὗ Δ.

Οὕτω δὲ κινοῦνται τῶν μὲν χερσαίων οἱ ὄφεις,
 τῶν δ' ἐνύδρων αἱ ἐγγέλεις καὶ οἱ γόγγροι καὶ αἱ
 80 μύραιναι, καὶ τῶν ἄλλων ὅσα ἔχει τὴν μορφήν
 ὀφιδεστέραν. πλὴν ἓν μὲν τῶν ἐνύδρων τῶν
 τοιούτων οὐδὲν ἔχει πτερύγιον, οἷον αἱ μύραιναι,
 708^a ἀλλὰ χρῆται τῇ θαλάττῃ ὥσπερ οἱ ὄφεις τῇ γῇ
 καὶ τῇ θαλάττῃ (νέουσι γὰρ οἱ ὄφεις ὁμοίως
 καὶ ὅταν κινῶνται ἐπὶ τῆς γῆς)· τὰ δὲ δύο ἔχει
 πτερύγια μόνον, οἷον οἱ τε γόγγροι καὶ αἱ ἐγ-
 χέλεις καὶ γένος τι κεστρέων, οἱ γίνονται ἐν
 5 τῇ λίμνῃ τῇ ἐν Σιφαῖς. καὶ διὰ τοῦτο ταῖς
 καμπαῖς ἐλάττοσι κινοῦνται ἐν τῷ ὑγρῷ ἢ ἐν τῇ
 γῇ τὰ ζῆν εἰωθότα ἐν τῇ γῇ, καθάπερ τὸ τῶν
 ἐγγέλων γένος. οἱ δὲ δύο πτερύγια ἔχοντες τῶν
 κεστρέων τῇ καμπῇ ἀνισάζουσιν ἐν τῷ ὑγρῷ τὰ
 τέτταρα σημεία. VIII. τοῖς δ' ὄφεσιν αἴτιον τῆς
 10 ἀποδίας τό τε τὴν φύσιν μηθὲν ποιεῖν μάτην,

^a On the Boeotian coast of the Corinthian Gulf, the Tipha of Paus. ix. 32. 3.

^b i.e. two of its "points" are fins and the other two are made by bends.

PROGRESSION OF ANIMALS, VII.—VIII.

way forward, their left hip inclines towards the rear and the middle of the body becomes concave and hollow, so we must suppose that snakes too move upon the ground with their backs hollowed. And that they move in the same manner as quadrupeds is shown by the fact that they change the concave into the convex and the convex into the concave. For when the left forward point is again leading the way, the concavity comes in turn on the other side, for the right again becomes the inner. Let the front point on the right be A, and that on the



left B, and the rear point on the right C, and that on the left D.

This is the way that snakes move as land-animals, and eels, conger-eels and lampreys and all the other snake-like creatures as water-animals. Some water-animals, however, of this class, lampreys for example, have no fin and use the sea as snakes use both the sea and the land; for snakes swim in just the same manner as when they move on land. Others have two fins only, conger-eels for example, and ordinary eels and a species of mullet which occurs in the lake at Siphæ^a For this reason too those which are accustomed to live on land, the eels for example, move with fewer bends in the water than on dry land. The kind of mullet which has only two fins makes up the number of four points in the water by its bends.^b VIII. The reason why snakes are footless is, first, that nature creates nothing without

708 a

ἀλλὰ πάντα πρὸς τὸ ἄριστον ἀποβλέπουσαν ἐκάστω
 τῶν ἐνδεχομένων, διασώζουσιν ἐκάστου τὴν ἰδίαν
 οὐσίαν καὶ τὸ τί ἦν αὐτῷ εἶναι· ἔτι δὲ καὶ τὸ πρό-
 τερον ἡμῖν εἰρημένον, τὸ τῶν ἐναίμων μῆθ' οἶόν
 τ' εἶναι πλείοσι κινεῖσθαι σημείοις ἢ τέτταρσιν.
 ἐκ τούτων γὰρ φανερόν ὅτι τῶν ἐναίμων ὅσα κατὰ
 15 τὸ μῆκος ἀσύμμετρά ἐστι πρὸς τὴν ἄλλην τοῦ
 σώματος φύσιν, καθάπερ οἱ ὄφεις, οὐθὲν αὐτῶν
 οἶόν θ' ὑπόπουν εἶναι. πλείους μὲν γὰρ τεττάρων
 οὐχ οἶόν τε αὐτὰ πόδας ἔχειν (ἄναιμα γὰρ ἂν ἦν),
 ἔχοντα δὲ δύο πόδας ἢ τέτταρας σχεδὸν ἦν ἂν
 ἀκίνητα πάμπαν· οὕτω βραδεῖαν ἀναγκαῖον εἶναι
 20 καὶ ἀνωφελῆ τὴν κίνησιν.

Ἄπαν δὲ τὸ ὑπόπουν ἐξ ἀνάγκης ἀρτίους ἔχει
 τοὺς πόδας· ὅσα μὲν γὰρ ἄλσει χρώμενα μόνον
 ποιεῖται τὴν κατὰ τόπον μεταβολήν, οὐθὲν ποδῶν
 πρὸς γε τὴν τοιαύτην δεῖται κίνησιν· ὅσα δὲ
 25 χρῆται μὲν ἄλσει, μὴ ἐστι δ' αὐτοῖς αὐτάρκης
 αὕτη ἢ κίνησις ἀλλὰ καὶ πορείας προσδέονται, δη-
 λον ὥς τοῖς μὲν βέλτιον τοῖς δ' (ἄλλως) ὅλως
 ἀδύνατον¹ πορεύεσθαι. [διότι πᾶν ζῶον ἀναγκαῖον
 ἀρτίους ἔχειν τοὺς πόδας.]² οὕσης γὰρ τῆς
 τοιαύτης μεταβολῆς κατὰ μέρος, ἀλλ' οὐκ ἀθρόω
 παντὶ τῷ σώματι καθάπερ τῆς ἄλσεως, ἀναγκαῖον
 30 ἐστι τοῖς μὲν μένειν μεταβαλλόντων τῶν ποδῶν
 τοῖς δὲ κινεῖσθαι, καὶ τοῖς ἀντικειμένοις τούτων
 ποιεῖν ἐκάτερον, μεταβάλλον ἀπὸ τῶν κινουμένων
 ἐπὶ τὰ μένοντα τὸ βάρος. διόπερ οὔτε τρισὶ μὲν

¹ <ἄλλως> ὅλως ἀδύνατον] ὅλως ἀδύνατον <ἄλλως> Farquharson.

² διότι . . πόδας om. PSU· tanquam glossema del. Jaeger

^a Mich.'s explanation of this passage is that certain poly-
 pods, which can walk with an uneven number of legs (cf.
 506

PROGRESSION OF ANIMALS, VIII.

a purpose but always with a view to what is best for each thing within the bounds of possibility, preserving the particular essence and purpose of each ; and, secondly, as we have already said, because no red-blooded animal can move by means of more than four points. It is clear from this that all red-blooded animals whose length is out of proportion to the rest of their bodily constitution, like the snakes, can none of them have feet ; for they cannot have more than four feet (for if they had, they would be bloodless), whereas, if they had two or four feet, they would be practically incapable of any movement at all, so slow and useless would their movement necessarily be.

Every animal which has feet must necessarily have an even number of feet ; for those which move from place to place by jumping only do not require feet (at least not for this movement), while those which jump but do not find this mode of locomotion sufficient by itself and need to walk also, must clearly either progress better with an even number of legs or else cannot otherwise progress at all.^a For since this kind of change from place to place is carried out by a part and not, like jumping, with the whole of the body at once, some of the feet during the change of position must remain at rest while others are in motion, and the animal must rest and move with opposite legs, transferring the weight from the legs in motion to those at rest. Hence no animal can

708 b 5 ff), would walk better with an even number ; quadrupeds and bipeds, on the other hand, cannot walk at all with an uneven number of legs. Farquhaison's insertion of ἄλλως seems therefore a certain emendation : the omission of ἄλλως, however, in our MSS. would be better accounted for if it is inserted before ἄλλως rather than before πορεύεσθαι.

- 708^b οὐθὲν οὐθ' ἐνὶ¹ χρώμενον βαδίζειν οἶον τε· τὸ μὲν γὰρ οὐθὲν ὅλως ὑπόστημα ἔχει ἐφ' ᾧ τὸ τοῦ σώματος ἔξει βάρος, τὸ δὲ κατὰ τὴν ἑτέραν ἀντίθεσιν μόνην, ὥστ' ἀναγκαῖον αὐτὸ οὕτως ἐπιχειροῦν κινεῖσθαι πίπτειν. ὅσα δὲ πολὺποδά
- 5 ἔστιν, οἶον αἱ σκολόπενδραι, τούτοις δυνατὸν μὲν καὶ ἀπὸ περιττῶν ποδῶν πορείαν γίνεσθαι, καθάπερ φαίνεται ποιούμενα καὶ νῦν, ἃν τις αὐτῶν ἕνα πηρώσῃ τῶν ποδῶν, διὰ τὸ τὴν τῶν ἀντιστοιχῶν ποδῶν κολόβωσιν ἰᾶσθαι τῷ λοιπῷ πλήθει τῶν ἐφ' ἑκάτερα ποδῶν· γίνεται γὰρ τούτοις οἶον
- 10 ἔφελξις τοῦ πεπηρωμένου μορίου τοῖς ἄλλοις, ἀλλ' οὐ βάδισις. οὐ μὴν ἀλλὰ φανερόν ὅτι βέλτιον ἂν καὶ ταῦτα ποιοῖτο τὴν μεταβολὴν ἀρτίους ἔχοντα τοὺς πόδας, καὶ μηθενὸς ἐλλείποντος, ἀλλ' ἀντιστοιχοὺς ἔχοντα τοὺς πόδας· οὕτω γὰρ <ἂν>² αὐτῶν ἀνισάζειν τε δύναιτο³ τὸ βάρος καὶ μὴ
- 15 ταλαντεύειν ἐπὶ θάτερα μᾶλλον, εἰ ἀντίστοιχα ἐρείσματ' ἔχοι καὶ μὴ κενὴν τὴν ἑτέραν χώραν, τῶν⁴ ἀντικειμένων. προβαίνει δ' ἀφ' ἑκατέρου τῶν μερῶν ἐναλλάξ τὸ πορευόμενον· οὕτω γὰρ εἰς ταὐτὸ τῷ ἐξ ἀρχῆς σχήματι γίνεται ἡ κατάστασις.
- 20 Ὅτι μὲν οὖν ἀρτίους ἔχει τοὺς πόδας πάντα, καὶ διὰ τίν' αἰτίαν, εἴρηται· IX. ὅτι δ' εἰ μηθὲν ἦν ἡρεμοῦν, οὐκ ἂν ἦν κάμψις οὐδ' εὐθυνσις, ἐκ τῶνδε δῆλον. ἔστι γὰρ κάμψις μὲν ἢ ἐξ εὐθέος ἢ εἰς περιφερὲς ἢ εἰς γωνίαν μεταβολή, εὐθυνσις δ' ἢ ἐκ θατέρου τούτων εἰς εὐθύ. ἐν ἀπάσαις δὲ
- 25 ταῖς εἰρημέναις μεταβολαῖς ἀνάγκη πρὸς ἓν σημεῖον

¹ οὔτε τρισὶ μὲν οὐθὲν οὐθ' ἐνὶ Jaeger; οὐδὲ (οὐδὲ om. PYZ) τρισὶ μὲν οὐθὲν οὐθενὶ libri.

² ἂν add. Jaeger.

PROGRESSION OF ANIMALS, VIII.—IX.

walk using either three legs or one leg ; for if it uses one leg it has absolutely no support on which it is to rest the weight of the body, and if it uses three it will rest it on a pair of opposite legs, so that, if it attempts to move thus, it necessarily falls. Polypods, however, for instance the scolopendrae, can achieve progression with an odd number of legs, as they can be immediately seen to do if you mutilate one of their feet, because the maiming of some of the feet in the opposing rows is compensated by the greater number of feet still remaining on either side ; the result is that the maimed leg is as it were dragged along by the others, and the animal does not walk properly. However, it is clear that these maimed animals would achieve the change of position better if they had an even number of feet, that is, if none were lacking and they had all the feet in the corresponding rows ; for then they would be able to distribute their weight evenly and would not sway to one side, if they had corresponding supports on each side and had not one space in the opposite rows devoid of a leg. An animal, then, when it walks progresses by means of each of its limbs alternately ; for thus its state is restored so as to be identical with its original form.

It has now been established that all animals have an even number of feet, and the reason for this has been stated. IX. That, if nothing were at rest, there could be no bending or straightening is clear from the following considerations. Bending is the change from what is straight to what is curved or angular ; straightening is the change of either of these to what is straight. In all the above changes the bending or straightening

³ δύναιτο scripsi : δύναιται Z : δύναιντο ceteri.

⁴ τῇν ante τῶν add. Z.

708 b

τὴν κάμψιν ἢ τὴν εὐθυνσιν γίνεσθαι. ἀλλὰ μὴν κάμψεως γε μὴ οὔσης οὐτ' ἂν πορεῖα οὔτε νεύσεις οὔτε πτῆσις ᾖν. τὰ μὲν γὰρ ὑπόποδα ἐπειδὴ ἐν ἑκατέρῳ τῶν ἀντικειμένων σκελῶν ἐν μέρει ἴσταται καὶ τὸ βάρος ἴσχει, ἀναγκαῖον θατέρου προ-
 30 βαίνοντος θατέρου ποιεῖσθαι κάμψιν. ἴσα τε γὰρ πέφυκεν ἔχειν τῷ μήκει τὰ ἀντίστοιχα κῶλα, καὶ ὀρθὸν δεῖ εἶναι τὸ ὑφ' ἐστὸς τῷ βάρει, οἷον κάθετον πρὸς τὴν γῆν. ὅταν δὲ προβαίνει, γίνεται ἡ
 709 α ὑποτείνουσα καὶ δυναμένη τὸ μένον μέγεθος καὶ τὴν μεταξύ. ἐπεὶ δ' ἴσα τὰ κῶλα, ἀνάγκη κάμψαι τὸ μένον, ἢ ἐν τῷ γόνατι ἢ ἐν τῇ κάμψει, οἷον εἴ τι ἀγόνατον εἴη τῶν βαδιζόντων. σημείον δ'
 5 ὅτι οὕτως ἔχει· εἰ γάρ τις ἐν γῇ¹ βαδιζοῖ παρὰ τοῖχον, ἢ γραφομένη ἔσται οὐκ εὐθεία ἀλλὰ σκολιά, διὰ τὸ ἐλάττω μὲν κάμπτοντος γίνεσθαι τὴν γραφομένην, μείζω δ' ἴσταμένου καὶ ἐξαίροντος.
 Ἐνδέχεται μέντοι κινεῖσθαι καὶ μὴ ἔχοντος καμπὴν τοῦ σκέλους, ὥσπερ τὰ παιδία ἔρπουσιν. καὶ
 10 περὶ τῶν ἐλεφάντων ὁ παλαιὸς ᾗν λόγος τοιοῦτος, οὐκ ἀληθὴς ὢν. κινεῖται δὲ καὶ τὰ τοιαῦτα κάμψεως γινομένης ἐν ταῖς ὠμοπλάταις ἢ τοῖς ἰσχίοις. ἀλλ' ὀρθὸν οὐδὲν δύναται ἂν πορευθῆναι συνεχῶς καὶ ἀσφαλῶς, κινηθεῖν δ' ἂν οἷον ἐν ταῖς παλαιίστραις οἱ διὰ τῆς κόνεως προϊόντες ἐπὶ τῶν γονάτων. πολὺ γὰρ τὸ ἄνω μέρος, ὥστε

¹ ἐν γῇ libri: locus corruptus et lacuna mutilatus.

^a It does not actually do so because it is not long enough to reach the ground: and so, as is explained below, the other leg must be bent to enable it to do so.

^b Δύναμις in mathematics is used of a "power," generally the second power, i.e. the square of a number: similarly in geometry δύναμις and δύναμαι are used of the figure which

PROGRESSION OF ANIMALS, IX.

must necessarily be relative to a single point. Further, if there were no bending, there would be no walking or swimming or flying. For since animals with feet stand and rest their weight alternately on each of their two opposite legs, as one leg advances the other must necessarily be bent. For the corresponding legs on either side are naturally equal in length, and the leg which supports the weight must be straight, at right angles, as it were, to the ground. But when a leg advances, it is assuming the position of the side subtending a right angle,^a the square upon which equals the squares ^b on the side which is at rest and the line between the two legs; but since the legs are equal, the leg which is at rest must bend either at the knee or, in any kneeless animal that walks, at the joint. That this is so is shown by the fact that if a man were to walk on the ground alongside a wall [with a reed dipped in ink attached to his head],^c the line traced [by the reed] would not be straight but zigzag, because it goes lower when he bends and higher when he stands upright and raises himself.

It is possible, however, to move even if the leg has no bend in it, as happens when children crawl. (The old account attributed such motion to elephants, but it is untrue.) Movement of this kind takes place through a bending in the shoulders or hips. But no creature could walk erect in this way continuously and safely, but could only move like those who drag themselves forward through the dust in the wrestling-school on their knees. For the upper portion of the can be formed by constructing squares on the side of, *e.g.* a triangle.

^c The text here is corrupt and something has fallen out in all our mss.: the words here bracketed are supplied from the explanation given by Mich.


709 a

15 δεῖ μακρόν εἶναι τὸ κῶλον· εἰ δὲ τοῦτο, κάμψιν ἀναγκαῖον εἶναι. ἐπεὶ γὰρ ἔστηκε πρὸς ὀρθήν,

16 b εἰ ἄκαμπτον ἔσται τὸ κινούμενον εἰς τὸ πρόσθεν,¹ ἢ καταπεσεῖται ἐλάττωτος τῆς ὀρθῆς γινομένης, ἢ οὐ προβήσεται. εἰ γὰρ ὀρθοῦ ὄντος θατέρου σκέλους θάτερον ἔσται προβεβηκός, μείζον ἔσται, ἴσον ὄν· δυνήσεται γὰρ τοῦτο τό τ' ἡρεμοῦν καὶ τὴν ὑπο-
20 τείνουσαν. ἀνάγκη ἄρα κάμπτεσθαι τὸ προϊόν, καὶ κάμψαν ἅμα ἐκτείνειν θάτερον, ἐκκλίνειν τε καὶ διαβεβηκέναι καὶ ἐπὶ τῆς καθέτου μένειν· ἰσοσκελές γὰρ γίνεται τρίγωνον τὰ κῶλα, καὶ ἡ κεφαλὴ γίνε-
ται κατώτερον, ὅταν κάθετος ᾖ ἐφ' ἧς βέβηκεν.

25 Τὰ δ' ἄποδα τὰ μὲν κυμαίνοντα προέρχεται (τοῦτο δὲ διττῶς συμβαίνει· τὰ μὲν γὰρ ἐπὶ τῆς γῆς, καθάπερ οἱ ὄφεις, τὰς καμπὰς ποιεῖ-
ται, τὰ δ' εἰς τὸ ἄνω, ὥσπερ αἱ κάμπαι), ἡ δὲ κύμανσις καμπή ἐστίν· τὰ δ' ἰλυσπάσει χρώμενα,
30 καθάπερ τὰ καλούμενα γῆς ἔντερα καὶ βδέλλαι. ταῦτα γὰρ τῷ μὲν ἡγουμένῳ προέρχεται, τὸ δὲ λοιπὸν σῶμα πᾶν πρὸς τοῦτο συνάγουσι, καὶ τοῦ-
τον τὸν τρόπον εἰς τόπον ἐκ τόπου μεταβάλλουσιν. φανερόν δ' ὅτι εἰ μὴ αἱ δύο τῆς μιᾶς μείζους ἦσαν,

¹ εἰ ἄκαμπτον ἔσται τὸ κινούμενον εἰς τὸ πρόσθεν om. PSU
Bekker: εἰ et πρόσθεν om. Z.



512

^a Let AB be the stationary leg and AC the advanced leg, which are by hypothesis of equal length. If the right-angled triangle ABD is constructed its hypotenuse AD must be longer than AC.

PROGRESSION OF ANIMALS, IX.

body is large, and therefore the leg must be long; and if this is so, there must necessarily be a bending. For since a standing position is perpendicular, the leg which is moved forward, if it is to be unbent, will either fall as the right angle becomes less, or else it will not advance at all; for if, while one leg is at right angles, the other is advanced, the advanced leg will be greater and at the same time equal; for it will be equal to the leg which is at rest and also to the side subtending the right angle.^a The advancing leg must therefore be bent, and the animal, as it bends it, must at the same time stretch the other leg and lean forward and make a stride and remain in the perpendicular; for the legs form an isosceles triangle and the head becomes lower when it is perpendicular to the base of the triangle.^b

Of animals which are footless, some advance with an undulating motion—this can be of two kinds, for some animals, for example snakes, make their bends on the ground, while others, for instance caterpillars, make them upwards—and undulation is bending. Others move by crawling, like the earthworms and leeches; for these advance with one part leading the way, and then draw up all the rest of their body to it, and in this manner make the change from place to place. It is plain that, if the two lines which they

^b When the stride has been completed the result is an isosceles triangle formed by the two legs and the ground; the head, which is necessarily lower than when the legs were together, is perpendicularly above the base.

709 b οὐκ ἂν ἐδύναντο κινεῖσθαι τὰ κυμαίνοντα τῶν ζώων. ἐκταθείσης γὰρ τῆς καμπῆς, εἰ ἴσῃν κατεῖχεν, οὐθὲν ἂν προήεσαν· νῦν δ' ὑπερβάλλει ἐκταθείσα, καὶ ἡρεμήσαντος τούτου ἐπάγει τὸ λοιπόν.

Ἐν πάσαις δὲ ταῖς λεχθείσαις μεταβολαῖς τὸ κινούμενον ὅτε μὲν ἐκτεινόμενον εἰς εὐθὺ προέρχεται, ὅτε δὲ συγκαμπτόμενον, τοῖς μὲν ἡγουμένοις μέρεσιν εὐθὺ γινόμενον, τοῖς δ' ἐπομένοις συγκαμπτόν. ποιεῖται δὲ καὶ τὰ ἀλλόμενα πάντα κάμψιν ἐν τῷ ὑποκειμένῳ μέρει τοῦ σώματος, καὶ τοῦτον τὸν τρόπον ἔχοντα ἄλλεται. καὶ τὰ πετόμενα δὲ καὶ τὰ νέοντα, τὰ μὲν τὰς πτέρυγας
10 εὐθύνοντα καὶ κάμπτοντα πέταται, τὰ δὲ τοῖς πτερυγίοις, καὶ τούτων τὰ μὲν τέτταρσι τὰ δὲ δυσὶν, ὅσα προμηκέστερα τὴν μορφήν, ὥσπερ τὸ τῶν ἐγχελέων γένος· τὴν δὲ λοιπὴν κίνησιν ἀντὶ τῶν δύο πτερυγίων τῷ λοιπῷ τοῦ σώματος καμπτόμενα νεῖ, καθάπερ εἴρηται πρότερον. οἱ δὲ πλατεῖς
15 τῶν ἰχθύων τῇ μὲν τῷ πλάτει χρῶνται τοῦ σώματος ἀντὶ πτερυγίων, τῇ δὲ πτερυγίοις δυσὶν. τὰ δὲ πάμπαν πλατέα, καθάπερ ὁ βάτος, αὐτοῖς τοῖς πτερυγίοις καὶ ταῖς ἐσχάταις τοῦ σώματος περιφέρειαις εὐθύνοντα καὶ κάμπτοντα ποιεῖται τὴν νεύσιν.

20 X. Ἀπορήσεις δ' ἂν τις ἴσως πῶς κινοῦνται τέτταρσι σημείοις οἱ ὄρνιθες, ἢ πετόμενοι ἢ πορευόμενοι, ὡς εἰρημένου ὅτι πάντα τὰ ἔναιμα κινεῖται τέτταρσιν. οὐκ εἴρηται δέ, ἀλλ' ὅτι οὐ πλείοσιν. οὐ μὴν ἀλλ' οὗτ' ἂν πέτεσθαι δύναιντο ἀφαιρε-

^a The bend is represented as two lines forming an angle;

PROGRESSION OF ANIMALS, IX.-X.

form were not greater than the one,^a movement would be impossible for animals which advance by undulations. For, when the bend is extended, they would not have made any advance, if it subtended an equal line ; whereas, in fact, it is longer when it is extended, and then, when this part has come to a standstill, the animal draws up the rest.

In all the above-mentioned changes that which moves advances by first extending itself straight out and then curving itself—straightening itself out with its leading parts and curving itself in the parts which follow. All animals, too, which jump make a bend in the lower part of their body and jump in this manner. Animals also which fly and those which swim, fly by straightening and bending their wings and swim with their fins, some fish having four fins and others, namely those which are of a more elongated form (eels for example), having two fins. The latter accomplish the rest of their movement by bending themselves in the rest of their body, as a substitute for the second pair of fins, as has already been said. Flat-fish use their two fins, and the flat part of their body instead of the second pair. Fish that are entirely flat, like the ray, manage to swim by using their actual fins and the outer periphery of their body, which they alternately straighten and bend.

X. A question might perhaps be asked as to how birds, whether flying or walking, can move at four points, in view of the statement that “ all red-blooded animals move at four points.” But this is not exactly what we stated ; what we said was “ at not more than four points.” However, they could not fly if their

these two lines together must be longer than the line which subtends their angle.

ARISTOTLE

709^b

θέντων τῶν κώλων οὔτε πορεύεσθαι τῶν πτερύγων
 25 ἀφαιρεθεισῶν, ἐπεὶ οὐδ' ἄνθρωπος, βαδίζει μὴ
 κινῶν τοὺς ὤμους. ἀλλὰ πάντα γε, καθάπερ
 εἴρηται, κάμψει καὶ ἐκτάσει ποιεῖται τὴν μετα-
 βολήν· ἅπαντα γὰρ εἰς τὸ ὑποκείμενον μέχρι τινὸς
 οἰονεῖ συννυπεῖκον¹ προέρχεται, ὥστ' ἀναγκαῖον,
 εἰ μὴ καὶ κατ' ἄλλο μόριον γίνεται ἢ κάμψις, ἀλλ'
 30 ὅθεν γε ἡ ἀρχὴ τοῖς μὲν ὀλοπτέροις τοῦ πτεροῦ,
 τοῖς δ' ὄρνισι τῆς πτέρυγος, τοῖς δ' ἄλλοις τοῦ
 ἀνάλογον μορίου, καθάπερ τοῖς ἰχθύσιν. τοῖς δ',
 ὥσπερ οἱ ὄφεις, ἐν ταῖς καμπαῖς τοῦ σώματός
 710^a ἐστὶν ἡ ἀρχὴ τῆς κάμψεως. τὸ δ' οὐροπύγιόν ἐστι
 τοῖς πτηνοῖς πρὸς τὸ κατευθύνειν τὴν πτήσιν,
 καθάπερ τὰ πηδάλια τοῖς πλοίοις. ἀναγκαῖον δὲ
 καὶ ταῦτα ἐν τῇ προσφύσει κάμπτειν. διόπερ τὰ
 5 τε ὀλόπτερα καὶ τῶν σχιζοπτέρων οἷς τὸ οὐροπύγιον
 ἀφυῶς ἔχει πρὸς τὴν εἰρημένην χρήσιν, οἷον τοῖς τέ-
 ταῶς καὶ τοῖς ἀλεκτρυόσι καὶ ὅλως τοῖς μὴ πτητι-
 κοῖς, οὐκ εὐθυποροῦσιν· τῶν μὲν γὰρ ὀλοπτέρων,
 ἀπλῶς οὐθέν ἔχει οὐροπύγιον, ὥστε καθάπερ ἀ-
 πῆδαλον πλοῖον φέρεται, καὶ ὅπου ἂν τύχη ἕκαστον
 10 αὐτῶν προσπίπτει, ὁμοίως τὰ τε κολεόπτερα,
 οἷον κύνθαροι καὶ μηλολόνηται, καὶ τὰ ἀνέλυστρα,
 οἷον μέλιτται καὶ σφήκες. καὶ τοῖς μὴ πτητικοῖς
 ἀχρεῖον τὸ οὐροπύγιόν ἐστίν, οἷον τοῖς τε πορφυ-
 ρίωσι καὶ ἐρωδιοῖς καὶ πᾶσι τοῖς πλωτοῖς· ἀλλ'
 ἀντὶ τοῦ οὐροπυγίου πέτανται τοὺς πόδας ἀπο-

¹ οἰονεῖ συννυπεῖκον Z: οἶον εἰς ὑπεῖκον ceteri.

^a Lit. "creatures with undivided wings" (The Greek here has different words for the wings of insects and those of birds.)

^b Lit. creatures with cloven wings (i.e. made up of feathers) as opposed to insects which have undivided wings.

PROGRESSION OF ANIMALS, x.

legs were taken from them, or walk if their wings were taken from them, just as a man cannot walk without moving his shoulders to some extent. All things, as has been said, make their change of position by bending and stretching; for they all progress upon that which, being beneath them, also as it were gives way to them up to a certain point; so that, even if the bending does not take place in any other part, it must at any rate do so at the point where the wing begins in flying insects ^a and in birds, and where the analogous part begins in other animals, such as fishes. In other animals, snakes for example, the beginning of their bending is in the joints of the body.

In winged creatures the tail is used, like the rudder in a ship, to direct the flight; and this too must bend at the point where it joins the body. Flying insects also, therefore, and those birds ^b whose tails are ill-adapted for the purpose just mentioned, peacocks, for example, and domestic fowls and, generally, those birds which are not adapted for flight, cannot keep a straight course. Of the flying insects not a single one possesses a tail, so that they are carried along like rudderless ships and collide with anything that they happen to meet. The same is true of sheath-winged insects, ^c such as beetles and cockchafers, and the sheathless insects, such as bees and wasps. The tail is useless in such birds as are not adapted to flight, the porphyrio, ^d for example, and the heron and water-fowls in general; these fly stretching out

^c Coleoptera.

^d The identity of this bird is disputed. W. W. Merry (on Aristoph. *Aves*, 707) suggests some kind of coot; D'A. W. Thompson (on *H.A.* 509 a 11, 595 a 13) suggests the purple coot or the flamingo.

710 a

τείνοντα, καὶ χρώνται ἀντ' οὐροπυγίου τοῖς
 15 σκέλεσι πρὸς τὸ κατευθύνειν τὴν πτήσιν. βρα-
 δεῖα δ' ἡ πτήσις τῶν ὀλοπτέρων ἐστὶ καὶ ἀσθενὴς
 διὰ τὸ μὴ κατὰ λόγον ἔχειν τὴν τῶν πτερῶν φύσιν
 πρὸς τὸ τοῦ σώματος βάρος, ἀλλὰ τὸ μὲν πολὺ,
 τὰ δὲ μικρὰ καὶ ἀσθενῇ. ὥσπερ ἂν οὖν εἰ ὀλ-
 καδικὸν πλοῖον ἐπιχειροίη κώπαις ποιεῖσθαι τὸν
 20 πλοῦν, οὕτω ταῦτα τῇ πτήσει χρήται. καὶ ἡ
 ἀσθένεια δὲ αὐτῶν τε τῶν πτερῶν καὶ ἡ τῆς
 ἐκφύσεως συμβάλλεται τι πρὸς τὸ λεχθέν. τῶν
 δ' ὀρνίθων τῷ μὲν ταῷ τὸ οὐροπύγιον ὅτε μὲν
 διὰ τὸ μέγεθος ἄχρηστον, ὅτε δὲ διὰ τὸ ἀπο-
 βάλλειν οὐθὲν ὠφελεῖ. ὑπεναντίως δ' ἔχουσιν οἱ
 25 ὀρνιθες τοῖς ὀλοπτέροις τὴν τῶν πτερῶν φύσιν,
 μάλιστα δ' οἱ τάχιστα αὐτῶν πετόμενοι. τοιοῦτοι
 δ' οἱ γαμφώνυχες· τούτοις γὰρ ἡ ταχυτῆς τῆς
 πτήσεως χρήσιμος πρὸς τὸν βίον. ἀκόλουθα δ'
 αὐτῶν ἔοικεν εἶναι καὶ τὰ λοιπὰ μόρια τοῦ σώ-
 ματος πρὸς τὴν οἰκείαν κίνησιν, κεφαλὴ μὲν
 30 ἀπάντων μικρὰ καὶ αὐχὴν οὐ παχὺς, στήθος δ'
 ἰσχυρὸν καὶ ὀξύ, ὀξὺ μὲν πρὸς τὸ εὐτονον εἶναι,
 καθάπερ ἂν εἰ πλοίου πρῶρα λεμβώδους, ἰσχυρὸν
 δὲ τῇ περιφύσει τῆς σαρκός, ἵν' ἀπωθεῖν δύνῃται
 710 b τὸν προσπίπτοντα ἀέρα, καὶ τοῦτο ῥαδίως καὶ μὴ
 μετὰ πόνου. τὰ δ' ὀπισθεν κοῦφα καὶ συνήκοντα
 πάλιν εἰς στενόν, ἵν' ἐπακολουθῇ τοῖς ἔμπροσθεν,
 μὴ σύροντα τὸν ἀέρα διὰ τὸ πλάτος.

5 XI. Καὶ περὶ μὲν τούτων διωρίσθω τὸν τρόπον
 τοῦτον, τὸ δὲ μέλλον ζῶον ὀρθὸν βαδιεῖσθαι διότι
 δίπουν τε ἀναγκαῖόν ἐστιν εἶναι, καὶ τὰ μὲν ἄνω
 τοῦ σώματος μέρη κουφότερα ἔχειν τὰ δ' ὑφεστῶτα
 τούτοις βαρύτερα, δῆλον· μόνως γὰρ ἂν οὕτως
 518

PROGRESSION OF ANIMALS, x.-xi.

their feet in place of a tail and use their legs instead of a tail to direct their flight. The flight of flying insects is slow and weak, because the growth of their wings is not in proportion to the weight of their body ; for their weight is considerable, while their wings are small and weak ; so they use their power of flight like a merchant-ship attempting to travel by means of oars. The weakness also of the wings themselves and of their manner of growth contributes to some extent to the result which we have described. Among birds, the peacock's tail is at one season of no service because of its size, at another useless because the bird moults. But birds are the exact opposite of winged insects in the nature of their wings, especially the swiftest flyers among them, namely, those with curved talons ; for their swiftness of flight is useful in enabling them to gain their livelihood. The other parts of their body, too, seem to be similarly adapted for their particular movement, the head being always small and the neck not thick and the breast strong and sharp—sharp so as to be compact like the prow of a light-built ship, and strong owing to the way the flesh grows—so as to thrust aside the air which meets it, and that easily and without effort ; but the hinder parts are light and contract again to a narrow point, in order that they may follow the forward parts without sweeping the air by their breadth

XI. So much for the discussion of these topics. The reason why an animal which is to walk erect must both be a biped and also have the upper part of its body lighter and the parts situated beneath these heavier is obvious ; for only if it were so

- 710 b ἔχον οἶόν τ' εἶη φέρειν ἑαυτὸ ῥαδίως. διόπερ
 10 ἄνθρωπος μόνον ὀρθὸν τῶν ζώων ἦν τὰ σκέλη
 κατὰ λόγον ἔχει πρὸς τὰ ἄνω τοῦ σώματος μέγιστα
 τῶν ὑποπόδων καὶ ἰσχυρότατα. δῆλον δε ποιεῖ
 τοῦτο καὶ τὸ συμβαῖνον τοῖς παιδίοις· οὐ γὰρ
 δύνανται βαδίζειν ὀρθὰ διὰ τὸ πάντα νανώδη εἶναι
 καὶ μείζω καὶ ἰσχυρότερα ἔχειν ἢ κατὰ λόγον¹ τὰ
 15 ἄνω μέρη τοῦ σώματος τῶν κάτωθεν. προιούσης
 δὲ τῆς ἡλικίας αὔξησιν λαμβάνει τὰ κάτω μᾶλλον,
 μέχρι περ ἂν λάβωσι τὸ προσῆκον μέγεθος, καὶ
 ποιοῦνται τότε τοῖς σώμασι τὴν βάδισιν ὀρθήν.
 οἱ δ' ὄρνιθες κοῦφοι ὄντες δίποδες εἰσι διὰ τὸ
 ὀπισθεν αὐτοῖς τὸ βάρος εἶναι, καθάπερ ἐργάζονται
 20 τοὺς ἵππους τοὺς χαλκοὺς τοὺς τὰ πρόσθια ἡρκότας
 τῶν σκελῶν. αἷτιον δὲ μάλιστα τοῦ δίποδας
 ὄντας δύνασθαι ἐστάναι τὸ ἔχειν τὸ ἰσχίον ὁμοιον
 μηρῷ καὶ τηλικούτον ὥστε δοκεῖν δύο μηρούς
 ἔχειν, τόν τ' ἐν τῷ σκέλει πρὸ τῆς καμπῆς καὶ τὸν
 πρὸς τοῦτο τὸ μέρος ἀπὸ τῆς ἑδρας· ἔστι δ' οὐ,
 25 μηρὸς ἀλλ' ἰσχίον. εἰ γὰρ μὴ τηλικούτον ἦν,
 οὐκ ἂν ἦν ὄρνις δίπους. ὥσπερ γὰρ τοῖς ἀνθρώ-
 ποις καὶ τοῖς τετράποσι ζώοις, εὐθύς ἂν ἦν ἀπὸ
 βραχέος ὄντος τοῦ ἰσχίου ὁ μηρὸς καὶ τὸ ἄλλο
 σκέλος· λίαν οὖν ἦν ἂν τὸ σῶμα πᾶν προπετές
 αὐτῶν. νῦν δὲ μακρὸν ὃν μέχρι ὑπὸ μέσην παρα-
 τείνει τὴν γαστέρα, ὥστ' ἐντεῦθεν τὰ σκέλη ὑπ-
 30 ερηρεισμένα φέρει τὸ σῶμα πᾶν. φανερόν δ'
 ἐκ τούτων καὶ ὅτι ὀρθὸν οὐκ ἐνδέχεται τὸν
 ὄρνιθα εἶναι ὥσπερ τὸν ἄνθρωπον. ἡ γὰρ τῶν
 πτερῶν φύσις ὥς ἔχουσι τὸ σῶμα νῦν οὕτως
 711 a αὐτοῖς χρήσιμός ἐστιν, ὀρθοῖς δ' οὖσιν ἄχρηστος

¹ ἢ κατὰ λόγον om. PY.

PROGRESSION OF ANIMALS, XI.

constituted would it be able to carry itself easily. Therefore man, the only erect animal, has legs larger and stronger in proportion to the upper part of his body than any of the other animals which have legs. What happens with children illustrates this : they cannot walk erect because they are always dwarfish and have the upper parts of their body too big and too strong in proportion to the lower parts. As they grow older, the lower parts increase more quickly, until they attain their proper size ; and it is only then that they can walk with their bodies erect. Birds are lightly built but can stand on two feet because their weight is at the back, just like bronze horses which are made by sculptors with their fore-legs raised in the air. The chief reason why birds can stand although they are bipeds is that their hip-joint resembles a thigh and is of such a size that they seem to have two thighs, one on the leg above the joint and the other between this and the fundament ; but it is not really a thigh but a hip. If it were not so large, a bird could not be a biped ; for then, just as in man and the quadrupeds, the thigh and the rest of the leg would be directly attached to a short hip, and so the whole body would tend to fall forward too much. But, as it is, the hip, being long, extends up to the middle of the belly, and so the legs form supports at that point and carry the whole body. It is clear too from this that it is impossible for a bird to stand erect in the way that a man stands ; for the way that birds' wings grow is useful to them in the position in which they now hold themselves, but if they stood erect,

711^a ἂν ᾦν, ὥσπερ γράφουσι τοὺς ἔρωτας ἔχοντας πτέρυγας.

Ἄμα γὰρ τοῖς εἰρημένοις δῆλον ὅτι οὐδ' ἄνθρωπον οὐδ' εἰ ἄλλο τι τοιοῦτόν ἐστι τὴν μορφήν δυνατόν εἶναι πτερωτόν, οὐ μόνον ὅτι πλείοσι σημείοις κινή-
 5 σεται ἢ τέτταρσιν ἔναιμον ὄν, ἀλλ' ὅτι ἄχρηστος αὐτοῖς ἢ τῶν πτερύγων ἕξις κατὰ φύσιν κινου-
 μένοις· ἢ δὲ φύσις οὐδέν ποιεῖ παρὰ φύσιν.

XII. Ὅτι μὲν οὖν εἰ μὴ κάμψις ᾦν ἐν τοῖς σκέλεσιν ἢ ἐν ταῖς ὠμοπλάταις καὶ ἰσχύοις, οὐθὲν οἶόν τ' ᾦν ἂν τῶν ἐναίμων καὶ ὑποπόδων προ-
 10 βαίνειν, εἴρηται πρότερον, καὶ ὅτι κάμψις οὐκ ἂν ᾦν μηθενὸς ἡρεμούντος, ὅτι τε ἐναντίως οἷ τε ἄνθρωποι δίποδες ὄντες καὶ οἱ ὄρνιας τὴν τῶν σκελῶν ποιοῦνται κάμψιν, ἔτι δὲ τὰ τετράποδα ὑπεναντίως καὶ αὐτοῖς καὶ τοῖς ἀνθρώποις. οἱ
 15 ἐπὶ τὰ κοῖλα, τὰ δὲ σκέλη ἐπὶ τὸ κυρτόν, τὰ δὲ τετράποδα τὰ μὲν πρόσθια σκέλη ἐπὶ τὸ κυρτόν, τὰ δ' ὀπίσθια ἐπὶ τὸ κοῖλον· ὁμοίως δὲ καὶ οἱ ὄρνιας. αἷτιον δ' ὅτι ἢ φύσις οὐδέν δημιουργεῖ μάτην, ὥσπερ εἴρηται πρότερον, ἀλλὰ πάντα πρὸς τὸ βέλτιστον ἐκ τῶν ἐνδεχομένων. ὥστ' ἐπεὶ
 20 πᾶσιν ὅσοις ὑπάρχει κατὰ φύσιν ἢ κατὰ τόπον μεταβολὴ τοῖν σκελοῖν, ἐστῶτος μὲν ἐκάστου τὸ βάρος ἐν τούτῳ ἐστί, κινουμένοις δ' εἰς τὸ πρόσθεν δεῖ τὸν πόδα τὸν ἡγούμενον τῇ θέσει κοῦφον εἶναι, συνεχοῦς δὲ τῆς πορείας γινομένης αὐθις ἐν τούτῳ τὸ βάρος ἀπολαμβάνειν, δῆλον ὡς ἀναγκαῖον ἐκ
 25 τοῦ κεκάμφθαι τὸ σκέλος αὐθις τε εὐθὺ γίνεσθαι, μένοντος τοῦ τε κατὰ τὸν προωσθέντα πόδα σημείου καὶ τῆς κνήμης. τοῦτο δὲ συμβαίνειν ἄμα

PROGRESSION OF ANIMALS, XI.-XII.

as winged cupids are represented in pictures, the wings would serve no purpose.

At the same time it is clear from what has been said that man, or any other creature of like form, cannot be winged, not only because, being red-blooded, he would then move at more points than four, but also because the possession of wings would be useless to him when moving in a natural manner. Now nature creates nothing unnatural.

XII. It has already been stated that, if there were no bending in the legs or shoulders and hips, none of the animals which are red-blooded and have feet could progress ; and that bending would be impossible if something were not at rest ; and that men and birds, being both bipeds, bend their legs in opposite directions ; and, furthermore, that quadrupeds bend their pairs of legs in opposite directions to one another and in an opposite manner to men. For men bend their arms concavely and their legs convexly, but quadrupeds bend their front legs convexly and their back legs concavely ; birds too do the latter. The reason is that nature never does anything without a purpose, as has been said before, but creates all things with a view to the best that circumstances allow. And so since in all creatures which possess by nature the power of locomotion by means of their two legs, when each leg is stationary the weight must be upon it, but when they move forward, the leading leg must have no weight upon it, and as progression continues it is necessary to transfer the weight on to this leg ; it is clearly essential that the leg after being bent should become straight again, the point at which the leg is thrust forward and the shin remaining at rest. And it is possible

711^a καὶ προῖέναι τὸ ζῶον εἰς τοῦμπροσθεν μὲν ἔχοντος
 τὴν καμπὴν τοῦ ἡγουμένου σκέλους δυνατόν, εἰς
 τοῦπισθεν δ' ἀδύνατον. οὕτω μὲν γὰρ προενεχθέν-
 30 τος τοῦ σώματος ἡ ἔκτασις τοῦ σκέλους ἔσται,
 ἐκείνως δ' ἀνενεχθέντος. ἔτι δ' εἰς τὸ ὀπισθεν
 μὲν τῆς καμπῆς οὔσης διὰ δύο κινήσεων ἐγίγνετ'
 ἂν ἡ τοῦ ποδὸς θέσις ὑπεναντίων τε αὐταῖς,¹ καὶ
 711^b τῆς μὲν εἰς τὸ ὀπισθεν τῆς δὲ εἰς τὸ ἔμπροσθεν·
 ἀναγκαῖον γὰρ ἐν τῇ συγκάμψει τοῦ σκέλους τοῦ
 μὲν μηροῦ τὸ ἔσχατον εἰς τοῦπισθεν προάγειν,
 τὴν δὲ κνήμην ἀπὸ τῆς καμπῆς εἰς τὸ ἔμπροσθεν
 τὸν πόδα κινεῖν. εἰς τὸ ἔμπροσθεν δὲ τῆς καμπῆς
 5 οὔσης, οὐθ' ὑπεναντίαις κινήσεσι μιᾷ τε τῇ εἰς
 τὸ ἔμπροσθεν ἢ λεχθεῖσα πορεία συμβήσεται.
 Ὁ μὲν οὖν ἄνθρωπος δίπους ὢν καὶ τὴν κατὰ
 τόπον μεταβολὴν κατὰ φύσιν τοῖς σκέλεσι ποιού-
 μενος διὰ τὴν εἰρημένην αἰτίαν κάμπτει εἰς τὸ ἔμ-
 προσθεν τὰ σκέλη, τοὺς δὲ βραχίονας ἐπὶ τὸ κοῖλον
 10 εὐλόγως· ἄχρηστοι γὰρ ἂν ἦσαν καμπτόμενοι τοῦ-
 ναντίον πρὸς τε τὴν τῶν χειρῶν χρῆσιν καὶ πρὸς
 τὴν τῆς τροφῆς λήψιν. τὰ δὲ τετράποδα καὶ
 ζωοτόκα τὰ μὲν ἔμπροσθεν σκέλη, ἐπειδὴ ἡγρεῖται
 τε τῆς πορείας αὐτῶν καὶ ἔστι ταῦτ' ἐν τῷ μέρει
 τῷ ἔμπροσθεν τοῦ σώματος, ἀνάγκη κάμπτειν
 15 ἐπὶ τὴν περιφέρειαν διὰ τὴν αὐτὴν αἰτίαν ἣνπερ
 καὶ οἱ ἄνθρωποι· κατὰ γὰρ τοῦτο ὁμοίως ἔχουσιν.
 διόπερ καὶ τὰ τετράποδα κάμπτουσιν εἰς τὸ
 πρόσθεν τὸν εἰρημένον τρόπον. καὶ γὰρ οὕτως
 μὲν τῆς κάμψεως αὐτῶν γινομένης ἐπὶ πολὺ
 δυνήσονται τοὺς πόδας μετεωρίζειν· ἐναντίως δὲ

¹ ὑπεναντίων τε αὐταῖς Jaeger: ὑπεναντίως τε (δε UZ) αὐταῖς libri.

PROGRESSION OF ANIMALS, XII.

for this to happen and for the animal at the same time to progress if the leading leg can bend forward, but impossible if it bends backwards. For in the first case the extension of the leg will take place with the forward movement of the body, in the second case with its backward movement. Further, if the bending were backwards, the planting of the foot would be carried out by two movements contrary to one another, one backwards and the other forwards. For in bending the leg it is necessary to draw the extremity of the thigh backwards, and the shin would move the foot forwards from the point of bending; but if the bending be forward, the progression described above will take place not by two contrary movements but by a single forward movement.

Man then, being a biped and carrying out the change from place to place in a natural manner by means of his legs, bends his legs forwards for the reason already stated, but bends his arms concavely. This is only in accordance with reason; for if they were bent in the opposite direction, they would be useless for the purpose of the hands and for taking food.* But viviparous quadrupeds of necessity bend their front legs in an outward curve, because these legs lead the way when they walk, and are also situated in the front part of their bodies; and the reason is the same as in man, for in this they resemble man. Thus the quadrupeds too bend their legs forward in the manner already described; for indeed, since they bend their legs in this way, they will be able to raise their feet high in the air, whereas, if they bent them in the opposite direction, they would

711 a

20 κάμπτοντες μικρὸν ἀπὸ τῆς γῆς ἂν αὐτοὺς ἐμε-
τεώριζον διὰ τὸ τὸν τε μηρὸν ὅλον καὶ τὴν
καμπήν, ἀφ' ἧς ἡ κνήμη πέφυκεν, ὑπὸ τῇ γαστρὶ
γίγνεσθαι προϊόντος αὐτοῦ. τῶν δ' ὀπισθεν σκελῶν
εἰ μὲν ἦν εἰς τὸ ἔμπροσθεν ἡ κάμψις, τῶν ποδῶν
ὁ μετεωρισμὸς ὁμοίως ἂν αὐτοῖς εἶχε τοῖς προ-

25 σθίοις (ἐπὶ βραχὺ γὰρ ἂν ἐγίγνετο καὶ τούτοις
κατὰ τὴν ἄρσιν τῶν σκελῶν, τοῦ τε μηροῦ καὶ
τῆς καμπῆς ἀμφοτέρων ὑπὸ τὸν τῆς γαστροῦ τόπον
ὑποπιπτόντων), εἰ δ' εἰς τὸ ὀπισθεν, καθάπερ καὶ
νῦν κάμπτουσιν, οὐθὲν ἐμπόδιον αὐτοῖς γίγνεται
πρὸς τὴν πορείαν ἐν τῇ τοιαύτῃ κινήσει τῶν ποδῶν.
ἔτι τοῖς γε θηλαζομένοις αὐτῶν καὶ πρὸς τὴν
30 τοιαύτην λειτουργίαν ἀναγκαῖον ἢ βέλτιον γ' οὕτω
κεκάμφθαι τὰ σκέλη· οὐ γὰρ ῥᾶδιον τὴν κάμψιν
ποιουμένων ἐντὸς ὑφ' αὐτὰ ἔχειν τὰ τέκνα καὶ
σκεπάζειν.


712 a XIII. Ὅντων δὲ τεττάρων τρόπων τῆς κάμψεως
κατὰ τοὺς συνδυασμοὺς¹ (ἀνάγκη γὰρ κάμπτειν
ἢ ἐπὶ τὸ κοῖλον καὶ τὰ πρόσθια καὶ τὰ ὀπίσθια,
καθάπερ ἐφ' οἷς Α, ἢ ἐπὶ τοῦναντίον ἐπὶ τὸ κυρτόν,
καθάπερ ἐφ' οἷς Β, ἢ ἀντεστραμμένως καὶ μὴ ἐπὶ
5 τὰ αὐτά, ἀλλὰ τὰ μὲν πρόσθια ἐπὶ τὸ κυρτόν, τὰ
δ' ὀπίσθια ἐπὶ τὸ κοῖλον, καθάπερ ἐφ' οἷς Γ,
ἢ τοῦναντίον τούτοις τὰ μὲν κυρτὰ πρὸς ἄλληλα,

¹ συνδυασμοὺς Ζ. συνδέσμους ceteri.

PROGRESSION OF ANIMALS, XII.—XIII.

lift them only a little way from the ground, because the whole of the thigh and the joint from which the shin grows would come up against the belly as the animal advanced. On the other hand, if the bending of the back legs were forward, the raising of the feet would be similar to that of the front feet (for they could only be raised a short distance by lifting the legs, since the thigh and the joint of both legs would come up under the region of the belly), but the bending being, as it is, backwards, there is nothing to hinder their progression as they move the feet in this manner. Again, for those animals which are suckling their young, it is necessary, or at any rate better, that their legs should bend in this way with a view to this function; for if they bent their legs inwards, it would not be easy for them to keep their young underneath them and to protect them.

XIII. Now there are four ways of bending the legs taking them in pairs. Both the fore and the hind legs must bend either concavely, as in figure A; or in the opposite manner, that is convexly, as in B:



(Mich. supplies the figures which are lacking in the mss. In each group the front legs are the left pair, the hind legs the right)

or inversely, that is to say, not in the same direction, but the forelegs bend convexly and the back legs concavely, as in C; or (the converse of C) with the convexities towards one another and the concavities

712a τὰ δὲ κοῖλα ἐκτός, καθάπερ ἔχει ἐφ' οἷς τὸ Δ),
 ὡς μὲν ἔχει ἐφ' οἷς τὸ Α ἢ τὸ Β, οὐθὲν κάμπτεται
 οὔτε τῶν διπόδων οὔτε τῶν τετραπόδων, ὡς δὲ
 10 τὸ Γ, τὰ τετράποδα, ὡς δὲ τὸ Δ, τῶν μὲν τετρα-
 πόδων οὐθὲν πλὴν ἐλέφας, ὁ δ' ἄνθρωπος τοὺς βρα-
 χίονας καὶ τὰ σκέλη· τοὺς μὲν γὰρ ἐπὶ τὸ κοῖλον
 κάμπτει, τὰ δὲ σκέλη ἐπὶ τὸ κυρτόν.

Ἀεὶ δ' ἐναλλάξ ἐναντίως ἔχει τὰ κῶλα τὰς
 κάμψεις τοῖς ἀνθρώποις, οἷον τὸ ὠλέκρανον ἐπὶ τὸ
 15 κοῖλον, ὁ δὲ καρπὸς τῆς χειρὸς ἐπὶ τὸ κυρτόν, καὶ
 πάλιν ὁ ὦμος ἐπὶ τὸ κυρτόν· ὡσαύτως δὲ καὶ ἐπὶ
 τῶν σκελῶν ὁ μῆρος ἐπὶ τὸ κοῖλον, τὸ δὲ γόνυ ἐπὶ
 τὸ κυρτόν, ὁ δὲ πούς τοῦναντίον ἐπὶ τὸ κοῖλον. καὶ
 τὰ κάτω δὴ πρὸς τὰ ἄνω φανερόν ὅτι ἐναντίως·
 ἡ γὰρ ἀρχὴ ὑπεναντίως, ὁ μὲν ὦμος ἐπὶ τὸ κυρτόν,
 20 ὁ δὲ μῆρος ἐπὶ τὸ κοῖλον· διὸ καὶ ὁ μὲν πούς
 ἐπὶ τὸ κοῖλον, ὁ δὲ καρπὸς τῆς χειρὸς ἐπὶ τὸ
 κυρτόν.

XIV. Αἱ μὲν οὖν κάμψεις τῶν σκελῶν τοῦτόν
 τε τὸν τρόπον ἔχουσι καὶ διὰ τὰς αἰτίας τὰς
 εἰρημένας, κινεῖται δὲ τὰ ὀπίσθια πρὸς τὰ ἔμ-
 25 προσθεν κατὰ διάμετρον· μετὰ γὰρ τὸ δεξιὸν τῶν
 ἔμπροσθεν τὸ ἀριστερόν τῶν ὀπίσθεν κινουσιν,
 εἴτα τὸ ἀριστερόν τῶν ἔμπροσθεν, μετὰ δὲ τοῦτο τὸ
 δεξιὸν τῶν ὀπίσθεν. αἴτιον δ' ὅτι εἰ μὲν τὰ
 ἔμπροσθεν ἅμα καὶ πρῶτον, διεσπᾶτο ἂν ἢ καὶ
 προπετῆς ἂν ἐγίνετο ἢ βάδισις οἷον ἐφελκομένοις
 30 τοῖς ὀπίσθεν. ἔτι δ' οὐ πορεία ἀλλὰ ἄλσις τὸ
 τοιοῦτον· χαλεπὸν δὲ συνεχῇ ποιεῖσθαι τὴν μετα-
 βολὴν ἀλλόμενα. σημεῖον δέ· ταχὺ γὰρ ἀπαγορεύ-
 ουσι καὶ νῦν τῶν ἵππων ὅσοι τὸν τρόπον τοῦτον
 ποιοῦνται τὴν κίνησιν, οἷον οἱ πομπεύοντες. χωρὶς
 528

PROGRESSION OF ANIMALS, XIII.—XIV.

outwards, as in D. No biped or quadruped bends its limbs as in figure A or B, but quadrupeds bend them as in C. The bendings illustrated by figure D occur in none of the quadrupeds except the elephant, and in the movement of the arms and legs by man, for he bends his arms concavely and his legs convexly.

In man the bendings of the limbs always take place alternately in opposite directions ; for example, the elbow bends concavely but the wrist convexly, and the shoulder again convexly. Similarly in the legs, the thigh bends concavely, the knee convexly, and the foot, on the other hand, concavely. And obviously the lower limbs bend in opposite directions to the upper ; for the origin of movement bends in opposite directions, the shoulder convexly and the thigh concavely ; therefore also the foot bends concavely and the wrist convexly.

XIV. The bendings, then, of the legs take place in this manner and for the reasons stated. But the back legs move diagonally in relation to the front legs ; for after the right fore leg animals move the left hind leg, then the left fore leg, and after it the right hind leg. The reason is that, if they moved the fore legs at the same time and first, their progression would be interrupted or they would even stumble forward, with their hind legs as it were trailing behind. Further, such movement would not be walking but jumping ; and it is difficult to keep up a continuous movement from place to place by jumping. An illustration of this is that, in actual fact, horses that move in this manner,^a for example in religious processions, soon become tired. For this reason, then, animals do

^a *i.e.* prancing instead of walking.

712^a μὲν οὖν τοῖς ἔμπροσθεν καὶ ὀπίσθεν διὰ ταῦτα
 712^b οὐ¹ ποιοῦνται τὴν κίνησιν· εἰ δὲ τοῖς δεξιοῖς ἀμ-
 φοτέροις πρώτοις, ἔξω ἂν ἐγίγνοντο τῶν ἐρει-
 σμάτων καὶ ἐπιπτον ἄν· εἰ δὴ ἀνάγκη μὲν ἢ
 τούτων τῶν τρόπων ὁποτερονοῦν ποιεῖσθαι τὴν
 κίνησιν ἢ κατὰ διάμετρον, μὴ ἐνδέχεται δ' ἐκείνων
 5 μηδέτερον, ἀνάγκη κινεῖσθαι κατὰ διάμετρον·
 οὕτω γὰρ κινούμενα ὥσπερ εἴρηται οὐδέτερα τούτων
 οἶόν τε πάσχειν. καὶ διὰ τοῦτο οἱ ἵπποι καὶ ὅσα
 τοιαῦτα, ἴσταται προβεβηκότα κατὰ διάμετρον,
 καὶ οὐ τοῖς δεξιοῖς ἢ τοῖς ἀριστεροῖς ἀμφοτέροις
 ἅμα. τὸν αὐτὸν δὲ τρόπον καὶ ὅσα πλείους ἔχει
 10 πόδας τεττάρων ποιεῖται τὴν κίνησιν· αἰεὶ γὰρ ἐν
 τοῖς τέτταρσι τοῖς ἐφεξῆς τὰ ὀπίσθια πρὸς τὰ
 ἔμπροσθεν κινεῖται κατὰ διάμετρον. δῆλον δ'
 ἐπὶ τοῖς βραδέως κινουμένοις. καὶ οἱ καρκίνοι,
 γὰρ τὸν αὐτὸν τρόπον κινοῦνται· τῶν πολυπόδων
 γὰρ εἰσιν. αἰεὶ γὰρ καὶ οὗτοι κατὰ διάμετρον
 15 κινοῦνται, ἐφ' ὅπερ ἂν ποιῶνται τὴν πορείαν.
 ἰδίως γὰρ τοῦτο τὸ ζῶον ποιεῖται τὴν κίνησιν·
 μόνον γὰρ οὐ κινεῖται ἐπὶ τὸ πρόσθεν τῶν ζώων,
 ἀλλ' ἐπὶ τὸ πλάγιον. ἀλλ' ἐπεὶ τοῖς ὄμμασι
 διώρισται τὸ πρόσθιον, ἢ φύσις πεποίηκεν ἀκο-
 λουθεῖν δυναμένους τοὺς ὀφθαλμοὺς τοῖς κώλοις·
 20 κινοῦνται γὰρ εἰς τὸ πλάγιον αὐτοῖς, ὥστε τρόπον
 τινὰ καὶ τοὺς καρκίνους κινεῖσθαι διὰ τοῦτ' ἐπὶ
 τὸ ἔμπροσθεν.

XV. Οἱ δ' ὄρνιθες τὰ σκέλη καθάπερ τὰ τετρά-
 ποδα κάμπτουσιν. τρόπον γὰρ τινα παραπλησίως

¹ οὐ P: om. SYUZ.

PROGRESSION OF ANIMALS, xiv.-xv.

not move separately with their front and back legs^a; and, if they moved with both their right legs first, they would not be above their supporting limbs and would fall. If, then, they must necessarily move in one or other of these two ways or else diagonally, and neither of the first two ways is possible, they must necessarily move diagonally; for if they move thus they cannot, as has been explained, suffer either of the above ill results. For this reason horses and similar animals stand at rest with their legs advanced diagonally and not with both right or both left legs advanced at the same time. And those animals which have more than four legs move in the same manner; for in any four adjoining legs the back legs move diagonally with the fore legs, as can be plainly seen in those which move slowly.

Crabs too move in the same fashion, for they are among the polypods. They, too, always move on the diagonal principle in whatever direction they are proceeding. For this animal moves in a peculiar manner, being the only animal to move obliquely and not forward. But since "forward" is determined in relation to the vision, nature has made the crab's eyes^a able to conform with its limbs; for its eyes move obliquely, and so, for this reason, crabs too can, in a sense, be said to move "forward."

XV. Birds bend their legs in the same manner as quadrupeds; for in a way their nature is closely

^a *i.e.* do not move first the front legs together and then their back legs together. The ms. authority is strongly in favour of the omission of the negative; but 712 b 4 "one or other of these two ways" implies the alternative of movement with the front legs together and then the back legs together, or else with the right legs together and then the left legs together.

712^b

ἡ φύσις αὐτῶν ἔχει· τοῖς γὰρ ὄρνεσιν αἱ πτέρυγες ἀντὶ τῶν προσθίων σκελῶν εἰσὶν. διὸ καὶ κεκαμ-
 25 μέναι τὸν αὐτὸν εἰς τὸν τρόπον ὥσπερ ἐκείνοις τὰ πρόσθια σκέλη, ἐπεὶ τῆς ἐν τῇ πορείᾳ κινήσεως τούτοις ἀπὸ τῶν πτερύγων ἢ κατὰ φύσιν ἀρχὴ τῆς μεταβολῆς ἐστίν· πτήσις γάρ ἐστιν ἡ τούτων οἰκεία κίνησις. διόπερ ἀφαιρεθεῖσιν τούτων οὐθ' ἑστάναι οὔτε προϊέναι δύναται ἂν οὐθεὶς ὄρνις.

Ἔτι δίποδος ὄντος καὶ οὐκ ὀρθοῦ, καὶ τὰ ἔμπροσθεν μέρη τοῦ σώματος κουφότερα ἔχοντος, ἢ ἀναγκαῖον ἢ βέλτιον πρὸς τὸ ἑστάναι δύνασθαι τὸν μηρὸν οὕτως ὑποκείμενον ἔχειν ὥς νῦν ἔχει, λέγω δ' ὅτι εἰς τὸ ὀπισθεν πεφυκότα. ἀλλὰ μὴν εἰ ἔδει τοῦτον ἔχειν τὸν τρόπον, ἀνάγκη τὴν κάμψιν ἐπὶ

713^a τὸ κοῖλον γίνεσθαι τοῦ σκέλους, καθάπερ τοῖς τετράποσιν ἐπὶ τῶν ὀπισθίων, διὰ τὴν αὐτὴν αἰτίαν ἣνπερ εἴπομεν ἐπὶ τῶν τετραπόδων καὶ ζωοτόκων.

Ὅλως δὲ οἱ τε ὄρνιθες καὶ τὰ ὀλοπτερα τῶν πετομένων καὶ τὰ ἐν τῷ ὑγρῷ νευστικά, ὅσα αὐτῶν
 5 δι' ὀργάνων τὴν ἐπὶ τοῦ ὑγροῦ ποιεῖται πορείαν, οὐ χαλεπὸν ἰδεῖν ὅτι βέλτιον ἐκ πλαγίου τὴν τῶν εἰρημένων μερῶν πρόσφυσιν ἔχειν, καθάπερ, καὶ φαίνεται νῦν ὑπάρχειν αὐτοῖς ἐπὶ τε τῶν ὀρνίθων καὶ τῶν ὀλοπτέρων. ταῦτό δὲ τοῦτο καὶ ἐπὶ τῶν ἰχθύων· τοῖς μὲν γὰρ ὄρνεσιν αἱ πτέρυγες, τοῖς δ'
 10 ἐνύδροις τὰ πτερύγια, τὰ δὲ πτίλα τοῖς ὀλοπτέροις ἐκ τοῦ πλαγίου προσπέφυκεν. οὕτω γὰρ ἂν τάχιστα καὶ ἰσχυρότατα διαστέλλοντα τὰ μὲν τὸν αέρα τὰ δὲ τὸ ὑγρὸν ποιοῖτο τὴν κίνησιν· εἰς γὰρ τὸ ἔμπροσθεν καὶ τὰ ὀπισθεν μόρια¹ τοῦ σώματος ἐπακολουθοῖ ἂν ὑπείκοντι φερόμενα τὰ μὲν ἐν
 15 τῷ ὑγρῷ τὰ δ' ἐν τῷ αέρι. τὰ δὲ τρωγλοδυτικά

PROGRESSION OF ANIMALS, xv.

similar. For in birds the wings serve instead of front legs, and so they are bent in the same manner as the front legs of quadrupeds, since in the movement involved in progression the natural beginning of the change is from the wings, for their particular form of movement is flight. Hence, if the wings were taken away, no bird could stand or progress forward.

Further, since the bird is a biped and not erect, and the front parts of its body are lighter, it is either necessary (or at any rate more desirable), in order to enable it to stand, that the thigh should be placed, as it actually is, underneath, by which I mean growing towards the hinder part. But if the thigh is necessarily in this position, the bending of the leg must be in a concave direction, as in the back legs of quadrupeds, and for the same reason as we gave in dealing with viviparous quadrupeds.

Generally in birds and winged insects and creatures that swim in the water (all, that is to say, that progress in the water by means of their instrumental parts), it is not difficult to see that it is better that the attachment of such parts should be oblique, as in fact it seems actually to be in the birds and the flying insects. The same is also true of the fishes; for the wings in birds, the fins in fishes, and the wings in flying insects all grow obliquely. This enables them to cleave the air or water with the greatest speed and force, and so effect their movement; for the hinder parts, too, can thus follow in a forward direction, being carried along in the yielding water or air.

The oviparous quadrupeds which live in holes,

¹ καὶ τὰ ὀπισθεν μόρια Jaeger: καὶ τὸ ὀπισθεν τὰ (τὰ om. YZ) μόρια libri.

713^a

τῶν τετραπόδων καὶ ὠτόκων, οἶον οἱ τε κρο-
 κόδειλοι καὶ σαῦροι καὶ ἀσκαλαβῶται καὶ ἐμύδες
 τε καὶ χελῶναι, πάντα ἐκ τοῦ πλαγίου προσπε-
 φυκότα τὰ σκέλη ἔχει καὶ ἐπὶ τῇ γῇ κατατεταμένα,
 20 καὶ κάμπτει εἰς τὸ πλάγιον, διὰ τὸ οὕτω χρήσιμα
 εἶναι πρὸς τὴν τῆς ὑποδύσεως ῥαστώνην καὶ πρὸς
 τὴν ἐπὶ τοῖς ὤοις ἐφεδρείαν καὶ φυλακὴν. ἔξω
 δ' ὄντων αὐτῶν, ἀναγκαῖον τοὺς μηροὺς προσ-
 στέλλοντα¹ καὶ ὑποτιθέμενα ὑφ' αὐτὰ τὸν μετεω-
 ρισμὸν τοῦ ὅλου σώματος ποιεῖσθαι. τούτου δέ
 25 γινομένου κάμπτειν αὐτὰ οὐχ οἷόν τε ἄλλως ἢ
 ἔξω.

XVI. Τὰ δ' ἄναιμα τῶν ὑποπόδων ὅτι μὲν
 πολὺποδά ἐστι καὶ οὐθὲν αὐτῶν τετράπουν,
 πρότερον ἡμῖν εἴρηται· διότι δ' αὐτῶν ἀναγκαῖον
 ἦν τὰ σκέλη πλὴν τῶν ἐσχάτων ἐκ τε τοῦ πλαγίου
 προσπεφυκέναι καὶ εἰς τὸ ἄνω τὰς καμπὰς ἔχειν,
 30 καὶ αὐτὰ ὑπόβλαισα εἶναι εἰς τὸ ὀπισθεν, φανερόν.
 ἀπάντων γὰρ τῶν τοιούτων ἀναγκαῖόν ἐστι τὰ
 μέσα τῶν σκελῶν καὶ ἡγούμενα εἶναι καὶ ἐπόμενα.
 εἰ οὖν ὑπ' αὐτοῖς ἦν, ἔδει αὐτὰ καὶ εἰς τὸ ἔμ-
 713^b προσθεν καὶ εἰς τὸ ὀπισθεν τὴν καμπὴν ἔχειν, διὰ
 μὲν τὸ ἡγεῖσθαι εἰς τὸ ἔμπροσθεν, διὰ δὲ τὸ
 ἀκολουθεῖν εἰς τὸ ὀπισθεν. ἐπεὶ δ' ἀμφοτέρω
 συμβαίνει ἀναγκαῖον αὐτοῖς, διὰ τοῦτο βεβλαίσω-
 5 ταί τε καὶ εἰς τὸ πλάγιον ἔχει τὰς καμπὰς, πλὴν
 τῶν ἐσχάτων· ταῦτα δ' ὥσπερ πέφυκε μᾶλλον,
 τὰ μὲν ὡς ἐπόμενα τὰ δ' ὡς ἡγούμενα. ἔτι δὲ
 κέκαμπται τὸν τρόπον τοῦτον καὶ διὰ τὸ πλῆθος
 τῶν σκελῶν· ἦττον γὰρ ἂν οὕτως ἐν τῇ πορείᾳ
 ἐμπόδιά τε αὐτὰ αὐτοῖς εἴη καὶ προσκόπτοι. ἢ
 10 τε βλαισότης αὐτῶν ἐστὶ διὰ τὸ τρωγλοδυτικά
 534

PROGRESSION OF ANIMALS, xv.-xvi.

such as the crocodile, the common and the spotted lizard, and land and water tortoises, all have their legs attached obliquely and stretched out upon the ground; and they bend them obliquely, since they are thus useful in enabling them to crawl easily into their holes and to sit upon and protect their eggs. Since their legs project, they are obliged to raise their whole body by drawing in their thighs and placing them underneath them; and in this process they cannot bend them otherwise than outwards.

XVI. It has already been said that bloodless animals which have legs are polypods, and none of them quadrupeds. Their legs, except the two extreme pairs, are necessarily attached obliquely and bend upwards and are themselves bowed somewhat backwards; and the reason for this is plain. For in all such animals the middle legs must both lead and follow. If, therefore, they were underneath them, they would have to bend both forwards and backwards—forwards because they lead, and backwards because they follow. But since they must do both these things, their legs are bowed and make their bends obliquely, except the extreme pairs, which are more in accordance with nature, since the first pair leads and the last pair follows. The number of legs is a further reason for their being bent in this way; for they would thus be less likely to get in each other's way during movement and collide with one another. The reason that these animals are bow-legged is that they all, or most of

¹ προστέλλοντα (cum Mich.) Jaeger: προστέλλοντα libri.

713^b

εἶναι πάντα ἢ τὰ πλείιστα· οὐ γὰρ οἶόν τε ὑψηλὰ εἶναι τὰ ζῶντα¹ τὸν τρόπον τοῦτον.

Οἱ δὲ καρκίνοι τῶν πολυπόδων περιττότατα πεφύκασιν· οὔτε γὰρ εἰς τὸ πρόσθεν ποιοῦνται τὴν πορείαν πλὴν ὥσπερ εἴρηται πρότερον, πολλούς τε τοὺς ἡγουμένους ἔχουσι μόνοι τῶν ζώων. τούτου δ' αἴτιον ἢ σκληρότης τῶν ποδῶν, καὶ ὅτι χρώνται οὐ νεύσεως χάριν αὐτοῖς ἀλλὰ πορείας· πεζεύοντα γὰρ διατελοῦσιν. πάντων μὲν οὖν τῶν πολυπόδων εἰς τὸ πλάγιον αἱ καμπαί, ὥσπερ καὶ τῶν τετραπόδων ὅσα τρωγλοδυτικά· τοιαῦτα δ' ἐστὶν οἶον σαῦραι καὶ κροκόδειλοι καὶ τὰ πολλὰ τῶν ὠοτοκούντων. αἴτιον δ' ὅτι τρωγλοδυτεῖ τὰ μὲν τοῖς τόκοις, τὰ δὲ καὶ τῷ βίῳ παντί.

XVII. Ἀλλὰ τῶν μὲν ἄλλων βλαιοῦνται τὰ κῶλα διὰ τὸ μαλακὰ εἶναι, τῶν δὲ καράβων ὄντων σκληροδέρμων οἱ πόδες εἰσὶν ἐπὶ τῷ νεῖν καὶ οὐ τοῦ βαδίξαι χάριν· τῶν δὲ καρκίνων ἢ κάμπις εἰς τὸ πλάγιον, καὶ οὐ βεβλαίσωται ὥσπερ τοῖς ὠοτόκοις τῶν τετραπόδων καὶ τοῖς ἀναίμοις καὶ πολύποσι, διὰ τὸ σκληρόδερμα εἶναι τὰ κῶλα καὶ ὀστρακώδη ὄντι οὐ νευστικῶ καὶ τρωγλοδύτη· πρὸς τῇ γῇ γὰρ ὁ βίος. καὶ στρογγύλος δὲ τὴν μορφήν, καὶ οὐκ ἔχων οὐροπύγιον ὥσπερ ὁ κάραβος· πρὸς τὴν νεῦσιν γὰρ τοῖς καράβοις χρήσιμον, ὁ δ' οὐ νευστικός. καὶ ὅμοιον δὲ τῷ ὀπισθεν τὸ πλάγιον ἔχει μόνος, διὰ τὸ πολλούς ἔχειν τοὺς ἡγεμόνας

¹ τὰ ζῶντα om. SU.

^a 712 b 20 f.

^b Viz. two pairs of front legs.

^c i.e. they walk both on dry land and in the sea.

^d The whole of the section is obscure, and the text doubtful.

PROGRESSION OF ANIMALS, XVI.—XVII.

them, live in holes ; for creatures that live thus cannot be tall.

Crabs are the most strangely constituted of all the polypods ; for they do not progress forward (except in the sense already mentioned^a), and they alone among animals have several leading legs.^b The reason is the hardness of their feet and the fact that they use them not for swimming but for walking ; for they always go along the ground.^c All the polypods bend their legs obliquely like the quadrupeds that live in holes ; lizards, for instance, and crocodiles and most oviparous quadrupeds are of this nature. The reason is that they live in holes, some only during the breeding season, others throughout their lives.

XVII. Now the other polypods^d are bow-legged because they are soft-skinned, but the legs of the spiny lobster,^e which is hard-skinned, are used for swimming and not for walking.^f The bendings of crabs' legs are oblique but their legs are not bowed, as are those of viviparous quadrupeds and bloodless polypods, because their legs are hard-skinned and testaceous, the crab not being a swimming animal and living in holes, for it lives on the ground. Moreover, the crab is round in shape and does not possess a tail like the spiny lobster ; for the latter's tail is useful for swimming, but the crab does not swim. And it is the only animal in which the side is like a hinder part, because its leading feet are numerous.^g

^a There is no single word in English for this animal, the Latin *locusta* and the French *langouste*.

^f And therefore are not bowed, as Mich. explains.

^g Since the crab moves sidewise, one of its sides becomes as it were the back, but why it should be so for the reason given is obscure.

713 b

πόδας. τούτου δ' αἴτιον ὅτι οὐ κάμπτει εἰς τὸ
714 a πρόσθεν οὐδὲ βεβλαίσωται. τοῦ δὲ μὴ βεβλαι-
σῶσθαι τὸ αἴτιον πρότερον εἶρηται, ἢ σκληρότης
καὶ τὸ ὀστρακῶδες τοῦ δέρματος. ἀνάγκη δὴ
διὰ ταῦτα πᾶσί τε προηγείσθαι καὶ εἰς τὸ πλάγιον,
εἰς μὲν τὸ πλάγιον ὅτι εἰς τὸ πλάγιον ἢ κάμψις,
5 πᾶσι δ' ὅτι ἐνεπόδιζον ἂν οἱ ἡρεμοῦντες πόδες
τοῖς κινουμένοις. οἱ δὲ ψηττοειδεῖς τῶν ἰχθύων,
ὥσπερ οἱ ἑτερόφθαλμοι βαδίζουσιν, οὕτω νέουσιν·
διέστραπται γὰρ αὐτῶν ἡ φύσις. οἱ δὲ στεγανό-
ποδες τῶν ὀρνίθων νέουσι τοῖς ποσίν, καὶ διὰ μὲν
10 τὸ τὸν αέρα δέχεσθαι καὶ ἀναπνεῖν δίποδες εἰσι,
διὰ δὲ τὸ ἐν ὑγρῷ τὸν βίον ἔχειν στεγανόποδες·
ἀντὶ πτερυγίων γὰρ χρήσιμοι οἱ πόδες αὐτοῖς
τοιούτοι ὄντες. ἔχουσι δὲ τὰ σκέλη οὐχ ὥσπερ
οἱ ἄλλοι κατὰ μέσον, ἀλλ' ὀπισθεν μᾶλλον· βρα-
χυσκελῶν γὰρ αὐτῶν ὄντων ὀπισθεν ὄντα πρὸς
τὴν νεῦσιν χρήσιμα. βραχυσκελεῖς δ' εἰσὶν οἱ
15 τοιούτοι διὰ τὸ ἀπὸ τοῦ μήκους τῶν σκελῶν
ἀφελούσαν τὴν φύσιν προσθεῖναι εἰς τοὺς πόδας,
καὶ ἀντὶ τοῦ μήκους πάχος ἀποδοῦναι τοῖς σκέλεσι
καὶ πλάτος τοῖς ποσίν· χρήσιμοι γὰρ πλατεῖς¹
ὄντες μᾶλλον ἢ μακροὶ πρὸς τὸ ἀποβιάζεσθαι τὸ
ὑγρόν, ὅταν νέωσιν.

20 XVIII. Εὐλόγως δὲ καὶ τὰ μὲν πτηνὰ πόδας
ἔχει, οἱ δ' ἰχθύες ἄποδες· τοῖς μὲν γὰρ ὁ βίος ἐν
τῷ ξηρῷ, μετέωρον δ' αἰεὶ μένειν ἀδύνατον, ὥστ'
ἀνάγκη πόδας ἔχειν· τοῖς δ' ἰχθύσιν ἐν τῷ ὑγρῷ
ὁ βίος, καὶ τὸ ὑδωρ δέχονται, οὐ τὸν αέρα. τὰ

714 b μὲν οὖν πτερυγία χρήσιμα πρὸς τὸ νεῖν, οἱ δὲ
πόδες ἄχρηστοι. εἰ δ' ἄμφω εἶχον, ἀναιμοὶ ἂν
ἦσαν. ὁμοίως δ' ἔχουσιν οἱ ὀρνίθες τρόπον τινα

PROGRESSION OF ANIMALS, XVII.—XVIII.

The reason is that it does not bend its legs forwards and is not bow-legged. Why it is not bow-legged has been already explained before, namely, because its skin is hard and testaceous. For this reason it must lead off with all its legs and obliquely—obliquely because its bendings are oblique, and with all its legs, because otherwise those which were at rest would impede those which were moving.

Flat-fish swim as one-eyed men walk ; for their nature is distorted. Web-footed birds swim with their feet. They are bipeds, because they take in breath and respire ; they are web-footed, because they live in the water, for their feet being of this kind are of service to them in place of fins. They do not have their legs, as the other birds do, in the centre of the body, but placed rather towards the back ; for since they are short-legged, their legs being set back are useful for swimming. This class of bird is short-legged because nature has taken away from the length of their legs and added to their feet, and has given thickness instead of length to the legs and breadth to the feet ; for, being broad, they are more useful than if they were long, in order to force away the water when they are swimming.

XVIII. It is for a good reason, too, that winged animals have feet, while fishes have none. The former live on dry land and cannot always remain up in the air, and so necessarily have feet ; but fishes live in the water, and take in water and not air. Their fins, then, are useful for swimming, whereas feet would be useless. Also, if they had both feet and fins, they would be bloodless. Birds in a way

¹ πλατεῖς Z: παχεῖς PSUY.

714b

τοῖς ἰχθύσιν. τοῖς μὲν γὰρ ὄρνισιν ἄνω αἱ πτέρυγες
 5 εἰσι, τοῖς δὲ πτερύγια δύο ἐν τῷ πρηνεῖ· καὶ τοῖς
 μὲν ἐν τοῖς ὑπτίοις οἱ πόδες, τοῖς δὲ ἐν τε τοῖς
 ὑπτίοις καὶ ἐγγὺς τῶν πρηνῶν πτερύγια τοῖς
 πλείστοις· καὶ οἱ μὲν οὐροπύγιον ἔχουσιν, οἱ δ'
 οὐραῖον.

- XIX. Περὶ δὲ τῶν ὀστρακοδέρμων ἀπορήσειεν
 ἂν τις τίς ἢ κίνησις, καὶ εἰ μὴ ἔχουσι δεξιὸν καὶ
 ἀριστερόν, πόθεν κινεῦνται· φαίνονται δὲ κινού-
 10 μενα. ἢ ὥσπερ ἀνάπηρον δεῖ τιθέσθαι πᾶν τὸ
 τοιοῦτον γένος, καὶ κινεῖσθαι ὁμοίως οἷον εἴ τις
 ἀποκόψει τῶν ὑποπόδων τὰ σκέλη, <ἢ>¹ ὥσπερ
 ἢ φώκη καὶ ἡ νυκτερίς· καὶ γὰρ ταῦτα τετράποδα,
 κακῶς δ' ἐστίν. τὰ δ' ὀστρακοδέρμα κινεῖται μὲν,
 κινεῖται δὲ παρὰ φύσιν· οὐ γάρ ἐστι κινητικά, ἀλλ'
 15 ὥς μὲν μόνιμα καὶ προσπεφυκότα κινητικά, ὥς δὲ
 πορευτικά μόνιμα. ἔχουσι δὲ φαύλως καὶ οἱ καρκῖνοι,
 τὰ δεξιὰ, ἐπεὶ ἔχουσί γε. δηλοῖ δ' ἡ χηλή· μείζων
 γὰρ καὶ ἰσχυροτέρα ἢ δεξιὰ, ὥς βουλομένων δι-
 ωρίσθαι τῶν δεξιῶν καὶ τῶν ἀριστερῶν.
- 20 Τὰ μὲν οὖν περὶ τῶν μορίων, τῶν τ' ἄλλων καὶ
 τῶν περὶ τὴν πορείαν τῶν ζώων καὶ περὶ πᾶσαν
 τὴν κατὰ τόπον μεταβολήν, τοῦτον ἔχει τὸν τρόπον·
 τούτων δὲ διωρισμένων ἐχόμενόν ἐστι θεωρησαί
 περὶ ψυχῆς.

¹ ἢ addidi

^a i.e. a second pair of fins.

^b See *H.A.* 527 b 35 ff., where land-snails, sea-snails, oysters and sea-urchins are given as examples.

^c See *H.A.* 498 a 31, *P.A.* 697 b 1 ff.

^d These words can only refer to the *De anima*, which from its citation in the *De generatione animalium*, *De partibus animalium*, etc., must be regarded as an earlier work. This

PROGRESSION OF ANIMALS, XVIII.—XIX.

resemble fishes. For birds have their wings in the upper part of their bodies, fishes have two fins in their fore-part; birds have feet on their under-part, most fishes have fins^a in their under-part and near their front fins; also, birds have a tail, fishes a tail-fin.

XIX. A question may be raised as to what is the movement of testaceans,^b and where their movement begins if they have no right and left; for they obviously do move. Must all this class be regarded as maimed and as moving in the same way as an animal with feet if one were to cut off its legs, or as analogous to the seal and bat, which are quadrupeds but malformed?^c Now the testaceans move, but move in a way contrary to nature. They are not really mobile; but if you regard them as sedentary and attached by growth, you find that they are capable of movement; if you regard them as progressing, you find that they are sedentary.

Crabs show only a feeble differentiation of right and left, but they *do* show it. It can be seen in the claw; for the right claw is bigger and stronger, as though the left and right wished to be differentiated.

So much for our discussion of the parts of animals and particularly those which have to do with progression and all change from place to place. Now that these points have been settled, our next task is to consider soul.^d

has led some critics (*e.g.* Brandis) to reject the whole of this paragraph as a later addition. Such a paragraph, however, is a characteristic conclusion in Aristotle, and should not be rejected as a whole. It is quite possible that the words *περι ψυχῆς* are corrupt, and indeed the second hand of Z reads *ζωῆς* in the margin, which would be a reference to the latter part of the group of treatises known as the *Parva Naturalia*.

INDEX TO PARTS OF ANIMALS

THE Index is to be regarded as supplementary to the Summary on pages 12-18. Further references will sometimes be found in the notes on Terminology, pages 24-39.

The numbers 3 to 50 refer to the pages of the Introduction.

The numbers 39a to 97b (standing for 639a to 697b) refer to the pages and columns of the Berlin edition which are printed at the top of each page of the Greek text. The lines are referred to in units of five lines ; thus

40a1 = 640a1-640a4

40b5 = 640b5-640b9.

Such references include footnotes to the translation.

f, ff = following section or sections.

Under any heading, each entry is separated from the preceding by a dash (/), unless it has the same page number.

abdomen (abdominal cavities) 50a10
abomasum 74b15 / 76a10
 abscess 67b5
 " abscession " 39 / 90a5
Acalephae 81a35
Aesop 63a35
allantois 93b25
Amia 76b20
 analogy, difference by 44b10 / 45b5
Anaxagoras 40b5 / 45a35 / 77a5 / 87a5
animal 53b20 / 66a35
antelope 63a10
ants 50b25 / 78b15 / 83a5
Aorta 52b25 / 66b25 / 67b15 ff / 71b15 / 77a5 / 78a1

ape 89b30
 appendage 70a30
Aquinas, St Thomas 42
Arcadia 73a15
Aristotle, " lantern " of 80a5
art 39b15 / 40a25
Ascidian 80a5 / 81a10, 25 f
ass 67a20 / 88b20
 " Indian " *ass* 63a15
Astaci 83b25 ff
 attributes, " essential " (or " inseparable ") 43a25 / 45b1
auditory passages 57a15
backbone 51b30 / 52a10 / 54b10

ARISTOTLE

- backward-grazing oxen 59a15
 Bacon, Francis 58b15
 barn-door fowls 57b25
 bat 97b1 ff
 Batos 95b25 / 96a25 / 97a5
 beak 59b1 ff / 62a30 ff / 92b15 / 93a10 f
 bear 58b1
 beautiful, the 45a25
 bee 48a5 / 50b25 / 61a20 / 78b10 f / 82b10 / 83a5, 30
 beetle, see *dung-beetle*
 belly 55a1
 bending 54b5 / 83b1, 30 / 87b25 f / 89a10 / 93b1
 Bergson 3
 bile 49b30. See also *gall*
 birds 42b10 / 57b5, 15 / 59b1 ff / 60a25 / 74b15 ff / 76a30 / 91a20 / 92b1 ff / 97b20
 bison 63a10
 bivalves 79b15 ff
 Black Sea 82a25
 bladder 70b25 ff / 71b15, 25 / 76a25
 "blend" 31 / 37 / 38 / 39 / 50b25 / 52b25, 35 / 69a10 / 73b30 / 86a10
 blinking 57a35, b15 f / 91a20
 blood 4 / 45b5 / 47b1 (current of), 30 ff / 49a15, b20 / 50a30 ff / 51a10 / 56b1 / 66b25 f / 67b15 ff / 78a5
 blood-vessels 47b5 / 50a25 f / 52b30 / 54b1 / 65b10 f, 25 / 66b25 / 67b15 ff
 Great Blood-vessel 52b25 / 66b25 / 67b15 ff / 71b1 / 78a1
 blooded animals 22 / 42b10 / 544
 50b25 / 65a25 / 76b10 f / 78a5 / 85b35 ff
 bloodless animals 22 / 23 / 42b10 / 50b25 / 73a30 / 78a25 ff
 blowhole 59b15 / 97a15 ff
 boar 51a1
 Bonasus 63a10
 bone 52a1 ff / 53b30 ff / 54a30 ff / 66b15
 Boyle, R. 45a6
 brain 52a20 ff / 56a10 ff / 58b1 / 73b10 / 86a5
 breast 88a10 ff
 breathing-machine 59a5
bregma 53a35
 bronchial tubes 64a25
 bull 51a1 / 63a35
 buttocks 89b5 ff
 caecal appendages 75a10
 caecal dilatation 75b5
 Calamary 54a20 / 78b30 / 79a15 / 85a10 ff, b15
 camel 63a1 / 74a30 / 76b25 / 77a35 / 88b20 / 89a30
 Canthari 82b25
 Carabi, caraboids 79a30 f / 83b25 ff
 Carcin 83b25 ff
 Caria 73a15
 Canides 83b25 ff
 carnivorous animals 55a10 / 61b5 / 62b1 / 93a1 / 97a1
 Cartesian co-ordinates 20
 cartilage 54b25 / 55a30
 catamenia 48a30 / 89a10
 cattle-flies 61a20
 Causes 3 / 8 / 11 / 21 / 24 ff / 39b10 ff / 40b5 / 41a25 / 46a10
 cavities 66b20 ff
 centipede 82a5, b1

INDEX TO PARTS OF ANIMALS

- Cephalopods 23 / 54a10 /
 78a25 ff, b25 ff / 84b5 ff
 Cercidas 73a15
 Cestreus 75a10 / 96a5
 Cetacea 69a5 / 97a15 ff
 Chalcis in Euboea 77a1
 chamaeleon 92a20
 chance 40a30 / 41b20 / 45a20
 ciliary motion 84b20
 classification 18 / 20 / 42b5 ff /
 43b10 ff
 claws 62b1 / 83b30 f / 84a15,
 30
 cloven hoof 74a25 / and
 passim
 cockchafer 82b15
 "colliquescence" 38 / 77a10
 colon 75b5, 15
 common functions to body
 and soul 9 / 43a35
 components in isolation 45a35
 "composition" 4 / 46a10 ff
 composition of Aristotle's
 works 10
 "concoction" 31 / 34 / 50a5 /
 51a20, b25 / 52a5 / 68b5 /
 70a20, 25 / 72a1 / 75a10 f /
 77b25 f
 conger 96a1
 controlling part 73b10 /
 81b15 ff / 82b1, 25 / 86a15
 Cook, A. B. 73a15
 cooling 56a20 / 62a15 /
 68b35 ff / 92a20 / 96b20
 copulation 89a5, 25
 Cordylus 95b25
couvre-feu 54a5
 crab 79a30 / 91b15
 Crex 95a20
 crocodile 60b25 f / 90b20 /
 91a15, b5 ff
 crop 74b20 ff / 78b30 f
 crow 62b5
- Crustacea 23 / 54a1 / 57b30 /
 78a25 ff / 83b25 ff
 cuttlefish 54a20. See also
 Sepia
 Cuvier 44 / 84b15
 Cyprinoid 60b35
- Darwin 4 / 7
 deer 50b15 / 63a10, b10 / 64a1
 / 67a20 / 77a30 / 88b25
 deformed animals 57a20 /
 60b25 / 84b1 / 95b1
 Democritus 40b30 f / 42a25 /
 65a30
 derivation of words 62b20 /
 72b30
 diaphragm 70a5 / 72b10 ff
 dichotomy 18 / 42b5 ff
differentiae 42b20 ff
 disadvantageous parts 48a15 /
 59a15 / 63a5 / 64a5 / 94a15
Dissections 50a30 / 66a5 /
 68b30
 divers 59a5
 divine things 44b25 ff / 56a5
 "division of labour" 83a20 /
 91b20
 dog 74a1 / 75a25 / 88a5, b1
 Indian dog 43b5
 dog-teeth 61b10
 dolphin 55a15 / 69a5 / 77a35 /
 96b25 / 97a15
 duality of the body 56b30 /
 63a20 / 67b30 / 69b10 ff
 dung 75b30
 dung-beetle 82b25
 dwarf-like 86b1 ff / 89b25 /
 95a5
dynamis 29 / 30-32 / 40a20 /
 46a10, b15 ff / 47b5 / 55b10
- ears 57a10 ff
 earth 51a25

ARISTOTLE

earthy matter 63b25 ff etc.
editions of Aristotle's *De*

partibus 44-45

Edwards, Milne 83a20

eel 96a1, b20

eggs 65a35 / 84a20 / 92a15

"Elements" 30 / 42a20 /

46a10, b5 / 47a10 / 48b10

elephant 58b30 ff / 61a25 /

63a1 / 82b30 / 88b5, 15 /
92b15

embryo 51b20 / 55a1 / 65b1 /

66a20 / 71b5 / 76a15

Empedocles 40a20, b5 /

42a15 / 48a30

Emys 71a30

epiglottis 64b20 ff

epipetron 81a20

equivalents, law of organic

55a25

"excess and defect" ("the

more and less") 19 / 44a20,

b15 / 49a30 / 55a30 /

61b30 ff / 84a30 / 92b5

excrement 63a15. See

residue

excretory organs 89a5 ff

eye and eyelid 57a25 ff /

91a20

eyebrows 58b10 ff

eyelashes 58a10 ff

Fabricius 43

fat 51a20 ff / 72a1

fear 50b25 / 67a15 f / 79a25 /

82b25 / 92a20

feathers 92b10

fibres 50b10, 30

fin 85b15 / 95b25 ff

Final Cause 21 / 39b15 ff /

46b25

fire 49a20 / 50a5 ff / 52b5

fishes 42b10 / 58a1 / 60b10 ff,

546

35f / 62a5f / 66b10 / 75a1 ff /

76a25, b20 / 95b1 ff

fishing-frog 95b10 / 96a25

fishing-rod 93a20

flea 83a30

flesh 47a20 / 51b5 / 53b15 ff /

60a5 f / 68a25 ff

fly 61a20 / 78b15 / 82b10 /

83a30

fluid and solid 32 / 46a15

flux 52b30

fontanel, anterior 53a35

foot 82a35 ff / 85a10 ff /

90a25 ff

foreskin 57b1

form (and matter) 9 / 11 / 25 /

40a15, b20 / 41a15

formation (process of) 27 /

40a10 ff / 46a25

funnel 79a1

gadflies 61a20

gall and gall-bladder 5 /

76b15 ff

gazelle 50b15 / 63a10, b25

gills 59b15 / 96b1 ff / 97a15 f

gladius 54a20

goat 73b30 / 74b5 / 76b35 f /

88b25

Goethe 84b15

good, the 39b20 / 59b30 /

70b20

"good life" 56a5

"goodness" (*arete*) 42a30

goosefish 95b10 / 96a25

grasshopper 82a15 f

grease 51a25

Great Blood-vessel, see under

blood-vessels

Grosseteste, Richard 41

gut 74a10 / 75a30 f

haematophorphyria 68b5

INDEX TO PARTS OF ANIMALS

- haemorrhage 68b15
- hair 58a15 ff
- hand 87a5 ff, b1 ff / 90a30
- hare 67a20 / 69b30 / 76a15
- Harun-al-Rashid 40
- Harvey, William 43 / 44
- hawk 70b1
- head 56a10 ff / 58b1 / 86a5 ff
- hearing 56b10
- heart 47a25 / 53b5 / 54b10 /
56a25 / 65a10, b10 ff /
70a20 f / 73b10 / 77b1 /
78b1 / 86a15 / 96b15
- heat 53b5 / 96b15 / and
passim
- hepatopancreas, see *mecon*
- Heracleitus 45a15
- Heracleotic crabs 84a10
- Herodotus 59a15
- Hippocrates 30 / 31 / 37 /
40b15 / 48a1 / 50b20 /
85b5 / 86b25
- Historia Animalium* 46a5 /
50a30 / 60b1 / 74b15 /
80a1 / 84b5 / 89a15 /
96b15
- Holothuria 81a15
- Homer 73a15
- hoof 90a5 ff
- horned animals 73b30
- horns 62b20 ff
- horse 63a1 / 66b15 / 88b20,
30
- hot, the 50a5 ff
- hot and cold 41b15 / 46a15 /
48a20 ff
- hucklebone 51a30 / 54b20 /
90a10 ff
- hyaena 67a20
- "idly" ("Nature does no-
thing idly") 61b20 / 91b1 /
94a15 / 95b15
- immortality 37
- "Indian ass" 63a15 f
- ink 79a1 ff / 81b25
- "innate breath" 59b15 /
69a1
- Insects 23 / 54a25 / 57b35 /
59b15 / 78b10 / 82a1 ff
- instruments, instrumental
parts 30 / 45b15, 25 / 46b25
/ 47a1 ff, b20 / 87a5 ff
- intelligence 48a1 / 50b20 /
72a30 / 86a25 f / 87a5
- intermediate creatures 23 /
69a10 / 81a10, b10 /
89b30 / 97a15 ff
- "internal finality" 3
- intestines 50a15 / 74a10 ff /
75b1 ff / 76b10
- irrigation 68a10 f
- ischium 95a1 ff
- jaws 91a25 ff
- jejunum* 75b25 ff
- joints 54b15. See also
bending
- Kerkidas 73a15
- Kestreus 75a10 / 96a5
- kidney 70a15, b20 / 71a25 ff
- kite 70b1
- Knides 81a35
- Ktesias 63a15
- "lantern of Aristotle" 80a5
- lard 51a20 ff, b25 / 72a5
- larynx 64a15 ff
- laughter 73a1 ff
- Leonardo da Vinci 65b5
- leopard 67a20 / 88a5
- Lesbos 80b1
- life 55b35 / 78b1
- limpet 79b25 / 80a20
- lion 51b35 / 55a10 / 58a30 /
86a20 / 88a5, b1 / 89a30

ARISTOTLE

lips 59b20
 liver 66a25 ff / 69b25 ff /
 73b15 ff / 77a15, 35 f, b35
 lizard 76a25 / 91a5 ff
 "lizards" (planted tubes)
 85b5
 lobster 84a30
 locust 83a30
logos 26 f / 39b15 / 40a30 /
 42a20 / 46b1 / 49b25 /
 78a35 / 95b15
Lophius piscatorius 95b10
lumen 71b1
 lung 64a20 f / 65a15 / 68b30 ff
 lynx 89a30

 Maia 84a10
 mammae 88a15 ff
 Man 44a1 / 45b25 / 53a25 ff /
 56a5 / 58a15, b1 / 59b30 /
 60a10 ff / 61b5 / 62b15 /
 66b5 / 69a20, b5 / 71b1 /
 73a5, 25 / 76b30 / 86a25 ff /
 88b30 / 89b5 ff / 90a25 /
 95a5
 marrow 51b20 ff
 marten 67a20
 matter and form 9 / 35 / 36
mecon 79b10 / 80a20
 melanin 34
Melolontha 82b15
 membrane 73b1 ff / 77b15, 35 /
 82b15 / 83b20 / 91a20
 mesentery 50a25 / 76b10 /
 77b35 ff
Methydrion 73a15
 metre 60a5
 mice 67a20 / 76b30
 Michael Scot 40 ff / 46-47
 migrants 94a5
 milk 76a10 f / 88b1
 moderation 52b15
 Moerbeke, William of 42
 548

moon, full 80a30
 mouth 50a10 ff / 62a15 ff
 96b20 ff •
Murex 61a20
 mussel 79b25 / 83b15
 • *mytis* 79a5 / 81b20 ff

 nails 87b20 / 90b5
 Natural science 39a10 / 40a
 "Natural Selection" 4
 Nature 39b15 / 41a25, b10 ff /
 42a15 / and *passim*
Naxos 77a1
 Necessity 21 / 39b20 ff /
 42a1 ff, 30 ff / 45b30 /
 46b25 / 51a15 / 63b20 /
 70a30, b20 / 72b30 / 77a15,
 b20 / 78a1 / 79a25 / 82b25 /
 85b15 / 92a1 / 94b5
 neck 64a10 / 86a5 ff / 92b20 ff
Nerites 79b20
 nictitating membrane 57a30
 "non-uniform" parts 28-30 /
 46a20, b5, 30 / 47a25 /
 55b25 ff
 nostrils 58b25 ff
 nutriment ("ultimate")
 50a30 / 51a15 / 78a5, 15
 nutrition 47a25 / 50a35 •

 octopus 52b25 / 54a20 /
 78b25 / 79a5 ff / 85a5, 15 ff
 oesophagus 50a15 / 64a15 ff /
 74a10, b20 / 86a20 /
 91a1
omasum 74b15 / 76a10 f
 omentum 76b10 / 77b15
operculum 79b15
 opposites, division by 43a30
 orifice 81a25
Oryx 63a20
os sepiae 54a20
Ostreae 80b20

INDEX TO PARTS OF ANIMALS

- ostrich 58a10 / 95a15 / 97b10 ff
- "ova" 80a10 ff, b1 ff
- ox 66b15 / 71b5 / 88b25 etc.
- oyster 80b5, 20 / 81b10
- Parmenides 48a25
- Parnassus 81a20
- parrot-fish 62a5 / 75a1
- "part" 28-30 / 51b25 / 64a5 / 90a5 /
- passages 50a15 / 56b15 / 71b1, 10 ff / 78a10
- "pen" of Calamary 54a20
- penis 89a20 f
- "perfect" animals 55b30 / 66a25 / 82a30
- philosophers, early 40b5 / 41a5 ff / 47a10
- "philosophical treatises"
 - 42a5
- phlegm 53a1 / 77b5
- physiologers, see *early philosophers*
- pigeon 70b1
- plants 50a20 / 55b30 / 78a10 / 81a15 ff / 82b30 / 83b15 / 86b30
- Plato 30 / 42b5 / 45a35 / 51b20 / 69a15 / 76b25
- "potentiality" 42a1 / 47a5 / 49b1 ff / 67b20 / 68a30
- "pounce" (of cuttlefish) 54a20
- privative terms, privation 42b20 ff / 49a15
- proboscis 78b10 / 79a5 / 85a30, b10
- Protagoras 42a25
- purpose 45a20 / 51a15 / 63b20 / 70b20 / 77a15 / 78a15 / 92a1
- Purpura 61a20 / 79b15 f
- Pyriha, strait of 80b1
- Pythagoreans 70b20
- rain 53a1
- razor-fishes 83b15
- "realization" 35 ff
- relative size of parts 65b5
- rennet 76a5 ff
- residue 29 / 32-34 / 47b25 / 50a20 / 70b25 / 71a5 / 74a15 / 75b10 ff / 76a30 / 77a10 f, 25 / 81a30
- respiration 5 / 42a30 / 62a15 / 64b1 / 65a15
- reticulum* 74b15 / 76a5
- Rhinē 97a5
- rhinoceros 63a15
- ribs 55a1
- Risus Sardonicus* 73a10
- rot 72a30 ff
- rumen* 74b15
- rumination, ruminants 74b5 / 75a1 f
- St-Hilaire, J. Barthélemy-44 / 45
- St-Hilaire, G. 84b15
- saw-teeth 61b15 / 62a5
- scales 91a15
- scallops 79b25 / 80b20 / 83b15
- Scarus 62a5 / 75a1
- scorpion 83a10
- sea-anemone 81a35
- sea-cucumber 81a15
- sea-lung 81a15
- sea-nettle 81a35
- sea-sickness 64b10
- sea-snail 78b20 / 79b5
- sea-squirt 81a10
- sea-urchin 79b25 f / 80a1 ff, 30, b1 ff / 83b10

ARISTOTLE

- seal 57a20 / 71b5 / 76b25 /
 97b1 f
 seed 41b25 / 89a5 f
 Selachia 4 / 55a20, 25, 35 /
 76b1 / 95b5 / 96b1 ff / 97a5
 self-defence 55b5 / 62b25 etc.
 semen 51b10, 20 / 89a5 f
 sensation 47a1 ff / 48a1 /
 50b25 / 51a10, b1 / 53b20 /
 56a1, 15 / 66a35 / 72b30 /
 81a15 ff
 sense, "general" 86a30
 sense-organs 47a5 / 56b25
 senses 56a25 ff / 86a10
 Sepia 54a20 / 78b25 / 79a5 ff /
 85a10 ff
 septum 81a30
 serpents 60b5 / 76a25, b20 /
 90b15 ff / 91b25 ff / 96a5 /
 97a10
 serum 51a15 / 53a1
 Shakespeare 33 / 34
 sheep 71b5 / 72a25 ff / 73b30 /
 76b35 f
 sheep-rot 72a30 ff
 sinews 66b10 / 96b5
 Siphæ 96a5
 sleep 53a10
 smell 59b15
 Smyraena 96a5
 snake 91a15
 Socrates 42a25
 solid and fluid 47a20, b10 /
 48b1 / 49b10 ff
 solidification 49a30 / 51a10
 Soul 9 / 34-37 / 38 / 41a15 ff /
 50b25 / 52b5 f / 67b20 /
 72b15 / 76b25 / 78b1 /
 86b25 / 92a20
 sounds 60a1 f
 speech 59b30 ff / 60a20 /
 61b15 / 64b1 / 73a20
 spider-crab 84a10
 550
- spine, see *backbone*
 spiral shells 79b10
 spit-and-lampstand 83a25
 spleen 66a25 / 69b25 ff /
 70a30 ff, b30
 sponge 81a10 f
 spontaneous production
 40a30
 spurs 94a10
 starfish 81b5 f
 sterility 51b10
 sting 61a15, 25 / 82a10, b30 ff
 stomach 74a5 ff / 80b25 ff /
 89b35
 stone 67b1
 substratum 49a15 f
 suckers 85b10
 suet 51a20 ff, b25 / 72a5
 sutures 53a35 / 58b1 / 67a5
 sweat 68b1
 swine 63a5 / 88b1, 10 etc.
systoichia, 70b20
 tail 58a30 / 84a1 / 89b1 ff /
 95b5 f
 talons 94a15
 taste 56b35 / 60a20 / 61a5 /
 90b25 ff
 Taylor, Prof. A. E. 20
 teeth 55b5 / 61a30 ff / 78b15 /
 80b25
 teleology 3 / 48a15 / 59a15 /
 63a10 / 94a20
 tentacles 85b1 f
 Testacea 23 / 54a1 / 78b10, 20
 / 79b1 ff / 83b1 ff
 testicles 95a25 / 97a10
 text and manuscripts of *De*
 partibus 45 ff
 theoretical sciences 40a
 Thompson, Prof. D'Arcy 19 /
 20 / 44a20
 Tiphæ 96a5

INDEX TO PARTS OF ANIMALS

- tissues 4
 toad 73b30
 Toledo 40 / 41
 tongue 59b35 ff / 78b5 ff / 90b20 ff
 torpedo-fish 95b5 / 96a25 f
 tortoise 54a5 / 71a15 f / 73b30 / 76a30 / 91a15
 touch 47 / 53b20 / 56a35
 Transformations, theory of 19 / 20
 translations of Aristotle's works 39-43 / 44-45
 transmigration 36
 troglodytes 69b5 / 84a5
 Trygon 95b5, 25
 tube-feet 81a5
 turtle 54a5
 tusks 55b10

 umbilical cord 93b25
 umbilicus 93b20
 "uniform" parts 28-30 / 40b20 / 46a20, b5, 30 / 47a25, b10
 upright posture 53a30 / 56a10 / 58a20 / 62b20 / 69b5 / 86a25 ff / 87a5 / 89b10 ff / 90a25 / 95a1 ff
 ureters 71b15

 vaporization 52b35 / 72b15
 variations in "parts" 47b25 ff / 73b10 ff
 ventilation 53b1
 vermiform appendix 75a15
 vertebrae 51b30 / 54b15 / 86a20
 Vertebrates and Invertebrates 45b10
 viper 76b1 f
 viscera 47a30 / 65a25 ff / 73b10 ff
 Vivipara 55a5, b10 / 62b20 / 73b15 / 74a25 / 85b35 ff

 wasp 83a5
 whale 69a5 / 97a15 ff
 whelk 79b15 f / 83b10
 windpipe 64a35 ff / 86a15
 wing (of birds) 93b1 ff
 wing (of insects) 82b5 ff
 wolf 86a20 / 88a5
 woodpecker 62b5
 wryneck 95a20

 xanthopterine 34

 Zeus *hoplosmios* 73a15
 zoological works of Aristotle 8

INDEX TO MOVEMENT AND PROGRESSION OF ANIMALS

NOTE: 98a-99b = 698a-699b
00a-14b = 700a-714b.

The matter contained in lines 1-5, 5-10 etc. is treated as a section, and each section is referred to by the number of its first line: *e.g.* 98a1 refers to anything contained in page 698a lines 1-4, and 13b10 to anything contained in page 713b lines 10-14.

- | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>action, the result of the practical syllogism 01a22 ff
active)(passive 02b10 / 05a20
alteration, causes of 01b15
animals <i>passim</i>
appetite 00b10
arms, movement of, in running 05a15
athletes, use of weights in jumping by 05a15
Atlas, the fable of 99a25, b1</p> <p>back)(front, of animals 05a25, b10
bat 14b10
bees 10a10
beetles 10a10
bending, as a means of motion 07b5 / 08b20 ff / 09b1; concave and convex <i>ib.</i> 10; of legs in walking</p> | <p>by man 11a25 ff, by quadrupeds <i>ib.</i> b10, by birds 12b20
bipeds 04a10, 15 / 06a25, b1 ff / 10b5 / 12b30
birds 09b20; are bipeds 06a25; standing position of 10b15 ff; compared with fishes 14a20 ff; birds with talons the swiftest flyers 10a25; web-footed birds, 14a5
bloodless animals, progression of 12b20 ff; structure of <i>ib.</i> 30; can have more than four feet 08a15; can live though divided in parts 07a30
boat, illustration from a 98b20
bones 01b5
Boreas 98b25</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

MOVEMENT & PROGRESSION OF ANIMALS

bronze, horses in 10b20

caterpillars, 05b25 / 09a30

children, their difficulty in walking 10b10

cockchafer 10a10

conger-eels 08a1

crabs 12b10 / 14b15; curious structure of 13b10 ff

crawling 09a5, 25

crocodile 13a15, b15

cupids, pictures of winged 11a1

De anima, referred to 00b5 / 14b20

De partibus animalium, referred to 98a1

desire, as a cause of motion 00b15 / 01a1 / 03a5; absent in involuntary movements 03b10

diagonal movement of the legs 04b1 / 12a20, b5
dimensions of animals 04b15 / 05a25

earth, immobility of the 99a30, b5 ff

earthworms 05b25

eels 08a1 ff / 09b10

elbow 12a10; elbow-joint 98b1 / 02a25

elephant 09a10 / 12a10

feet, even number of, in all animals 04a15 / 08a20 ff

fiery element 03a20

fire, movement of 99b25 / 00a10

fishes 09b30 / 13b5; compared with birds 14a20 ff

flat-fish 09b10 / 14a5

flying 98a5, b15 / 09b5

"foot," defined 06a30

footless animals 04a10 / 05b20 / 06b1; movement of 07b5 / 09a25

fore-arm 98b1 / 02a25

fowls, domestic 10a5

geometrical illustrations

98a10 / 02b25 / 03b25

good, the, as a cause of movement 00b25; real)(apparent good, *ib.*

hand 02a30 ff

heart 03a10 / 03b5, 20

heavens, movement of the 99a10

heron 10a10

hips 98b5 / 09a10 / 11a5; of birds 10b20, of man *ib.*

Historia animalium, referred to 04b10

Homer, quoted (*Od.* viii. 20-22) 99b35

hopping 05b30

horses, of bronze 10b20, in religious processions 12a30

"impossible," meaning of 99b15

imagination 00b10 / 01b15 / 02a15 / 03b10 ff

inferior)(superior parts 04b20 / 05a25 / 06b1 ff / 07a5

insects 09b30 / 10a5 ff / 13a1

intellect 00b10

joints 98a15 / 02a20 / 03a10 / 05a15; of elbow 98b1

jumping 05a5, 15 / 08a20 / 09b5

ARISTOTLE

knee 98b1

lampreys 08a1

leeches 09a30

left)(right 05a25, b15 ff;
left and right sides of
the body, similar 02b10;
weights carried on left
shoulder 05b30; why men
step off with the left foot
06a5

legs, the 98b5 / 10b10; posi-
tion of, in movement
09b15 ff; of man, bent in
convex direction 04a15, of
birds, in a concave direc-
tion *ib.* 20; four ways of
bending the legs 12a1;
transference of weight from
one leg to another 11a10;
of polypods 13b25 ff;
necessary to birds 09b20;
used to direct flight
10a15

lizards 13b15

lobster 13b20 ff

man, the only erect animal
10b10; right-handed 06a20;
why a biped 04a15; why
not winged 11a1; his
action in walking 07b15;
bends his legs in a convex
direction 04a15

marionettes, illustration from
01b1

Metaphysics, referred to
00b5

mice 98b15

molluscs 06a30

moon 99b15

motion, movement, of the
554

universe 98b10, of the
heavens 99a10, b10, of
animate things 00b10, of
inanimate things 00b10,
of the soul 00b1, of red-
blooded footless animals
07b5; various kinds of
movement 98a5 / 05a1 ff;
cause of movement 00b15 ff;
where situated 02a20, b5 ff;
origin of movement 98a15,
b1 ff / 01b30 / 06b15;
points at which movement
takes place 04a10 / 07a15 ff,
b5 ff / 09b20; movement
begins on the right side
05b30 / 06b15; movement
implies something at rest
outside 99b30 / 02a25;
movement of one part
necessitates rest of another
part 98a15, b1 ff / 00a5;
movement by bending
08b20 ff / 09b1 / 11a5;
voluntary)(involuntary
movement 03b5; diagonal
movement of the legs
04b1 / 12a20, b5; move-
ment in jumping, running,
and walking 05a5 ff

mover, the prime 00b5,
moves without being itself
moved 98a5 / 00b35, is
eternal 00b30

mullet 08a1

nature, creates nothing with-
out a purpose 04b15 /
08a10, creates nothing un-
natural 11a5

nutrition, of plants 06b5, of
plants and animals com-
pared 05b5

MOVEMENT & PROGRESSION OF ANIMALS

- opposite parts of the body moves simultaneously 02b10
 oviparous quadrupeds 04b1 / 13a15
- passive)(active 02a10 / 05a20
 peacock 10a5, 20
Physics, reference to (258b49) 98a10
 plants, nutrition of 06b5, lack movement *ib.*, compared with animals 05b5, superior and inferior parts of 05a25, b1 ff
 points at which movement takes place 04a10 / 07a15 ff, b5 ff / 09b20
 poles, the 99a20 ff
 polypods 04a10 / 06a30, b5 / 08b1 / 12b10 / 13a25, b15
 porphyrio (a bird) 10a10
 procession, religious 12a30
 purple-fish 06a15
 purpose 00b10 / 01a5, in nature 04b15 / 08a10
- quadrupeds 04a10 ff / 06a30 / 07b15; bending of the legs of quadrupeds in walking 11b10; oviparous quadrupeds 04b1
- ray (fish) 09b15
 red-blooded animals 11a5, move at four points 04a10 / 07a15, b5 / 09b20, cannot live if divided into parts 07a25
 resistance of earth, air or sea necessary to movement 98b15
 rest)(motion 98b5
- right)(left 05a25, b1 / 06b25 / 07a5; movement originates on the right side 05b30 / 06b15; right side superior to left 06a20, b10, right limbs used in defence 06a5
 roots of plants 05b5
 rudder, slight movement of, changes direction of boat 01b25
- scolopendrae 07a30 / 08b5
 seal 14b10
 sensation 01a35, cause of alteration 01b15; origin of sensation situated in the centre of the body 02b20
 sense-perception, in animals 05b10; objects of 98a10
 sexual organs 03b5, 20
 shin 98b1
 shoulder 98b1 / 09a10 / 11a5 / 12a10
 sinews 01b5
 Siphae 08a5
 snakes 05b25 / 09a25, movement of 07b20 ff, why footless 08a5 ff
 soul, movement of the 90b1, central position of 03a35, as origin of movement 02b1 ff / 03a1
 spine 02b20
 spirit, innate, in animals 03a10 ff
 stromboid testaceans 06a10, b1
 superior)(inferior parts 04b20 / 05a25 / 06b1 ff / 07a5
 swimming 98a5, b15 / 09b5
 syllogism, the practical 01a10 ff

ARISTOTLE

tail, used as a rudder 10a1	walking 05a5
talons, birds with, the swiftest	wasps 10a10
flyers 10a25	water-fowl 10a10
testaceans 06a10, b1 / 14b5	web-footed birds 14a5
thighs 12a15, of birds 12b30	weights, used by athletes
Tityos 98b25	* when jumping 05a15,
tortoise 13a15	carried on left shoulder
toy-carriage, illustration from	05b30
01b1	wings 05b20 / 06a25 / 09b5,
trumpet-shell 06a15	30 ; of birds, necessary for
	walking 09b20, and for
universe, movement of the	standing 10b30, serve as
98b10	front legs 12b20 ; of cupids,
	useless 11a1 ; of insects
viviparous quadrupeds 04a20	10a15 ; grow obliquely
voluntary)(involuntary	13a5
movement 03b5	wrestling-school 09b10
	wrist 02b1

THE LOEB CLASSICAL LIBRARY

VOLUMES ALREADY PUBLISHED

LATIN AUTHORS

- AMMIANUS MARCELLINUS. J. C. Rolfe. 3 Vols.
Vols. I. and II.
- APULEIUS. THE GOLDEN ASS (METAMORPHOSES). W. Adlington (1566). Revised by S. Gaselee. (6th Imp.)
- AULUS GELLIUS. J. C. Rolfe. 3 Vols.
- AUSONIUS. H. G. Evelyn White. 2 Vols.
- BEDE. J. E. King. 2 Vols.
- BOETHIUS: TRACTS AND DE CONSOLATIONE PHILOSOPHIAE. Rev. H. F. Stewart and E. K. Rand. (3rd Imp.)
- CAESAR: CIVIL WARS. A. G. Peskett. (3rd Imp.)
- CAESAR: GALLIC WAR. H. J. Edwards. (7th Imp.)
- CATO AND VARRO: DE RE RUSTICA. H. B. Ash and W. D. Hooper. (2nd Imp.)
- CATULLUS. F. W. Cornish; TIBULLUS. J. B. Postgate; AND PERVIGILUM VENERIS. J. W. Mackail. (10th Imp.)
- CELSUS: DE MEDICINA. W. G. Spencer. 2 Vols.
- CICERO: DE FINIBUS. H. Rackham. (3rd Imp. revised.)
- CICERO: DE NATURA DEORUM AND ACADEMICA. H. Rackham.
- CICERO: DE OFFICIIS. Walter Miller. (3rd Imp.)
- CICERO: DE REPUBLICA AND DE LEGIBUS. Clinton W. Keyes.
- CICERO: DE SENECTUTE, DE AMICITIA, DE DIVINATIONE. W. A. Falconer. (3rd Imp.)
- CICERO: IN CATILINAM, PRO MURENA, PRO SULLA, PRO FLACCO. Louis E. Lord.
- CICERO: LETTERS TO ATTICUS. E. O. Winstedt. 3 Vols. (Vol. I. 4th Imp., Vol. II. 3rd Imp. and Vol. III. 2nd Imp.)
- CICERO: LETTERS TO HIS FRIENDS. W. Glynn Williams. 3 Vols.
- CICERO: PHILIPPICS. W. C. A. Ker.
- CICERO: PRO ARCHIA, POST REDITUM, DE DOMO, DE HARUSPICUM RESPONSIS, PRO PLANCIO. N. H. Watts. (2nd Imp.)

THE LOEB CLASSICAL LIBRARY

- CICERO: PRO CAECINA, PRO LEGE MANILIA,
PRO CLUENTIO, PRO RABIRIO. H. Grose Hodge.
CICERO: PRO MILONE, IN PISONEM, PRO
SCAURO, PRO FONTEIO, PRO RABIRIO POS-
TUMO, PRO MARCELLO, PRO LIGARIO, PRO
REGE DEIOTARO. N. H. Watts.
CICERO: PRO QUINCTIO, PRO ROSCIO AMERINO,
PRO ROSCIO COMOEDO, CONTRA RULLUM.
J. H. Freese.
CICERO: TUSCULAN DISPUTATIONS. J. E. King.
CICERO: VERRINE ORATIONS. L. H. G. Green-
wood. 2 Vols.
CLAUDIAN. M. Platnauer. 2 Vols.
FLORUS: E. S. Forster; and CORNELIUS NEPOS:
J. C. Rolfe.
FRONTINUS: STRATAGEMS AND AQUEDUCTS.
C. E. Bennett and M. B. McElwain.
FRONTO: CORRESPONDENCE. C. R. Haines. 2 Vols.
HORACE: ODES AND EPODES. C. E. Bennett. (10th
Imp. revised.)
HORACE: SATIRES, EPISTLES, ARS POETICA.
H. R. Fairclough. (4th *Imp. revised.*)
JEROME: SELECT LETTERS. F. A. Wright.
JUVENAL AND PERSIUS. G. G. Ramsay. (5th *Imp.*)
LIVY. B. O. Foster and Evan T. Sage. 13 Vols. Vols.
I.-V., IX., X. and XI. (Vols. I. and IX. 2nd *Imp. revised.*)
LUCAN. J. D. Duff.
LUCRETIUS. W. H. D. Rouse. (4th *Imp. revised.*)
MARTIAL. W. C. A. Ker. 2 Vols. (3rd *Imp. revised.*)
MINOR LATIN POETS: from PUBLILIUS SYRUS to
RUTILIUS NAMATIUS, including GRATIUS, CALPURNIUS
SICULUS, NEMESIANUS, AVIANUS, with "Aetna," "Phoenix"
and other poems. J. Wight Duff and Arnold M. Duff.
(2nd *Imp.*)
OVID: THE ART OF LOVE AND OTHER POEMS.
J. H. Mozley.
OVID: FASTI. Sir James G. Frazer.
OVID: HEROIDES AND AMORES. Grant Showerman
(3rd *Imp.*)
OVID: METAMORPHOSES. F. J. Miller. 2 Vols.
(Vol. I. 6th *Imp.*, Vol. II. 5th *Imp.*)
OVID: TRISTIA AND EX PONTO. A. L. Wheeler.
PETRONIUS. M. Heseltine; SENECA: APOCOLO-
CYNTOSIS. W. H. D. Rouse. (6th *Imp. revised.*)

THE LOEB CLASSICAL LIBRARY

- PLAUTUS. Paul Nixon. 5 Vols (Vol. I. *4th Imp.*, Vols. II. and III. *3rd Imp.*)
- PLINY: LETTERS. Melmoth's Translation revised by W. M. L. Hutchinson. 2 Vols. (*4th Imp.*)
- PROPERTIUS. H. E. Butler. (*4th Imp.*)
- QUINTILIAN. H. E. Butler. 4 Vols. (Vols. I. and IV. *2nd Imp.*)
- REMAINS OF OLD LATIN. E. H. Warmington. 4 Vols. Vol. I. (Ennius and Caecilius.) Vol. II. (Livius, Naevius, Pacuvius, Accius.) Vol. III. (Lucilius, Laws of XII Tables.)
- ST. AUGUSTINE, CONFESSIONS OF. W. Watts (1631). 2 Vols. (Vol. I. *4th Imp.*, Vol. II. *3rd Imp.*)
- ST. AUGUSTINE, SELECT LETTERS. J. H. Baxter.
- SALLUST. J. Rolfe. (*2nd Imp. revised.*)
- SCRIPTORES HISTORIAE AUGUSTAE. D. Magie. 3 Vols. (Vol. I. *2nd Imp. revised.*)
- SENECA: APOCOLOCYNTOSIS. Cf. PETRONIUS.
- SENECA: EPISTULAE MORALES. R. M. Gummere. 3 Vols. (Vol. I. *3rd Imp.*, Vol. II. *2nd Imp. revised.*)
- SENECA: MORAL ESSAYS. J. W. Basore. 3 Vols. (Vol. II. *2nd Imp. revised.*)
- SENECA: TRAGEDIES. F. J. Miller. 2 Vols. (*2nd Imp. revised.*)
- SIDONIUS: POEMS AND LETTERS. W. B. Anderson. 2 Vols. Vol. I.
- SILIUS ITALICUS. J. D. Duff. 2 Vols.
- STATIUS. J. H. Mozley. 2 Vols.
- SUETONIUS. J. C. Rolfe. 2 Vols. (Vol. I. *5th Imp.*, Vol. II. *4th Imp. revised.*)
- TACITUS: DIALOGUS. Sir Wm. Peterson; and AGRICOLA AND GERMANIA. Maurice Hutton. (*4th Imp.*)
- TACITUS: HISTORIES AND ANNALS. C. H. Moore and J. Jackson. 4 Vols. (Vol. I. *2nd Imp.*)
- TERENCE. John Sargeant. 2 Vols. (*5th Imp.*)
- TERTULLIAN: APOLOGIA AND DE SPECTACULIS. T. R. Glover. MINUCIUS FELIX. G. H. Rendall.
- VALERIUS FLACCUS. J. H. Mozley. (*2nd Imp. revised.*)
- VELLEIUS PATERCULUS AND RES GESTAE DIVI AUGUSTI. F. W. Shipley.
- VIRGIL. H. R. Fairclough. 2 Vols. (Vol. I. *12th Imp.*, Vol. II. *10th Imp. revised.*)
- VITRUVIUS: DE ARCHITECTURA. F. Granger. 2 Vols.

THE LOEB CLASSICAL LIBRARY

GREEK AUTHORS

- ACHILLES TATIUS. S. Gaselee.
AENEAS TACTICUS: ASCLEPIODOTUS AND ONASANDER. The Illinois Greek Club.
AESCHINES. C. D. Adams.*
AESCHYLUS. H. Weir Smyth. 2 Vols. (3rd Imp.)
APOLLODORUS. Sir James G. Frazer. 2 Vols.
APOLLONIUS RHODIUS. R. C. Seaton. (4th Imp.)
THE APOSTOLIC FATHERS. Kirsopp Lake. 2 Vols. (Vol. I. 5th Imp., Vol. II. 4th Imp.)
APPIAN'S ROMAN HISTORY. Horace White. 4 Vols. (Vol. I. 3rd Imp., Vols. II., III. and IV. 2nd Imp.)
ARATUS. Cf. CALLIMACHUS.
ARISTOPHANES. Benjamin Bickley Rogers. 3 Vols. (Vols. I. and III. 3rd Imp., Vol. II. 4th Imp.) Verse trans.
ARISTOTLE: ART OF RHETORIC. J. H. Freese.
ARISTOTLE: ATHENIAN CONSTITUTION, EUDEMIAN ETHICS, VIRTUES AND VICES. H. Rackham.
ARISTOTLE: METAPHYSICS. H. Tredennick. 2 Vols. (2nd Imp.)
ARISTOTLE: MINOR WORKS. W. S. Hett. ON COLOURS, ON THINGS HEARD, PHYSIOGNOMICS, ON PLANTS, ON MARVELLOUS THINGS HEARD, MECHANICAL PROBLEMS, ON INDIVISIBLE LINES, SITUATIONS AND NAMES OF WINDS, ON MELISSUS, XENOPHANES, AND GORGIAS.
ARISTOTLE: NICOMACHEAN ETHICS. H. Rackham. (2nd Imp. revised.)
ARISTOTLE: OECONOMICA AND MAGNA MORALIA. G. C. Armstrong; with Vol. II. Metaphysics. (2nd Imp.)
ARISTOTLE: ORGANON. H. P. Cooke and H. Tredennick. 2 Vols. Vol. I.
ARISTOTLE: ON THE SOUL, PARVA NATURALIA, ON BREATH. W. S. Hett.
ARISTOTLE: PARTS OF ANIMALS. A. L. Peck; MOTION AND PROGRESSION OF ANIMALS, E. S. Forster.
ARISTOTLE: PHYSICS. Rev. P. Wicksteed and F. M. Cornford. 2 Vols. (Vol. II. 2nd Imp.)
ARISTOTLE: POETICS AND LONGINUS. W. Hamilton Fyfe; DEMETRIUS ON STYLE. W. Rhys Roberts. (2nd Imp. revised.)
ARISTOTLE: POLITICS. H. Rackham.

THE LOEB CLASSICAL LIBRARY

- ARISTOTLE: PROBLEMS. W. S. Hett. 2 Vols.
 ARISTOTLE: RHETORICA AD ALEXANDRUM.
 H Rackham. (With Problems, Vol. II.)
 ARRIAN: HISTORY OF ALEXANDER AND INDICA.
 Rev. E. Iliffe Robson. 2 Vols.
 ATHENAEUS: DEIPNOSOPHISTAE. C. B. Gulick.
 7 Vols. Vols. I.-VI.
 CALLIMACHUS AND LYCOPHRON. A. W. Mair;
 ARATUS. G. R. Mair.
 CLEMENT OF ALEXANDRIA. Rev. G. W. Butterworth.
 COLLUTHUS. Cf. OPPIAN.
 DAPHNIS AND CHLOE. Thornley's Translation revised
 by J. M. Edmonds; AND PARTHENIUS. S. Gaselee.
 (3rd Imp.)
 DEMOSTHENES: DE CORONA AND DE FALSA
 LEGATIONE. C. A. Vince and J. H. Vince.
 DEMOSTHENES: MEIDIAS, ANDROTION, ARISTO-
 CRATES, TIMOCRATES, ARISTOGEITON. J. H.
 Vince.
 DEMOSTHENES: OLYNTHIACS, PHILIPPICS AND
 MINOR ORATIONS: I-XVII AND XX. J. H. Vince.
 • DEMOSTHENES: PRIVATE ORATIONS. A. T. Mur-
 ray. 3 Vols. Vol. I.
 DIO CASSIUS: ROMAN HISTORY. E. Cary. 9 Vols.
 (Vol. II. 2nd Imp.)
 DIO CHRYSOSTOM. J. W. Cohoon. 4 Vols. Vol. I.
 DIODORUS SICULUS. C. H. Oldfather. 10 Vols.
 Vols. I. and II.
 DIOGENES LAERTIUS. R. D. Hicks. 2 Vols. (Vol.
 I. 3rd Imp.)
 DIONYSIUS OF HALICARNASSUS: ROMAN ANTI-
 QUITIES. Spelman's translation revised by E. Cary.
 6 Vols. Vol. I.
 EPICTETUS. W. A. Oldfather. 2 Vols.
 EURIPIDES. A. S. Way. 4 Vols. (Vol. I., II., IV.
 5th Imp., Vol. III. 3rd Imp.) Verse trans.
 EUSEBIUS: ECCLESIASTICAL HISTORY. Kirsopp
 Lake and J. E. L. Oulton. 2 Vols.
 GALEN: ON THE NATURAL FACULTIES. A. J.
 Brock. (2nd Imp.)
 THE GREEK ANTHOLOGY. W. R. Paton. 5 Vols.
 (Vol. I. 3rd Imp., Vols. II. and III. 2nd Imp.)
 GREEK ELEGY AND IAMBUS WITH THE ANACRE-
 ONTEA. J. M. Edmonds. 2 Vols.

THE LOEB CLASSICAL LIBRARY

- THE GREEK BUCOLIC POETS (THEOCRITUS, BION, MOSCHUS). J. M. Edmonds. (*5th Imp. revised.*)
 HERODES. *Cf.* THEOPHRASTUS: CHARACTERS.
 HERODOTUS. A. D. Godley. 4 Vols. (Vol. I. *3rd Imp.*, Vols. II.-IV. *2nd Imp.*)
 HESIOD AND THE HOMERIC HYMNS. H. G. Evelyn White. (*5th Imp. revised and enlarged.*)
 HIPPOCRATES AND THE FRAGMENTS OF HERACLEITUS. W. H. S. Jones and E. T. Withington. 4 Vols.
 HOMER: ILIAD. A. T. Murray. 2 Vols. (Vol. I. *4th Imp.*, Vol. II. *3rd Imp.*)
 HOMER: ODYSSEY. A. T. Murray. 2 Vols. (*4th Imp.*)
 ISAEUS. E. S. Forster.
 ISOCRATES. George Norlin. 3 Vols. Vols. I. and II.
 JOSEPHUS. H. St. J. Thackeray and Ralph Marcus. 9 Vols. Vols. I.-VI. (Vol. V. *2nd Imp.*)
 JULIAN. Wilmer Cave Wright. 3 Vols. (Vol. I. *2nd Imp.*)
 LUCIAN. A. M. Harmon. 8 Vols. Vols. I.-V. (Vols. I. and II. *3rd Imp.*)
 LYCOPHRON. *Cf.* CALLIMACHUS.
 LYRA GRAECA. J. M. Edmonds. 3 Vols. (Vol. I. *3rd Imp.*, Vol. II. *2nd Ed. revised and enlarged.*)
 LYSIAS. W. R. M. Lamb.
 MARCUS AURELIUS. C. R. Haines. (*3rd Imp. revised.*)
 MENANDER. F. G. Allinson. (*2nd Imp. revised.*)
 MINOR ATTIC ORATORS (ANTIPHON, ANDOCIDES, DEMADES, DEINARCHUS, HYPEREIDES). K. J. Maidment. 2 Vols. Vol. I.
 OPIAN, COLLUTHUS, TRYPHIODORUS. A. W. Mair.
 PAPHRI (SELECTIONS). A. S. Hunt and C. C. Edgar. 4 Vols. Vols. I. and II.
 PARTHENIUS. *Cf.* DAPHNIS AND CHLOE.
 PAUSANIAS: DESCRIPTION OF GREECE. W. H. S. Jones. 5 Vols. and Companion Vol. (Vol. I. *2nd Imp.*)
 PHILO. 9 Vols. Vols. I.-V. F. H. Colson and Rev. G. H. Whitaker; Vols. VI. and VII. F. H. Colson.
 PHILOSTRATUS: THE LIFE OF APOLLONIUS OF TYANA. F. C. Conybeare. 2 Vols. (Vol. I. *3rd Imp.*, Vol. II. *2nd Imp.*)
 PHILOSTRATUS. IMAGINES; CALLISTRATUS. DESCRIPTIONS. A. Fairbanks.
 PHILOSTRATUS AND EUNAPIUS: LIVES OF THE SOPHISTS. Wilmer Cave Wright.

THE LOEB CLASSICAL LIBRARY

- PINDAR. Sir J. E. Sandys. (*6th Imp. revised.*)
- PLATO: CHARMIDES, ALCIBIADES, HIPPARCHUS,
THE LOVERS, THEAGES, MINOS AND EPINOMIS.
W. R. M. Lamb.
- PLATO: CRATYLUS, PARMENIDES, GREATER
HIPPIAS, LESSER HIPPIAS. H. N. Fowler.
- PLATO: EUTHYPHRO, APOLOGY, CRITO, PHAE-
DO, PHAEDRUS. H. N. Fowler. (*7th Imp.*)
- PLATO: LACHES, PROTAGORAS, MENO, EUTHY-
DEMUS. W. R. M. Lamb. (*2nd Imp. revised.*)
- PLATO: LAWS. Rev. R. G. Bury. 2 Vols.
- PLATO: LYSIS, SYMPOSIUM, GORGIAS. W. R. M.
Lamb. (*2nd Imp. revised.*)
- PLATO: REPUBLIC. Paul Shorey. 2 Vols. (Vol. I.
2nd Imp. revised.)
- PLATO: STATESMAN, PHILEBUS. H. N. Fowler.
ION. W. R. M. Lamb.
- PLATO: THEAETETUS AND SOPHIST. H. N. Fowler.
(*2nd Imp.*)
- PLATO: TIMAEUS, CRITIAS, CLITOPHO, MENEXE-
NUS, EPISTULAE. Rev. R. G. Bury.
- PLUTARCH: MORALIA. 14 Vols. Vols. I.-V. F. C.
Babbitt; Vol. X. H. N. Fowler.
- PLUTARCH: THE PARALLEL LIVES. B. Perrin.
11 Vols. (Vols. I., II., III. and VII. *2nd Imp.*)
- POLYBIUS. W. R. Paton. 6 Vols.
- PROCOPIUS: HISTORY OF THE WARS. H. B.
Dewing. 7 Vols. Vols. I.-VI. (Vol. I. *2nd Imp.*)
- QUINTUS SMYRNAEUS. A. S. Way. Verse trans.
- ST. BASIL: LETTERS. R. J. Deferrari. 4 Vols.
- ST. JOHN DAMASCENE: BARLAAM AND IOASAPH.
Rev. G. R. Woodward and Harold Mattingly. (*2nd Imp.
revised*)
- SEXTUS EMPIRICUS. Rev. R. G. Bury. 3 Vols.
- SOPHOCLES. F. Storr. 2 Vols. (Vol. I. *6th Imp.*, Vol.
II. *4th Imp.*) Verse trans.
- STRABO: GEOGRAPHY. Horace L. Jones. 8 Vols.
(Vols. I and VIII. *2nd Imp.*)
- THEOPHRASTUS: CHARACTERS. J. M. Edmonds;
HERODES, etc. A. D. Knox.
- THEOPHRASTUS: ENQUIRY INTO PLANTS. Sir
Arthur Hort, Bart. 2 Vols.
- THUCYDIDES. C. F. Smith. 4 Vols. (Vol. I. *3rd Imp.*,
Vols. II., III. and IV. *2nd Imp. revised.*)

THE LOEB CLASSICAL LIBRARY

TRYPHIODORUS. Cf. OPIAN.
 XENOPHON: CYROPAEDIA. Walter Miller. 2 Vols.
 (2nd Imp.)
 XENOPHON: HELLENICA, ANABASIS, APOLOGY,
 AND SYMPOSIUM. C. L. Brownson and O. J. Todd.
 3 Vols. (2nd Imp.)
 XENOPHON: MEMORABILIA AND OECONOMICUS.
 E. C. Marchant.
 XENOPHON: SCRIPTA MINORA. E. C. Marchant.

VOLUMES IN PREPARATION

GREEK AUTHORS

ARISTOTLE. DE CAELO. W. K. C. Guthrie.
GREEK MATHEMATICAL WORKS. J. Thomas.
MANETHO. W. G. Waddell.
NONNUS. W. H. D. Rouse.
PAPYRI: LITERARY PAPYRI. Selected and trans-
lated by C. H. Roberts.
PTOLEMY: TETRABIBLUS. F. C. Robbins.

LATIN AUTHORS

S. AUGUSTINE : CITY OF GOD. J. H. Baxter.
CICERO : AD HERENNIIUM. H. Caplan.
CICERO · DE ORATORE. Charles Stuttaford and W. E. Sutton.
CICERO : BRUTUS, ORATOR. G. L. Hendrickson and H. M. Hubbell.
CICERO : PRO SESTIO, IN VATINIUM, PRO CAELIO, DE PROVINCIIS CONSULARIBUS, PRO BALBO. J. H. Freese.
COLUMELLA : DE RE RUSTICA. H. B. Ash.
PLINY : NATURAL HISTORY. W. H. S. Jones.
PRUDENTIUS. J. H. Baxter.
QUINTUS CURTIUS : HISTORY OF ALEXANDER. J. C. Rolfe.
VARRO : DE LINGUA LATINA. R. G. Kent.

DESCRIPTIVE PROSPECTUS ON APPLICATION

London WILLIAM HEINEMANN LTD
Cambridge, Mass. . HARVARD UNIVERSITY PRESS